



产 品 承 认 书

PRODUCT SPECIFICATION FOR APPROVAL

客 户 名 称:

CUSTOMER

产 品 名 称:

PRODUCT NAME

物 料 编 码:

PART No.

产 品 规 格:

PRODUCT SPEC

日 期:

DATE

版 本 型 号:

VERSION

A11 Coil

Disk: 43.5*5.3*0.8 dual slots

Coil: 0.08*24*2*10T / lead-out 6mm

inductance: 6.3uH $\pm$ 10%

Common double-sided adhesive tape

Jan. 18, 2024

REV 1.0

版本 Revision	变更内容 Modified Content	责任人 Principle	日期 Date	备注 Note
REV 1.0	首次发布	薛磊	2022-08-29	


制定/PREPARED BY	审核/CHECKED BY	核准/APPROVED BY

客户认可签名及盖章 Authorized signature & company chop		
---	--	--



产品规格 SPECIFICATION


一、product size

	Disk diameter A	43.5±0.5mm
	Outer diameter of the coil B	39±1mm
	Inner diameter of the coil C	20.5±0.5mm
	Product thickness D	<1.8mm
	Outlining length E	6mm±3mm
	Welding solder length F	3±2mm
	Diameter of the opening on the magnetic disk G	5±0.3mm
	Disk thickness	0.8±0.1mm
	Disk shape	Circular double groove
	Backsheet thickness	Common double-sided adhesive tape
	Shatter-proof black film	No



Shenzhen Chenxing Electronic Technology Co., Ltd.

二、SCH



三、Winding parameters


端子 TERMINAL		线径 WIRE	圈数 Turns	绕线方向 Winding Direction
S	F	Silk braided cord: 0.08 * 24 * 2	10Ts	CCW

四、electrical specification:

温度 TEMPERATURE:25±10℃, 湿度 RELATIVE HUMIDITY:65±20%

项目 ITEM	端子 TERMINAL	标准 SPECIFICATION	测试条件 TEST FREQUENCY	测试仪器 TEST EQUIPMENTS
IND.	S-F	6.3uH±10%	100KHz/1.0V	LCZ METER 1062B

五、product picture:



Company Name: Shenzhen Chenxing Electronic Technology Co., Ltd.

Factory Address: Building 1, New Kecheng Science and Technology Industrial Park, No. 51 Daobao Road,
Xin'an Street, Bao'an District, Shenzhen City