



3.136. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.46	13	Pass




3.137. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.28	13	Pass




3.138. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.65	13	Pass




3.139. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	5.49	13	Pass




3.140. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	5.37	13	Pass




3.141. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.67	13	Pass




3.142. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.28	13	Pass




3.143. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.37	13	Pass




3.144. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.43	13	Pass




3.145. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.29	13	Pass




3.146. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.68	13	Pass




3.147. Peak to Average Ratio for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3485.01	0.1	78	5.62	13	Pass




3.148. Peak to Average Ratio for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3485.01	0.1	78	5.68	13	Pass




3.149. Peak to Average Ratio for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3485.01	0.1	78	6.79	13	Pass




3.150. Peak to Average Ratio for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3485.01	0.1	78	6.37	13	Pass




3.151. Peak to Average Ratio for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3485.01	0.1	78	6.08	13	Pass




3.152. Peak to Average Ratio for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3485.01	0.1	78	6.48	13	Pass




3.153. Peak to Average Ratio for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3485.01	0.1	78	6.26	13	Pass




3.154. Peak to Average Ratio for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3485.01	0.1	78	6.56	13	Pass




3.155. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	78	5.59	13	Pass




3.156. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	78	5.67	13	Pass




3.157. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	78	7.26	13	Pass




3.158. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	78	6.33	13	Pass




3.159. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	78	6.22	13	Pass




3.160. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	78	6.5	13	Pass




3.161. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	78	6.28	13	Pass




3.162. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	78	6.56	13	Pass




3.163. Peak to Average Ratio for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3514.98	0.1	78	5.56	13	Pass




3.164. Peak to Average Ratio for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3514.98	0.1	78	5.77	13	Pass




3.165. Peak to Average Ratio for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3514.98	0.1	78	6.57	13	Pass




3.166. Peak to Average Ratio for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3514.98	0.1	78	6.38	13	Pass




3.167. Peak to Average Ratio for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3514.98	0.1	78	6.3	13	Pass




3.168. Peak to Average Ratio for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3514.98	0.1	78	6.55	13	Pass




3.169. Peak to Average Ratio for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3514.98	0.1	78	6.28	13	Pass




3.170. Peak to Average Ratio for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3514.98	0.1	78	6.64	13	Pass




3.171. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	5.47	13	Pass




3.172. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	5.61	13	Pass




3.173. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.7	13	Pass




3.174. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.27	13	Pass




3.175. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.12	13	Pass




3.176. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.5	13	Pass




3.177. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.49	13	Pass




3.178. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.62	13	Pass




3.179. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	5.4	13	Pass




3.180. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	5.64	13	Pass




3.181. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.62	13	Pass




3.182. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.33	13	Pass




3.183. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.27	13	Pass




3.184. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.53	13	Pass




3.185. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.48	13	Pass




3.186. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.61	13	Pass




3.187. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	5.41	13	Pass




3.188. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	5.65	13	Pass




3.189. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	7.11	13	Pass




3.190. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.32	13	Pass




3.191. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.11	13	Pass




3.192. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.5	13	Pass




3.193. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.47	13	Pass




3.194. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.66	13	Pass




3.195. Peak to Average Ratio for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3495	0.1	90	5.5	13	Pass




3.196. Peak to Average Ratio for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3495	0.1	90	5.6	13	Pass




3.197. Peak to Average Ratio for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3495	0.1	90	6.67	13	Pass




3.198. Peak to Average Ratio for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3495	0.1	90	6.42	13	Pass




3.199. Peak to Average Ratio for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3495	0.1	90	6.29	13	Pass




3.200. Peak to Average Ratio for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3495	0.1	90	6.53	13	Pass




3.201. Peak to Average Ratio for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3495	0.1	90	6.49	13	Pass




3.202. Peak to Average Ratio for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3495	0.1	90	6.61	13	Pass




3.203. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	90	5.45	13	Pass




3.204. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	90	5.66	13	Pass




3.205. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	90	6.69	13	Pass




3.206. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	90	6.44	13	Pass




3.207. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	90	6.25	13	Pass




3.208. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	90	6.5	13	Pass




3.209. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	90	6.47	13	Pass




3.210. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	4.41	13	Pass




3.211. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	5.48	13	Pass




3.212. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	5.66	13	Pass




3.213. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	6.1	13	Pass




3.214. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	6.32	13	Pass




3.215. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	6.1	13	Pass




3.216. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	6.47	13	Pass




3.217. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	6.29	13	Pass




3.218. Peak to Average Ratio for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3504.99	0.1	90	6.6	13	Pass




3.219. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	5.56	13	Pass




3.220. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




3.221. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.68	13	Pass




3.222. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.4	13	Pass




3.223. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.15	13	Pass




3.224. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.48	13	Pass



3.225. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.48	13	Pass



3.226. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.65	13	Pass



1. n77(3700-3980)


1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	10	5.07	13	Pass




1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	10	5.37	13	Pass




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	10	5.98	13	Pass




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	10	6.26	13	Pass




1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	10	5.88	13	Pass




1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	10	6.39	13	Pass




1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	10	6.26	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3705	0.1	10	6.56	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	10	4.9	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	10	5.51	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	10	5.56	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	10	6.27	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	10	5.9	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	10	6.25	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	10	6.24	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	10	6.63	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	10	5.25	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	10	5.28	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	10	6.06	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	10	6.14	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	10	5.83	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	10	6.31	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	10	6.22	13	Pass




1.30. Peak to Average Ratio for SA_Part22-24-27(Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3975	0.1	10	6.62	13	Pass




1.33. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.32	13	Pass




1.34. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.38	13	Pass




1.35. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6	13	Pass




1.36. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.14	13	Pass




1.37. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.38	13	Pass




1.38. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.41	13	Pass




1.39. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.94	13	Pass




1.40. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.37	13	Pass




1.43. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.32	13	Pass




1.44. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.41	13	Pass




1.45. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.83	13	Pass




1.46. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.16	13	Pass




1.47. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.93	13	Pass




1.48. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.36	13	Pass




1.49. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.26	13	Pass




1.50. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.32	13	Pass




1.53. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.15	13	Pass




1.54. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.28	13	Pass




1.55. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.83	13	Pass




1.56. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.06	13	Pass




1.57. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.81	13	Pass




1.58. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.38	13	Pass




1.59. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.31	13	Pass




1.60. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.4	13	Pass




1.63. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	5.15	13	Pass




1.64. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	5.55	13	Pass




1.65. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.05	13	Pass




1.66. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.36	13	Pass




1.67. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	5.9	13	Pass




1.68. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.35	13	Pass




1.69. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	5.95	13	Pass




1.70. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.43	13	Pass




1.73. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	4.96	13	Pass




1.74. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	5.43	13	Pass




1.75. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	5.85	13	Pass




1.76. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.15	13	Pass




1.77. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	5.96	13	Pass




1.78. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.36	13	Pass




1.79. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	5.98	13	Pass




1.80. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.48	13	Pass



1.83. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	5.24	13	Pass



1.84. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	5.47	13	Pass

