



## 2.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                 | 0.1             | 5         | 4.98     | 13               | Pass    |




## 2.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                 | 0.1             | 5         | 6.05     | 13               | Pass    |




## 2.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                 | 0.1             | 5         | 5.99     | 13               | Pass    |




## 2.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                 | 0.1             | 5         | 5.93     | 13               | Pass    |




## 2.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                 | 0.1             | 5         | 6.18     | 13               | Pass    |




## 2.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                 | 0.1             | 5         | 6.6      | 13               | Pass    |




## 2.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                 | 0.1             | 5         | 6.14     | 13               | Pass    |




## 2.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 5.61     | 13               | Pass    |




## 2.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 5.38     | 13               | Pass    |




## 2.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




**2.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 6.19     | 13               | Pass    |




## 2.31. Peak to Average Ratio for SA\_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 5.89     | 13               | Pass    |




## 2.32. Peak to Average Ratio for SA\_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 6.22     | 13               | Pass    |




### 2.33. Peak to Average Ratio for SA\_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 6.6      | 13               | Pass    |




**2.34. Peak to Average Ratio for SA\_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 6.35     | 13               | Pass    |




## 2.35. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 5.63     | 13               | Pass    |




## 2.36. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 5.59     | 13               | Pass    |




## 2.37. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 5.88     | 13               | Pass    |




**2.38. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 6.31     | 13               | Pass    |




### 2.39. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 5.84     | 13               | Pass    |




## 2.40. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 6.35     | 13               | Pass    |




## 2.41. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 6.54     | 13               | Pass    |




## 2.42. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 6.44     | 13               | Pass    |




## 2.43. Peak to Average Ratio for SA\_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 5.37     | 13               | Pass    |




## 2.44. Peak to Average Ratio for SA\_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 5.42     | 13               | Pass    |




**2.45. Peak to Average Ratio for SA\_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 5.83     | 13               | Pass    |




**2.46. Peak to Average Ratio for SA\_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 6.22     | 13               | Pass    |




## 2.47. Peak to Average Ratio for SA\_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 5.83     | 13               | Pass    |




**2.48. Peak to Average Ratio for SA\_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 6.26     | 13               | Pass    |




## 2.49. Peak to Average Ratio for SA\_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 6.56     | 13               | Pass    |




## 2.50. Peak to Average Ratio for SA\_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 6.32     | 13               | Pass    |




**2.51. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 5.65     | 13               | Pass    |




## 2.52. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 5.6      | 13               | Pass    |




**2.53. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 5.97     | 13               | Pass    |




**2.54. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 6.22     | 13               | Pass    |




## 2.55. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 5.84     | 13               | Pass    |




**2.56. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 6.35     | 13               | Pass    |




**2.57. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 6.58     | 13               | Pass    |




**2.58. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 6.53     | 13               | Pass    |




**2.59. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 15        | 5.75     | 13               | Pass    |




## 2.60. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 15        | 5.59     | 13               | Pass    |




## 2.61. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 15        | 5.98     | 13               | Pass    |




**2.62. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 15        | 6.24     | 13               | Pass    |




## 2.63. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 15        | 5.88     | 13               | Pass    |




**2.64. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 15        | 6.31     | 13               | Pass    |




**2.65. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 15        | 6.61     | 13               | Pass    |




**2.66. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 15        | 6.46     | 13               | Pass    |




**2.67. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 15        | 5.77     | 13               | Pass    |




**2.68. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**




**2.69. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 15        | 5.91     | 13               | Pass    |




## 2.70. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 15        | 6.18     | 13               | Pass    |




## 2.71. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 15        | 5.87     | 13               | Pass    |




## 2.72. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 15        | 6.36     | 13               | Pass    |




## 2.73. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 15        | 6.59     | 13               | Pass    |




**2.74. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 15        | 6.5      | 13               | Pass    |




## 4. n25

### 4.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




#### 4.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1852.5                | 0.1             | 5         | 5.44     | 13               | Pass    |




#### 4.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1852.5                | 0.1             | 5         | 6.13     | 13               | Pass    |




**4.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**




#### 4.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1852.5                | 0.1             | 5         | 5.95     | 13               | Pass    |




**4.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1852.5                | 0.1             | 5         | 6.42     | 13               | Pass    |




#### 4.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1852.5                | 0.1             | 5         | 6.88     | 13               | Pass    |




#### 4.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1852.5                | 0.1             | 5         | 6.41     | 13               | Pass    |




#### 4.11. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




#### 4.12. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 5         | 5.48     | 13               | Pass    |




#### 4.13. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 5         | 6.12     | 13               | Pass    |




#### 4.14. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 5         | 6.29     | 13               | Pass    |




#### 4.15. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 5         | 6.11     | 13               | Pass    |




#### 4.16. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 5         | 6.44     | 13               | Pass    |




#### 4.17. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 5         | 6.84     | 13               | Pass    |




**4.18. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 5         | 6.44     | 13               | Pass    |




#### 4.19. Peak to Average Ratio for SA\_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1912.5                | 0.1             | 5         | 5.49     | 13               | Pass    |




#### 4.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1912.5                | 0.1             | 5         | 5.28     | 13               | Pass    |




#### 4.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1912.5                | 0.1             | 5         | 6.04     | 13               | Pass    |




#### 4.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1912.5                | 0.1             | 5         | 6.18     | 13               | Pass    |




#### 4.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1912.5                | 0.1             | 5         | 6.08     | 13               | Pass    |




#### 4.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1912.5                | 0.1             | 5         | 6.33     | 13               | Pass    |




#### 4.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1912.5                | 0.1             | 5         | 6.87     | 13               | Pass    |




#### 4.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1912.5                | 0.1             | 5         | 6.38     | 13               | Pass    |




#### 4.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1855                  | 0.1             | 10        | 5.46     | 13               | Pass    |




**4.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1855                  | 0.1             | 10        | 5.34     | 13               | Pass    |




#### 4.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1855                  | 0.1             | 10        | 5.94     | 13               | Pass    |




**4.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1855                  | 0.1             | 10        | 6.38     | 13               | Pass    |




#### 4.31. Peak to Average Ratio for SA\_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1855                  | 0.1             | 10        | 6.04     | 13               | Pass    |




#### 4.32. Peak to Average Ratio for SA\_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1855                  | 0.1             | 10        | 6.38     | 13               | Pass    |




#### 4.33. Peak to Average Ratio for SA\_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1855                  | 0.1             | 10        | 6.84     | 13               | Pass    |




**4.34. Peak to Average Ratio for SA\_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1855                  | 0.1             | 10        | 6.61     | 13               | Pass    |




#### 4.35. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 10        | 5.47     | 13               | Pass    |




**4.36. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 10        | 5.55     | 13               | Pass    |




#### 4.37. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 10        | 5.96     | 13               | Pass    |




**4.38. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 10        | 6.34     | 13               | Pass    |




#### 4.39. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 10        | 6.02     | 13               | Pass    |




#### 4.40. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 10        | 6.42     | 13               | Pass    |




#### 4.41. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 10        | 6.83     | 13               | Pass    |




**4.42. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 10        | 6.58     | 13               | Pass    |




#### 4.43. Peak to Average Ratio for SA\_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1910                  | 0.1             | 10        | 5.44     | 13               | Pass    |




**4.44. Peak to Average Ratio for SA\_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1910                  | 0.1             | 10        | 5.46     | 13               | Pass    |




**4.45. Peak to Average Ratio for SA\_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1910                  | 0.1             | 10        | 6.11     | 13               | Pass    |




#### 4.46. Peak to Average Ratio for SA\_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1910                  | 0.1             | 10        | 6.27     | 13               | Pass    |




#### 4.47. Peak to Average Ratio for SA\_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1910                  | 0.1             | 10        | 6.1      | 13               | Pass    |




#### 4.48. Peak to Average Ratio for SA\_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1910                  | 0.1             | 10        | 6.39     | 13               | Pass    |




#### 4.49. Peak to Average Ratio for SA\_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1910                  | 0.1             | 10        | 6.84     | 13               | Pass    |




#### 4.50. Peak to Average Ratio for SA\_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1910                  | 0.1             | 10        | 6.62     | 13               | Pass    |




#### 4.51. Peak to Average Ratio for SA\_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




#### 4.52. Peak to Average Ratio for SA\_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1857.5                | 0.1             | 15        | 5.56     | 13               | Pass    |




#### 4.53. Peak to Average Ratio for SA\_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1857.5                | 0.1             | 15        | 6        | 13               | Pass    |




**4.54. Peak to Average Ratio for SA\_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1857.5                | 0.1             | 15        | 6.19     | 13               | Pass    |




**4.55. Peak to Average Ratio for SA\_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1857.5                | 0.1             | 15        | 6.01     | 13               | Pass    |




**4.56. Peak to Average Ratio for SA\_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1857.5                | 0.1             | 15        | 6.36     | 13               | Pass    |




**4.57. Peak to Average Ratio for SA\_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1857.5                | 0.1             | 15        | 6.82     | 13               | Pass    |




**4.58. Peak to Average Ratio for SA\_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1857.5                | 0.1             | 15        | 6.6      | 13               | Pass    |




#### 4.59. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 15        | 5.4      | 13               | Pass    |




**4.60. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 15        | 5.41     | 13               | Pass    |




**4.61. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 15        | 5.94     | 13               | Pass    |




#### 4.62. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 15        | 6.25     | 13               | Pass    |




#### 4.63. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 15        | 6.02     | 13               | Pass    |




#### 4.64. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 15        | 6.41     | 13               | Pass    |




**4.65. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 15        | 6.84     | 13               | Pass    |




**4.66. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 15        | 6.64     | 13               | Pass    |




#### 4.67. Peak to Average Ratio for SA\_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1907.5                | 0.1             | 15        | 5.79     | 13               | Pass    |



**4.68. Peak to Average Ratio for SA\_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**




**4.69. Peak to Average Ratio for SA\_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




#### 4.70. Peak to Average Ratio for SA\_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1907.5                | 0.1             | 15        | 6.21     | 13               | Pass    |




**4.71. Peak to Average Ratio for SA\_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1907.5                | 0.1             | 15        | 6.07     | 13               | Pass    |




**4.72. Peak to Average Ratio for SA\_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**




#### 4.73. Peak to Average Ratio for SA\_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1907.5                | 0.1             | 15        | 6.86     | 13               | Pass    |




#### 4.74. Peak to Average Ratio for SA\_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1907.5                | 0.1             | 15        | 6.58     | 13               | Pass    |




#### 4.75. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.33     | 13               | Pass    |




**4.76. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.32     | 13               | Pass    |




#### 4.77. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.93     | 13               | Pass    |




#### 4.78. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.14     | 13               | Pass    |




#### 4.79. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




#### 4.80. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.35     | 13               | Pass    |




**4.81. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.83     | 13               | Pass    |




#### 4.82. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.71     | 13               | Pass    |




#### 4.83. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 5.58     | 13               | Pass    |




#### 4.84. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 5.53     | 13               | Pass    |




**4.85. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 6.01     | 13               | Pass    |




**4.86. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 6.37     | 13               | Pass    |




#### 4.87. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 6.01     | 13               | Pass    |




**4.88. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 6.43     | 13               | Pass    |




**4.89. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 6.82     | 13               | Pass    |




#### 4.90. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 6.68     | 13               | Pass    |




#### 4.93. Peak to Average Ratio for SA\_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1905                  | 0.1             | 20        | 5.51     | 13               | Pass    |




#### 4.94. Peak to Average Ratio for SA\_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1905                  | 0.1             | 20        | 5.51     | 13               | Pass    |




**4.95. Peak to Average Ratio for SA\_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1905                  | 0.1             | 20        | 6.64     | 13               | Pass    |




**4.96. Peak to Average Ratio for SA\_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1905                  | 0.1             | 20        | 6.22     | 13               | Pass    |




#### 4.97. Peak to Average Ratio for SA\_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1905                  | 0.1             | 20        | 6.03     | 13               | Pass    |




#### 4.98. Peak to Average Ratio for SA\_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1905                  | 0.1             | 20        | 6.42     | 13               | Pass    |




**4.99. Peak to Average Ratio for SA\_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1905                  | 0.1             | 20        | 6.86     | 13               | Pass    |




#### 4.100. Peak to Average Ratio for SA\_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1905                  | 0.1             | 20        | 6.74     | 13               | Pass    |




#### 4.101. Peak to Average Ratio for SA\_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1862.5                | 0.1             | 28        | 5.21     | 13               | Pass    |




**4.102. Peak to Average Ratio for SA\_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1862.5                | 0.1             | 28        | 5.2      | 13               | Pass    |




#### 4.103. Peak to Average Ratio for SA\_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1862.5                | 0.1             | 28        | 5.91     | 13               | Pass    |




#### 4.104. Peak to Average Ratio for SA\_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1862.5                | 0.1             | 28        | 6.13     | 13               | Pass    |



#### 4.105. Peak to Average Ratio for SA\_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1862.5                | 0.1             | 28        | 6.06     | 13               | Pass    |



#### 4.106. Peak to Average Ratio for SA\_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1862.5                | 0.1             | 28        | 6.35     | 13               | Pass    |

