



4.107. Peak to Average Ratio for SA_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1862.5	0.1	28	6.79	13	Pass




4.108. Peak to Average Ratio for SA_Part22-24-27(Channel:372500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1862.5	0.1	28	6.54	13	Pass




4.109. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	28	5.41	13	Pass




4.110. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	28	5.47	13	Pass




4.111. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	28	6.02	13	Pass




4.112. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	28	6.26	13	Pass




4.113. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	28	6.06	13	Pass




4.114. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	28	6.4	13	Pass




4.115. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	28	6.77	13	Pass




4.116. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	28	6.61	13	Pass




4.117. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	28	5.81	13	Pass




4.118. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	28	5.48	13	Pass




4.119. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	28	6.16	13	Pass




4.120. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	28	6.22	13	Pass




4.121. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	28	6.09	13	Pass




4.122. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	28	6.43	13	Pass




4.123. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	28	6.81	13	Pass




4.124. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	28	6.68	13	Pass




4.125. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	5.46	13	Pass




4.126. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	5.37	13	Pass




4.127. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	5.95	13	Pass




4.128. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.18	13	Pass




4.129. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.02	13	Pass




4.130. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.41	13	Pass




4.131. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.81	13	Pass




4.132. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.58	13	Pass




4.133. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.4	13	Pass




4.134. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.51	13	Pass




4.135. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.96	13	Pass




4.136. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.27	13	Pass




4.137. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.06	13	Pass




4.138. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.48	13	Pass




4.139. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.82	13	Pass




4.140. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.6	13	Pass




4.141. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	5.75	13	Pass




4.142. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	5.4	13	Pass




4.143. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.16	13	Pass




4.144. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.23	13	Pass




4.145. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.08	13	Pass




4.146. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.57	13	Pass




4.147. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.84	13	Pass



4.148. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.66	13	Pass



3. n30 15kHz


3.3. Peak to Average Ratio for SA_Part22-24-27(Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2307.5	0.1	5	5.49	13	Pass




3.4. Peak to Average Ratio for SA_Part22-24-27(Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2307.5	0.1	5	5.63	13	Pass




3.5. Peak to Average Ratio for SA_Part22-24-27(Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2307.5	0.1	5	6.3	13	Pass




3.6. Peak to Average Ratio for SA_Part22-24-27(Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2307.5	0.1	5	6.47	13	Pass




3.7. Peak to Average Ratio for SA_Part22-24-27(Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2307.5	0.1	5	6.19	13	Pass




3.8. Peak to Average Ratio for SA_Part22-24-27(Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2307.5	0.1	5	6.61	13	Pass




3.9. Peak to Average Ratio for SA_Part22-24-27(Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2307.5	0.1	5	6.86	13	Pass




3.10. Peak to Average Ratio for SA_Part22-24-27(Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2307.5	0.1	5	6.36	13	Pass




3.11. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




3.12. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	5	5.56	13	Pass




3.13. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	5	6.33	13	Pass




3.14. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	5	6.47	13	Pass




3.15. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	5	6.23	13	Pass




3.16. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	5	6.53	13	Pass




3.17. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	5	6.92	13	Pass




3.18. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	5	6.4	13	Pass




3.19. Peak to Average Ratio for SA_Part22-24-27(Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2312.5	0.1	5	6.08	13	Pass




3.20. Peak to Average Ratio for SA_Part22-24-27(Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2312.5	0.1	5	5.58	13	Pass




3.21. Peak to Average Ratio for SA_Part22-24-27(Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2312.5	0.1	5	6.29	13	Pass




3.22. Peak to Average Ratio for SA_Part22-24-27(Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2312.5	0.1	5	6.43	13	Pass




3.23. Peak to Average Ratio for SA_Part22-24-27(Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2312.5	0.1	5	6.3	13	Pass




3.24. Peak to Average Ratio for SA_Part22-24-27(Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2312.5	0.1	5	6.48	13	Pass




3.25. Peak to Average Ratio for SA_Part22-24-27(Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2312.5	0.1	5	6.89	13	Pass




3.26. Peak to Average Ratio for SA_Part22-24-27(Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2312.5	0.1	5	6.38	13	Pass




3.27. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	5.66	13	Pass




3.28. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	5.76	13	Pass




3.29. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.18	13	Pass




3.30. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.61	13	Pass




3.31. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.14	13	Pass




3.32. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.58	13	Pass




3.33. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.91	13	Pass




3.34. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.61	13	Pass




3. n38_PC3

3.3. Peak to Average Ratio for SA_Part22-24-27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




3.4. Peak to Average Ratio for SA_Part22-24-27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	10	5.73	13	Pass




3.5. Peak to Average Ratio for SA_Part22-24-27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	10	6.21	13	Pass




3.6. Peak to Average Ratio for SA_Part22-24-27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	10	6.63	13	Pass




3.7. Peak to Average Ratio for SA_Part22-24-27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	10	6.61	13	Pass




3.8. Peak to Average Ratio for SA_Part22-24-27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	10	6.67	13	Pass




3.9. Peak to Average Ratio for SA_Part22-24-27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	10	6.26	13	Pass




3.10. Peak to Average Ratio for SA_Part22-24-27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	10	6.9	13	Pass




3.13. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	5.27	13	Pass




3.14. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	5.53	13	Pass




3.15. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	6.22	13	Pass




3.16. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	6.56	13	Pass




3.17. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	6.28	13	Pass




3.18. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	6.67	13	Pass




3.19. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	6.58	13	Pass




3.20. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	6.92	13	Pass




3.23. Peak to Average Ratio for SA_Part22-24-27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	5.21	13	Pass




3.24. Peak to Average Ratio for SA_Part22-24-27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	5.65	13	Pass




3.25. Peak to Average Ratio for SA_Part22-24-27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.15	13	Pass




3.26. Peak to Average Ratio for SA_Part22-24-27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.43	13	Pass




3.27. Peak to Average Ratio for SA_Part22-24-27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.51	13	Pass




3.28. Peak to Average Ratio for SA_Part22-24-27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.63	13	Pass




3.29. Peak to Average Ratio for SA_Part22-24-27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.71	13	Pass




3.30. Peak to Average Ratio for SA_Part22-24-27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.89	13	Pass




3.33. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.63	13	Pass




3.34. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.79	13	Pass




3.35. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.01	13	Pass




3.36. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.5	13	Pass




3.37. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.3	13	Pass




3.38. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.75	13	Pass




3.39. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.3	13	Pass




3.40. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.63	13	Pass




3.43. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.24	13	Pass




3.44. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.64	13	Pass




3.45. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.9	13	Pass




3.46. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.48	13	Pass




3.47. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.26	13	Pass




3.48. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.65	13	Pass




3.49. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.57	13	Pass




3.50. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.64	13	Pass




3.53. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.25	13	Pass




3.54. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.75	13	Pass




3.55. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.8	13	Pass




3.56. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.37	13	Pass




3.57. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.27	13	Pass




3.58. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.71	13	Pass




3.59. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.3	13	Pass




3.60. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.62	13	Pass




3.63. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	5.86	13	Pass




3.64. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	5.78	13	Pass




3.65. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.23	13	Pass




3.66. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.49	13	Pass




3.67. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.17	13	Pass




3.68. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.61	13	Pass




3.69. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.6	13	Pass




3.70. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.73	13	Pass




3.73. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	5.81	13	Pass




3.74. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	5.7	13	Pass




3.75. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	5.77	13	Pass




3.76. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.51	13	Pass




3.77. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.19	13	Pass




3.78. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.64	13	Pass




3.79. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.62	13	Pass




3.80. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.72	13	Pass




3.83. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	5.28	13	Pass




3.84. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	5.64	13	Pass




3.85. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.22	13	Pass




3.86. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.41	13	Pass




3.87. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.28	13	Pass




3.88. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.63	13	Pass




3.89. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.59	13	Pass




3.90. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.79	13	Pass




3.93. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	5.82	13	Pass




3.94. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	5.81	13	Pass




3.95. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	5.84	13	Pass




3.96. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.48	13	Pass




3.97. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.7	13	Pass




3.98. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.72	13	Pass




3.99. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.48	13	Pass




3.100. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.83	13	Pass




3.103. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	5.81	13	Pass



3.104. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	5.45	13	Pass



3.105. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	6.2	13	Pass

