



## 2.183. Peak to Average Ratio for SA\_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2531.01               | 0.1             | 78        | 5.37     | 13               | Pass    |




## 2.184. Peak to Average Ratio for SA\_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2531.01               | 0.1             | 78        | 5.76     | 13               | Pass    |




**2.185. Peak to Average Ratio for SA\_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2531.01               | 0.1             | 78        | 6.39     | 13               | Pass    |




**2.186. Peak to Average Ratio for SA\_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2531.01               | 0.1             | 78        | 6.47     | 13               | Pass    |




**2.187. Peak to Average Ratio for SA\_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2531.01               | 0.1             | 78        | 6.51     | 13               | Pass    |




**2.188. Peak to Average Ratio for SA\_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2531.01               | 0.1             | 78        | 6.79     | 13               | Pass    |




**2.189. Peak to Average Ratio for SA\_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2531.01               | 0.1             | 78        | 6.49     | 13               | Pass    |




**2.190. Peak to Average Ratio for SA\_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2531.01               | 0.1             | 78        | 6.73     | 13               | Pass    |




## 2.193. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 78        | 5.44     | 13               | Pass    |




**2.194. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 78        | 5.84     | 13               | Pass    |




## 2.195. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 78        | 6.36     | 13               | Pass    |




**2.196. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 78        | 6.48     | 13               | Pass    |




## 2.197. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 78        | 6.52     | 13               | Pass    |




## 2.198. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 78        | 6.83     | 13               | Pass    |




## 2.199. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 78        | 6.42     | 13               | Pass    |




**2.200. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 78        | 6.8      | 13               | Pass    |




## 2.203. Peak to Average Ratio for SA\_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2655                  | 0.1             | 78        | 5.35     | 13               | Pass    |




## 2.204. Peak to Average Ratio for SA\_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2655                  | 0.1             | 78        | 5.56     | 13               | Pass    |




## 2.205. Peak to Average Ratio for SA\_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2655                  | 0.1             | 78        | 6.32     | 13               | Pass    |




## 2.206. Peak to Average Ratio for SA\_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2655                  | 0.1             | 78        | 6.35     | 13               | Pass    |




## 2.207. Peak to Average Ratio for SA\_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2655                  | 0.1             | 78        | 6.42     | 13               | Pass    |




**2.208. Peak to Average Ratio for SA\_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2655                  | 0.1             | 78        | 6.66     | 13               | Pass    |




**2.209. Peak to Average Ratio for SA\_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2655                  | 0.1             | 78        | 6.53     | 13               | Pass    |




**2.210. Peak to Average Ratio for SA\_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2655                  | 0.1             | 78        | 6.7      | 13               | Pass    |




## 2.213. Peak to Average Ratio for SA\_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2536.02               | 0.1             | 80        | 5.43     | 13               | Pass    |




## 2.214. Peak to Average Ratio for SA\_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2536.02               | 0.1             | 80        | 5.68     | 13               | Pass    |




## 2.215. Peak to Average Ratio for SA\_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2536.02               | 0.1             | 80        | 6.4      | 13               | Pass    |




**2.216. Peak to Average Ratio for SA\_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2536.02               | 0.1             | 80        | 6.49     | 13               | Pass    |




## 2.217. Peak to Average Ratio for SA\_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2536.02               | 0.1             | 80        | 6.39     | 13               | Pass    |




**2.218. Peak to Average Ratio for SA\_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2536.02               | 0.1             | 80        | 6.73     | 13               | Pass    |




## 2.219. Peak to Average Ratio for SA\_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2536.02               | 0.1             | 80        | 6.7      | 13               | Pass    |




## 2.220. Peak to Average Ratio for SA\_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2536.02               | 0.1             | 80        | 6.67     | 13               | Pass    |




**2.223. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 80        | 5.48     | 13               | Pass    |




## 2.224. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 80        | 5.62     | 13               | Pass    |




**2.225. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 80        | 6.36     | 13               | Pass    |




**2.226. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 80        | 6.45     | 13               | Pass    |




## 2.227. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 80        | 6.47     | 13               | Pass    |




**2.228. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 80        | 6.73     | 13               | Pass    |




## 2.229. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 80        | 6.54     | 13               | Pass    |




**2.230. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 80        | 6.76     | 13               | Pass    |




## 2.233. Peak to Average Ratio for SA\_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2649.99               | 0.1             | 80        | 5.35     | 13               | Pass    |




**2.234. Peak to Average Ratio for SA\_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2649.99               | 0.1             | 80        | 5.41     | 13               | Pass    |




**2.235. Peak to Average Ratio for SA\_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2649.99               | 0.1             | 80        | 6.31     | 13               | Pass    |




**2.236. Peak to Average Ratio for SA\_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2649.99               | 0.1             | 80        | 6.34     | 13               | Pass    |




## 2.237. Peak to Average Ratio for SA\_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2649.99               | 0.1             | 80        | 6.4      | 13               | Pass    |




**2.238. Peak to Average Ratio for SA\_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2649.99               | 0.1             | 80        | 6.62     | 13               | Pass    |




## 2.239. Peak to Average Ratio for SA\_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2649.99               | 0.1             | 80        | 6.51     | 13               | Pass    |




## 2.240. Peak to Average Ratio for SA\_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2649.99               | 0.1             | 80        | 6.66     | 13               | Pass    |




## 2.243. Peak to Average Ratio for SA\_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2541                  | 0.1             | 90        | 5.39     | 13               | Pass    |




## 2.244. Peak to Average Ratio for SA\_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2541                  | 0.1             | 90        | 5.54     | 13               | Pass    |




## 2.245. Peak to Average Ratio for SA\_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2541                  | 0.1             | 90        | 6.35     | 13               | Pass    |




## 2.246. Peak to Average Ratio for SA\_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2541                  | 0.1             | 90        | 6.39     | 13               | Pass    |




**2.247. Peak to Average Ratio for SA\_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2541                  | 0.1             | 90        | 6.46     | 13               | Pass    |




**2.248. Peak to Average Ratio for SA\_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2541                  | 0.1             | 90        | 6.69     | 13               | Pass    |




## 2.249. Peak to Average Ratio for SA\_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2541                  | 0.1             | 90        | 6.39     | 13               | Pass    |




## 2.250. Peak to Average Ratio for SA\_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2541                  | 0.1             | 90        | 6.75     | 13               | Pass    |




## 2.253. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 90        | 5.38     | 13               | Pass    |




## 2.254. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 90        | 5.62     | 13               | Pass    |




**2.255. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 90        | 6.4      | 13               | Pass    |




**2.256. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 90        | 6.43     | 13               | Pass    |




**2.257. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 90        | 6.48     | 13               | Pass    |




**2.258. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 90        | 6.73     | 13               | Pass    |




**2.259. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 90        | 6.62     | 13               | Pass    |




## 2.260. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 90        | 6.8      | 13               | Pass    |




## 2.263. Peak to Average Ratio for SA\_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2644.98               | 0.1             | 90        | 5.36     | 13               | Pass    |




## 2.264. Peak to Average Ratio for SA\_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2644.98               | 0.1             | 90        | 5.37     | 13               | Pass    |




**2.265. Peak to Average Ratio for SA\_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2644.98               | 0.1             | 90        | 6.31     | 13               | Pass    |




**2.266. Peak to Average Ratio for SA\_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2644.98               | 0.1             | 90        | 6.25     | 13               | Pass    |




## 2.267. Peak to Average Ratio for SA\_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2644.98               | 0.1             | 90        | 6.42     | 13               | Pass    |




**2.268. Peak to Average Ratio for SA\_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2644.98               | 0.1             | 90        | 6.63     | 13               | Pass    |




**2.269. Peak to Average Ratio for SA\_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2644.98               | 0.1             | 90        | 6.49     | 13               | Pass    |




**2.270. Peak to Average Ratio for SA\_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2644.98               | 0.1             | 90        | 6.73     | 13               | Pass    |




**2.273. Peak to Average Ratio for SA\_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2546.01               | 0.1             | 100       | 5.37     | 13               | Pass    |



**2.274. Peak to Average Ratio for SA\_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**




2.275. Peak to Average Ratio for SA\_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




2.276. Peak to Average Ratio for SA\_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2546.01               | 0.1             | 100       | 6.39     | 13               | Pass    |




2.277. Peak to Average Ratio for SA\_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




**2.278. Peak to Average Ratio for SA\_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)**



**2.279. Peak to Average Ratio for SA\_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**2.280. Peak to Average Ratio for SA\_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)**




**2.283. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 100       | 5.41     | 13               | Pass    |



2.284. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




2.285. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 100       | 6.42     | 13               | Pass    |




**2.286. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 100       | 6.49     | 13               | Pass    |



2.287. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




**2.288. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)**


| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2592.99               | 0.1             | 100       | 6.75     | 13               | Pass    |




**2.289. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**2.290. Peak to Average Ratio for SA\_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)**




**2.293. Peak to Average Ratio for SA\_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**



**2.294. Peak to Average Ratio for SA\_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**




2.295. Peak to Average Ratio for SA\_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




**2.296. Peak to Average Ratio for SA\_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2640                  | 0.1             | 100       | 6.34     | 13               | Pass    |




**2.297. Peak to Average Ratio for SA\_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**2.298. Peak to Average Ratio for SA\_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2640                  | 0.1             | 100       | 6.67     | 13               | Pass    |




**2.299. Peak to Average Ratio for SA\_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2640                  | 0.1             | 100       | 6.52     | 13               | Pass    |




**2.300. Peak to Average Ratio for SA\_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)**




## 5. n66

### 5.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




#### 5.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




### 5.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1712.5                | 0.1             | 5         | 6.14     | 13               | Pass    |




## 5.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1712.5                | 0.1             | 5         | 6.24     | 13               | Pass    |




### 5.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1712.5                | 0.1             | 5         | 6.01     | 13               | Pass    |




**5.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1712.5                | 0.1             | 5         | 6.46     | 13               | Pass    |




### 5.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1712.5                | 0.1             | 5         | 6.89     | 13               | Pass    |




# 5.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1712.5                | 0.1             | 5         | 6.42     | 13               | Pass    |




### 5.11. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 5         | 5.48     | 13               | Pass    |




**5.12. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 5         | 5.49     | 13               | Pass    |




### 5.13. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 5         | 6.02     | 13               | Pass    |




**5.14. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 5         | 6.31     | 13               | Pass    |




### 5.15. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 5         | 6.13     | 13               | Pass    |




# 5.16. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 5         | 6.46     | 13               | Pass    |




**5.17. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 5         | 6.94     | 13               | Pass    |




# 5.18. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 5         | 6.44     | 13               | Pass    |




### 5.19. Peak to Average Ratio for SA\_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1777.5                | 0.1             | 5         | 5.65     | 13               | Pass    |



**5.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**




**5.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




## 5.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1777.5                | 0.1             | 5         | 6.28     | 13               | Pass    |




### 5.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1777.5                | 0.1             | 5         | 6.07     | 13               | Pass    |




## 5.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1777.5                | 0.1             | 5         | 6.41     | 13               | Pass    |




**5.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1777.5                | 0.1             | 5         | 6.91     | 13               | Pass    |




**5.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1777.5                | 0.1             | 5         | 6.41     | 13               | Pass    |




## 5.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1715                  | 0.1             | 10        | 5.67     | 13               | Pass    |




## 5.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1715                  | 0.1             | 10        | 5.46     | 13               | Pass    |




**5.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1715                  | 0.1             | 10        | 6.05     | 13               | Pass    |




**5.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1715                  | 0.1             | 10        | 6.25     | 13               | Pass    |




**5.31. Peak to Average Ratio for SA\_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1715                  | 0.1             | 10        | 6.06     | 13               | Pass    |




**5.32. Peak to Average Ratio for SA\_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1715                  | 0.1             | 10        | 6.36     | 13               | Pass    |




### 5.33. Peak to Average Ratio for SA\_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1715                  | 0.1             | 10        | 6.88     | 13               | Pass    |




**5.34. Peak to Average Ratio for SA\_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1715                  | 0.1             | 10        | 6.66     | 13               | Pass    |




**5.35. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**5.36. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 10        | 5.59     | 13               | Pass    |




### 5.37. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 10        | 6.03     | 13               | Pass    |




**5.38. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 10        | 6.45     | 13               | Pass    |




**5.39. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**5.40. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 10        | 6.5      | 13               | Pass    |




**5.41. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 10        | 6.91     | 13               | Pass    |




**5.42. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 10        | 6.65     | 13               | Pass    |




### 5.43. Peak to Average Ratio for SA\_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1775                  | 0.1             | 10        | 5.32     | 13               | Pass    |




**5.44. Peak to Average Ratio for SA\_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1775                  | 0.1             | 10        | 5.59     | 13               | Pass    |




**5.45. Peak to Average Ratio for SA\_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1775                  | 0.1             | 10        | 5.98     | 13               | Pass    |




**5.46. Peak to Average Ratio for SA\_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1775                  | 0.1             | 10        | 6.37     | 13               | Pass    |




**5.47. Peak to Average Ratio for SA\_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1775                  | 0.1             | 10        | 6.04     | 13               | Pass    |




**5.48. Peak to Average Ratio for SA\_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1775                  | 0.1             | 10        | 6.47     | 13               | Pass    |




**5.49. Peak to Average Ratio for SA\_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1775                  | 0.1             | 10        | 6.9      | 13               | Pass    |




**5.50. Peak to Average Ratio for SA\_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1775                  | 0.1             | 10        | 6.62     | 13               | Pass    |




**5.51. Peak to Average Ratio for SA\_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1717.5                | 0.1             | 15        | 5.59     | 13               | Pass    |




**5.52. Peak to Average Ratio for SA\_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**




**5.53. Peak to Average Ratio for SA\_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1717.5                | 0.1             | 15        | 5.98     | 13               | Pass    |




**5.54. Peak to Average Ratio for SA\_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1717.5                | 0.1             | 15        | 6.21     | 13               | Pass    |




**5.55. Peak to Average Ratio for SA\_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1717.5                | 0.1             | 15        | 6.03     | 13               | Pass    |




**5.56. Peak to Average Ratio for SA\_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1717.5                | 0.1             | 15        | 6.44     | 13               | Pass    |




**5.57. Peak to Average Ratio for SA\_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**5.58. Peak to Average Ratio for SA\_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1717.5                | 0.1             | 15        | 6.62     | 13               | Pass    |




**5.59. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 15        | 5.58     | 13               | Pass    |




**5.60. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 15        | 5.5      | 13               | Pass    |




**5.61. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 15        | 5.92     | 13               | Pass    |



**5.62. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 15        | 6.27     | 13               | Pass    |



**5.63. Peak to Average Ratio for SA\_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1745                  | 0.1             | 15        | 6.05     | 13               | Pass    |

