


SA

1. n2


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.15	-13	55.15	Pass	401
0.15	30	0.01	RMS	8.19	-67.79	-13	54.79	Pass	2986
30	1000	0.1	RMS	997.899	-58.26	-13	45.26	Pass	9701
1000	1840	1	RMS	1840	-46.67	-13	33.67	Pass	841
1840	1920	1	RMS	1853.2	13.57	60	46.43	Pass	401
1920	3000	1	RMS	2974	-44.1	-13	31.1	Pass	1081
3000	7000	1	RMS	6979	-56.71	-13	43.71	Pass	4001
7000	20000	1	RMS	19796	-44.59	-13	31.59	Pass	13002




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.8	-13	55.8	Pass	401
0.15	30	0.01	RMS	0.58	-67.44	-13	54.44	Pass	2986
30	1000	0.1	RMS	881.321	-58.43	-13	45.43	Pass	9701
1000	1840	1	RMS	1799	-47.25	-13	34.25	Pass	841
1840	1920	1	RMS	1850.2	19.59	60	40.41	Pass	401
1920	3000	1	RMS	2974	-44.16	-13	31.16	Pass	1081
3000	7000	1	RMS	6985	-56.68	-13	43.68	Pass	4001
7000	20000	1	RMS	17501	-44.6	-13	31.6	Pass	13002




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.99	-13	54.99	Pass	401
0.15	30	0.01	RMS	0.48	-67.38	-13	54.38	Pass	2986
30	1000	0.1	RMS	933.856	-58.4	-13	45.4	Pass	9701
1000	1840	1	RMS	1811	-47.21	-13	34.21	Pass	841
1840	1920	1	RMS	1854.6	19.84	60	40.16	Pass	401
1920	3000	1	RMS	2976	-44.02	-13	31.02	Pass	1081
3000	7000	1	RMS	6972	-56.38	-13	43.38	Pass	4001
7000	20000	1	RMS	19427	-44.76	-13	31.76	Pass	13002




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.69	-13	54.69	Pass	401
0.15	30	0.01	RMS	27.35	-67.43	-13	54.43	Pass	2986
30	1000	0.1	RMS	836	-58.39	-13	45.39	Pass	9701
1000	1840	1	RMS	1814	-47.25	-13	34.25	Pass	841
1840	1920	1	RMS	1879.6	13.62	60	46.38	Pass	401
1920	3000	1	RMS	2983	-44.36	-13	31.36	Pass	1081
3000	7000	1	RMS	6981	-56.45	-13	43.45	Pass	4001
7000	20000	1	RMS	17497	-44.66	-13	31.66	Pass	13002




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.19	-13	56.19	Pass	401
0.15	30	0.01	RMS	19.4	-67.71	-13	54.71	Pass	2986
30	1000	0.1	RMS	860.007	-58.21	-13	45.21	Pass	9701
1000	1840	1	RMS	1800	-47.23	-13	34.23	Pass	841
1840	1920	1	RMS	1877.8	19.31	60	40.69	Pass	401
1920	3000	1	RMS	2997	-44.45	-13	31.45	Pass	1081
3000	7000	1	RMS	6979	-56.36	-13	43.36	Pass	4001
7000	20000	1	RMS	17496	-44.74	-13	31.74	Pass	13002




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.1	-13	54.1	Pass	401
0.15	30	0.01	RMS	28.48	-67.39	-13	54.39	Pass	2986
30	1000	0.1	RMS	907.138	-58.42	-13	45.42	Pass	9701
1000	1840	1	RMS	1811	-47.22	-13	34.22	Pass	841
1840	1920	1	RMS	1882	19.43	60	40.57	Pass	401
1920	3000	1	RMS	2931	-44.46	-13	31.46	Pass	1081
3000	7000	1	RMS	6980	-56.66	-13	43.66	Pass	4001
7000	20000	1	RMS	17503	-44.7	-13	31.7	Pass	13002




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.99	-13	54.99	Pass	401
0.15	30	0.01	RMS	0.44	-67.16	-13	54.16	Pass	2986
30	1000	0.1	RMS	896.832	-58.25	-13	45.25	Pass	9701
1000	1840	1	RMS	1779	-47.44	-13	34.44	Pass	841
1840	1920	1	RMS	1908.4	13.41	60	46.59	Pass	401
1920	3000	1	RMS	2977	-44.31	-13	31.31	Pass	1081
3000	7000	1	RMS	6988	-56.79	-13	43.79	Pass	4001
7000	20000	1	RMS	19764	-44.57	-13	31.57	Pass	13002




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.26	-13	55.26	Pass	401
0.15	30	0.01	RMS	29.9	-67.22	-13	54.22	Pass	2986
30	1000	0.1	RMS	897.332	-58.43	-13	45.43	Pass	9701
1000	1840	1	RMS	1794	-47.26	-13	34.26	Pass	841
1840	1920	1	RMS	1905.2	19.82	60	40.18	Pass	401
1920	3000	1	RMS	2975	-44.22	-13	31.22	Pass	1081
3000	7000	1	RMS	6971	-56.62	-13	43.62	Pass	4001
7000	20000	1	RMS	17496	-44.71	-13	31.71	Pass	13002




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	25.11	-66.94	-13	53.94	Pass	2986
30	1000	0.1	RMS	912.642	-58.14	-13	45.14	Pass	9701
1000	1840	1	RMS	1785	-47.34	-13	34.34	Pass	841
1840	1920	1	RMS	1909.6	19.59	60	40.41	Pass	401
1920	3000	1	RMS	2974	-44.32	-13	31.32	Pass	1081
3000	7000	1	RMS	6980	-56.49	-13	43.49	Pass	4001
7000	20000	1	RMS	17501	-44.66	-13	31.66	Pass	13002




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.62	-13	54.62	Pass	401
0.15	30	0.01	RMS	26.11	-66.66	-13	53.66	Pass	2986
30	1000	0.1	RMS	912.542	-58.09	-13	45.09	Pass	9701
1000	1840	1	RMS	1840	-39.6	-13	26.6	Pass	841
1840	1920	1	RMS	1863.2	9.11	60	50.89	Pass	401
1920	3000	1	RMS	2968	-44.1	-13	31.1	Pass	1081
3000	7000	1	RMS	6975	-56.73	-13	43.73	Pass	4001
7000	20000	1	RMS	19803	-44.6	-13	31.6	Pass	13002




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.09	-13	54.09	Pass	401
0.15	30	0.01	RMS	10.17	-67.74	-13	54.74	Pass	2986
30	1000	0.1	RMS	866.512	-58.32	-13	45.32	Pass	9701
1000	1840	1	RMS	1783	-47.33	-13	34.33	Pass	841
1840	1920	1	RMS	1850.4	19.89	60	40.11	Pass	401
1920	3000	1	RMS	2980	-44.1	-13	31.1	Pass	1081
3000	7000	1	RMS	6977	-56.36	-13	43.36	Pass	4001
7000	20000	1	RMS	17499	-44.48	-13	31.48	Pass	13002




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.71	-13	52.71	Pass	401
0.15	30	0.01	RMS	16.85	-67.57	-13	54.57	Pass	2986
30	1000	0.1	RMS	905.738	-58.4	-13	45.4	Pass	9701
1000	1840	1	RMS	1803	-47.24	-13	34.24	Pass	841
1840	1920	1	RMS	1864.4	19.35	60	40.65	Pass	401
1920	3000	1	RMS	2982	-44.24	-13	31.24	Pass	1081
3000	7000	1	RMS	6970	-56.53	-13	43.53	Pass	4001
7000	20000	1	RMS	17500	-44.1	-13	31.1	Pass	13002




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.65	-13	54.65	Pass	401
0.15	30	0.01	RMS	12.48	-67.42	-13	54.42	Pass	2986
30	1000	0.1	RMS	862.609	-58.36	-13	45.36	Pass	9701
1000	1840	1	RMS	1840	-47.35	-13	34.35	Pass	841
1840	1920	1	RMS	1875	8.76	60	51.24	Pass	401
1920	3000	1	RMS	2977	-44.11	-13	31.11	Pass	1081
3000	7000	1	RMS	6987	-56.5	-13	43.5	Pass	4001
7000	20000	1	RMS	19786	-44.65	-13	31.65	Pass	13002




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.33	-13	53.33	Pass	401
0.15	30	0.01	RMS	7.25	-67.32	-13	54.32	Pass	2986
30	1000	0.1	RMS	906.038	-58.52	-13	45.52	Pass	9701
1000	1840	1	RMS	1833	-47.35	-13	34.35	Pass	841
1840	1920	1	RMS	1872.8	19.16	60	40.84	Pass	401
1920	3000	1	RMS	2974	-44.19	-13	31.19	Pass	1081
3000	7000	1	RMS	6974	-56.4	-13	43.4	Pass	4001
7000	20000	1	RMS	17499	-44.48	-13	31.48	Pass	13002




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.94	-13	53.94	Pass	401
0.15	30	0.01	RMS	7.94	-67.77	-13	54.77	Pass	2986
30	1000	0.1	RMS	890.127	-58	-13	45	Pass	9701
1000	1840	1	RMS	1795	-47.07	-13	34.07	Pass	841
1840	1920	1	RMS	1886.8	19.73	60	40.27	Pass	401
1920	3000	1	RMS	2981	-44.11	-13	31.11	Pass	1081
3000	7000	1	RMS	6983	-56.25	-13	43.25	Pass	4001
7000	20000	1	RMS	17500	-44.39	-13	31.39	Pass	13002




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.94	-13	53.94	Pass	401
0.15	30	0.01	RMS	27.28	-66.98	-13	53.98	Pass	2986
30	1000	0.1	RMS	993.095	-58.44	-13	45.44	Pass	9701
1000	1840	1	RMS	1840	-47.44	-13	34.44	Pass	841
1840	1920	1	RMS	1896.6	8.92	60	51.08	Pass	401
1920	3000	1	RMS	1920	-36.56	-13	23.56	Pass	1081
3000	7000	1	RMS	6979	-56.36	-13	43.36	Pass	4001
7000	20000	1	RMS	17502	-44.6	-13	31.6	Pass	13002




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.61	-13	53.61	Pass	401
0.15	30	0.01	RMS	18.14	-67.28	-13	54.28	Pass	2986
30	1000	0.1	RMS	923.149	-58.41	-13	45.41	Pass	9701
1000	1840	1	RMS	1803	-47.31	-13	34.31	Pass	841
1840	1920	1	RMS	1895.4	19.68	60	40.32	Pass	401
1920	3000	1	RMS	2925	-44.45	-13	31.45	Pass	1081
3000	7000	1	RMS	6980	-56.39	-13	43.39	Pass	4001
7000	20000	1	RMS	17494	-44.67	-13	31.67	Pass	13002




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.71	-13	55.71	Pass	401
0.15	30	0.01	RMS	8.53	-67.55	-13	54.55	Pass	2986
30	1000	0.1	RMS	635.9	-58.43	-13	45.43	Pass	9701
1000	1840	1	RMS	1833	-47.34	-13	34.34	Pass	841
1840	1920	1	RMS	1909.4	19.68	60	40.32	Pass	401
1920	3000	1	RMS	2979	-44.46	-13	31.46	Pass	1081
3000	7000	1	RMS	6983	-56.79	-13	43.79	Pass	4001
7000	20000	1	RMS	17503	-44.49	-13	31.49	Pass	13002




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.59	-13	55.59	Pass	401
0.15	30	0.01	RMS	29.91	-68.01	-13	55.01	Pass	2986
30	1000	0.1	RMS	893.83	-58.37	-13	45.37	Pass	9701
1000	1840	1	RMS	1840	-38.96	-13	25.96	Pass	841
1840	1920	1	RMS	1868.2	8	60	52	Pass	401
1920	3000	1	RMS	2974	-44.24	-13	31.24	Pass	1081
3000	7000	1	RMS	6981	-56.53	-13	43.53	Pass	4001
7000	20000	1	RMS	17494	-44.66	-13	31.66	Pass	13002




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.08	-13	55.08	Pass	401
0.15	30	0.01	RMS	0.15	-66.73	-13	53.73	Pass	2986
30	1000	0.1	RMS	972.282	-58.38	-13	45.38	Pass	9701
1000	1840	1	RMS	1824	-47.26	-13	34.26	Pass	841
1840	1920	1	RMS	1850.4	19.7	60	40.3	Pass	401
1920	3000	1	RMS	2974	-44.03	-13	31.03	Pass	1081
3000	7000	1	RMS	6980	-56.73	-13	43.73	Pass	4001
7000	20000	1	RMS	19795	-44.49	-13	31.49	Pass	13002




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	4.43	-67.91	-13	54.91	Pass	2986
30	1000	0.1	RMS	882.422	-58.21	-13	45.21	Pass	9701
1000	1840	1	RMS	1801	-47.33	-13	34.33	Pass	841
1840	1920	1	RMS	1869.2	19.41	60	40.59	Pass	401
1920	3000	1	RMS	2972	-44.07	-13	31.07	Pass	1081
3000	7000	1	RMS	6985	-56.5	-13	43.5	Pass	4001
7000	20000	1	RMS	17501	-44.49	-13	31.49	Pass	13002




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-70.09	-13	57.09	Pass	401
0.15	30	0.01	RMS	14.17	-67.57	-13	54.57	Pass	2986
30	1000	0.1	RMS	904.537	-58.09	-13	45.09	Pass	9701
1000	1840	1	RMS	1839	-46.67	-13	33.67	Pass	841
1840	1920	1	RMS	1872.2	7.56	60	52.44	Pass	401
1920	3000	1	RMS	2991	-44.25	-13	31.25	Pass	1081
3000	7000	1	RMS	6973	-56.42	-13	43.42	Pass	4001
7000	20000	1	RMS	17501	-44.42	-13	31.42	Pass	13002




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.13	-13	55.13	Pass	401
0.15	30	0.01	RMS	12.35	-67.78	-13	54.78	Pass	2986
30	1000	0.1	RMS	990.194	-58.37	-13	45.37	Pass	9701
1000	1840	1	RMS	1808	-47.31	-13	34.31	Pass	841
1840	1920	1	RMS	1870.4	19.61	60	40.39	Pass	401
1920	3000	1	RMS	2967	-44.44	-13	31.44	Pass	1081
3000	7000	1	RMS	6976	-56.86	-13	43.86	Pass	4001
7000	20000	1	RMS	17503	-44.43	-13	31.43	Pass	13002




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.21	-13	53.21	Pass	401
0.15	30	0.01	RMS	20.32	-67.87	-13	54.87	Pass	2986
30	1000	0.1	RMS	894.23	-58.2	-13	45.2	Pass	9701
1000	1840	1	RMS	1836	-47.39	-13	34.39	Pass	841
1840	1920	1	RMS	1889.4	19.35	60	40.65	Pass	401
1920	3000	1	RMS	2979	-43.99	-13	30.99	Pass	1081
3000	7000	1	RMS	6983	-56.74	-13	43.74	Pass	4001
7000	20000	1	RMS	17504	-44.69	-13	31.69	Pass	13002




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.56	-13	55.56	Pass	401
0.15	30	0.01	RMS	14.95	-67.82	-13	54.82	Pass	2986
30	1000	0.1	RMS	899.633	-58.25	-13	45.25	Pass	9701
1000	1840	1	RMS	1805	-47.24	-13	34.24	Pass	841
1840	1920	1	RMS	1891.8	7.75	60	52.25	Pass	401
1920	3000	1	RMS	1920	-35.73	-13	22.73	Pass	1081
3000	7000	1	RMS	6977	-56.27	-13	43.27	Pass	4001
7000	20000	1	RMS	19791	-44.47	-13	31.47	Pass	13002




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.25	-13	54.25	Pass	401
0.15	30	0.01	RMS	1.35	-67.44	-13	54.44	Pass	2986
30	1000	0.1	RMS	909.64	-58.43	-13	45.43	Pass	9701
1000	1840	1	RMS	1805	-47.21	-13	34.21	Pass	841
1840	1920	1	RMS	1890.4	19.5	60	40.5	Pass	401
1920	3000	1	RMS	2987	-44.25	-13	31.25	Pass	1081
3000	7000	1	RMS	6975	-56.48	-13	43.48	Pass	4001
7000	20000	1	RMS	17500	-44.6	-13	31.6	Pass	13002



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.87	-13	54.87	Pass	401
0.15	30	0.01	RMS	26.08	-67	-13	54	Pass	2986
30	1000	0.1	RMS	903.136	-58.36	-13	45.36	Pass	9701
1000	1840	1	RMS	1808	-47.15	-13	34.15	Pass	841
1840	1920	1	RMS	1909.2	19.31	60	40.69	Pass	401
1920	3000	1	RMS	2975	-44.36	-13	31.36	Pass	1081
3000	7000	1	RMS	6977	-56.38	-13	43.38	Pass	4001
7000	20000	1	RMS	17502	-44.69	-13	31.69	Pass	13002



2. n5


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.4	-13	54.4	Pass	401
0.15	30	0.01	RMS	12.45	-67.13	-13	54.13	Pass	2986
30	814	0.1	RMS	813.9	-50.71	-13	37.71	Pass	7841
814	859	0.1	RMS	828.4	3.79	60	56.21	Pass	451
859	1000	0.1	RMS	985.3	-58.4	-13	45.4	Pass	1411
1000	3000	1	RMS	2968	-44.3	-13	31.3	Pass	2001
3000	10000	1	RMS	9975	-54.81	-13	41.81	Pass	7001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.03	-13	54.03	Pass	401
0.15	30	0.01	RMS	0.39	-67.42	-13	54.42	Pass	2986
30	814	0.1	RMS	736	-58.46	-13	45.46	Pass	7841
814	859	0.1	RMS	824.3	16.54	60	43.46	Pass	451
859	1000	0.1	RMS	905.5	-58.48	-13	45.48	Pass	1411
1000	3000	1	RMS	2969	-44.26	-13	31.26	Pass	2001
3000	10000	1	RMS	9980	-54.62	-13	41.62	Pass	7001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.77	-13	53.77	Pass	401
0.15	30	0.01	RMS	28.16	-67.36	-13	54.36	Pass	2986
30	814	0.1	RMS	804.9	-58.55	-13	45.55	Pass	7841
814	859	0.1	RMS	828.6	16.2	60	43.8	Pass	451
859	1000	0.1	RMS	981.1	-58.18	-13	45.18	Pass	1411
1000	3000	1	RMS	2973	-44.21	-13	31.21	Pass	2001
3000	10000	1	RMS	9898	-54.92	-13	41.92	Pass	7001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.58	-13	55.58	Pass	401
0.15	30	0.01	RMS	16.67	-67.53	-13	54.53	Pass	2986
30	814	0.1	RMS	750.3	-58.48	-13	45.48	Pass	7841
814	859	0.1	RMS	834.5	3.86	60	56.14	Pass	451
859	1000	0.1	RMS	892	-58.19	-13	45.19	Pass	1411
1000	3000	1	RMS	2977	-44.34	-13	31.34	Pass	2001
3000	10000	1	RMS	9968	-54.92	-13	41.92	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.89	-13	52.89	Pass	401
0.15	30	0.01	RMS	29.03	-67.32	-13	54.32	Pass	2986
30	814	0.1	RMS	466.9	-58.76	-13	45.76	Pass	7841
814	859	0.1	RMS	834.3	16.47	60	43.53	Pass	451
859	1000	0.1	RMS	866.5	-58.32	-13	45.32	Pass	1411
1000	3000	1	RMS	2974	-44.17	-13	31.17	Pass	2001
3000	10000	1	RMS	9910	-54.64	-13	41.64	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.58	-13	54.58	Pass	401
0.15	30	0.01	RMS	17.27	-66.28	-13	53.28	Pass	2986
30	814	0.1	RMS	504.1	-58.64	-13	45.64	Pass	7841
814	859	0.1	RMS	838.6	16.22	60	43.78	Pass	451
859	1000	0.1	RMS	894.7	-58.42	-13	45.42	Pass	1411
1000	3000	1	RMS	2986	-44.4	-13	31.4	Pass	2001
3000	10000	1	RMS	9963	-54.59	-13	41.59	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.55	-13	54.55	Pass	401
0.15	30	0.01	RMS	23.41	-67.49	-13	54.49	Pass	2986
30	814	0.1	RMS	722.3	-58.39	-13	45.39	Pass	7841
814	859	0.1	RMS	844.5	4.27	60	55.73	Pass	451
859	1000	0.1	RMS	944.4	-58.2	-13	45.2	Pass	1411
1000	3000	1	RMS	2974	-44.1	-13	31.1	Pass	2001
3000	10000	1	RMS	9995	-54.58	-13	41.58	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.2	-13	54.2	Pass	401
0.15	30	0.01	RMS	26.66	-67.85	-13	54.85	Pass	2986
30	814	0.1	RMS	475.1	-58.31	-13	45.31	Pass	7841
814	859	0.1	RMS	844.3	16.78	60	43.22	Pass	451
859	1000	0.1	RMS	908.5	-58.35	-13	45.35	Pass	1411
1000	3000	1	RMS	2970	-44.11	-13	31.11	Pass	2001
3000	10000	1	RMS	9997	-54.6	-13	41.6	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.22	-13	53.22	Pass	401
0.15	30	0.01	RMS	21.78	-67.03	-13	54.03	Pass	2986
30	814	0.1	RMS	699.7	-58.6	-13	45.6	Pass	7841
814	859	0.1	RMS	848.7	16.07	60	43.93	Pass	451
859	1000	0.1	RMS	871.5	-58.26	-13	45.26	Pass	1411
1000	3000	1	RMS	2982	-44.26	-13	31.26	Pass	2001
3000	10000	1	RMS	9959	-54.69	-13	41.69	Pass	7001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.24	-13	55.24	Pass	401
0.15	30	0.01	RMS	6	-67.3	-13	54.3	Pass	2986
30	814	0.1	RMS	813.8	-42.58	-13	29.58	Pass	7841
814	859	0.1	RMS	829.4	-1.16	60	61.16	Pass	451
859	1000	0.1	RMS	900.2	-58.45	-13	45.45	Pass	1411
1000	3000	1	RMS	2970	-44.23	-13	31.23	Pass	2001
3000	10000	1	RMS	9998	-54.61	-13	41.61	Pass	7001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.12	-13	54.12	Pass	401
0.15	30	0.01	RMS	28.38	-67.58	-13	54.58	Pass	2986
30	814	0.1	RMS	706.7	-58.42	-13	45.42	Pass	7841
814	859	0.1	RMS	824.5	16.91	60	43.09	Pass	451
859	1000	0.1	RMS	894.4	-57.92	-13	44.92	Pass	1411
1000	3000	1	RMS	2976	-44.24	-13	31.24	Pass	2001
3000	10000	1	RMS	9942	-54.74	-13	41.74	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.76	-13	53.76	Pass	401
0.15	30	0.01	RMS	18.56	-67.1	-13	54.1	Pass	2986
30	814	0.1	RMS	627.1	-58.56	-13	45.56	Pass	7841
814	859	0.1	RMS	838.5	16.89	60	43.11	Pass	451
859	1000	0.1	RMS	913	-58.21	-13	45.21	Pass	1411
1000	3000	1	RMS	2965	-44.44	-13	31.44	Pass	2001
3000	10000	1	RMS	9963	-54.65	-13	41.65	Pass	7001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.29	-13	53.29	Pass	401
0.15	30	0.01	RMS	24.6	-66.86	-13	53.86	Pass	2986
30	814	0.1	RMS	813.9	-45.49	-13	32.49	Pass	7841
814	859	0.1	RMS	830.1	-0.87	60	60.87	Pass	451
859	1000	0.1	RMS	984.9	-58.66	-13	45.66	Pass	1411
1000	3000	1	RMS	2977	-44.15	-13	31.15	Pass	2001
3000	10000	1	RMS	9959	-54.44	-13	41.44	Pass	7001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.92	-13	52.92	Pass	401
0.15	30	0.01	RMS	9.5	-66.77	-13	53.77	Pass	2986
30	814	0.1	RMS	467.2	-58.41	-13	45.41	Pass	7841
814	859	0.1	RMS	829.5	16.4	60	43.6	Pass	451
859	1000	0.1	RMS	996.6	-58.15	-13	45.15	Pass	1411
1000	3000	1	RMS	2977	-44.05	-13	31.05	Pass	2001
3000	10000	1	RMS	9944	-54.54	-13	41.54	Pass	7001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.21	-13	53.21	Pass	401
0.15	30	0.01	RMS	12.13	-67.33	-13	54.33	Pass	2986
30	814	0.1	RMS	642	-58.5	-13	45.5	Pass	7841
814	859	0.1	RMS	843.5	16.48	60	43.52	Pass	451
859	1000	0.1	RMS	995.2	-58.33	-13	45.33	Pass	1411
1000	3000	1	RMS	2978	-44.36	-13	31.36	Pass	2001
3000	10000	1	RMS	9945	-54.64	-13	41.64	Pass	7001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.12	-13	55.12	Pass	401
0.15	30	0.01	RMS	0.64	-67.48	-13	54.48	Pass	2986
30	814	0.1	RMS	813.7	-48.38	-13	35.38	Pass	7841
814	859	0.1	RMS	834.6	-0.73	60	60.73	Pass	451
859	1000	0.1	RMS	896.5	-58.34	-13	45.34	Pass	1411
1000	3000	1	RMS	2974	-44.18	-13	31.18	Pass	2001
3000	10000	1	RMS	9921	-54.76	-13	41.76	Pass	7001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.32	-13	54.32	Pass	401
0.15	30	0.01	RMS	28.23	-67.47	-13	54.47	Pass	2986
30	814	0.1	RMS	512.1	-58.59	-13	45.59	Pass	7841
814	859	0.1	RMS	834.5	16.68	60	43.32	Pass	451
859	1000	0.1	RMS	931.2	-58.41	-13	45.41	Pass	1411
1000	3000	1	RMS	2964	-44.32	-13	31.32	Pass	2001
3000	10000	1	RMS	9957	-54.63	-13	41.63	Pass	7001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	21.11	-66.32	-13	53.32	Pass	2986
30	814	0.1	RMS	725.5	-58.77	-13	45.77	Pass	7841
814	859	0.1	RMS	848.5	16.85	60	43.15	Pass	451
859	1000	0.1	RMS	877.6	-57.85	-13	44.85	Pass	1411
1000	3000	1	RMS	2975	-44.26	-13	31.26	Pass	2001
3000	10000	1	RMS	9993	-54.77	-13	41.77	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.7	-13	55.7	Pass	401
0.15	30	0.01	RMS	0.5	-67.17	-13	54.17	Pass	2986
30	814	0.1	RMS	813.8	-41.99	-13	28.99	Pass	7841
814	859	0.1	RMS	829.6	-2.14	60	62.14	Pass	451
859	1000	0.1	RMS	926.2	-58.36	-13	45.36	Pass	1411
1000	3000	1	RMS	2987	-44.29	-13	31.29	Pass	2001
3000	10000	1	RMS	9962	-54.56	-13	41.56	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.27	-13	54.27	Pass	401
0.15	30	0.01	RMS	22.57	-67.02	-13	54.02	Pass	2986
30	814	0.1	RMS	743.2	-58.49	-13	45.49	Pass	7841
814	859	0.1	RMS	824.5	16.4	60	43.6	Pass	451
859	1000	0.1	RMS	882.5	-58.4	-13	45.4	Pass	1411
1000	3000	1	RMS	2982	-44.34	-13	31.34	Pass	2001
3000	10000	1	RMS	9944	-54.5	-13	41.5	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.34	-13	52.34	Pass	401
0.15	30	0.01	RMS	3.14	-66.68	-13	53.68	Pass	2986
30	814	0.1	RMS	490.4	-58.77	-13	45.77	Pass	7841
814	859	0.1	RMS	843.4	16.09	60	43.91	Pass	451
859	1000	0.1	RMS	879.2	-58.31	-13	45.31	Pass	1411
1000	3000	1	RMS	2969	-44.22	-13	31.22	Pass	2001
3000	10000	1	RMS	9999	-54.48	-13	41.48	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.2	-13	56.2	Pass	401
0.15	30	0.01	RMS	25.38	-67.25	-13	54.25	Pass	2986
30	814	0.1	RMS	814	-43.57	-13	30.57	Pass	7841
814	859	0.1	RMS	830.9	-2.08	60	62.08	Pass	451
859	1000	0.1	RMS	930.1	-58.33	-13	45.33	Pass	1411
1000	3000	1	RMS	2972	-44.25	-13	31.25	Pass	2001
3000	10000	1	RMS	9988	-54.6	-13	41.6	Pass	7001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.99	-13	53.99	Pass	401
0.15	30	0.01	RMS	16.58	-66.84	-13	53.84	Pass	2986
30	814	0.1	RMS	764.2	-58.54	-13	45.54	Pass	7841
814	859	0.1	RMS	827	16.64	60	43.36	Pass	451
859	1000	0.1	RMS	989	-58.13	-13	45.13	Pass	1411
1000	3000	1	RMS	2975	-44.28	-13	31.28	Pass	2001
3000	10000	1	RMS	9918	-54.8	-13	41.8	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.46	-13	53.46	Pass	401
0.15	30	0.01	RMS	14.83	-67.15	-13	54.15	Pass	2986
30	814	0.1	RMS	743.6	-58.41	-13	45.41	Pass	7841
814	859	0.1	RMS	845.9	16.39	60	43.61	Pass	451
859	1000	0.1	RMS	995.8	-58.06	-13	45.06	Pass	1411
1000	3000	1	RMS	2979	-44.25	-13	31.25	Pass	2001
3000	10000	1	RMS	9949	-54.51	-13	41.51	Pass	7001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.77	-13	55.77	Pass	401
0.15	30	0.01	RMS	1.03	-67.16	-13	54.16	Pass	2986
30	814	0.1	RMS	813.9	-44.74	-13	31.74	Pass	7841
814	859	0.1	RMS	830.7	-1.96	60	61.96	Pass	451
859	1000	0.1	RMS	921.8	-58.32	-13	45.32	Pass	1411
1000	3000	1	RMS	2973	-44.37	-13	31.37	Pass	2001
3000	10000	1	RMS	10000	-54.51	-13	41.51	Pass	7001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.09	-13	55.09	Pass	401
0.15	30	0.01	RMS	20.02	-67.04	-13	54.04	Pass	2986
30	814	0.1	RMS	474.9	-58.56	-13	45.56	Pass	7841
814	859	0.1	RMS	829.5	16.08	60	43.92	Pass	451
859	1000	0.1	RMS	992.8	-58.39	-13	45.39	Pass	1411
1000	3000	1	RMS	2969	-44.09	-13	31.09	Pass	2001
3000	10000	1	RMS	9994	-54.75	-13	41.75	Pass	7001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.68	-13	53.68	Pass	401
0.15	30	0.01	RMS	18.62	-66.6	-13	53.6	Pass	2986
30	814	0.1	RMS	493.8	-58.64	-13	45.64	Pass	7841
814	859	0.1	RMS	848.4	15.91	60	44.09	Pass	451
859	1000	0.1	RMS	928.7	-58.43	-13	45.43	Pass	1411
1000	3000	1	RMS	2985	-44.3	-13	31.3	Pass	2001
3000	10000	1	RMS	9940	-54.57	-13	41.57	Pass	7001



2. n7


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.65	-25	41.65	Pass	401
0.15	30	0.01	RMS	15.44	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	876.218	-58.39	-25	33.39	Pass	9701
1000	2495	1	RMS	2495	-41.56	-25	16.56	Pass	1496
2495	2575	1	RMS	2503.6	13.26	60	46.74	Pass	401
2575	3000	1	RMS	2972	-44.3	-25	19.3	Pass	426
3000	7000	1	RMS	6980	-56.75	-25	31.75	Pass	4001
7000	26000	1	RMS	25129	-43.15	-25	18.15	Pass	19003




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.55	-25	41.55	Pass	401
0.15	30	0.01	RMS	18.21	-67.41	-25	42.41	Pass	2986
30	1000	0.1	RMS	903.036	-58.36	-25	33.36	Pass	9701
1000	2495	1	RMS	2494	-45.25	-25	20.25	Pass	1496
2495	2575	1	RMS	2500.4	18.99	60	41.01	Pass	401
2575	3000	1	RMS	2987	-44.4	-25	19.4	Pass	426
3000	7000	1	RMS	6979	-56.41	-25	31.41	Pass	4001
7000	26000	1	RMS	25095	-42.58	-25	17.58	Pass	19003




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.03	-25	42.03	Pass	401
0.15	30	0.01	RMS	24.74	-67.19	-25	42.19	Pass	2986
30	1000	0.1	RMS	939.06	-58.36	-25	33.36	Pass	9701
1000	2495	1	RMS	2492	-45.29	-25	20.29	Pass	1496
2495	2575	1	RMS	2504.4	19.25	60	40.75	Pass	401
2575	3000	1	RMS	2979	-44.33	-25	19.33	Pass	426
3000	7000	1	RMS	6979	-56.57	-25	31.57	Pass	4001
7000	26000	1	RMS	25410	-43.03	-25	18.03	Pass	19003




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-65.58	-25	40.58	Pass	401
0.15	30	0.01	RMS	21.05	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	495.3	-58.21	-25	33.21	Pass	9701
1000	2495	1	RMS	2490	-45.27	-25	20.27	Pass	1496
2495	2575	1	RMS	2535.8	12.78	60	47.22	Pass	401
2575	3000	1	RMS	2983	-44.29	-25	19.29	Pass	426
3000	7000	1	RMS	6982	-56.38	-25	31.38	Pass	4001
7000	26000	1	RMS	25105	-42.82	-25	17.82	Pass	19003




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.14	-25	42.14	Pass	401
0.15	30	0.01	RMS	10.39	-67.92	-25	42.92	Pass	2986
30	1000	0.1	RMS	984.089	-58.49	-25	33.49	Pass	9701
1000	2495	1	RMS	2491	-45.58	-25	20.58	Pass	1496
2495	2575	1	RMS	2532.6	18.88	60	41.12	Pass	401
2575	3000	1	RMS	2965	-44.16	-25	19.16	Pass	426
3000	7000	1	RMS	6983	-56.46	-25	31.46	Pass	4001
7000	26000	1	RMS	24113	-43	-25	18	Pass	19003




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67	-25	42	Pass	401
0.15	30	0.01	RMS	27.49	-67.21	-25	42.21	Pass	2986
30	1000	0.1	RMS	879.82	-58.53	-25	33.53	Pass	9701
1000	2495	1	RMS	2495	-45.48	-25	20.48	Pass	1496
2495	2575	1	RMS	2537.2	18.84	60	41.16	Pass	401
2575	3000	1	RMS	2978	-44.15	-25	19.15	Pass	426
3000	7000	1	RMS	6971	-56.72	-25	31.72	Pass	4001
7000	26000	1	RMS	25108	-42.74	-25	17.74	Pass	19003




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	24.78	-67.33	-25	42.33	Pass	2986
30	1000	0.1	RMS	882.822	-58.31	-25	33.31	Pass	9701
1000	2495	1	RMS	2491	-45.23	-25	20.23	Pass	1496
2495	2575	1	RMS	2566.2	12.89	60	47.11	Pass	401
2575	3000	1	RMS	2575	-42.59	-25	17.59	Pass	426
3000	7000	1	RMS	6981	-56.61	-25	31.61	Pass	4001
7000	26000	1	RMS	25102	-42.94	-25	17.94	Pass	19003




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.23	-25	42.23	Pass	401
0.15	30	0.01	RMS	22.35	-67.22	-25	42.22	Pass	2986
30	1000	0.1	RMS	901.835	-58.37	-25	33.37	Pass	9701
1000	2495	1	RMS	2494	-45.59	-25	20.59	Pass	1496
2495	2575	1	RMS	2565.4	18.75	60	41.25	Pass	401
2575	3000	1	RMS	2968	-44.37	-25	19.37	Pass	426
3000	7000	1	RMS	6976	-56.87	-25	31.87	Pass	4001
7000	26000	1	RMS	25104	-42.64	-25	17.64	Pass	19003




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.08	-25	42.08	Pass	401
0.15	30	0.01	RMS	14.96	-67.51	-25	42.51	Pass	2986
30	1000	0.1	RMS	873.816	-58.37	-25	33.37	Pass	9701
1000	2495	1	RMS	2491	-45.72	-25	20.72	Pass	1496
2495	2575	1	RMS	2569.6	19.04	60	40.96	Pass	401
2575	3000	1	RMS	2970	-44.3	-25	19.3	Pass	426
3000	7000	1	RMS	6980	-56.83	-25	31.83	Pass	4001
7000	26000	1	RMS	25076	-42.94	-25	17.94	Pass	19003




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.36	-25	42.36	Pass	401
0.15	30	0.01	RMS	11.63	-66.68	-25	41.68	Pass	2986
30	1000	0.1	RMS	990.894	-58.35	-25	33.35	Pass	9701
1000	2485	1	RMS	2485	-45.17	-25	20.17	Pass	1486
2485	2585	1	RMS	2512.75	8.41	60	51.59	Pass	401
2585	3000	1	RMS	2974	-44.33	-25	19.33	Pass	416
3000	7000	1	RMS	6984	-56.9	-25	31.9	Pass	4001
7000	26000	1	RMS	25108	-42.8	-25	17.8	Pass	19003




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.57	-25	41.57	Pass	401
0.15	30	0.01	RMS	23.88	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	873.716	-58.47	-25	33.47	Pass	9701
1000	2485	1	RMS	2475	-45.72	-25	20.72	Pass	1486
2485	2585	1	RMS	2500.25	18.85	60	41.15	Pass	401
2585	3000	1	RMS	2975	-44.27	-25	19.27	Pass	416
3000	7000	1	RMS	6981	-56.45	-25	31.45	Pass	4001
7000	26000	1	RMS	24126	-43	-25	18	Pass	19003




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.2	-25	39.2	Pass	401
0.15	30	0.01	RMS	11.27	-67.25	-25	42.25	Pass	2986
30	1000	0.1	RMS	916.144	-58.31	-25	33.31	Pass	9701
1000	2485	1	RMS	2485	-45.87	-25	20.87	Pass	1486
2485	2585	1	RMS	2514.5	19.39	60	40.61	Pass	401
2585	3000	1	RMS	2970	-44.47	-25	19.47	Pass	416
3000	7000	1	RMS	6981	-56.82	-25	31.82	Pass	4001
7000	26000	1	RMS	25118	-42.95	-25	17.95	Pass	19003




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.79	-25	42.79	Pass	401
0.15	30	0.01	RMS	2.34	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	908.74	-58.09	-25	33.09	Pass	9701
1000	2485	1	RMS	2482	-45.78	-25	20.78	Pass	1486
2485	2585	1	RMS	2541	8.51	60	51.49	Pass	401
2585	3000	1	RMS	2980	-44.48	-25	19.48	Pass	416
3000	7000	1	RMS	6977	-56.6	-25	31.6	Pass	4001
7000	26000	1	RMS	25081	-42.93	-25	17.93	Pass	19003




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.88	-25	41.88	Pass	401
0.15	30	0.01	RMS	8.37	-67.08	-25	42.08	Pass	2986
30	1000	0.1	RMS	875.918	-58.53	-25	33.53	Pass	9701
1000	2485	1	RMS	2483	-45.48	-25	20.48	Pass	1486
2485	2585	1	RMS	2527.75	19.21	60	40.79	Pass	401
2585	3000	1	RMS	2970	-44.1	-25	19.1	Pass	416
3000	7000	1	RMS	6977	-56.69	-25	31.69	Pass	4001
7000	26000	1	RMS	25086	-42.79	-25	17.79	Pass	19003




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.32	-25	42.32	Pass	401
0.15	30	0.01	RMS	12.24	-67.39	-25	42.39	Pass	2986
30	1000	0.1	RMS	902.235	-58.23	-25	33.23	Pass	9701
1000	2485	1	RMS	2437	-45.97	-25	20.97	Pass	1486
2485	2585	1	RMS	2541.75	18.68	60	41.32	Pass	401
2585	3000	1	RMS	2968	-44.38	-25	19.38	Pass	416
3000	7000	1	RMS	6979	-56.61	-25	31.61	Pass	4001
7000	26000	1	RMS	24094	-42.91	-25	17.91	Pass	19003




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.17	-25	43.17	Pass	401
0.15	30	0.01	RMS	28.92	-67.36	-25	42.36	Pass	2986
30	1000	0.1	RMS	867.512	-58.27	-25	33.27	Pass	9701
1000	2485	1	RMS	2444	-45.93	-25	20.93	Pass	1486
2485	2585	1	RMS	2568	7.86	60	52.14	Pass	401
2585	3000	1	RMS	2585	-43.55	-25	18.55	Pass	416
3000	7000	1	RMS	6979	-56.46	-25	31.46	Pass	4001
7000	26000	1	RMS	24110	-43.03	-25	18.03	Pass	19003




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.33	-25	42.33	Pass	401
0.15	30	0.01	RMS	9.85	-67.06	-25	42.06	Pass	2986
30	1000	0.1	RMS	993.496	-58.36	-25	33.36	Pass	9701
1000	2485	1	RMS	2478	-45.66	-25	20.66	Pass	1486
2485	2585	1	RMS	2555.25	18.54	60	41.46	Pass	401
2585	3000	1	RMS	2970	-44.17	-25	19.17	Pass	416
3000	7000	1	RMS	6982	-56.54	-25	31.54	Pass	4001
7000	26000	1	RMS	25078	-42.92	-25	17.92	Pass	19003




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.34	-25	40.34	Pass	401
0.15	30	0.01	RMS	2.55	-67.35	-25	42.35	Pass	2986
30	1000	0.1	RMS	874.417	-58.56	-25	33.56	Pass	9701
1000	2485	1	RMS	2482	-45.98	-25	20.98	Pass	1486
2485	2585	1	RMS	2569.5	18.81	60	41.19	Pass	401
2585	3000	1	RMS	2968	-44.26	-25	19.26	Pass	416
3000	7000	1	RMS	6980	-56.29	-25	31.29	Pass	4001
7000	26000	1	RMS	24117	-42.85	-25	17.85	Pass	19003




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.58	-25	44.58	Pass	401
0.15	30	0.01	RMS	27.09	-67.2	-25	42.2	Pass	2986
30	1000	0.1	RMS	898.633	-58.6	-25	33.6	Pass	9701
1000	2480	1	RMS	2478	-45.94	-25	20.94	Pass	1481
2480	2590	1	RMS	2517.95	7.27	60	52.73	Pass	401
2590	3000	1	RMS	2976	-44.5	-25	19.5	Pass	411
3000	7000	1	RMS	6980	-56.33	-25	31.33	Pass	4001
7000	26000	1	RMS	25102	-42.92	-25	17.92	Pass	19003




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.45	-25	41.45	Pass	401
0.15	30	0.01	RMS	3.39	-67.53	-25	42.53	Pass	2986
30	1000	0.1	RMS	992.595	-58.51	-25	33.51	Pass	9701
1000	2480	1	RMS	2478	-45.92	-25	20.92	Pass	1481
2480	2590	1	RMS	2500.35	18.98	60	41.02	Pass	401
2590	3000	1	RMS	2972	-44.31	-25	19.31	Pass	411
3000	7000	1	RMS	6976	-56.83	-25	31.83	Pass	4001
7000	26000	1	RMS	25107	-43	-25	18	Pass	19003




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.94	-25	40.94	Pass	401
0.15	30	0.01	RMS	23.05	-66.78	-25	41.78	Pass	2986
30	1000	0.1	RMS	989.193	-58.37	-25	33.37	Pass	9701
1000	2480	1	RMS	2477	-45.76	-25	20.76	Pass	1481
2480	2590	1	RMS	2519.325	19.07	60	40.93	Pass	401
2590	3000	1	RMS	2969	-44.29	-25	19.29	Pass	411
3000	7000	1	RMS	6976	-56.43	-25	31.43	Pass	4001
7000	26000	1	RMS	24108	-42.85	-25	17.85	Pass	19003




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.59	-25	41.59	Pass	401
0.15	30	0.01	RMS	25.08	-67.36	-25	42.36	Pass	2986
30	1000	0.1	RMS	983.589	-58.41	-25	33.41	Pass	9701
1000	2480	1	RMS	2479	-45.93	-25	20.93	Pass	1481
2480	2590	1	RMS	2542.975	7.32	60	52.68	Pass	401
2590	3000	1	RMS	2968	-44.34	-25	19.34	Pass	411
3000	7000	1	RMS	6967	-56.54	-25	31.54	Pass	4001
7000	26000	1	RMS	25124	-43.04	-25	18.04	Pass	19003




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.52	-25	40.52	Pass	401
0.15	30	0.01	RMS	22.97	-67.2	-25	42.2	Pass	2986
30	1000	0.1	RMS	895.931	-58.32	-25	33.32	Pass	9701
1000	2480	1	RMS	2478	-45.58	-25	20.58	Pass	1481
2480	2590	1	RMS	2525.375	19.41	60	40.59	Pass	401
2590	3000	1	RMS	2978	-44.37	-25	19.37	Pass	411
3000	7000	1	RMS	6975	-56.58	-25	31.58	Pass	4001
7000	26000	1	RMS	25105	-43.02	-25	18.02	Pass	19003




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.21	-25	41.21	Pass	401
0.15	30	0.01	RMS	13.75	-67.89	-25	42.89	Pass	2986
30	1000	0.1	RMS	880.421	-58.45	-25	33.45	Pass	9701
1000	2480	1	RMS	2479	-45.97	-25	20.97	Pass	1481
2480	2590	1	RMS	2544.35	18.74	60	41.26	Pass	401
2590	3000	1	RMS	2975	-44.36	-25	19.36	Pass	411
3000	7000	1	RMS	6980	-56.7	-25	31.7	Pass	4001
7000	26000	1	RMS	25112	-42.85	-25	17.85	Pass	19003




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.42	-25	42.42	Pass	401
0.15	30	0.01	RMS	9.62	-67.51	-25	42.51	Pass	2986
30	1000	0.1	RMS	893.73	-58.14	-25	33.14	Pass	9701
1000	2480	1	RMS	2478	-45.83	-25	20.83	Pass	1481
2480	2590	1	RMS	2551.775	6.7	60	53.3	Pass	401
2590	3000	1	RMS	2969	-44.33	-25	19.33	Pass	411
3000	7000	1	RMS	6984	-56.89	-25	31.89	Pass	4001
7000	26000	1	RMS	25099	-42.93	-25	17.93	Pass	19003




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.37	-25	42.37	Pass	401
0.15	30	0.01	RMS	22.88	-67.55	-25	42.55	Pass	2986
30	1000	0.1	RMS	901.835	-58.24	-25	33.24	Pass	9701
1000	2480	1	RMS	2436	-45.96	-25	20.96	Pass	1481
2480	2590	1	RMS	2550.4	18.2	60	41.8	Pass	401
2590	3000	1	RMS	2973	-44.36	-25	19.36	Pass	411
3000	7000	1	RMS	6982	-56.63	-25	31.63	Pass	4001
7000	26000	1	RMS	24094	-42.93	-25	17.93	Pass	19003



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.47	-25	41.47	Pass	401
0.15	30	0.01	RMS	27.75	-67.03	-25	42.03	Pass	2986
30	1000	0.1	RMS	880.821	-58.55	-25	33.55	Pass	9701
1000	2480	1	RMS	2472	-45.77	-25	20.77	Pass	1481
2480	2590	1	RMS	2569.375	18.64	60	41.36	Pass	401
2590	3000	1	RMS	2982	-44.36	-25	19.36	Pass	411
3000	7000	1	RMS	6974	-56.67	-25	31.67	Pass	4001
7000	26000	1	RMS	25100	-42.8	-25	17.8	Pass	19003



3. n12 15kHz


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.27	-13	56.27	Pass	401
0.15	30	0.01	RMS	0.47	-67.31	-13	54.31	Pass	2986
30	689	0.1	RMS	518.1	-58.84	-13	45.84	Pass	6591
689	726	0.1	RMS	702.135	3.81	60	56.19	Pass	401
726	1000	0.1	RMS	823	-57.79	-13	44.79	Pass	2741
1000	3000	1	RMS	2981	-44.37	-13	31.37	Pass	2001
3000	10000	1	RMS	9935	-54.74	-13	41.74	Pass	7001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.67	-13	54.67	Pass	401
0.15	30	0.01	RMS	12.55	-67.15	-13	54.15	Pass	2986
30	689	0.1	RMS	641.2	-58.51	-13	45.51	Pass	6591
689	726	0.1	RMS	699.36	17	60	43	Pass	401
726	1000	0.1	RMS	973.7	-58.05	-13	45.05	Pass	2741
1000	3000	1	RMS	2967	-44.33	-13	31.33	Pass	2001
3000	10000	1	RMS	9978	-54.57	-13	41.57	Pass	7001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.71	-13	55.71	Pass	401
0.15	30	0.01	RMS	28.5	-66.92	-13	53.92	Pass	2986
30	689	0.1	RMS	466.7	-58.8	-13	45.8	Pass	6591
689	726	0.1	RMS	703.615	16.32	60	43.68	Pass	401
726	1000	0.1	RMS	879.4	-57.83	-13	44.83	Pass	2741
1000	3000	1	RMS	2969	-44.22	-13	31.22	Pass	2001
3000	10000	1	RMS	9999	-54.51	-13	41.51	Pass	7001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.91	-13	54.91	Pass	401
0.15	30	0.01	RMS	3.17	-67.41	-13	54.41	Pass	2986
30	689	0.1	RMS	484.6	-57.97	-13	44.97	Pass	6591
689	726	0.1	RMS	705.65	3.84	60	56.16	Pass	401
726	1000	0.1	RMS	904.9	-57.73	-13	44.73	Pass	2741
1000	3000	1	RMS	2982	-44.29	-13	31.29	Pass	2001
3000	10000	1	RMS	9952	-54.59	-13	41.59	Pass	7001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.52	-13	54.52	Pass	401
0.15	30	0.01	RMS	10.97	-67.04	-13	54.04	Pass	2986
30	689	0.1	RMS	466.9	-58.63	-13	45.63	Pass	6591
689	726	0.1	RMS	705.373	16.61	60	43.39	Pass	401
726	1000	0.1	RMS	883.9	-57.92	-13	44.92	Pass	2741
1000	3000	1	RMS	2983	-44.35	-13	31.35	Pass	2001
3000	10000	1	RMS	9945	-54.56	-13	41.56	Pass	7001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.32	-13	55.32	Pass	401
0.15	30	0.01	RMS	29.75	-67.67	-13	54.67	Pass	2986
30	689	0.1	RMS	469.8	-58.63	-13	45.63	Pass	6591
689	726	0.1	RMS	709.628	16.86	60	43.14	Pass	401
726	1000	0.1	RMS	902.1	-57.85	-13	44.85	Pass	2741
1000	3000	1	RMS	2974	-44.25	-13	31.25	Pass	2001
3000	10000	1	RMS	9996	-54.61	-13	41.61	Pass	7001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	3.48	-67.74	-13	54.74	Pass	2986
30	689	0.1	RMS	492.4	-58.57	-13	45.57	Pass	6591
689	726	0.1	RMS	712.773	3.69	60	56.31	Pass	401
726	1000	0.1	RMS	986.6	-58.16	-13	45.16	Pass	2741
1000	3000	1	RMS	2969	-44.17	-13	31.17	Pass	2001
3000	10000	1	RMS	7113	-54.85	-13	41.85	Pass	7001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.18	-13	54.18	Pass	401
0.15	30	0.01	RMS	24.64	-67.13	-13	54.13	Pass	2986
30	689	0.1	RMS	671.4	-58.69	-13	45.69	Pass	6591
689	726	0.1	RMS	711.385	15.98	60	44.02	Pass	401
726	1000	0.1	RMS	908	-57.82	-13	44.82	Pass	2741
1000	3000	1	RMS	2973	-44.17	-13	31.17	Pass	2001
3000	10000	1	RMS	9911	-54.76	-13	41.76	Pass	7001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.66	-13	54.66	Pass	401
0.15	30	0.01	RMS	22.67	-67.07	-13	54.07	Pass	2986
30	689	0.1	RMS	451.7	-58.53	-13	45.53	Pass	6591
689	726	0.1	RMS	715.64	16.42	60	43.58	Pass	401
726	1000	0.1	RMS	913.8	-57.3	-13	44.3	Pass	2741
1000	3000	1	RMS	2998	-44.35	-13	31.35	Pass	2001
3000	10000	1	RMS	9934	-54.54	-13	41.54	Pass	7001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.56	-13	55.56	Pass	401
0.15	30	0.01	RMS	23.45	-66.74	-13	53.74	Pass	2986
30	689	0.1	RMS	478.9	-58.39	-13	45.39	Pass	6591
689	726	0.1	RMS	701.21	1.14	60	58.86	Pass	401
726	1000	0.1	RMS	856.7	-57.95	-13	44.95	Pass	2741
1000	3000	1	RMS	2988	-44.44	-13	31.44	Pass	2001
3000	10000	1	RMS	9992	-54.62	-13	41.62	Pass	7001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.38	-13	54.38	Pass	401
0.15	30	0.01	RMS	3.03	-66.95	-13	53.95	Pass	2986
30	689	0.1	RMS	503.7	-58.54	-13	45.54	Pass	6591
689	726	0.1	RMS	699.453	16.41	60	43.59	Pass	401
726	1000	0.1	RMS	731.3	-57.68	-13	44.68	Pass	2741
1000	3000	1	RMS	2971	-44.22	-13	31.22	Pass	2001
3000	10000	1	RMS	9981	-54.6	-13	41.6	Pass	7001




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.58	-13	53.58	Pass	401
0.15	30	0.01	RMS	11.66	-67.02	-13	54.02	Pass	2986
30	689	0.1	RMS	626.7	-58.54	-13	45.54	Pass	6591
689	726	0.1	RMS	708.61	16.82	60	43.18	Pass	401
726	1000	0.1	RMS	986.7	-57.64	-13	44.64	Pass	2741
1000	3000	1	RMS	2973	-44.16	-13	31.16	Pass	2001
3000	10000	1	RMS	9999	-54.71	-13	41.71	Pass	7001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.27	-13	53.27	Pass	401
0.15	30	0.01	RMS	23.02	-66.08	-13	53.08	Pass	2986
30	689	0.1	RMS	626.6	-58.42	-13	45.42	Pass	6591
689	726	0.1	RMS	702.968	0.91	60	59.09	Pass	401
726	1000	0.1	RMS	888.6	-57.73	-13	44.73	Pass	2741
1000	3000	1	RMS	2974	-44.26	-13	31.26	Pass	2001
3000	10000	1	RMS	9986	-54.75	-13	41.75	Pass	7001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.78	-13	53.78	Pass	401
0.15	30	0.01	RMS	16.8	-67.4	-13	54.4	Pass	2986
30	689	0.1	RMS	478.3	-58.56	-13	45.56	Pass	6591
689	726	0.1	RMS	702.875	17.01	60	42.99	Pass	401
726	1000	0.1	RMS	978.3	-57.72	-13	44.72	Pass	2741
1000	3000	1	RMS	2972	-44.2	-13	31.2	Pass	2001
3000	10000	1	RMS	9999	-54.78	-13	41.78	Pass	7001




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.1	-13	55.1	Pass	401
0.15	30	0.01	RMS	22.14	-67.22	-13	54.22	Pass	2986
30	689	0.1	RMS	481.6	-58.52	-13	45.52	Pass	6591
689	726	0.1	RMS	712.033	16.19	60	43.81	Pass	401
726	1000	0.1	RMS	855.1	-57.83	-13	44.83	Pass	2741
1000	3000	1	RMS	2981	-44.12	-13	31.12	Pass	2001
3000	10000	1	RMS	9918	-54.68	-13	41.68	Pass	7001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.59	-13	53.59	Pass	401
0.15	30	0.01	RMS	29.83	-66.95	-13	53.95	Pass	2986
30	689	0.1	RMS	637.4	-58.5	-13	45.5	Pass	6591
689	726	0.1	RMS	712.958	0.83	60	59.17	Pass	401
726	1000	0.1	RMS	987.1	-57.64	-13	44.64	Pass	2741
1000	3000	1	RMS	2975	-44.15	-13	31.15	Pass	2001
3000	10000	1	RMS	9927	-54.66	-13	41.66	Pass	7001




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.79	-13	52.79	Pass	401
0.15	30	0.01	RMS	5.99	-67.3	-13	54.3	Pass	2986
30	689	0.1	RMS	648.2	-58.6	-13	45.6	Pass	6591
689	726	0.1	RMS	706.39	17.1	60	42.9	Pass	401
726	1000	0.1	RMS	891.3	-57.85	-13	44.85	Pass	2741
1000	3000	1	RMS	2984	-44.27	-13	31.27	Pass	2001
3000	10000	1	RMS	9960	-54.45	-13	41.45	Pass	7001




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.44	-13	54.44	Pass	401
0.15	30	0.01	RMS	19.88	-67.21	-13	54.21	Pass	2986
30	689	0.1	RMS	688.5	-58.43	-13	45.43	Pass	6591
689	726	0.1	RMS	715.548	16.47	60	43.53	Pass	401
726	1000	0.1	RMS	887.7	-57.71	-13	44.71	Pass	2741
1000	3000	1	RMS	2969	-44.21	-13	31.21	Pass	2001
3000	10000	1	RMS	9978	-54.63	-13	41.63	Pass	7001




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.76	-13	56.76	Pass	401
0.15	30	0.01	RMS	29.89	-66.72	-13	53.72	Pass	2986
30	689	0.1	RMS	474.9	-58.4	-13	45.4	Pass	6591
689	726	0.1	RMS	701.765	-0.55	60	60.55	Pass	401
726	1000	0.1	RMS	927.3	-57.79	-13	44.79	Pass	2741
1000	3000	1	RMS	2975	-44.28	-13	31.28	Pass	2001
3000	10000	1	RMS	9986	-54.67	-13	41.67	Pass	7001




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.8	-13	54.8	Pass	401
0.15	30	0.01	RMS	10.27	-66.93	-13	53.93	Pass	2986
30	689	0.1	RMS	497	-58.55	-13	45.55	Pass	6591
689	726	0.1	RMS	699.453	16.66	60	43.34	Pass	401
726	1000	0.1	RMS	896.9	-57.65	-13	44.65	Pass	2741
1000	3000	1	RMS	2970	-44.18	-13	31.18	Pass	2001
3000	10000	1	RMS	9986	-54.48	-13	41.48	Pass	7001




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.73	-13	53.73	Pass	401
0.15	30	0.01	RMS	5.82	-67.41	-13	54.41	Pass	2986
30	689	0.1	RMS	469.1	-58.39	-13	45.39	Pass	6591
689	726	0.1	RMS	713.513	16.86	60	43.14	Pass	401
726	1000	0.1	RMS	865.5	-57.58	-13	44.58	Pass	2741
1000	3000	1	RMS	2974	-44.24	-13	31.24	Pass	2001
3000	10000	1	RMS	9990	-54.73	-13	41.73	Pass	7001




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.34	-13	52.34	Pass	401
0.15	30	0.01	RMS	5.56	-67.03	-13	54.03	Pass	2986
30	689	0.1	RMS	610.6	-58.59	-13	45.59	Pass	6591
689	726	0.1	RMS	701.95	-0.67	60	60.67	Pass	401
726	1000	0.1	RMS	785.9	-57.56	-13	44.56	Pass	2741
1000	3000	1	RMS	2972	-44.08	-13	31.08	Pass	2001
3000	10000	1	RMS	10000	-54.7	-13	41.7	Pass	7001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.42	-13	54.42	Pass	401
0.15	30	0.01	RMS	6	-66.58	-13	53.58	Pass	2986
30	689	0.1	RMS	484.5	-58.66	-13	45.66	Pass	6591
689	726	0.1	RMS	700.47	17.14	60	42.86	Pass	401
726	1000	0.1	RMS	979.6	-57.88	-13	44.88	Pass	2741
1000	3000	1	RMS	2973	-44.18	-13	31.18	Pass	2001
3000	10000	1	RMS	9893	-54.73	-13	41.73	Pass	7001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.09	-13	55.09	Pass	401
0.15	30	0.01	RMS	25.48	-66.91	-13	53.91	Pass	2986
30	689	0.1	RMS	494.1	-58.68	-13	45.68	Pass	6591
689	726	0.1	RMS	714.53	16.3	60	43.7	Pass	401
726	1000	0.1	RMS	876.3	-57.76	-13	44.76	Pass	2741
1000	3000	1	RMS	2974	-44.09	-13	31.09	Pass	2001
3000	10000	1	RMS	9933	-54.84	-13	41.84	Pass	7001




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.82	-13	52.82	Pass	401
0.15	30	0.01	RMS	26.04	-67.11	-13	54.11	Pass	2986
30	689	0.1	RMS	617.6	-58.68	-13	45.68	Pass	6591
689	726	0.1	RMS	701.58	-0.63	60	60.63	Pass	401
726	1000	0.1	RMS	993.7	-57.74	-13	44.74	Pass	2741
1000	3000	1	RMS	2957	-44.34	-13	31.34	Pass	2001
3000	10000	1	RMS	9995	-54.41	-13	41.41	Pass	7001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.14	-13	51.14	Pass	401
0.15	30	0.01	RMS	21.21	-66.58	-13	53.58	Pass	2986
30	689	0.1	RMS	488.7	-58.39	-13	45.39	Pass	6591
689	726	0.1	RMS	701.488	16.66	60	43.34	Pass	401
726	1000	0.1	RMS	998.4	-57.85	-13	44.85	Pass	2741
1000	3000	1	RMS	2988	-44.35	-13	31.35	Pass	2001
3000	10000	1	RMS	9986	-54.54	-13	41.54	Pass	7001



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.73	-13	52.73	Pass	401
0.15	30	0.01	RMS	21.15	-67.18	-13	54.18	Pass	2986
30	689	0.1	RMS	688.6	-58.73	-13	45.73	Pass	6591
689	726	0.1	RMS	715.548	16.19	60	43.81	Pass	401
726	1000	0.1	RMS	980.1	-57.82	-13	44.82	Pass	2741
1000	3000	1	RMS	2974	-44.27	-13	31.27	Pass	2001
3000	10000	1	RMS	9982	-54.61	-13	41.61	Pass	7001



3. n25


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.64	-13	53.64	Pass	401
0.15	30	0.01	RMS	19.91	-67.98	-13	54.98	Pass	2986
30	1000	0.1	RMS	831.9	-58.31	-13	45.31	Pass	9701
1000	1840	1	RMS	1840	-46.51	-13	33.51	Pass	841
1840	1925	1	RMS	1853.6	13.79	60	46.21	Pass	401
1925	3000	1	RMS	2971	-44.42	-13	31.42	Pass	1076
3000	7000	1	RMS	6980	-56.83	-13	43.83	Pass	4001
7000	20000	1	RMS	17500	-44.23	-13	31.23	Pass	13002




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.09	-13	54.09	Pass	401
0.15	30	0.01	RMS	5.79	-67.53	-13	54.53	Pass	2986
30	1000	0.1	RMS	908.74	-58.54	-13	45.54	Pass	9701
1000	1840	1	RMS	1837	-47.4	-13	34.4	Pass	841
1840	1925	1	RMS	1850.2	19.66	60	40.34	Pass	401
1925	3000	1	RMS	2971	-44.22	-13	31.22	Pass	1076
3000	7000	1	RMS	6991	-56.68	-13	43.68	Pass	4001
7000	20000	1	RMS	17498	-44.39	-13	31.39	Pass	13002




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.45	-13	53.45	Pass	401
0.15	30	0.01	RMS	25.23	-67.39	-13	54.39	Pass	2986
30	1000	0.1	RMS	883.022	-58.26	-13	45.26	Pass	9701
1000	1840	1	RMS	1834	-47.45	-13	34.45	Pass	841
1840	1925	1	RMS	1854.663	19.77	60	40.23	Pass	401
1925	3000	1	RMS	2972	-44.18	-13	31.18	Pass	1076
3000	7000	1	RMS	6980	-56.37	-13	43.37	Pass	4001
7000	20000	1	RMS	19796	-44.51	-13	31.51	Pass	13002




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	27.78	-67.28	-13	54.28	Pass	2986
30	1000	0.1	RMS	859.607	-58.6	-13	45.6	Pass	9701
1000	1840	1	RMS	1821	-47.25	-13	34.25	Pass	841
1840	1925	1	RMS	1882.075	13.74	60	46.26	Pass	401
1925	3000	1	RMS	2969	-44.29	-13	31.29	Pass	1076
3000	7000	1	RMS	6983	-56.72	-13	43.72	Pass	4001
7000	20000	1	RMS	17496	-44.32	-13	31.32	Pass	13002




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.54	-13	54.54	Pass	401
0.15	30	0.01	RMS	19.13	-67.23	-13	54.23	Pass	2986
30	1000	0.1	RMS	913.142	-58.41	-13	45.41	Pass	9701
1000	1840	1	RMS	1839	-47.53	-13	34.53	Pass	841
1840	1925	1	RMS	1880.163	19.53	60	40.47	Pass	401
1925	3000	1	RMS	2973	-44.23	-13	31.23	Pass	1076
3000	7000	1	RMS	6979	-56.7	-13	43.7	Pass	4001
7000	20000	1	RMS	19797	-44.49	-13	31.49	Pass	13002




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.9	-13	53.9	Pass	401
0.15	30	0.01	RMS	10.63	-67.41	-13	54.41	Pass	2986
30	1000	0.1	RMS	936.758	-58.52	-13	45.52	Pass	9701
1000	1840	1	RMS	1797	-47.47	-13	34.47	Pass	841
1840	1925	1	RMS	1884.625	19.77	60	40.23	Pass	401
1925	3000	1	RMS	2974	-44.21	-13	31.21	Pass	1076
3000	7000	1	RMS	6979	-56.5	-13	43.5	Pass	4001
7000	20000	1	RMS	19790	-44.65	-13	31.65	Pass	13002




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.72	-13	54.72	Pass	401
0.15	30	0.01	RMS	6.79	-66.95	-13	53.95	Pass	2986
30	1000	0.1	RMS	889.927	-58.51	-13	45.51	Pass	9701
1000	1840	1	RMS	1809	-47.31	-13	34.31	Pass	841
1840	1925	1	RMS	1911.188	13.56	60	46.44	Pass	401
1925	3000	1	RMS	2981	-44.29	-13	31.29	Pass	1076
3000	7000	1	RMS	6979	-56.68	-13	43.68	Pass	4001
7000	20000	1	RMS	17499	-44.27	-13	31.27	Pass	13002




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.63	-13	53.63	Pass	401
0.15	30	0.01	RMS	12.33	-66.95	-13	53.95	Pass	2986
30	1000	0.1	RMS	892.028	-58.21	-13	45.21	Pass	9701
1000	1840	1	RMS	1808	-47.16	-13	34.16	Pass	841
1840	1925	1	RMS	1910.125	19.53	60	40.47	Pass	401
1925	3000	1	RMS	2972	-44.39	-13	31.39	Pass	1076
3000	7000	1	RMS	6975	-56.68	-13	43.68	Pass	4001
7000	20000	1	RMS	17503	-44.53	-13	31.53	Pass	13002




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.89	-13	53.89	Pass	401
0.15	30	0.01	RMS	18.95	-67.52	-13	54.52	Pass	2986
30	1000	0.1	RMS	925.951	-58.28	-13	45.28	Pass	9701
1000	1840	1	RMS	1814	-47.43	-13	34.43	Pass	841
1840	1925	1	RMS	1914.588	19.68	60	40.32	Pass	401
1925	3000	1	RMS	2969	-44.23	-13	31.23	Pass	1076
3000	7000	1	RMS	6980	-56.96	-13	43.96	Pass	4001
7000	20000	1	RMS	17501	-44.24	-13	31.24	Pass	13002




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.5	-13	56.5	Pass	401
0.15	30	0.01	RMS	29.39	-67.47	-13	54.47	Pass	2986
30	1000	0.1	RMS	927.452	-58.25	-13	45.25	Pass	9701
1000	1840	1	RMS	1840	-39.35	-13	26.35	Pass	841
1840	1925	1	RMS	1867.838	8.12	60	51.88	Pass	401
1925	3000	1	RMS	2972	-44.17	-13	31.17	Pass	1076
3000	7000	1	RMS	6996	-56.8	-13	43.8	Pass	4001
7000	20000	1	RMS	17497	-44.71	-13	31.71	Pass	13002




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.71	-13	54.71	Pass	401
0.15	30	0.01	RMS	13.93	-67.26	-13	54.26	Pass	2986
30	1000	0.1	RMS	961.775	-58.42	-13	45.42	Pass	9701
1000	1840	1	RMS	1840	-47.38	-13	34.38	Pass	841
1840	1925	1	RMS	1850.413	19.62	60	40.38	Pass	401
1925	3000	1	RMS	2967	-44.2	-13	31.2	Pass	1076
3000	7000	1	RMS	6981	-56.71	-13	43.71	Pass	4001
7000	20000	1	RMS	17498	-44.29	-13	31.29	Pass	13002




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.84	-13	53.84	Pass	401
0.15	30	0.01	RMS	0.42	-67.58	-13	54.58	Pass	2986
30	1000	0.1	RMS	906.238	-58.43	-13	45.43	Pass	9701
1000	1840	1	RMS	1802	-47.36	-13	34.36	Pass	841
1840	1925	1	RMS	1869.325	19.53	60	40.47	Pass	401
1925	3000	1	RMS	2992	-44.48	-13	31.48	Pass	1076
3000	7000	1	RMS	6978	-56.59	-13	43.59	Pass	4001
7000	20000	1	RMS	17506	-44.53	-13	31.53	Pass	13002




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.21	-13	55.21	Pass	401
0.15	30	0.01	RMS	2.81	-67.58	-13	54.58	Pass	2986
30	1000	0.1	RMS	885.424	-58.4	-13	45.4	Pass	9701
1000	1840	1	RMS	1840	-46.62	-13	33.62	Pass	841
1840	1925	1	RMS	1874.85	7.79	60	52.21	Pass	401
1925	3000	1	RMS	2969	-44.31	-13	31.31	Pass	1076
3000	7000	1	RMS	6980	-56.56	-13	43.56	Pass	4001
7000	20000	1	RMS	19800	-44.53	-13	31.53	Pass	13002




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.43	-13	54.43	Pass	401
0.15	30	0.01	RMS	22.72	-66.99	-13	53.99	Pass	2986
30	1000	0.1	RMS	726	-58.48	-13	45.48	Pass	9701
1000	1840	1	RMS	1817	-47.44	-13	34.44	Pass	841
1840	1925	1	RMS	1872.938	19.8	60	40.2	Pass	401
1925	3000	1	RMS	2996	-44.51	-13	31.51	Pass	1076
3000	7000	1	RMS	6981	-56.55	-13	43.55	Pass	4001
7000	20000	1	RMS	17499	-44.55	-13	31.55	Pass	13002




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.17	-13	54.17	Pass	401
0.15	30	0.01	RMS	29.7	-67.58	-13	54.58	Pass	2986
30	1000	0.1	RMS	924.85	-58.5	-13	45.5	Pass	9701
1000	1840	1	RMS	1812	-47.52	-13	34.52	Pass	841
1840	1925	1	RMS	1891.85	20.1	60	39.9	Pass	401
1925	3000	1	RMS	2973	-44.53	-13	31.53	Pass	1076
3000	7000	1	RMS	6981	-56.68	-13	43.68	Pass	4001
7000	20000	1	RMS	17496	-44.5	-13	31.5	Pass	13002




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.01	-13	54.01	Pass	401
0.15	30	0.01	RMS	0.99	-67.23	-13	54.23	Pass	2986
30	1000	0.1	RMS	901.935	-58.4	-13	45.4	Pass	9701
1000	1840	1	RMS	1800	-47.25	-13	34.25	Pass	841
1840	1925	1	RMS	1896.738	7.88	60	52.12	Pass	401
1925	3000	1	RMS	2978	-44.13	-13	31.13	Pass	1076
3000	7000	1	RMS	6970	-56.71	-13	43.71	Pass	4001
7000	20000	1	RMS	17499	-44.67	-13	31.67	Pass	13002




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.74	-13	53.74	Pass	401
0.15	30	0.01	RMS	17.96	-67.54	-13	54.54	Pass	2986
30	1000	0.1	RMS	996.898	-58.17	-13	45.17	Pass	9701
1000	1840	1	RMS	1801	-47.33	-13	34.33	Pass	841
1840	1925	1	RMS	1895.463	19.45	60	40.55	Pass	401
1925	3000	1	RMS	2981	-44.33	-13	31.33	Pass	1076
3000	7000	1	RMS	6978	-56.45	-13	43.45	Pass	4001
7000	20000	1	RMS	17500	-44.45	-13	31.45	Pass	13002




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.84	-13	53.84	Pass	401
0.15	30	0.01	RMS	3.15	-67.42	-13	54.42	Pass	2986
30	1000	0.1	RMS	997.999	-58.26	-13	45.26	Pass	9701
1000	1840	1	RMS	1814	-47.22	-13	34.22	Pass	841
1840	1925	1	RMS	1914.375	19.42	60	40.58	Pass	401
1925	3000	1	RMS	2977	-44.23	-13	31.23	Pass	1076
3000	7000	1	RMS	6978	-56.24	-13	43.24	Pass	4001
7000	20000	1	RMS	17498	-44.59	-13	31.59	Pass	13002




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.38	-13	56.38	Pass	401
0.15	30	0.01	RMS	5.79	-67.67	-13	54.67	Pass	2986
30	1000	0.1	RMS	900.734	-58.4	-13	45.4	Pass	9701
1000	1840	1	RMS	1840	-39.83	-13	26.83	Pass	841
1840	1925	1	RMS	1877.188	6.17	60	53.83	Pass	401
1925	3000	1	RMS	2972	-44.25	-13	31.25	Pass	1076
3000	7000	1	RMS	6966	-56.87	-13	43.87	Pass	4001
7000	20000	1	RMS	17495	-44.81	-13	31.81	Pass	13002




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.35	-13	54.35	Pass	401
0.15	30	0.01	RMS	28.71	-67.16	-13	54.16	Pass	2986
30	1000	0.1	RMS	894.63	-58.65	-13	45.65	Pass	9701
1000	1840	1	RMS	1840	-47.52	-13	34.52	Pass	841
1840	1925	1	RMS	1850.625	20.06	60	39.94	Pass	401
1925	3000	1	RMS	2974	-44.31	-13	31.31	Pass	1076
3000	7000	1	RMS	6983	-56.63	-13	43.63	Pass	4001
7000	20000	1	RMS	19804	-44.62	-13	31.62	Pass	13002




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.75	-13	54.75	Pass	401
0.15	30	0.01	RMS	26.7	-67.45	-13	54.45	Pass	2986
30	1000	0.1	RMS	884.123	-58.39	-13	45.39	Pass	9701
1000	1840	1	RMS	1838	-47.44	-13	34.44	Pass	841
1840	1925	1	RMS	1879.313	19.79	60	40.21	Pass	401
1925	3000	1	RMS	2970	-44.27	-13	31.27	Pass	1076
3000	7000	1	RMS	6986	-56.79	-13	43.79	Pass	4001
7000	20000	1	RMS	17497	-44.62	-13	31.62	Pass	13002




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.61	-13	53.61	Pass	401
0.15	30	0.01	RMS	19.45	-67.24	-13	54.24	Pass	2986
30	1000	0.1	RMS	890.227	-58.22	-13	45.22	Pass	9701
1000	1840	1	RMS	1839	-45.2	-13	32.2	Pass	841
1840	1925	1	RMS	1875.275	5.9	60	54.1	Pass	401
1925	3000	1	RMS	2970	-44.4	-13	31.4	Pass	1076
3000	7000	1	RMS	6984	-56.49	-13	43.49	Pass	4001
7000	20000	1	RMS	17501	-44.38	-13	31.38	Pass	13002




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.34	-13	54.34	Pass	401
0.15	30	0.01	RMS	0.48	-67.02	-13	54.02	Pass	2986
30	1000	0.1	RMS	665	-58.61	-13	45.61	Pass	9701
1000	1840	1	RMS	1814	-47.27	-13	34.27	Pass	841
1840	1925	1	RMS	1868.05	19.82	60	40.18	Pass	401
1925	3000	1	RMS	2971	-44.34	-13	31.34	Pass	1076
3000	7000	1	RMS	6980	-56.78	-13	43.78	Pass	4001
7000	20000	1	RMS	17500	-44.38	-13	31.38	Pass	13002




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.21	-13	55.21	Pass	401
0.15	30	0.01	RMS	0.17	-68.03	-13	55.03	Pass	2986
30	1000	0.1	RMS	912.542	-58.26	-13	45.26	Pass	9701
1000	1840	1	RMS	1813	-47.52	-13	34.52	Pass	841
1840	1925	1	RMS	1896.738	19.7	60	40.3	Pass	401
1925	3000	1	RMS	2970	-44.36	-13	31.36	Pass	1076
3000	7000	1	RMS	6976	-56.88	-13	43.88	Pass	4001
7000	20000	1	RMS	17500	-44.36	-13	31.36	Pass	13002




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	11.85	-67.57	-13	54.57	Pass	2986
30	1000	0.1	RMS	863.109	-58.45	-13	45.45	Pass	9701
1000	1840	1	RMS	1840	-47.24	-13	34.24	Pass	841
1840	1925	1	RMS	1889.938	6	60	54	Pass	401
1925	3000	1	RMS	1925	-44.11	-13	31.11	Pass	1076
3000	7000	1	RMS	6984	-56.63	-13	43.63	Pass	4001
7000	20000	1	RMS	17500	-44.66	-13	31.66	Pass	13002




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.29	-13	54.29	Pass	401
0.15	30	0.01	RMS	13.39	-67.83	-13	54.83	Pass	2986
30	1000	0.1	RMS	904.036	-58.4	-13	45.4	Pass	9701
1000	1840	1	RMS	1800	-47.29	-13	34.29	Pass	841
1840	1925	1	RMS	1885.475	19.97	60	40.03	Pass	401
1925	3000	1	RMS	2970	-44.36	-13	31.36	Pass	1076
3000	7000	1	RMS	6981	-56.38	-13	43.38	Pass	4001
7000	20000	1	RMS	17499	-44.5	-13	31.5	Pass	13002



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.41	-13	54.41	Pass	401
0.15	30	0.01	RMS	26.16	-66.85	-13	53.85	Pass	2986
30	1000	0.1	RMS	869.614	-58.52	-13	45.52	Pass	9701
1000	1840	1	RMS	1799	-47.29	-13	34.29	Pass	841
1840	1925	1	RMS	1914.163	19.82	60	40.18	Pass	401
1925	3000	1	RMS	2974	-44.38	-13	31.38	Pass	1076
3000	7000	1	RMS	6979	-56.7	-13	43.7	Pass	4001
7000	20000	1	RMS	17500	-44.51	-13	31.51	Pass	13002



1. n30 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.73	-40	13.73	Pass	401
0.15	30	0.01	RMS	0.17	-58.19	-40	18.19	Pass	2986
30	1000	0.1	RMS	983.5	-58.59	-40	18.59	Pass	9701
1000	2280	1	RMS	2157	-48	-40	8	Pass	1281
2280	2340	1	RMS	2306.1	13.31	60	46.69	Pass	401
2340	3000	1	RMS	2999	-47	-40	7	Pass	661
3000	7000	1	RMS	6926	-65.35	-40	25.35	Pass	4001
7000	24000	1	RMS	23981	-50.83	-40	10.83	Pass	17001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-40	13.76	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-40	16.16	Pass	2986
30	1000	0.1	RMS	879	-58.91	-40	18.91	Pass	9701
1000	2280	1	RMS	2265	-48.06	-40	8.06	Pass	1281
2280	2340	1	RMS	2305.35	19.47	60	40.53	Pass	401
2340	3000	1	RMS	2458	-46.66	-40	6.66	Pass	661
3000	7000	1	RMS	6973	-65.32	-40	25.32	Pass	4001
7000	24000	1	RMS	23993	-50.77	-40	10.77	Pass	17001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.36	-40	15.36	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-40	17.69	Pass	2986
30	1000	0.1	RMS	850.4	-58.96	-40	18.96	Pass	9701
1000	2280	1	RMS	2210	-48.01	-40	8.01	Pass	1281
2280	2340	1	RMS	2309.7	19.47	60	40.53	Pass	401
2340	3000	1	RMS	2793	-47.05	-40	7.05	Pass	661
3000	7000	1	RMS	4619	-65.38	-40	25.38	Pass	4001
7000	24000	1	RMS	23990	-50.64	-40	10.64	Pass	17001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.67	-40	11.67	Pass	401
0.15	30	0.01	RMS	0.15	-57.5	-40	17.5	Pass	2986
30	1000	0.1	RMS	923.9	-58.13	-40	18.13	Pass	9701
1000	2280	1	RMS	2262	-48.12	-40	8.12	Pass	1281
2280	2340	1	RMS	2308.8	13.21	60	46.79	Pass	401
2340	3000	1	RMS	2648	-46.99	-40	6.99	Pass	661
3000	7000	1	RMS	6977	-65.3	-40	25.3	Pass	4001
7000	24000	1	RMS	23968	-51.13	-40	11.13	Pass	17001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.52	-40	15.52	Pass	401
0.15	30	0.01	RMS	0.17	-58.89	-40	18.89	Pass	2986
30	1000	0.1	RMS	941.1	-59.21	-40	19.21	Pass	9701
1000	2280	1	RMS	2270	-48.04	-40	8.04	Pass	1281
2280	2340	1	RMS	2307.9	18.89	60	41.11	Pass	401
2340	3000	1	RMS	2638	-47.01	-40	7.01	Pass	661
3000	7000	1	RMS	4616	-64.87	-40	24.87	Pass	4001
7000	24000	1	RMS	23996	-51.06	-40	11.06	Pass	17001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.78	-40	16.78	Pass	401
0.15	30	0.01	RMS	0.15	-58.99	-40	18.99	Pass	2986
30	1000	0.1	RMS	955.8	-58.68	-40	18.68	Pass	9701
1000	2280	1	RMS	2224	-48.08	-40	8.08	Pass	1281
2280	2340	1	RMS	2312.1	19.01	60	40.99	Pass	401
2340	3000	1	RMS	2642	-46.9	-40	6.9	Pass	661
3000	7000	1	RMS	6975	-65.34	-40	25.34	Pass	4001
7000	24000	1	RMS	23983	-51.15	-40	11.15	Pass	17001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.98	-40	15.98	Pass	401
0.15	30	0.01	RMS	0.16	-58.71	-40	18.71	Pass	2986
30	1000	0.1	RMS	894.6	-58.64	-40	18.64	Pass	9701
1000	2280	1	RMS	2157	-48.12	-40	8.12	Pass	1281
2280	2340	1	RMS	2313.6	13.03	60	46.97	Pass	401
2340	3000	1	RMS	2641	-46.97	-40	6.97	Pass	661
3000	7000	1	RMS	6978	-65.35	-40	25.35	Pass	4001
7000	24000	1	RMS	23998	-50.93	-40	10.93	Pass	17001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.77	-40	13.77	Pass	401
0.15	30	0.01	RMS	0.15	-58	-40	18	Pass	2986
30	1000	0.1	RMS	927.4	-58.95	-40	18.95	Pass	9701
1000	2280	1	RMS	2154	-48.08	-40	8.08	Pass	1281
2280	2340	1	RMS	2310.3	18.97	60	41.03	Pass	401
2340	3000	1	RMS	2653	-47.04	-40	7.04	Pass	661
3000	7000	1	RMS	6980	-65.33	-40	25.33	Pass	4001
7000	24000	1	RMS	23993	-51.2	-40	11.2	Pass	17001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.11	-40	14.11	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-40	16.68	Pass	2986
30	1000	0.1	RMS	943.4	-59.03	-40	19.03	Pass	9701
1000	2280	1	RMS	2215	-48.05	-40	8.05	Pass	1281
2280	2340	1	RMS	2314.65	19.16	60	40.84	Pass	401
2340	3000	1	RMS	2653	-47.03	-40	7.03	Pass	661
3000	7000	1	RMS	6979	-65.18	-40	25.18	Pass	4001
7000	24000	1	RMS	23978	-51.05	-40	11.05	Pass	17001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-40	12.7	Pass	401
0.15	30	0.01	RMS	0.18	-59.8	-40	19.8	Pass	2986
30	1000	0.1	RMS	980.9	-58.59	-40	18.59	Pass	9701
1000	2280	1	RMS	2279	-48	-40	8	Pass	1281
2280	2340	1	RMS	2306.25	10.46	60	49.54	Pass	401
2340	3000	1	RMS	2457	-43.17	-40	3.17	Pass	661
3000	7000	1	RMS	6968	-65.44	-40	25.44	Pass	4001
7000	24000	1	RMS	23996	-51.08	-40	11.08	Pass	17001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.14	-40	14.14	Pass	401
0.15	30	0.01	RMS	0.17	-58.27	-40	18.27	Pass	2986
30	1000	0.1	RMS	909.4	-58.49	-40	18.49	Pass	9701
1000	2280	1	RMS	2209	-47.97	-40	7.97	Pass	1281
2280	2340	1	RMS	2305.35	19.07	60	40.93	Pass	401
2340	3000	1	RMS	2651	-47.05	-40	7.05	Pass	661
3000	7000	1	RMS	4611	-65.16	-40	25.16	Pass	4001
7000	24000	1	RMS	23996	-50.62	-40	10.62	Pass	17001



1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.53	-40	15.53	Pass	401
0.15	30	0.01	RMS	0.16	-57.14	-40	17.14	Pass	2986
30	1000	0.1	RMS	917.7	-58.8	-40	18.8	Pass	9701
1000	2280	1	RMS	2273	-48.02	-40	8.02	Pass	1281
2280	2340	1	RMS	2314.5	19.02	60	40.98	Pass	401
2340	3000	1	RMS	2651	-47.01	-40	7.01	Pass	661
3000	7000	1	RMS	4629	-65.2	-40	25.2	Pass	4001
7000	24000	1	RMS	23987	-50.93	-40	10.93	Pass	17001



6. n38_PC3


6.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.17	-25	45.17	Pass	401
0.15	30	0.01	RMS	6.1	-62.8	-25	37.8	Pass	2986
30	1000	0.1	RMS	963.776	-56.15	-25	31.15	Pass	9701
1000	2560	1	RMS	2560	-41.33	-25	16.33	Pass	1561
2560	2630	1	RMS	2571.725	10.19	60	49.81	Pass	401
2630	3000	1	RMS	2967.625	-44.11	-25	19.11	Pass	401
3000	7000	1	RMS	3776	-51.39	-25	26.39	Pass	4001
7000	26500	1	RMS	22757	-32.16	-25	7.16	Pass	19503




6.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-25	44.94	Pass	401
0.15	30	0.01	RMS	20.51	-63.06	-25	38.06	Pass	2986
30	1000	0.1	RMS	969.78	-56.02	-25	31.02	Pass	9701
1000	2560	1	RMS	2469	-33.1	-25	8.1	Pass	1561
2560	2630	1	RMS	2570.85	19.11	60	40.89	Pass	401
2630	3000	1	RMS	2967.625	-44.39	-25	19.39	Pass	401
3000	7000	1	RMS	6980	-55.58	-25	30.58	Pass	4001
7000	26500	1	RMS	25142	-41.6	-25	16.6	Pass	19503




6.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-71.74	-25	46.74	Pass	401
0.15	30	0.01	RMS	14.5	-63.25	-25	38.25	Pass	2986
30	1000	0.1	RMS	763.8	-55.01	-25	30.01	Pass	9701
1000	2560	1	RMS	2465	-41.91	-25	16.91	Pass	1561
2560	2630	1	RMS	2579.25	18.7	60	41.3	Pass	401
2630	3000	1	RMS	2969.475	-44.16	-25	19.16	Pass	401
3000	7000	1	RMS	6968	-55.26	-25	30.26	Pass	4001
7000	26500	1	RMS	26022	-41.7	-25	16.7	Pass	19503




6.31. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-70.44	-25	45.44	Pass	401
0.15	30	0.01	RMS	27.02	-64.8	-25	39.8	Pass	2986
30	1000	0.1	RMS	904.337	-55.7	-25	30.7	Pass	9701
1000	2560	1	RMS	2444	-40.71	-25	15.71	Pass	1561
2560	2630	1	RMS	2598.15	10.51	60	49.49	Pass	401
2630	3000	1	RMS	2964.85	-44.22	-25	19.22	Pass	401
3000	7000	1	RMS	6914	-55.88	-25	30.88	Pass	4001
7000	26500	1	RMS	24118	-41.44	-25	16.44	Pass	19503




6.32. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.2	-25	46.2	Pass	401
0.15	30	0.01	RMS	9.45	-62.16	-25	37.16	Pass	2986
30	1000	0.1	RMS	993.496	-55.25	-25	30.25	Pass	9701
1000	2560	1	RMS	2443	-42.33	-25	17.33	Pass	1561
2560	2630	1	RMS	2590.975	19.15	60	40.85	Pass	401
2630	3000	1	RMS	2968.55	-44	-25	19	Pass	401
3000	7000	1	RMS	6962	-54.91	-25	29.91	Pass	4001
7000	26500	1	RMS	25494	-41.66	-25	16.66	Pass	19503




6.33. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-71.66	-25	46.66	Pass	401
0.15	30	0.01	RMS	15.92	-63.63	-25	38.63	Pass	2986
30	1000	0.1	RMS	923.249	-54.81	-25	29.81	Pass	9701
1000	2560	1	RMS	2509	-44.69	-25	19.69	Pass	1561
2560	2630	1	RMS	2599.2	19.42	60	40.58	Pass	401
2630	3000	1	RMS	2968.55	-44.17	-25	19.17	Pass	401
3000	7000	1	RMS	6957	-55.08	-25	30.08	Pass	4001
7000	26500	1	RMS	25477	-41.77	-25	16.77	Pass	19503




6.34. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-71.39	-25	46.39	Pass	401
0.15	30	0.01	RMS	20.12	-63.42	-25	38.42	Pass	2986
30	1000	0.1	RMS	638.2	-55.37	-25	30.37	Pass	9701
1000	2560	1	RMS	2460	-37.05	-25	12.05	Pass	1561
2560	2630	1	RMS	2618.275	10.76	60	49.24	Pass	401
2630	3000	1	RMS	2630	-39.74	-25	14.74	Pass	401
3000	7000	1	RMS	6968	-54.99	-25	29.99	Pass	4001
7000	26500	1	RMS	26189	-41.32	-25	16.32	Pass	19503




6.35. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.15	-25	45.15	Pass	401
0.15	30	0.01	RMS	20.61	-62.76	-25	37.76	Pass	2986
30	1000	0.1	RMS	701	-55.11	-25	30.11	Pass	9701
1000	2560	1	RMS	2428	-42.45	-25	17.45	Pass	1561
2560	2630	1	RMS	2610.925	19.56	60	40.44	Pass	401
2630	3000	1	RMS	2969.475	-44.04	-25	19.04	Pass	401
3000	7000	1	RMS	6928	-54.89	-25	29.89	Pass	4001
7000	26500	1	RMS	25744	-41.3	-25	16.3	Pass	19503




6.36. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.6	-25	46.6	Pass	401
0.15	30	0.01	RMS	26.93	-62.19	-25	37.19	Pass	2986
30	1000	0.1	RMS	922.949	-55.79	-25	30.79	Pass	9701
1000	2560	1	RMS	2498	-44.45	-25	19.45	Pass	1561
2560	2630	1	RMS	2619.15	19.52	60	40.48	Pass	401
2630	3000	1	RMS	2966.7	-43.95	-25	18.95	Pass	401
3000	7000	1	RMS	6937	-55.51	-25	30.51	Pass	4001
7000	26500	1	RMS	25115	-41.22	-25	16.22	Pass	19503




6.37. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-25	45.79	Pass	401
0.15	30	0.01	RMS	20.54	-64.53	-25	39.53	Pass	2986
30	1000	0.1	RMS	913.843	-55.87	-25	30.87	Pass	9701
1000	2550	1	RMS	2438	-39.95	-25	14.95	Pass	1551
2550	2640	1	RMS	2571.825	7.25	60	52.75	Pass	401
2640	3000	1	RMS	2971.2	-44.35	-25	19.35	Pass	401
3000	7000	1	RMS	3846	-48.74	-25	23.74	Pass	4001
7000	26500	1	RMS	23120	-32.55	-25	7.55	Pass	19503




6.38. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-71.24	-25	46.24	Pass	401
0.15	30	0.01	RMS	22.06	-64.06	-25	39.06	Pass	2986
30	1000	0.1	RMS	735.6	-55.07	-25	30.07	Pass	9701
1000	2550	1	RMS	2520	-44.36	-25	19.36	Pass	1551
2550	2640	1	RMS	2571.15	19.08	60	40.92	Pass	401
2640	3000	1	RMS	2971.2	-44.25	-25	19.25	Pass	401
3000	7000	1	RMS	6969	-55.2	-25	30.2	Pass	4001
7000	26500	1	RMS	25451	-41.78	-25	16.78	Pass	19503




6.39. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.04	-25	45.04	Pass	401
0.15	30	0.01	RMS	13.64	-64.26	-25	39.26	Pass	2986
30	1000	0.1	RMS	911.842	-55.37	-25	30.37	Pass	9701
1000	2550	1	RMS	2504	-44.21	-25	19.21	Pass	1551
2550	2640	1	RMS	2589.15	19.11	60	40.89	Pass	401
2640	3000	1	RMS	2970.3	-44.11	-25	19.11	Pass	401
3000	7000	1	RMS	6913	-54.95	-25	29.95	Pass	4001
7000	26500	1	RMS	25025	-41.62	-25	16.62	Pass	19503




6.40. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-70.43	-25	45.43	Pass	401
0.15	30	0.01	RMS	24.84	-63.44	-25	38.44	Pass	2986
30	1000	0.1	RMS	861.508	-55.71	-25	30.71	Pass	9701
1000	2550	1	RMS	2522	-44.54	-25	19.54	Pass	1551
2550	2640	1	RMS	2603.325	7.6	60	52.4	Pass	401
2640	3000	1	RMS	2972.1	-44.19	-25	19.19	Pass	401
3000	7000	1	RMS	5813	-40.21	-25	15.21	Pass	4001
7000	26500	1	RMS	25446	-41.59	-25	16.59	Pass	19503




6.41. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.42	-25	45.42	Pass	401
0.15	30	0.01	RMS	24.95	-64.68	-25	39.68	Pass	2986
30	1000	0.1	RMS	905.237	-55.8	-25	30.8	Pass	9701
1000	2550	1	RMS	2496	-44.56	-25	19.56	Pass	1551
2550	2640	1	RMS	2586	19.03	60	40.97	Pass	401
2640	3000	1	RMS	2969.4	-44.24	-25	19.24	Pass	401
3000	7000	1	RMS	6950	-54.76	-25	29.76	Pass	4001
7000	26500	1	RMS	26241	-41.73	-25	16.73	Pass	19503




6.42. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-71.11	-25	46.11	Pass	401
0.15	30	0.01	RMS	13.89	-65.08	-25	40.08	Pass	2986
30	1000	0.1	RMS	450.5	-55.62	-25	30.62	Pass	9701
1000	2550	1	RMS	2541	-44.78	-25	19.78	Pass	1551
2550	2640	1	RMS	2604	19.46	60	40.54	Pass	401
2640	3000	1	RMS	2972.1	-44.14	-25	19.14	Pass	401
3000	7000	1	RMS	6994	-55.39	-25	30.39	Pass	4001
7000	26500	1	RMS	25085	-41.18	-25	16.18	Pass	19503




6.43. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.39	-25	45.39	Pass	401
0.15	30	0.01	RMS	12.81	-63.98	-25	38.98	Pass	2986
30	1000	0.1	RMS	952.469	-55.46	-25	30.46	Pass	9701
1000	2550	1	RMS	2542	-44.59	-25	19.59	Pass	1551
2550	2640	1	RMS	2617.95	7.74	60	52.26	Pass	401
2640	3000	1	RMS	2640	-39.95	-25	14.95	Pass	401
3000	7000	1	RMS	6998	-55.45	-25	30.45	Pass	4001
7000	26500	1	RMS	24204	-41.56	-25	16.56	Pass	19503




6.44. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.67	-25	45.67	Pass	401
0.15	30	0.01	RMS	25.65	-64.26	-25	39.26	Pass	2986
30	1000	0.1	RMS	879.82	-55.26	-25	30.26	Pass	9701
1000	2550	1	RMS	2440	-42.35	-25	17.35	Pass	1551
2550	2640	1	RMS	2601.075	19.52	60	40.48	Pass	401
2640	3000	1	RMS	2971.2	-44.49	-25	19.49	Pass	401
3000	7000	1	RMS	6994	-55.5	-25	30.5	Pass	4001
7000	26500	1	RMS	24419	-42.06	-25	17.06	Pass	19503




6.45. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-71.02	-25	46.02	Pass	401
0.15	30	0.01	RMS	13.77	-64.59	-25	39.59	Pass	2986
30	1000	0.1	RMS	489.8	-55.41	-25	30.41	Pass	9701
1000	2550	1	RMS	2428	-44.32	-25	19.32	Pass	1551
2550	2640	1	RMS	2619.075	19.58	60	40.42	Pass	401
2640	3000	1	RMS	2981.1	-44.16	-25	19.16	Pass	401
3000	7000	1	RMS	6978	-55.71	-25	30.71	Pass	4001
7000	26500	1	RMS	24133	-41.81	-25	16.81	Pass	19503




6.46. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.19	-25	45.19	Pass	401
0.15	30	0.01	RMS	6.19	-63.74	-25	38.74	Pass	2986
30	1000	0.1	RMS	968.979	-55.76	-25	30.76	Pass	9701
1000	2530	1	RMS	2439	-41.28	-25	16.28	Pass	1531
2530	2660	1	RMS	2607.35	4.43	60	55.57	Pass	401
2660	3000	1	RMS	2984.7	-44.11	-25	19.11	Pass	401
3000	7000	1	RMS	3875	-52.3	-25	27.3	Pass	4001
7000	26500	1	RMS	23231	-35.18	-25	10.18	Pass	19503




6.47. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.02	-25	46.02	Pass	401
0.15	30	0.01	RMS	12.57	-64.02	-25	39.02	Pass	2986
30	1000	0.1	RMS	618.7	-55.81	-25	30.81	Pass	9701
1000	2530	1	RMS	2436	-43.33	-25	18.33	Pass	1531
2530	2660	1	RMS	2571.275	19.09	60	40.91	Pass	401
2660	3000	1	RMS	2966.85	-44.15	-25	19.15	Pass	401
3000	7000	1	RMS	6951	-54.84	-25	29.84	Pass	4001
7000	26500	1	RMS	25747	-42	-25	17	Pass	19503




6.48. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.03	-25	46.03	Pass	401
0.15	30	0.01	RMS	26.21	-62.08	-25	37.08	Pass	2986
30	1000	0.1	RMS	968.279	-55.92	-25	30.92	Pass	9701
1000	2530	1	RMS	2439	-42.13	-25	17.13	Pass	1531
2530	2660	1	RMS	2608.975	19.55	60	40.45	Pass	401
2660	3000	1	RMS	2977.05	-44.39	-25	19.39	Pass	401
3000	7000	1	RMS	6977	-54.62	-25	29.62	Pass	4001
7000	26500	1	RMS	25788	-41.42	-25	16.42	Pass	19503




6.49. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.65	-25	44.65	Pass	401
0.15	30	0.01	RMS	20.91	-63.89	-25	38.89	Pass	2986
30	1000	0.1	RMS	911.041	-55.58	-25	30.58	Pass	9701
1000	2530	1	RMS	2460	-43.26	-25	18.26	Pass	1531
2530	2660	1	RMS	2612.875	4.51	60	55.49	Pass	401
2660	3000	1	RMS	2660	-43.24	-25	18.24	Pass	401
3000	7000	1	RMS	6965	-54.68	-25	29.68	Pass	4001
7000	26500	1	RMS	24090	-41.85	-25	16.85	Pass	19503




6.50. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-25	46.21	Pass	401
0.15	30	0.01	RMS	16.09	-63.91	-25	38.91	Pass	2986
30	1000	0.1	RMS	984.19	-56.12	-25	31.12	Pass	9701
1000	2530	1	RMS	2461	-44.62	-25	19.62	Pass	1531
2530	2660	1	RMS	2576.15	18.98	60	41.02	Pass	401
2660	3000	1	RMS	2971.1	-44.43	-25	19.43	Pass	401
3000	7000	1	RMS	6922	-55.33	-25	30.33	Pass	4001
7000	26500	1	RMS	25813	-41.81	-25	16.81	Pass	19503




6.51. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.44	-25	45.44	Pass	401
0.15	30	0.01	RMS	4.92	-64.81	-25	39.81	Pass	2986
30	1000	0.1	RMS	965.177	-55.45	-25	30.45	Pass	9701
1000	2530	1	RMS	2525	-44.47	-25	19.47	Pass	1531
2530	2660	1	RMS	2613.85	19.58	60	40.42	Pass	401
2660	3000	1	RMS	2975.35	-44.29	-25	19.29	Pass	401
3000	7000	1	RMS	6938	-55.59	-25	30.59	Pass	4001
7000	26500	1	RMS	24099	-41.54	-25	16.54	Pass	19503




6.52. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.36	-25	46.36	Pass	401
0.15	30	0.01	RMS	25.03	-63.32	-25	38.32	Pass	2986
30	1000	0.1	RMS	957.972	-55.68	-25	30.68	Pass	9701
1000	2530	1	RMS	2528	-44.36	-25	19.36	Pass	1531
2530	2660	1	RMS	2618.075	4.61	60	55.39	Pass	401
2660	3000	1	RMS	2660	-41.98	-25	16.98	Pass	401
3000	7000	1	RMS	6924	-55.36	-25	30.36	Pass	4001
7000	26500	1	RMS	25503	-41.14	-25	16.14	Pass	19503




6.53. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.2	-25	46.2	Pass	401
0.15	30	0.01	RMS	10.66	-62.96	-25	37.96	Pass	2986
30	1000	0.1	RMS	832.8	-55.63	-25	30.63	Pass	9701
1000	2530	1	RMS	2495	-44.69	-25	19.69	Pass	1531
2530	2660	1	RMS	2581.025	18.71	60	41.29	Pass	401
2660	3000	1	RMS	2974.5	-44.31	-25	19.31	Pass	401
3000	7000	1	RMS	6970	-54.99	-25	29.99	Pass	4001
7000	26500	1	RMS	24150	-41.27	-25	16.27	Pass	19503



6.54. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.55	-25	44.55	Pass	401
0.15	30	0.01	RMS	4.7	-63.16	-25	38.16	Pass	2986
30	1000	0.1	RMS	805.6	-55.66	-25	30.66	Pass	9701
1000	2530	1	RMS	2175	-44.99	-25	19.99	Pass	1531
2530	2660	1	RMS	2619.05	19.53	60	40.47	Pass	401
2660	3000	1	RMS	2984.7	-44.29	-25	19.29	Pass	401
3000	7000	1	RMS	3888	-52.24	-25	27.24	Pass	4001
7000	26500	1	RMS	23340	-33.7	-25	8.7	Pass	19503



4. n41


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-65.78	-25	40.78	Pass	401
0.15	30	0.01	RMS	1.72	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	832.7	-58.29	-25	33.29	Pass	9701
1000	2486	1	RMS	2486	-43.39	-25	18.39	Pass	1487
2486	2700	1	RMS	2503.655	10.36	60	49.64	Pass	401
2700	3000	1	RMS	2976.75	-44.38	-25	19.38	Pass	401
3000	7000	1	RMS	6975	-56.58	-25	31.58	Pass	4001
7000	26500	1	RMS	25093	-42.83	-25	17.83	Pass	19503




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-64.84	-25	39.84	Pass	401
0.15	30	0.01	RMS	23.07	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	913.543	-58.43	-25	33.43	Pass	9701
1000	2486	1	RMS	2471	-45.8	-25	20.8	Pass	1487
2486	2700	1	RMS	2496.7	18.93	60	41.07	Pass	401
2700	3000	1	RMS	2974.5	-44.35	-25	19.35	Pass	401
3000	7000	1	RMS	6985	-56.41	-25	31.41	Pass	4001
7000	26500	1	RMS	25102	-42.86	-25	17.86	Pass	19503




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-65.38	-25	40.38	Pass	401
0.15	30	0.01	RMS	1.06	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	882.322	-58.24	-25	33.24	Pass	9701
1000	2486	1	RMS	2478	-45.73	-25	20.73	Pass	1487
2486	2700	1	RMS	2504.725	18.93	60	41.07	Pass	401
2700	3000	1	RMS	2972.25	-44.21	-25	19.21	Pass	401
3000	7000	1	RMS	6972	-56.48	-25	31.48	Pass	4001
7000	26500	1	RMS	24102	-42.84	-25	17.84	Pass	19503




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-65.09	-25	40.09	Pass	401
0.15	30	0.01	RMS	29.61	-67.8	-25	42.8	Pass	2986
30	1000	0.1	RMS	992.495	-58.39	-25	33.39	Pass	9701
1000	2486	1	RMS	2481	-45.37	-25	20.37	Pass	1487
2486	2700	1	RMS	2595.675	10.58	60	49.42	Pass	401
2700	3000	1	RMS	2980.5	-44.28	-25	19.28	Pass	401
3000	7000	1	RMS	6973	-56.67	-25	31.67	Pass	4001
7000	26500	1	RMS	24104	-42.94	-25	17.94	Pass	19503




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.66	-25	39.66	Pass	401
0.15	30	0.01	RMS	23.47	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	992.095	-58.36	-25	33.36	Pass	9701
1000	2486	1	RMS	2475	-45.87	-25	20.87	Pass	1487
2486	2700	1	RMS	2588.72	18.8	60	41.2	Pass	401
2700	3000	1	RMS	2967.75	-44.38	-25	19.38	Pass	401
3000	7000	1	RMS	6984	-56.43	-25	31.43	Pass	4001
7000	26500	1	RMS	25109	-42.96	-25	17.96	Pass	19503




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-64.98	-25	39.98	Pass	401
0.15	30	0.01	RMS	16.73	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	916.345	-58.4	-25	33.4	Pass	9701
1000	2486	1	RMS	2484	-45.77	-25	20.77	Pass	1487
2486	2700	1	RMS	2596.745	19.21	60	40.79	Pass	401
2700	3000	1	RMS	2978.25	-44.41	-25	19.41	Pass	401
3000	7000	1	RMS	6980	-56.44	-25	31.44	Pass	4001
7000	26500	1	RMS	25092	-42.72	-25	17.72	Pass	19503




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-65.55	-25	40.55	Pass	401
0.15	30	0.01	RMS	29.73	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	919.547	-58.55	-25	33.55	Pass	9701
1000	2486	1	RMS	2210	-45.58	-25	20.58	Pass	1487
2486	2700	1	RMS	2681.81	11.13	60	48.87	Pass	401
2700	3000	1	RMS	2700	-42.4	-25	17.4	Pass	401
3000	7000	1	RMS	6980	-56.47	-25	31.47	Pass	4001
7000	26500	1	RMS	25089	-42.48	-25	17.48	Pass	19503




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-65.4	-25	40.4	Pass	401
0.15	30	0.01	RMS	0.27	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	834.3	-58.35	-25	33.35	Pass	9701
1000	2486	1	RMS	2479	-45.59	-25	20.59	Pass	1487
2486	2700	1	RMS	2680.74	19.48	60	40.52	Pass	401
2700	3000	1	RMS	2976	-44.26	-25	19.26	Pass	401
3000	7000	1	RMS	6977	-56.44	-25	31.44	Pass	4001
7000	26500	1	RMS	25072	-42.88	-25	17.88	Pass	19503




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-65.84	-25	40.84	Pass	401
0.15	30	0.01	RMS	19.3	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	891.628	-58.35	-25	33.35	Pass	9701
1000	2486	1	RMS	2482	-45.79	-25	20.79	Pass	1487
2486	2700	1	RMS	2688.765	19.72	60	40.28	Pass	401
2700	3000	1	RMS	2970	-44.43	-25	19.43	Pass	401
3000	7000	1	RMS	6985	-56.54	-25	31.54	Pass	4001
7000	26500	1	RMS	25114	-42.73	-25	17.73	Pass	19503




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.18	-25	38.18	Pass	401
0.15	30	0.01	RMS	13.83	-67.97	-25	42.97	Pass	2986
30	1000	0.1	RMS	903.236	-58.38	-25	33.38	Pass	9701
1000	2446	1	RMS	2195	-45.94	-25	20.94	Pass	1447
2446	2740	1	RMS	2532.73	3.09	60	56.91	Pass	401
2740	3000	1	RMS	2972.05	-44.28	-25	19.28	Pass	401
3000	7000	1	RMS	6975	-56.56	-25	31.56	Pass	4001
7000	26500	1	RMS	25077	-42.93	-25	17.93	Pass	19503




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.6	-25	39.6	Pass	401
0.15	30	0.01	RMS	0.17	-67.62	-25	42.62	Pass	2986
30	1000	0.1	RMS	901.134	-58.31	-25	33.31	Pass	9701
1000	2446	1	RMS	2185	-45.76	-25	20.76	Pass	1447
2446	2740	1	RMS	2496.715	18.56	60	41.44	Pass	401
2740	3000	1	RMS	2970.1	-44.29	-25	19.29	Pass	401
3000	7000	1	RMS	6983	-56.39	-25	31.39	Pass	4001
7000	26500	1	RMS	24107	-42.66	-25	17.66	Pass	19503



4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.8	-25	39.8	Pass	401
0.15	30	0.01	RMS	0.23	-67.83	-25	42.83	Pass	2986
30	1000	0.1	RMS	894.53	-58.45	-25	33.45	Pass	9701
1000	2446	1	RMS	2196	-45.99	-25	20.99	Pass	1447
2446	2740	1	RMS	2544.49	18.39	60	41.61	Pass	401
2740	3000	1	RMS	2970.1	-44.41	-25	19.41	Pass	401
3000	7000	1	RMS	6977	-56.6	-25	31.6	Pass	4001
7000	26500	1	RMS	25077	-42.79	-25	17.79	Pass	19503




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.58	-25	38.58	Pass	401
0.15	30	0.01	RMS	6.05	-67.83	-25	42.83	Pass	2986
30	1000	0.1	RMS	985.29	-58.1	-25	33.1	Pass	9701
1000	2446	1	RMS	2192	-45.98	-25	20.98	Pass	1447
2446	2740	1	RMS	2615.05	3.47	60	56.53	Pass	401
2740	3000	1	RMS	2971.4	-44.4	-25	19.4	Pass	401
3000	7000	1	RMS	6980	-56.47	-25	31.47	Pass	4001
7000	26500	1	RMS	24102	-42.9	-25	17.9	Pass	19503




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-65.62	-25	40.62	Pass	401
0.15	30	0.01	RMS	22.68	-67.6	-25	42.6	Pass	2986
30	1000	0.1	RMS	923.85	-58.33	-25	33.33	Pass	9701
1000	2446	1	RMS	2196	-45.95	-25	20.95	Pass	1447
2446	2740	1	RMS	2568.745	18.9	60	41.1	Pass	401
2740	3000	1	RMS	2975.95	-44.39	-25	19.39	Pass	401
3000	7000	1	RMS	6981	-56.57	-25	31.57	Pass	4001
7000	26500	1	RMS	24093	-42.78	-25	17.78	Pass	19503




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.8	-25	38.8	Pass	401
0.15	30	0.01	RMS	6.51	-67.15	-25	42.15	Pass	2986
30	1000	0.1	RMS	903.436	-58.24	-25	33.24	Pass	9701
1000	2446	1	RMS	2195	-46.06	-25	21.06	Pass	1447
2446	2740	1	RMS	2616.52	19.2	60	40.8	Pass	401
2740	3000	1	RMS	2975.95	-44.45	-25	19.45	Pass	401
3000	7000	1	RMS	6978	-56.55	-25	31.55	Pass	4001
7000	26500	1	RMS	24101	-42.89	-25	17.89	Pass	19503




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.24	-25	38.24	Pass	401
0.15	30	0.01	RMS	0.2	-67.33	-25	42.33	Pass	2986
30	1000	0.1	RMS	886.925	-58.33	-25	33.33	Pass	9701
1000	2446	1	RMS	2159	-45.7	-25	20.7	Pass	1447
2446	2740	1	RMS	2643.715	4.26	60	55.74	Pass	401
2740	3000	1	RMS	2980.5	-44.32	-25	19.32	Pass	401
3000	7000	1	RMS	6974	-56.62	-25	31.62	Pass	4001
7000	26500	1	RMS	25081	-42.79	-25	17.79	Pass	19503




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.69	-25	39.69	Pass	401
0.15	30	0.01	RMS	26.67	-67.43	-25	42.43	Pass	2986
30	1000	0.1	RMS	881.922	-58.31	-25	33.31	Pass	9701
1000	2446	1	RMS	2190	-45.84	-25	20.84	Pass	1447
2446	2740	1	RMS	2640.775	19.57	60	40.43	Pass	401
2740	3000	1	RMS	2979.2	-44.36	-25	19.36	Pass	401
3000	7000	1	RMS	6987	-56.55	-25	31.55	Pass	4001
7000	26500	1	RMS	24125	-42.78	-25	17.78	Pass	19503




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.61	-25	38.61	Pass	401
0.15	30	0.01	RMS	14.7	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	995.297	-58.11	-25	33.11	Pass	9701
1000	2446	1	RMS	2185	-45.87	-25	20.87	Pass	1447
2446	2740	1	RMS	2688.55	19.29	60	40.71	Pass	401
2740	3000	1	RMS	2970.1	-44.41	-25	19.41	Pass	401
3000	7000	1	RMS	6972	-56.47	-25	31.47	Pass	4001
7000	26500	1	RMS	25066	-42.94	-25	17.94	Pass	19503




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-65.02	-25	40.02	Pass	401
0.15	30	0.01	RMS	23.63	-67.64	-25	42.64	Pass	2986
30	1000	0.1	RMS	871.615	-58.26	-25	33.26	Pass	9701
1000	2396	1	RMS	2213	-45.97	-25	20.97	Pass	1397
2396	2790	1	RMS	2563.45	0.02	60	59.98	Pass	401
2790	3000	1	RMS	2970.6	-44.22	-25	19.22	Pass	401
3000	7000	1	RMS	6980	-56.45	-25	31.45	Pass	4001
7000	26500	1	RMS	25444	-42.98	-25	17.98	Pass	19503




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.86	-25	39.86	Pass	401
0.15	30	0.01	RMS	0.46	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	834.6	-58.42	-25	33.42	Pass	9701
1000	2396	1	RMS	2207	-45.8	-25	20.8	Pass	1397
2396	2790	1	RMS	2496.47	18.33	60	41.67	Pass	401
2790	3000	1	RMS	2975.85	-44.32	-25	19.32	Pass	401
3000	7000	1	RMS	6973	-56.65	-25	31.65	Pass	4001
7000	26500	1	RMS	24108	-42.69	-25	17.69	Pass	19503




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.78	-25	39.78	Pass	401
0.15	30	0.01	RMS	4.44	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	908.639	-58.21	-25	33.21	Pass	9701
1000	2396	1	RMS	2185	-45.87	-25	20.87	Pass	1397
2396	2790	1	RMS	2593.985	16.9	60	43.1	Pass	401
2790	3000	1	RMS	2982.15	-44.33	-25	19.33	Pass	401
3000	7000	1	RMS	6978	-56.5	-25	31.5	Pass	4001
7000	26500	1	RMS	25105	-42.91	-25	17.91	Pass	19503




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.69	-25	39.69	Pass	401
0.15	30	0.01	RMS	24.24	-67.86	-25	42.86	Pass	2986
30	1000	0.1	RMS	988.893	-58.34	-25	33.34	Pass	9701
1000	2396	1	RMS	2163	-46.06	-25	21.06	Pass	1397
2396	2790	1	RMS	2640.28	0.6	60	59.4	Pass	401
2790	3000	1	RMS	2968.5	-44.34	-25	19.34	Pass	401
3000	7000	1	RMS	6983	-56.43	-25	31.43	Pass	4001
7000	26500	1	RMS	25103	-42.93	-25	17.93	Pass	19503




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.39	-25	39.39	Pass	401
0.15	30	0.01	RMS	16.1	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	904.537	-58.22	-25	33.22	Pass	9701
1000	2396	1	RMS	2202	-45.96	-25	20.96	Pass	1397
2396	2790	1	RMS	2543.75	17.49	60	42.51	Pass	401
2790	3000	1	RMS	2969.025	-44.24	-25	19.24	Pass	401
3000	7000	1	RMS	6985	-56.53	-25	31.53	Pass	4001
7000	26500	1	RMS	25111	-42.77	-25	17.77	Pass	19503




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-64.2	-25	39.2	Pass	401
0.15	30	0.01	RMS	18.37	-67.57	-25	42.57	Pass	2986
30	1000	0.1	RMS	985.991	-58.23	-25	33.23	Pass	9701
1000	2396	1	RMS	2193	-45.74	-25	20.74	Pass	1397
2396	2790	1	RMS	2641.265	18.93	60	41.07	Pass	401
2790	3000	1	RMS	2973.225	-44.14	-25	19.14	Pass	401
3000	7000	1	RMS	6977	-56.14	-25	31.14	Pass	4001
7000	26500	1	RMS	25459	-42.9	-25	17.9	Pass	19503




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-64.66	-25	39.66	Pass	401
0.15	30	0.01	RMS	13.19	-66.76	-25	41.76	Pass	2986
30	1000	0.1	RMS	728.5	-57.69	-25	32.69	Pass	9701
1000	2396	1	RMS	2174	-45.81	-25	20.81	Pass	1397
2396	2790	1	RMS	2641.265	0.82	60	59.18	Pass	401
2790	3000	1	RMS	2969.55	-44.12	-25	19.12	Pass	401
3000	7000	1	RMS	6973	-56.42	-25	31.42	Pass	4001
7000	26500	1	RMS	24129	-42.86	-25	17.86	Pass	19503




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.87	-25	38.87	Pass	401
0.15	30	0.01	RMS	18.09	-67.29	-25	42.29	Pass	2986
30	1000	0.1	RMS	899.834	-58.22	-25	33.22	Pass	9701
1000	2396	1	RMS	2193	-45.81	-25	20.81	Pass	1397
2396	2790	1	RMS	2590.045	16.49	60	43.51	Pass	401
2790	3000	1	RMS	2973.75	-44.23	-25	19.23	Pass	401
3000	7000	1	RMS	6979	-56.48	-25	31.48	Pass	4001
7000	26500	1	RMS	25070	-42.9	-25	17.9	Pass	19503



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-65.01	-25	40.01	Pass	401
0.15	30	0.01	RMS	29.1	-67.28	-25	42.28	Pass	2986
30	1000	0.1	RMS	821.2	-58.4	-25	33.4	Pass	9701
1000	2396	1	RMS	2188	-45.72	-25	20.72	Pass	1397
2396	2790	1	RMS	2688.545	18.85	60	41.15	Pass	401
2790	3000	1	RMS	2962.725	-44.32	-25	19.32	Pass	401
3000	7000	1	RMS	6973	-56.39	-25	31.39	Pass	4001
7000	26500	1	RMS	25056	-42.74	-25	17.74	Pass	19503



5. n66


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.37	-13	56.37	Pass	401
0.15	30	0.01	RMS	29.2	-66.31	-13	53.31	Pass	2986
30	1000	0.1	RMS	477	-58.37	-13	45.37	Pass	9701
1000	1700	1	RMS	1700	-42.03	-13	29.03	Pass	701
1700	1790	1	RMS	1713.275	13.1	60	46.9	Pass	401
1790	3000	1	RMS	2976	-44.06	-13	31.06	Pass	1211
3000	7000	1	RMS	6980	-56.4	-13	43.4	Pass	4001
7000	20000	1	RMS	17503	-44.59	-13	31.59	Pass	13002




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.36	-13	54.36	Pass	401
0.15	30	0.01	RMS	20	-67.39	-13	54.39	Pass	2986
30	1000	0.1	RMS	967.078	-58.29	-13	45.29	Pass	9701
1000	1700	1	RMS	1643	-47.9	-13	34.9	Pass	701
1700	1790	1	RMS	1710.35	19.05	60	40.95	Pass	401
1790	3000	1	RMS	2978	-43.99	-13	30.99	Pass	1211
3000	7000	1	RMS	3421	-53.94	-13	40.94	Pass	4001
7000	20000	1	RMS	19792	-44.66	-13	31.66	Pass	13002




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.98	-13	53.98	Pass	401
0.15	30	0.01	RMS	9.24	-67.13	-13	54.13	Pass	2986
30	1000	0.1	RMS	901.535	-58.05	-13	45.05	Pass	9701
1000	1700	1	RMS	1690	-47.63	-13	34.63	Pass	701
1700	1790	1	RMS	1714.4	19.04	60	40.96	Pass	401
1790	3000	1	RMS	2971	-44.2	-13	31.2	Pass	1211
3000	7000	1	RMS	3429	-54.84	-13	41.84	Pass	4001
7000	20000	1	RMS	17494	-44.59	-13	31.59	Pass	13002




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.18	-13	55.18	Pass	401
0.15	30	0.01	RMS	24.62	-66.74	-13	53.74	Pass	2986
30	1000	0.1	RMS	903.836	-57.99	-13	44.99	Pass	9701
1000	1700	1	RMS	1670	-47.88	-13	34.88	Pass	701
1700	1790	1	RMS	1743.875	13.06	60	46.94	Pass	401
1790	3000	1	RMS	2968	-44.44	-13	31.44	Pass	1211
3000	7000	1	RMS	6985	-56.66	-13	43.66	Pass	4001
7000	20000	1	RMS	17494	-44.53	-13	31.53	Pass	13002




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.49	-13	55.49	Pass	401
0.15	30	0.01	RMS	24.93	-67.16	-13	54.16	Pass	2986
30	1000	0.1	RMS	927.052	-58.09	-13	45.09	Pass	9701
1000	1700	1	RMS	1687	-47.64	-13	34.64	Pass	701
1700	1790	1	RMS	1742.75	18.8	60	41.2	Pass	401
1790	3000	1	RMS	2968	-44.2	-13	31.2	Pass	1211
3000	7000	1	RMS	6984	-56.82	-13	43.82	Pass	4001
7000	20000	1	RMS	17498	-44.44	-13	31.44	Pass	13002




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.19	-13	54.19	Pass	401
0.15	30	0.01	RMS	28.99	-67.39	-13	54.39	Pass	2986
30	1000	0.1	RMS	994.096	-58.11	-13	45.11	Pass	9701
1000	1700	1	RMS	1698	-47.74	-13	34.74	Pass	701
1700	1790	1	RMS	1747.025	18.73	60	41.27	Pass	401
1790	3000	1	RMS	2971	-44.15	-13	31.15	Pass	1211
3000	7000	1	RMS	6968	-56.65	-13	43.65	Pass	4001
7000	20000	1	RMS	17499	-44.68	-13	31.68	Pass	13002




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.22	-13	55.22	Pass	401
0.15	30	0.01	RMS	4.23	-67.75	-13	54.75	Pass	2986
30	1000	0.1	RMS	908.439	-58.22	-13	45.22	Pass	9701
1000	1700	1	RMS	1670	-47.93	-13	34.93	Pass	701
1700	1790	1	RMS	1776.725	13.46	60	46.54	Pass	401
1790	3000	1	RMS	2976	-44.55	-13	31.55	Pass	1211
3000	7000	1	RMS	6979	-56.32	-13	43.32	Pass	4001
7000	20000	1	RMS	17499	-44.52	-13	31.52	Pass	13002




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.13	-13	53.13	Pass	401
0.15	30	0.01	RMS	6.23	-67.08	-13	54.08	Pass	2986
30	1000	0.1	RMS	890.027	-58.24	-13	45.24	Pass	9701
1000	1700	1	RMS	1698	-47.73	-13	34.73	Pass	701
1700	1790	1	RMS	1775.15	19.09	60	40.91	Pass	401
1790	3000	1	RMS	2968	-44.29	-13	31.29	Pass	1211
3000	7000	1	RMS	6984	-56.72	-13	43.72	Pass	4001
7000	20000	1	RMS	17498	-44.42	-13	31.42	Pass	13002




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.72	-13	52.72	Pass	401
0.15	30	0.01	RMS	26.52	-67.84	-13	54.84	Pass	2986
30	1000	0.1	RMS	781.7	-58.09	-13	45.09	Pass	9701
1000	1700	1	RMS	1689	-47.74	-13	34.74	Pass	701
1700	1790	1	RMS	1779.425	19.11	60	40.89	Pass	401
1790	3000	1	RMS	2977	-44.33	-13	31.33	Pass	1211
3000	7000	1	RMS	6976	-56.75	-13	43.75	Pass	4001
7000	20000	1	RMS	19806	-44.86	-13	31.86	Pass	13002




5.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.97	-13	54.97	Pass	401
0.15	30	0.01	RMS	25.34	-67.3	-13	54.3	Pass	2986
30	1000	0.1	RMS	880.221	-58.28	-13	45.28	Pass	9701
1000	1700	1	RMS	1700	-33.45	-13	20.45	Pass	701
1700	1790	1	RMS	1728.125	8.09	60	51.91	Pass	401
1790	3000	1	RMS	2964	-43.98	-13	30.98	Pass	1211
3000	7000	1	RMS	6974	-56.54	-13	43.54	Pass	4001
7000	20000	1	RMS	19802	-44.69	-13	31.69	Pass	13002




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.91	-13	50.91	Pass	401
0.15	30	0.01	RMS	24.7	-66.68	-13	53.68	Pass	2986
30	1000	0.1	RMS	918.546	-58.27	-13	45.27	Pass	9701
1000	1700	1	RMS	1692	-47.54	-13	34.54	Pass	701
1700	1790	1	RMS	1710.35	19.35	60	40.65	Pass	401
1790	3000	1	RMS	2976	-44.1	-13	31.1	Pass	1211
3000	7000	1	RMS	3421	-53.82	-13	40.82	Pass	4001
7000	20000	1	RMS	19816	-44.74	-13	31.74	Pass	13002




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.39	-13	53.39	Pass	401
0.15	30	0.01	RMS	17.83	-67.05	-13	54.05	Pass	2986
30	1000	0.1	RMS	887.626	-57.73	-13	44.73	Pass	9701
1000	1700	1	RMS	1676	-47.85	-13	34.85	Pass	701
1700	1790	1	RMS	1729.25	18.86	60	41.14	Pass	401
1790	3000	1	RMS	2976	-44.17	-13	31.17	Pass	1211
3000	7000	1	RMS	6982	-56.58	-13	43.58	Pass	4001
7000	20000	1	RMS	17498	-44.87	-13	31.87	Pass	13002




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.23	-13	56.23	Pass	401
0.15	30	0.01	RMS	13.64	-67.44	-13	54.44	Pass	2986
30	1000	0.1	RMS	922.849	-58.11	-13	45.11	Pass	9701
1000	1700	1	RMS	1700	-45.2	-13	32.2	Pass	701
1700	1790	1	RMS	1736.45	7.73	60	52.27	Pass	401
1790	3000	1	RMS	2972	-44.23	-13	31.23	Pass	1211
3000	7000	1	RMS	6975	-56.51	-13	43.51	Pass	4001
7000	20000	1	RMS	17500	-44.53	-13	31.53	Pass	13002




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.75	-13	54.75	Pass	401
0.15	30	0.01	RMS	1.05	-66.96	-13	53.96	Pass	2986
30	1000	0.1	RMS	490.9	-57.91	-13	44.91	Pass	9701
1000	1700	1	RMS	1695	-47.7	-13	34.7	Pass	701
1700	1790	1	RMS	1735.325	18.84	60	41.16	Pass	401
1790	3000	1	RMS	2975	-44.2	-13	31.2	Pass	1211
3000	7000	1	RMS	6984	-56.71	-13	43.71	Pass	4001
7000	20000	1	RMS	17494	-44.58	-13	31.58	Pass	13002




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.34	-13	52.34	Pass	401
0.15	30	0.01	RMS	14.74	-66.88	-13	53.88	Pass	2986
30	1000	0.1	RMS	913.142	-58.26	-13	45.26	Pass	9701
1000	1700	1	RMS	1687	-47.9	-13	34.9	Pass	701
1700	1790	1	RMS	1754.225	19.11	60	40.89	Pass	401
1790	3000	1	RMS	2963	-44.39	-13	31.39	Pass	1211
3000	7000	1	RMS	6980	-56.82	-13	43.82	Pass	4001
7000	20000	1	RMS	19790	-44.53	-13	31.53	Pass	13002




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	17.18	-67.31	-13	54.31	Pass	2986
30	1000	0.1	RMS	902.635	-57.85	-13	44.85	Pass	9701
1000	1700	1	RMS	1698	-47.78	-13	34.78	Pass	701
1700	1790	1	RMS	1770.875	7.23	60	52.77	Pass	401
1790	3000	1	RMS	1790	-36.09	-13	23.09	Pass	1211
3000	7000	1	RMS	6976	-56.38	-13	43.38	Pass	4001
7000	20000	1	RMS	17499	-44.53	-13	31.53	Pass	13002




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.82	-13	54.82	Pass	401
0.15	30	0.01	RMS	0.15	-67.28	-13	54.28	Pass	2986
30	1000	0.1	RMS	906.038	-58.27	-13	45.27	Pass	9701
1000	1700	1	RMS	1676	-47.74	-13	34.74	Pass	701
1700	1790	1	RMS	1760.3	19.16	60	40.84	Pass	401
1790	3000	1	RMS	2991	-44.24	-13	31.24	Pass	1211
3000	7000	1	RMS	6974	-56.59	-13	43.59	Pass	4001
7000	20000	1	RMS	17496	-44.43	-13	31.43	Pass	13002




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.59	-13	53.59	Pass	401
0.15	30	0.01	RMS	22.52	-67.82	-13	54.82	Pass	2986
30	1000	0.1	RMS	824.7	-58.2	-13	45.2	Pass	9701
1000	1700	1	RMS	1591	-47.96	-13	34.96	Pass	701
1700	1790	1	RMS	1779.425	19.42	60	40.58	Pass	401
1790	3000	1	RMS	2976	-44.31	-13	31.31	Pass	1211
3000	7000	1	RMS	6976	-56.54	-13	43.54	Pass	4001
7000	20000	1	RMS	17502	-44.81	-13	31.81	Pass	13002




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.76	-13	54.76	Pass	401
0.15	30	0.01	RMS	14.38	-67.33	-13	54.33	Pass	2986
30	1000	0.1	RMS	915.344	-58.33	-13	45.33	Pass	9701
1000	1700	1	RMS	1700	-34	-13	21	Pass	701
1700	1790	1	RMS	1734.425	5.92	60	54.08	Pass	401
1790	3000	1	RMS	2972	-44.18	-13	31.18	Pass	1211
3000	7000	1	RMS	6976	-56.9	-13	43.9	Pass	4001
7000	20000	1	RMS	17502	-44.45	-13	31.45	Pass	13002




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	23.41	-67.44	-13	54.44	Pass	2986
30	1000	0.1	RMS	994.196	-58.45	-13	45.45	Pass	9701
1000	1700	1	RMS	1700	-47.38	-13	34.38	Pass	701
1700	1790	1	RMS	1710.575	18.95	60	41.05	Pass	401
1790	3000	1	RMS	2970	-44.1	-13	31.1	Pass	1211
3000	7000	1	RMS	3421	-55.2	-13	42.2	Pass	4001
7000	20000	1	RMS	17498	-44.64	-13	31.64	Pass	13002




5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.81	-13	54.81	Pass	401
0.15	30	0.01	RMS	18.57	-67.97	-13	54.97	Pass	2986
30	1000	0.1	RMS	948.466	-58.2	-13	45.2	Pass	9701
1000	1700	1	RMS	1699	-47.93	-13	34.93	Pass	701
1700	1790	1	RMS	1739.15	18.94	60	41.06	Pass	401
1790	3000	1	RMS	2972	-44.09	-13	31.09	Pass	1211
3000	7000	1	RMS	6977	-56.68	-13	43.68	Pass	4001
7000	20000	1	RMS	17497	-44.52	-13	31.52	Pass	13002




5.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.48	-13	54.48	Pass	401
0.15	30	0.01	RMS	25.94	-67.86	-13	54.86	Pass	2986
30	1000	0.1	RMS	902.235	-58.38	-13	45.38	Pass	9701
1000	1700	1	RMS	1699	-41.69	-13	28.69	Pass	701
1700	1790	1	RMS	1733.975	5.78	60	54.22	Pass	401
1790	3000	1	RMS	1790	-41.56	-13	28.56	Pass	1211
3000	7000	1	RMS	6971	-56.54	-13	43.54	Pass	4001
7000	20000	1	RMS	19798	-44.82	-13	31.82	Pass	13002




5.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.63	-13	55.63	Pass	401
0.15	30	0.01	RMS	25.39	-67.41	-13	54.41	Pass	2986
30	1000	0.1	RMS	996.898	-58.61	-13	45.61	Pass	9701
1000	1700	1	RMS	1534	-48.05	-13	35.05	Pass	701
1700	1790	1	RMS	1730.6	18.72	60	41.28	Pass	401
1790	3000	1	RMS	2969	-44.06	-13	31.06	Pass	1211
3000	7000	1	RMS	6976	-56.62	-13	43.62	Pass	4001
7000	20000	1	RMS	19791	-44.61	-13	31.61	Pass	13002




5.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.92	-13	54.92	Pass	401
0.15	30	0.01	RMS	6.72	-67.6	-13	54.6	Pass	2986
30	1000	0.1	RMS	987.892	-58.32	-13	45.32	Pass	9701
1000	1700	1	RMS	1672	-47.88	-13	34.88	Pass	701
1700	1790	1	RMS	1759.175	18.77	60	41.23	Pass	401
1790	3000	1	RMS	2977	-44.25	-13	31.25	Pass	1211
3000	7000	1	RMS	6983	-56.58	-13	43.58	Pass	4001
7000	20000	1	RMS	19799	-44.62	-13	31.62	Pass	13002




5.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	29.87	-67.8	-13	54.8	Pass	2986
30	1000	0.1	RMS	912.942	-58.43	-13	45.43	Pass	9701
1000	1700	1	RMS	1700	-45.85	-13	32.85	Pass	701
1700	1790	1	RMS	1771.1	5.68	60	54.32	Pass	401
1790	3000	1	RMS	1790	-35.78	-13	22.78	Pass	1211
3000	7000	1	RMS	6993	-56.41	-13	43.41	Pass	4001
7000	20000	1	RMS	17497	-44.49	-13	31.49	Pass	13002




5.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.94	-13	51.94	Pass	401
0.15	30	0.01	RMS	25.4	-67.2	-13	54.2	Pass	2986
30	1000	0.1	RMS	908.639	-58.4	-13	45.4	Pass	9701
1000	1700	1	RMS	1699	-47.63	-13	34.63	Pass	701
1700	1790	1	RMS	1750.625	18.71	60	41.29	Pass	401
1790	3000	1	RMS	2967	-44.12	-13	31.12	Pass	1211
3000	7000	1	RMS	6965	-56.72	-13	43.72	Pass	4001
7000	20000	1	RMS	17504	-44.55	-13	31.55	Pass	13002



5.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.15	-13	53.15	Pass	401
0.15	30	0.01	RMS	8.91	-67.96	-13	54.96	Pass	2986
30	1000	0.1	RMS	1000	-58.35	-13	45.35	Pass	9701
1000	1700	1	RMS	1638	-47.89	-13	34.89	Pass	701
1700	1790	1	RMS	1779.2	18.94	60	41.06	Pass	401
1790	3000	1	RMS	2969	-43.98	-13	30.98	Pass	1211
3000	7000	1	RMS	6980	-56.34	-13	43.34	Pass	4001
7000	20000	1	RMS	17503	-44.75	-13	31.75	Pass	13002



6. n71 15kHz


6.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.67	-13	53.67	Pass	401
0.15	30	0.01	RMS	14.5	-67.67	-13	54.67	Pass	2986
30	653	0.1	RMS	481.6	-59.02	-13	46.02	Pass	6231
653	708	0.1	RMS	665.1	3.74	60	56.26	Pass	551
708	1000	0.1	RMS	854.4	-58.08	-13	45.08	Pass	2921
1000	3000	1	RMS	2993	-44.4	-13	31.4	Pass	2001
3000	10000	1	RMS	9969	-54.43	-13	41.43	Pass	7001




6.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.2	-13	54.2	Pass	401
0.15	30	0.01	RMS	15.93	-67.82	-13	54.82	Pass	2986
30	653	0.1	RMS	626	-58.69	-13	45.69	Pass	6231
653	708	0.1	RMS	663.3	16.85	60	43.15	Pass	551
708	1000	0.1	RMS	819.4	-57.84	-13	44.84	Pass	2921
1000	3000	1	RMS	2969	-44.31	-13	31.31	Pass	2001
3000	10000	1	RMS	9989	-54.54	-13	41.54	Pass	7001




6.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.26	-13	53.26	Pass	401
0.15	30	0.01	RMS	7.44	-67.76	-13	54.76	Pass	2986
30	653	0.1	RMS	641.6	-58.96	-13	45.96	Pass	6231
653	708	0.1	RMS	667.7	16.55	60	43.45	Pass	551
708	1000	0.1	RMS	924.2	-58.03	-13	45.03	Pass	2921
1000	3000	1	RMS	2970	-44.33	-13	31.33	Pass	2001
3000	10000	1	RMS	10000	-54.35	-13	41.35	Pass	7001




6.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.34	-13	53.34	Pass	401
0.15	30	0.01	RMS	7.43	-67.49	-13	54.49	Pass	2986
30	653	0.1	RMS	484.9	-58.8	-13	45.8	Pass	6231
653	708	0.1	RMS	678.6	3.64	60	56.36	Pass	551
708	1000	0.1	RMS	973.8	-57.96	-13	44.96	Pass	2921
1000	3000	1	RMS	2969	-44.32	-13	31.32	Pass	2001
3000	10000	1	RMS	9964	-54.66	-13	41.66	Pass	7001




6.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.23	-13	53.23	Pass	401
0.15	30	0.01	RMS	26.62	-67.5	-13	54.5	Pass	2986
30	653	0.1	RMS	483.5	-59.13	-13	46.13	Pass	6231
653	708	0.1	RMS	678.3	16.26	60	43.74	Pass	551
708	1000	0.1	RMS	789.5	-57.98	-13	44.98	Pass	2921
1000	3000	1	RMS	2969	-44.43	-13	31.43	Pass	2001
3000	10000	1	RMS	9959	-54.59	-13	41.59	Pass	7001




6.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.58	-13	54.58	Pass	401
0.15	30	0.01	RMS	0.34	-67.9	-13	54.9	Pass	2986
30	653	0.1	RMS	486	-59.15	-13	46.15	Pass	6231
653	708	0.1	RMS	682.6	16.29	60	43.71	Pass	551
708	1000	0.1	RMS	914	-57.95	-13	44.95	Pass	2921
1000	3000	1	RMS	2965	-44.27	-13	31.27	Pass	2001
3000	10000	1	RMS	9932	-54.54	-13	41.54	Pass	7001




6.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.07	-13	55.07	Pass	401
0.15	30	0.01	RMS	28.84	-67.4	-13	54.4	Pass	2986
30	653	0.1	RMS	626.8	-59.08	-13	46.08	Pass	6231
653	708	0.1	RMS	693.6	3.68	60	56.32	Pass	551
708	1000	0.1	RMS	708.2	-54.22	-13	41.22	Pass	2921
1000	3000	1	RMS	2986	-44.42	-13	31.42	Pass	2001
3000	10000	1	RMS	9950	-54.64	-13	41.64	Pass	7001




6.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67	-13	54	Pass	401
0.15	30	0.01	RMS	2.71	-67.42	-13	54.42	Pass	2986
30	653	0.1	RMS	482.7	-58.83	-13	45.83	Pass	6231
653	708	0.1	RMS	693.3	16.68	60	43.32	Pass	551
708	1000	0.1	RMS	940.3	-58.14	-13	45.14	Pass	2921
1000	3000	1	RMS	2965	-44.38	-13	31.38	Pass	2001
3000	10000	1	RMS	9980	-54.68	-13	41.68	Pass	7001




6.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-66.83	-13	53.83	Pass	401
0.15	30	0.01	RMS	0.29	-66.74	-13	53.74	Pass	2986
30	653	0.1	RMS	638.3	-58.97	-13	45.97	Pass	6231
653	708	0.1	RMS	697.6	15.9	60	44.1	Pass	551
708	1000	0.1	RMS	891.2	-57.91	-13	44.91	Pass	2921
1000	3000	1	RMS	2974	-44.15	-13	31.15	Pass	2001
3000	10000	1	RMS	9946	-54.53	-13	41.53	Pass	7001




6.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.43	-13	55.43	Pass	401
0.15	30	0.01	RMS	0.58	-67.44	-13	54.44	Pass	2986
30	653	0.1	RMS	646.3	-58.81	-13	45.81	Pass	6231
653	708	0.1	RMS	676.5	-0.71	60	60.71	Pass	551
708	1000	0.1	RMS	708.1	-55.36	-13	42.36	Pass	2921
1000	3000	1	RMS	2971	-44.29	-13	31.29	Pass	2001
3000	10000	1	RMS	9924	-54.72	-13	41.72	Pass	7001




6.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.91	-13	52.91	Pass	401
0.15	30	0.01	RMS	24.96	-67.69	-13	54.69	Pass	2986
30	653	0.1	RMS	458.5	-59.01	-13	46.01	Pass	6231
653	708	0.1	RMS	663.5	16.5	60	43.5	Pass	551
708	1000	0.1	RMS	898	-57.54	-13	44.54	Pass	2921
1000	3000	1	RMS	2969	-44.17	-13	31.17	Pass	2001
3000	10000	1	RMS	9946	-54.65	-13	41.65	Pass	7001




6.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.46	-13	53.46	Pass	401
0.15	30	0.01	RMS	5.76	-68.26	-13	55.26	Pass	2986
30	653	0.1	RMS	634.3	-58.88	-13	45.88	Pass	6231
653	708	0.1	RMS	677.5	16.52	60	43.48	Pass	551
708	1000	0.1	RMS	897.1	-57.99	-13	44.99	Pass	2921
1000	3000	1	RMS	2969	-44.17	-13	31.17	Pass	2001
3000	10000	1	RMS	9908	-54.77	-13	41.77	Pass	7001




6.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.64	-13	55.64	Pass	401
0.15	30	0.01	RMS	7.29	-68	-13	55	Pass	2986
30	653	0.1	RMS	631.5	-59.13	-13	46.13	Pass	6231
653	708	0.1	RMS	675.7	-1.19	60	61.19	Pass	551
708	1000	0.1	RMS	708.3	-51.27	-13	38.27	Pass	2921
1000	3000	1	RMS	2972	-44.27	-13	31.27	Pass	2001
3000	10000	1	RMS	9991	-54.72	-13	41.72	Pass	7001




6.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.8	-13	54.8	Pass	401
0.15	30	0.01	RMS	22.42	-67.68	-13	54.68	Pass	2986
30	653	0.1	RMS	645.9	-59.15	-13	46.15	Pass	6231
653	708	0.1	RMS	673.5	16.83	60	43.17	Pass	551
708	1000	0.1	RMS	861	-57.74	-13	44.74	Pass	2921
1000	3000	1	RMS	2972	-44.15	-13	31.15	Pass	2001
3000	10000	1	RMS	9971	-54.51	-13	41.51	Pass	7001




6.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.17	-13	55.17	Pass	401
0.15	30	0.01	RMS	15.97	-67.81	-13	54.81	Pass	2986
30	653	0.1	RMS	638.5	-58.61	-13	45.61	Pass	6231
653	708	0.1	RMS	687.5	17.06	60	42.94	Pass	551
708	1000	0.1	RMS	991.5	-57.98	-13	44.98	Pass	2921
1000	3000	1	RMS	2965	-44.25	-13	31.25	Pass	2001
3000	10000	1	RMS	9958	-54.65	-13	41.65	Pass	7001




6.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.32	-13	55.32	Pass	401
0.15	30	0.01	RMS	2.99	-67.62	-13	54.62	Pass	2986
30	653	0.1	RMS	624.9	-59.01	-13	46.01	Pass	6231
653	708	0.1	RMS	687.9	-1.1	60	61.1	Pass	551
708	1000	0.1	RMS	708.3	-44.21	-13	31.21	Pass	2921
1000	3000	1	RMS	2970	-44.31	-13	31.31	Pass	2001
3000	10000	1	RMS	9918	-54.83	-13	41.83	Pass	7001




6.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.49	-13	53.49	Pass	401
0.15	30	0.01	RMS	22.41	-67.21	-13	54.21	Pass	2986
30	653	0.1	RMS	621	-58.87	-13	45.87	Pass	6231
653	708	0.1	RMS	683.5	16.85	60	43.15	Pass	551
708	1000	0.1	RMS	996.1	-57.8	-13	44.8	Pass	2921
1000	3000	1	RMS	2963	-44.33	-13	31.33	Pass	2001
3000	10000	1	RMS	9979	-54.42	-13	41.42	Pass	7001




6.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.26	-13	54.26	Pass	401
0.15	30	0.01	RMS	29.83	-67.29	-13	54.29	Pass	2986
30	653	0.1	RMS	494.1	-58.87	-13	45.87	Pass	6231
653	708	0.1	RMS	697.5	16.88	60	43.12	Pass	551
708	1000	0.1	RMS	866.7	-58.01	-13	45.01	Pass	2921
1000	3000	1	RMS	2977	-44.14	-13	31.14	Pass	2001
3000	10000	1	RMS	9871	-54.76	-13	41.76	Pass	7001




6.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.07	-13	54.07	Pass	401
0.15	30	0.01	RMS	11.23	-67.56	-13	54.56	Pass	2986
30	653	0.1	RMS	483.1	-59.14	-13	46.14	Pass	6231
653	708	0.1	RMS	675.9	-2.1	60	62.1	Pass	551
708	1000	0.1	RMS	708.3	-50.81	-13	37.81	Pass	2921
1000	3000	1	RMS	2994	-44.48	-13	31.48	Pass	2001
3000	10000	1	RMS	9984	-54.68	-13	41.68	Pass	7001




6.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.32	-13	54.32	Pass	401
0.15	30	0.01	RMS	16.23	-67.64	-13	54.64	Pass	2986
30	653	0.1	RMS	491	-58.97	-13	45.97	Pass	6231
653	708	0.1	RMS	663.6	16.26	60	43.74	Pass	551
708	1000	0.1	RMS	974.3	-57.84	-13	44.84	Pass	2921
1000	3000	1	RMS	2971	-44.36	-13	31.36	Pass	2001
3000	10000	1	RMS	9950	-54.65	-13	41.65	Pass	7001




6.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.56	-13	55.56	Pass	401
0.15	30	0.01	RMS	4.6	-67.15	-13	54.15	Pass	2986
30	653	0.1	RMS	489.2	-58.85	-13	45.85	Pass	6231
653	708	0.1	RMS	682.4	16.63	60	43.37	Pass	551
708	1000	0.1	RMS	905.1	-57.83	-13	44.83	Pass	2921
1000	3000	1	RMS	2992	-44.45	-13	31.45	Pass	2001
3000	10000	1	RMS	9952	-54.66	-13	41.66	Pass	7001




6.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.38	-13	56.38	Pass	401
0.15	30	0.01	RMS	0.49	-67.59	-13	54.59	Pass	2986
30	653	0.1	RMS	492.4	-59	-13	46	Pass	6231
653	708	0.1	RMS	675.8	-2.41	60	62.41	Pass	551
708	1000	0.1	RMS	708.1	-48.03	-13	35.03	Pass	2921
1000	3000	1	RMS	2973	-44.26	-13	31.26	Pass	2001
3000	10000	1	RMS	9999	-54.58	-13	41.58	Pass	7001




6.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.79	-13	54.79	Pass	401
0.15	30	0.01	RMS	20.15	-66.9	-13	53.9	Pass	2986
30	653	0.1	RMS	494.5	-58.94	-13	45.94	Pass	6231
653	708	0.1	RMS	671	16.58	60	43.42	Pass	551
708	1000	0.1	RMS	999	-57.9	-13	44.9	Pass	2921
1000	3000	1	RMS	2982	-44.36	-13	31.36	Pass	2001
3000	10000	1	RMS	9980	-54.67	-13	41.67	Pass	7001




6.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.99	-13	54.99	Pass	401
0.15	30	0.01	RMS	17.15	-67.88	-13	54.88	Pass	2986
30	653	0.1	RMS	626	-59.06	-13	46.06	Pass	6231
653	708	0.1	RMS	689.9	16.62	60	43.38	Pass	551
708	1000	0.1	RMS	899.5	-57.78	-13	44.78	Pass	2921
1000	3000	1	RMS	2989	-44.4	-13	31.4	Pass	2001
3000	10000	1	RMS	9982	-54.54	-13	41.54	Pass	7001




6.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	16.84	-67.43	-13	54.43	Pass	2986
30	653	0.1	RMS	488.1	-58.97	-13	45.97	Pass	6231
653	708	0.1	RMS	688.7	-2.35	60	62.35	Pass	551
708	1000	0.1	RMS	708.1	-43.7	-13	30.7	Pass	2921
1000	3000	1	RMS	2971	-44.31	-13	31.31	Pass	2001
3000	10000	1	RMS	10000	-54.72	-13	41.72	Pass	7001




6.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.16	-13	54.16	Pass	401
0.15	30	0.01	RMS	24.96	-67.45	-13	54.45	Pass	2986
30	653	0.1	RMS	496	-58.92	-13	45.92	Pass	6231
653	708	0.1	RMS	678.6	16.14	60	43.86	Pass	551
708	1000	0.1	RMS	999.5	-57.88	-13	44.88	Pass	2921
1000	3000	1	RMS	2969	-44.34	-13	31.34	Pass	2001
3000	10000	1	RMS	9963	-54.47	-13	41.47	Pass	7001



6.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.51	-13	54.51	Pass	401
0.15	30	0.01	RMS	20.65	-68.23	-13	55.23	Pass	2986
30	653	0.1	RMS	497.3	-59.03	-13	46.03	Pass	6231
653	708	0.1	RMS	697.5	15.94	60	44.06	Pass	551
708	1000	0.1	RMS	909	-57.77	-13	44.77	Pass	2921
1000	3000	1	RMS	2971	-44.2	-13	31.2	Pass	2001
3000	10000	1	RMS	9991	-54.36	-13	41.36	Pass	7001



9. n77(3450-3550)


9.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	15.04	-62.93	-13	49.93	Pass	2986
30	1000	0.1	RMS	733.3	-55.32	-13	42.32	Pass	9701
1000	3000	1	RMS	2977	-43.46	-13	30.46	Pass	2001
3000	3440	1	RMS	3413	-39.3	-13	26.3	Pass	441
3440	3560	1	RMS	3457.4	9.88	60	50.12	Pass	401
3560	7000	1	RMS	6961	-54.83	-13	41.83	Pass	3441
7000	26500	1	RMS	25870	-41.59	-13	28.59	Pass	19503




9.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-70	-13	57	Pass	401
0.15	30	0.01	RMS	28.56	-63.2	-13	50.2	Pass	2986
30	1000	0.1	RMS	981.788	-55.41	-13	42.41	Pass	9701
1000	3000	1	RMS	2907	-43.46	-13	30.46	Pass	2001
3000	3440	1	RMS	3403	-35.81	-13	22.81	Pass	441
3440	3560	1	RMS	3450.8	18.13	60	41.87	Pass	401
3560	7000	1	RMS	5209	-49.1	-13	36.1	Pass	3441
7000	26500	1	RMS	25469	-41.3	-13	28.3	Pass	19503




9.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	22.93	-64.2	-13	51.2	Pass	2986
30	1000	0.1	RMS	590.2	-55.77	-13	42.77	Pass	9701
1000	3000	1	RMS	2974	-43.68	-13	30.68	Pass	2001
3000	3440	1	RMS	3410	-39.2	-13	26.2	Pass	441
3440	3560	1	RMS	3459.2	18.81	60	41.19	Pass	401
3560	7000	1	RMS	6913	-55.49	-13	42.49	Pass	3441
7000	26500	1	RMS	25098	-41.12	-13	28.12	Pass	19503




9.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.84	-13	56.84	Pass	401
0.15	30	0.01	RMS	3.01	-63.59	-13	50.59	Pass	2986
30	1000	0.1	RMS	971.681	-55.53	-13	42.53	Pass	9701
1000	3000	1	RMS	2973	-42.75	-13	29.75	Pass	2001
3000	3440	1	RMS	3419	-39.2	-13	26.2	Pass	441
3440	3560	1	RMS	3502.4	9.14	60	50.86	Pass	401
3560	7000	1	RMS	6918	-55.21	-13	42.21	Pass	3441
7000	26500	1	RMS	25059	-40.86	-13	27.86	Pass	19503




9.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71	-13	58	Pass	401
0.15	30	0.01	RMS	1	-64.22	-13	51.22	Pass	2986
30	1000	0.1	RMS	935.057	-55.72	-13	42.72	Pass	9701
1000	3000	1	RMS	2963	-43.1	-13	30.1	Pass	2001
3000	3440	1	RMS	3077	-34.34	-13	21.34	Pass	441
3440	3560	1	RMS	3495.8	17.83	60	42.17	Pass	401
3560	7000	1	RMS	6983	-54.44	-13	41.44	Pass	3441
7000	26500	1	RMS	22261	-32.91	-13	19.91	Pass	19503




9.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.75	-13	55.75	Pass	401
0.15	30	0.01	RMS	6.06	-62.32	-13	49.32	Pass	2986
30	1000	0.1	RMS	967.879	-54.98	-13	41.98	Pass	9701
1000	3000	1	RMS	2964	-43.17	-13	30.17	Pass	2001
3000	3440	1	RMS	3410	-39.08	-13	26.08	Pass	441
3440	3560	1	RMS	3504.2	17.95	60	42.05	Pass	401
3560	7000	1	RMS	6967	-55.6	-13	42.6	Pass	3441
7000	26500	1	RMS	25725	-41.61	-13	28.61	Pass	19503




9.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.105	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	16.36	-62.43	-13	49.43	Pass	2986
30	1000	0.1	RMS	939.96	-55.8	-13	42.8	Pass	9701
1000	3000	1	RMS	2966	-43.16	-13	30.16	Pass	2001
3000	3440	1	RMS	3075	-36.21	-13	23.21	Pass	441
3440	3560	1	RMS	3542.3	9.17	60	50.83	Pass	401
3560	7000	1	RMS	3560	-48.07	-13	35.07	Pass	3441
7000	26500	1	RMS	25772	-41	-13	28	Pass	19503




9.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.99	-13	56.99	Pass	401
0.15	30	0.01	RMS	28.07	-62.74	-13	49.74	Pass	2986
30	1000	0.1	RMS	339.4	-55.24	-13	42.24	Pass	9701
1000	3000	1	RMS	2754	-43.48	-13	30.48	Pass	2001
3000	3440	1	RMS	3413	-39.09	-13	26.09	Pass	441
3440	3560	1	RMS	3540.8	17.95	60	42.05	Pass	401
3560	7000	1	RMS	6928	-55.34	-13	42.34	Pass	3441
7000	26500	1	RMS	25211	-41.86	-13	28.86	Pass	19503




9.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.32	-13	57.32	Pass	401
0.15	30	0.01	RMS	24.47	-64.11	-13	51.11	Pass	2986
30	1000	0.1	RMS	985.991	-54.78	-13	41.78	Pass	9701
1000	3000	1	RMS	2627	-43.45	-13	30.45	Pass	2001
3000	3440	1	RMS	3403	-39.16	-13	26.16	Pass	441
3440	3560	1	RMS	3549.2	18.02	60	41.98	Pass	401
3560	7000	1	RMS	3560	-53.86	-13	40.86	Pass	3441
7000	26500	1	RMS	25460	-41.54	-13	28.54	Pass	19503




9.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.21	-13	56.21	Pass	401
0.15	30	0.01	RMS	19.85	-62.76	-13	49.76	Pass	2986
30	1000	0.1	RMS	509.5	-55.28	-13	42.28	Pass	9701
1000	3000	1	RMS	2794	-43.24	-13	30.24	Pass	2001
3000	3440	1	RMS	3440	-37.26	-13	24.26	Pass	441
3440	3560	1	RMS	3457.1	2.66	60	57.34	Pass	401
3560	7000	1	RMS	4221	-51.2	-13	38.2	Pass	3441
7000	26500	1	RMS	26223	-41.57	-13	28.57	Pass	19503




9.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.131	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	26.25	-61.72	-13	48.72	Pass	2986
30	1000	0.1	RMS	748.4	-55.41	-13	42.41	Pass	9701
1000	3000	1	RMS	2601	-43.36	-13	30.36	Pass	2001
3000	3440	1	RMS	3413	-39.02	-13	26.02	Pass	441
3440	3560	1	RMS	3451.4	18.3	60	41.7	Pass	401
3560	7000	1	RMS	4221	-51.07	-13	38.07	Pass	3441
7000	26500	1	RMS	25065	-41.36	-13	28.36	Pass	19503




9.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	1.8	-62.96	-13	49.96	Pass	2986
30	1000	0.1	RMS	921.748	-54.59	-13	41.59	Pass	9701
1000	3000	1	RMS	2981	-42.56	-13	29.56	Pass	2001
3000	3440	1	RMS	3404	-38.89	-13	25.89	Pass	441
3440	3560	1	RMS	3498.8	17.69	60	42.31	Pass	401
3560	7000	1	RMS	4221	-51.06	-13	38.06	Pass	3441
7000	26500	1	RMS	23116	-41.48	-13	28.48	Pass	19503




9.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.055	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	15.85	-63.78	-13	50.78	Pass	2986
30	1000	0.1	RMS	896.932	-55.79	-13	42.79	Pass	9701
1000	3000	1	RMS	2973	-42.66	-13	29.66	Pass	2001
3000	3440	1	RMS	3437	-38.94	-13	25.94	Pass	441
3440	3560	1	RMS	3479.3	2.28	60	57.72	Pass	401
3560	7000	1	RMS	3560	-45.65	-13	32.65	Pass	3441
7000	26500	1	RMS	26457	-31.61	-13	18.61	Pass	19503




9.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	8.94	-63.57	-13	50.57	Pass	2986
30	1000	0.1	RMS	896.832	-55.42	-13	42.42	Pass	9701
1000	3000	1	RMS	2763	-43.09	-13	30.09	Pass	2001
3000	3440	1	RMS	3425	-39.2	-13	26.2	Pass	441
3440	3560	1	RMS	3476.3	18.23	60	41.77	Pass	401
3560	7000	1	RMS	4221	-50.8	-13	37.8	Pass	3441
7000	26500	1	RMS	25104	-41.4	-13	28.4	Pass	19503




9.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	17.22	-62.18	-13	49.18	Pass	2986
30	1000	0.1	RMS	887.225	-55.59	-13	42.59	Pass	9701
1000	3000	1	RMS	2984	-43.37	-13	30.37	Pass	2001
3000	3440	1	RMS	3409	-39.19	-13	26.19	Pass	441
3440	3560	1	RMS	3523.7	17.14	60	42.86	Pass	401
3560	7000	1	RMS	4221	-50.87	-13	37.87	Pass	3441
7000	26500	1	RMS	26049	-41.42	-13	28.42	Pass	19503




9.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-70.5	-13	57.5	Pass	401
0.15	30	0.01	RMS	6.64	-63.61	-13	50.61	Pass	2986
30	1000	0.1	RMS	651.7	-55.42	-13	42.42	Pass	9701
1000	3000	1	RMS	2999	-43.04	-13	30.04	Pass	2001
3000	3440	1	RMS	3400	-39.22	-13	26.22	Pass	441
3440	3560	1	RMS	3546.5	1.82	60	58.18	Pass	401
3560	7000	1	RMS	3562	-38.18	-13	25.18	Pass	3441
7000	26500	1	RMS	25847	-41.18	-13	28.18	Pass	19503




9.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-69.98	-13	56.98	Pass	401
0.15	30	0.01	RMS	18.24	-63.68	-13	50.68	Pass	2986
30	1000	0.1	RMS	985.791	-55.56	-13	42.56	Pass	9701
1000	3000	1	RMS	2942	-43.2	-13	30.2	Pass	2001
3000	3440	1	RMS	3427	-39.18	-13	26.18	Pass	441
3440	3560	1	RMS	3501.2	17.75	60	42.25	Pass	401
3560	7000	1	RMS	4218	-51.41	-13	38.41	Pass	3441
7000	26500	1	RMS	25749	-41.09	-13	28.09	Pass	19503




9.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	4.04	-64.08	-13	51.08	Pass	2986
30	1000	0.1	RMS	922.649	-55.62	-13	42.62	Pass	9701
1000	3000	1	RMS	2958	-43.25	-13	30.25	Pass	2001
3000	3440	1	RMS	3384	-39.08	-13	26.08	Pass	441
3440	3560	1	RMS	3548.9	17.74	60	42.26	Pass	401
3560	7000	1	RMS	4221	-50.9	-13	37.9	Pass	3441
7000	26500	1	RMS	25550	-41.33	-13	28.33	Pass	19503




9.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	10.91	-64.31	-13	51.31	Pass	2986
30	1000	0.1	RMS	983.589	-55.16	-13	42.16	Pass	9701
1000	3000	1	RMS	2978	-43.32	-13	30.32	Pass	2001
3000	3440	1	RMS	3433	-37.64	-13	24.64	Pass	441
3440	3560	1	RMS	3459.5	-0.57	60	60.57	Pass	401
3560	7000	1	RMS	3561	-39.96	-13	26.96	Pass	3441
7000	26500	1	RMS	25461	-41.26	-13	28.26	Pass	19503




9.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-13	56.42	Pass	401
0.15	30	0.01	RMS	24.75	-63.52	-13	50.52	Pass	2986
30	1000	0.1	RMS	995.497	-55.23	-13	42.23	Pass	9701
1000	3000	1	RMS	2759	-43.15	-13	30.15	Pass	2001
3000	3440	1	RMS	3419	-39.03	-13	26.03	Pass	441
3440	3560	1	RMS	3451.1	18.14	60	41.86	Pass	401
3560	7000	1	RMS	4224	-50.41	-13	37.41	Pass	3441
7000	26500	1	RMS	25110	-41.28	-13	28.28	Pass	19503



9.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	4.81	-63.92	-13	50.92	Pass	2986
30	1000	0.1	RMS	741.9	-55.58	-13	42.58	Pass	9701
1000	3000	1	RMS	2860	-43.33	-13	30.33	Pass	2001
3000	3440	1	RMS	3414	-39.19	-13	26.19	Pass	441
3440	3560	1	RMS	3548.9	17.62	60	42.38	Pass	401
3560	7000	1	RMS	4224	-50.85	-13	37.85	Pass	3441
7000	26500	1	RMS	25784	-41.61	-13	28.61	Pass	19503



4. n77(3700-3980)


4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.88	-13	54.88	Pass	401
0.15	30	0.01	RMS	19.48	-63.09	-13	50.09	Pass	2986
30	1000	0.1	RMS	633.8	-55.35	-13	42.35	Pass	9701
1000	3000	1	RMS	2972	-43	-13	30	Pass	2001
3000	3690	1	RMS	3412	-39.06	-13	26.06	Pass	691
3690	3990	1	RMS	3702	8.83	60	51.17	Pass	401
3990	7000	1	RMS	6988	-55.47	-13	42.47	Pass	3011
7000	26500	1	RMS	25915	-41.34	-13	28.34	Pass	19503




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-66.91	-13	53.91	Pass	401
0.15	30	0.01	RMS	27.55	-63.85	-13	50.85	Pass	2986
30	1000	0.1	RMS	710.7	-55.04	-13	42.04	Pass	9701
1000	3000	1	RMS	2964	-43.63	-13	30.63	Pass	2001
3000	3690	1	RMS	3400	-38.87	-13	25.87	Pass	691
3690	3990	1	RMS	3700.5	16.24	60	43.76	Pass	401
3990	7000	1	RMS	6960	-55.49	-13	42.49	Pass	3011
7000	26500	1	RMS	24168	-41.43	-13	28.43	Pass	19503




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.74	-13	47.74	Pass	401
0.15	30	0.01	RMS	3.4	-64.37	-13	51.37	Pass	2986
30	1000	0.1	RMS	743.6	-54.57	-13	41.57	Pass	9701
1000	3000	1	RMS	2832	-43.72	-13	30.72	Pass	2001
3000	3690	1	RMS	3406	-39.07	-13	26.07	Pass	691
3690	3990	1	RMS	3709.5	15.91	60	44.09	Pass	401
3990	7000	1	RMS	6965	-55.82	-13	42.82	Pass	3011
7000	26500	1	RMS	25728	-41.47	-13	28.47	Pass	19503




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.63	-13	49.63	Pass	401
0.15	30	0.01	RMS	19.51	-63.28	-13	50.28	Pass	2986
30	1000	0.1	RMS	941.962	-55.13	-13	42.13	Pass	9701
1000	3000	1	RMS	2999	-43.59	-13	30.59	Pass	2001
3000	3690	1	RMS	3422	-39.09	-13	26.09	Pass	691
3690	3990	1	RMS	3837	9.21	60	50.79	Pass	401
3990	7000	1	RMS	6978	-55.23	-13	42.23	Pass	3011
7000	26500	1	RMS	25818	-41.38	-13	28.38	Pass	19503




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.89	-13	54.89	Pass	401
0.15	30	0.01	RMS	13.49	-64.5	-13	51.5	Pass	2986
30	1000	0.1	RMS	854.103	-54.82	-13	41.82	Pass	9701
1000	3000	1	RMS	2974	-43.68	-13	30.68	Pass	2001
3000	3690	1	RMS	3407	-39.21	-13	26.21	Pass	691
3690	3990	1	RMS	3835.5	16.55	60	43.45	Pass	401
3990	7000	1	RMS	6963	-55.49	-13	42.49	Pass	3011
7000	26500	1	RMS	24127	-41.03	-13	28.03	Pass	19503




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.97	-13	51.97	Pass	401
0.15	30	0.01	RMS	25.15	-64.01	-13	51.01	Pass	2986
30	1000	0.1	RMS	897.232	-53.7	-13	40.7	Pass	9701
1000	3000	1	RMS	2869	-43.82	-13	30.82	Pass	2001
3000	3690	1	RMS	3452	-39.16	-13	26.16	Pass	691
3690	3990	1	RMS	3844.5	15.79	60	44.21	Pass	401
3990	7000	1	RMS	6984	-55.4	-13	42.4	Pass	3011
7000	26500	1	RMS	26278	-41.49	-13	28.49	Pass	19503




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.39	-13	53.39	Pass	401
0.15	30	0.01	RMS	29.43	-63.92	-13	50.92	Pass	2986
30	1000	0.1	RMS	901.435	-54.6	-13	41.6	Pass	9701
1000	3000	1	RMS	2980	-43.63	-13	30.63	Pass	2001
3000	3690	1	RMS	3391	-39.2	-13	26.2	Pass	691
3690	3990	1	RMS	3972	9.49	60	50.51	Pass	401
3990	7000	1	RMS	3990	-48.94	-13	35.94	Pass	3011
7000	26500	1	RMS	25328	-41.2	-13	28.2	Pass	19503




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-66.27	-13	53.27	Pass	401
0.15	30	0.01	RMS	4.54	-64.36	-13	51.36	Pass	2986
30	1000	0.1	RMS	952.268	-54.4	-13	41.4	Pass	9701
1000	3000	1	RMS	2970	-43.03	-13	30.03	Pass	2001
3000	3690	1	RMS	3419	-39.26	-13	26.26	Pass	691
3690	3990	1	RMS	3970.5	16.71	60	43.29	Pass	401
3990	7000	1	RMS	6978	-55.58	-13	42.58	Pass	3011
7000	26500	1	RMS	25143	-41.45	-13	28.45	Pass	19503




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.07	-13	53.07	Pass	401
0.15	30	0.01	RMS	28.51	-63.1	-13	50.1	Pass	2986
30	1000	0.1	RMS	899.133	-54.7	-13	41.7	Pass	9701
1000	3000	1	RMS	2927	-43.83	-13	30.83	Pass	2001
3000	3690	1	RMS	3397	-39.27	-13	26.27	Pass	691
3690	3990	1	RMS	3979.5	16.64	60	43.36	Pass	401
3990	7000	1	RMS	3990	-53.11	-13	40.11	Pass	3011
7000	26500	1	RMS	25047	-41.17	-13	28.17	Pass	19503




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.33	-13	54.33	Pass	401
0.15	30	0.01	RMS	27.08	-64.24	-13	51.24	Pass	2986
30	1000	0.1	RMS	330.2	-55.14	-13	42.14	Pass	9701
1000	3000	1	RMS	2776	-43.5	-13	30.5	Pass	2001
3000	3690	1	RMS	3690	-38.54	-13	25.54	Pass	691
3690	3990	1	RMS	3703.5	1.54	60	58.46	Pass	401
3990	7000	1	RMS	4222	-50.62	-13	37.62	Pass	3011
7000	26500	1	RMS	24124	-41.41	-13	28.41	Pass	19503




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.27	-13	54.27	Pass	401
0.15	30	0.01	RMS	10.18	-63.4	-13	50.4	Pass	2986
30	1000	0.1	RMS	844.9	-54.59	-13	41.59	Pass	9701
1000	3000	1	RMS	2973	-43.46	-13	30.46	Pass	2001
3000	3690	1	RMS	3413	-39.04	-13	26.04	Pass	691
3690	3990	1	RMS	3701.25	16.97	60	43.03	Pass	401
3990	7000	1	RMS	4220	-50.36	-13	37.36	Pass	3011
7000	26500	1	RMS	25732	-41.44	-13	28.44	Pass	19503




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.21	-13	54.21	Pass	401
0.15	30	0.01	RMS	29.41	-64.85	-13	51.85	Pass	2986
30	1000	0.1	RMS	801.8	-55.39	-13	42.39	Pass	9701
1000	3000	1	RMS	2976	-43.38	-13	30.38	Pass	2001
3000	3690	1	RMS	3378	-39.17	-13	26.17	Pass	691
3690	3990	1	RMS	3748.5	16.4	60	43.6	Pass	401
3990	7000	1	RMS	4223	-50.46	-13	37.46	Pass	3011
7000	26500	1	RMS	26228	-41.34	-13	28.34	Pass	19503




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.97	-13	54.97	Pass	401
0.15	30	0.01	RMS	2.68	-62.55	-13	49.55	Pass	2986
30	1000	0.1	RMS	910.541	-53.83	-13	40.83	Pass	9701
1000	3000	1	RMS	2762	-43.41	-13	30.41	Pass	2001
3000	3690	1	RMS	3386	-39.07	-13	26.07	Pass	691
3690	3990	1	RMS	3818.25	2.29	60	57.71	Pass	401
3990	7000	1	RMS	4222	-50.87	-13	37.87	Pass	3011
7000	26500	1	RMS	25057	-41.44	-13	28.44	Pass	19503




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-68.66	-13	55.66	Pass	401
0.15	30	0.01	RMS	5.93	-64.94	-13	51.94	Pass	2986
30	1000	0.1	RMS	977.285	-55	-13	42	Pass	9701
1000	3000	1	RMS	2770	-43.42	-13	30.42	Pass	2001
3000	3690	1	RMS	3426	-39.04	-13	26.04	Pass	691
3690	3990	1	RMS	3816	17.11	60	42.89	Pass	401
3990	7000	1	RMS	4224	-50.77	-13	37.77	Pass	3011
7000	26500	1	RMS	25161	-41.62	-13	28.62	Pass	19503




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.64	-13	55.64	Pass	401
0.15	30	0.01	RMS	19.56	-63.89	-13	50.89	Pass	2986
30	1000	0.1	RMS	838.5	-54.88	-13	41.88	Pass	9701
1000	3000	1	RMS	2923	-43.54	-13	30.54	Pass	2001
3000	3690	1	RMS	3434	-38.99	-13	25.99	Pass	691
3690	3990	1	RMS	3864	16.42	60	43.58	Pass	401
3990	7000	1	RMS	4219	-50.82	-13	37.82	Pass	3011
7000	26500	1	RMS	24111	-41.14	-13	28.14	Pass	19503




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.21	-13	55.21	Pass	401
0.15	30	0.01	RMS	17.74	-64.76	-13	51.76	Pass	2986
30	1000	0.1	RMS	901.335	-54.75	-13	41.75	Pass	9701
1000	3000	1	RMS	2955	-43.62	-13	30.62	Pass	2001
3000	3690	1	RMS	3426	-39.05	-13	26.05	Pass	691
3690	3990	1	RMS	3946.5	2.48	60	57.52	Pass	401
3990	7000	1	RMS	3991	-39.97	-13	26.97	Pass	3011
7000	26500	1	RMS	25017	-41.22	-13	28.22	Pass	19503




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	26.55	-64.3	-13	51.3	Pass	2986
30	1000	0.1	RMS	883.423	-54.85	-13	41.85	Pass	9701
1000	3000	1	RMS	2979	-43.63	-13	30.63	Pass	2001
3000	3690	1	RMS	3413	-39.35	-13	26.35	Pass	691
3690	3990	1	RMS	3931.5	16.3	60	43.7	Pass	401
3990	7000	1	RMS	4223	-51.72	-13	38.72	Pass	3011
7000	26500	1	RMS	25483	-41.49	-13	28.49	Pass	19503




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.65	-13	53.65	Pass	401
0.15	30	0.01	RMS	6.36	-64.23	-13	51.23	Pass	2986
30	1000	0.1	RMS	724.4	-54.37	-13	41.37	Pass	9701
1000	3000	1	RMS	2985	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3441	-39.4	-13	26.4	Pass	691
3690	3990	1	RMS	3978.75	17.82	60	42.18	Pass	401
3990	7000	1	RMS	4222	-51.4	-13	38.4	Pass	3011
7000	26500	1	RMS	25419	-40.75	-13	27.75	Pass	19503




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.41	-13	54.41	Pass	401
0.15	30	0.01	RMS	12.16	-63.23	-13	50.23	Pass	2986
30	1000	0.1	RMS	941.261	-54.36	-13	41.36	Pass	9701
1000	3000	1	RMS	2926	-43.67	-13	30.67	Pass	2001
3000	3690	1	RMS	3407	-39.06	-13	26.06	Pass	691
3690	3990	1	RMS	3702.75	-1.66	60	61.66	Pass	401
3990	7000	1	RMS	4224	-50.54	-13	37.54	Pass	3011
7000	26500	1	RMS	25937	-41.1	-13	28.1	Pass	19503




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.05	-13	54.05	Pass	401
0.15	30	0.01	RMS	19.86	-64.11	-13	51.11	Pass	2986
30	1000	0.1	RMS	757.8	-55.32	-13	42.32	Pass	9701
1000	3000	1	RMS	2974	-43.4	-13	30.4	Pass	2001
3000	3690	1	RMS	3411	-39.02	-13	26.02	Pass	691
3690	3990	1	RMS	3701.25	16.56	60	43.44	Pass	401
3990	7000	1	RMS	4224	-50.33	-13	37.33	Pass	3011
7000	26500	1	RMS	26102	-41.59	-13	28.59	Pass	19503




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.76	-13	54.76	Pass	401
0.15	30	0.01	RMS	20.4	-63.8	-13	50.8	Pass	2986
30	1000	0.1	RMS	463.2	-54.51	-13	41.51	Pass	9701
1000	3000	1	RMS	2976	-43.2	-13	30.2	Pass	2001
3000	3690	1	RMS	3391	-39.08	-13	26.08	Pass	691
3690	3990	1	RMS	3798.75	16.41	60	43.59	Pass	401
3990	7000	1	RMS	4224	-49.87	-13	36.87	Pass	3011
7000	26500	1	RMS	25112	-41.03	-13	28.03	Pass	19503




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.12	-13	55.12	Pass	401
0.15	30	0.01	RMS	29.08	-64.54	-13	51.54	Pass	2986
30	1000	0.1	RMS	753.5	-54.54	-13	41.54	Pass	9701
1000	3000	1	RMS	2975	-43.78	-13	30.78	Pass	2001
3000	3690	1	RMS	3389	-39.17	-13	26.17	Pass	691
3690	3990	1	RMS	3817.5	-0.98	60	60.98	Pass	401
3990	7000	1	RMS	4224	-50.56	-13	37.56	Pass	3011
7000	26500	1	RMS	25478	-41.63	-13	28.63	Pass	19503




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.13	-13	54.13	Pass	401
0.15	30	0.01	RMS	3.47	-64.07	-13	51.07	Pass	2986
30	1000	0.1	RMS	925.351	-54.76	-13	41.76	Pass	9701
1000	3000	1	RMS	2968	-43.81	-13	30.81	Pass	2001
3000	3690	1	RMS	3412	-39.16	-13	26.16	Pass	691
3690	3990	1	RMS	3791.25	16.19	60	43.81	Pass	401
3990	7000	1	RMS	4224	-50.45	-13	37.45	Pass	3011
7000	26500	1	RMS	24166	-41.18	-13	28.18	Pass	19503




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	24.83	-63.81	-13	50.81	Pass	2986
30	1000	0.1	RMS	882.622	-54.25	-13	41.25	Pass	9701
1000	3000	1	RMS	2976	-43.26	-13	30.26	Pass	2001
3000	3690	1	RMS	3412	-38.99	-13	25.99	Pass	691
3690	3990	1	RMS	3888.75	17.38	60	42.62	Pass	401
3990	7000	1	RMS	4224	-50.52	-13	37.52	Pass	3011
7000	26500	1	RMS	25890	-40.97	-13	27.97	Pass	19503




4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.13	-13	54.13	Pass	401
0.15	30	0.01	RMS	29.62	-63.78	-13	50.78	Pass	2986
30	1000	0.1	RMS	931.955	-54.5	-13	41.5	Pass	9701
1000	3000	1	RMS	2970	-43.11	-13	30.11	Pass	2001
3000	3690	1	RMS	3413	-39.08	-13	26.08	Pass	691
3690	3990	1	RMS	3888.75	-0.38	60	60.38	Pass	401
3990	7000	1	RMS	3993	-41.55	-13	28.55	Pass	3011
7000	26500	1	RMS	24337	-41.08	-13	28.08	Pass	19503




4.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-68.39	-13	55.39	Pass	401
0.15	30	0.01	RMS	28.49	-62.83	-13	49.83	Pass	2986
30	1000	0.1	RMS	486.3	-54.73	-13	41.73	Pass	9701
1000	3000	1	RMS	2982	-43.57	-13	30.57	Pass	2001
3000	3690	1	RMS	3428	-39.18	-13	26.18	Pass	691
3690	3990	1	RMS	3881.25	16.76	60	43.24	Pass	401
3990	7000	1	RMS	4224	-50.53	-13	37.53	Pass	3011
7000	26500	1	RMS	25685	-41.11	-13	28.11	Pass	19503



4.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-69	-13	56	Pass	401
0.15	30	0.01	RMS	27.01	-62.39	-13	49.39	Pass	2986
30	1000	0.1	RMS	846.1	-54.38	-13	41.38	Pass	9701
1000	3000	1	RMS	2930	-43.06	-13	30.06	Pass	2001
3000	3690	1	RMS	3387	-39.12	-13	26.12	Pass	691
3690	3990	1	RMS	3978.75	17.35	60	42.65	Pass	401
3990	7000	1	RMS	4224	-50.78	-13	37.78	Pass	3011
7000	26500	1	RMS	25128	-40.88	-13	27.88	Pass	19503



5. n78(3450-3550)


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	16.32	-64.68	-13	51.68	Pass	2986
30	1000	0.1	RMS	985.991	-54.73	-13	41.73	Pass	9701
1000	3000	1	RMS	2975	-43.55	-13	30.55	Pass	2001
3000	3440	1	RMS	3419	-39.54	-13	26.54	Pass	441
3440	3560	1	RMS	3458.3	10.58	60	49.42	Pass	401
3560	7000	1	RMS	6948	-55.41	-13	42.41	Pass	3441
7000	26500	1	RMS	24096	-40.35	-13	27.35	Pass	19503




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.72	-13	55.72	Pass	401
0.15	30	0.01	RMS	27.25	-65.33	-13	52.33	Pass	2986
30	1000	0.1	RMS	935.557	-54.31	-13	41.31	Pass	9701
1000	3000	1	RMS	2972	-43.37	-13	30.37	Pass	2001
3000	3440	1	RMS	3399	-39.46	-13	26.46	Pass	441
3440	3560	1	RMS	3450.8	18.94	60	41.06	Pass	401
3560	7000	1	RMS	6945	-55.52	-13	42.52	Pass	3441
7000	26500	1	RMS	25130	-41.31	-13	28.31	Pass	19503




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.129	-69.12	-13	56.12	Pass	401
0.15	30	0.01	RMS	12.62	-64.99	-13	51.99	Pass	2986
30	1000	0.1	RMS	640.7	-55.11	-13	42.11	Pass	9701
1000	3000	1	RMS	2961	-43.16	-13	30.16	Pass	2001
3000	3440	1	RMS	3395	-39.41	-13	26.41	Pass	441
3440	3560	1	RMS	3459.2	19.4	60	40.6	Pass	401
3560	7000	1	RMS	6925	-55.82	-13	42.82	Pass	3441
7000	26500	1	RMS	25740	-41.77	-13	28.77	Pass	19503




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.07	-13	54.07	Pass	401
0.15	30	0.01	RMS	9.91	-64.34	-13	51.34	Pass	2986
30	1000	0.1	RMS	713.7	-54.83	-13	41.83	Pass	9701
1000	3000	1	RMS	2965	-43.68	-13	30.68	Pass	2001
3000	3440	1	RMS	3404	-39.33	-13	26.33	Pass	441
3440	3560	1	RMS	3503	9.86	60	50.14	Pass	401
3560	7000	1	RMS	6995	-55.36	-13	42.36	Pass	3441
7000	26500	1	RMS	25382	-41.27	-13	28.27	Pass	19503




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	4.18	-63.33	-13	50.33	Pass	2986
30	1000	0.1	RMS	872.215	-55.17	-13	42.17	Pass	9701
1000	3000	1	RMS	2969	-43.24	-13	30.24	Pass	2001
3000	3440	1	RMS	3428	-39.48	-13	26.48	Pass	441
3440	3560	1	RMS	3495.8	18.72	60	41.28	Pass	401
3560	7000	1	RMS	6928	-55.7	-13	42.7	Pass	3441
7000	26500	1	RMS	25802	-40.53	-13	27.53	Pass	19503




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-69.4	-13	56.4	Pass	401
0.15	30	0.01	RMS	8.77	-64.24	-13	51.24	Pass	2986
30	1000	0.1	RMS	974.783	-53.42	-13	40.42	Pass	9701
1000	3000	1	RMS	2976	-43.82	-13	30.82	Pass	2001
3000	3440	1	RMS	3420	-39.33	-13	26.33	Pass	441
3440	3560	1	RMS	3504.2	18.57	60	41.43	Pass	401
3560	7000	1	RMS	6983	-54.9	-13	41.9	Pass	3441
7000	26500	1	RMS	25359	-41.83	-13	28.83	Pass	19503




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.36	-13	56.36	Pass	401
0.15	30	0.01	RMS	25.07	-63.34	-13	50.34	Pass	2986
30	1000	0.1	RMS	799.7	-54.89	-13	41.89	Pass	9701
1000	3000	1	RMS	2760	-43.67	-13	30.67	Pass	2001
3000	3440	1	RMS	3434	-39.15	-13	26.15	Pass	441
3440	3560	1	RMS	3541.7	9.98	60	50.02	Pass	401
3560	7000	1	RMS	3560	-47.02	-13	34.02	Pass	3441
7000	26500	1	RMS	24096	-41	-13	28	Pass	19503




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-69.32	-13	56.32	Pass	401
0.15	30	0.01	RMS	0.27	-63.82	-13	50.82	Pass	2986
30	1000	0.1	RMS	897.732	-54.75	-13	41.75	Pass	9701
1000	3000	1	RMS	2987	-43.52	-13	30.52	Pass	2001
3000	3440	1	RMS	3407	-39.37	-13	26.37	Pass	441
3440	3560	1	RMS	3540.8	18.79	60	41.21	Pass	401
3560	7000	1	RMS	6963	-55.16	-13	42.16	Pass	3441
7000	26500	1	RMS	25409	-40.87	-13	27.87	Pass	19503




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.51	-13	56.51	Pass	401
0.15	30	0.01	RMS	21.1	-64.95	-13	51.95	Pass	2986
30	1000	0.1	RMS	815.2	-54.44	-13	41.44	Pass	9701
1000	3000	1	RMS	2973	-43.19	-13	30.19	Pass	2001
3000	3440	1	RMS	3408	-39.26	-13	26.26	Pass	441
3440	3560	1	RMS	3549.2	18.61	60	41.39	Pass	401
3560	7000	1	RMS	3561	-53.48	-13	40.48	Pass	3441
7000	26500	1	RMS	26081	-41.38	-13	28.38	Pass	19503




5.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-68.81	-13	55.81	Pass	401
0.15	30	0.01	RMS	26.9	-62.2	-13	49.2	Pass	2986
30	1000	0.1	RMS	495.1	-54.85	-13	41.85	Pass	9701
1000	3000	1	RMS	2998	-43.64	-13	30.64	Pass	2001
3000	3440	1	RMS	3438	-37.38	-13	24.38	Pass	441
3440	3560	1	RMS	3458.3	3.25	60	56.75	Pass	401
3560	7000	1	RMS	4221	-50.56	-13	37.56	Pass	3441
7000	26500	1	RMS	25137	-41.15	-13	28.15	Pass	19503




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.71	-13	55.71	Pass	401
0.15	30	0.01	RMS	19.76	-63.51	-13	50.51	Pass	2986
30	1000	0.1	RMS	994.596	-54.7	-13	41.7	Pass	9701
1000	3000	1	RMS	2973	-43.07	-13	30.07	Pass	2001
3000	3440	1	RMS	3429	-39.26	-13	26.26	Pass	441
3440	3560	1	RMS	3451.1	18.59	60	41.41	Pass	401
3560	7000	1	RMS	4221	-50.08	-13	37.08	Pass	3441
7000	26500	1	RMS	25480	-41.11	-13	28.11	Pass	19503




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.32	-13	55.32	Pass	401
0.15	30	0.01	RMS	22.97	-62.62	-13	49.62	Pass	2986
30	1000	0.1	RMS	858.106	-55.29	-13	42.29	Pass	9701
1000	3000	1	RMS	2968	-43.06	-13	30.06	Pass	2001
3000	3440	1	RMS	3404	-39.09	-13	26.09	Pass	441
3440	3560	1	RMS	3498.8	18.71	60	41.29	Pass	401
3560	7000	1	RMS	4221	-50.93	-13	37.93	Pass	3441
7000	26500	1	RMS	25491	-41.24	-13	28.24	Pass	19503




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-69	-13	56	Pass	401
0.15	30	0.01	RMS	7.26	-62.63	-13	49.63	Pass	2986
30	1000	0.1	RMS	481.1	-54.82	-13	41.82	Pass	9701
1000	3000	1	RMS	2990	-43.27	-13	30.27	Pass	2001
3000	3440	1	RMS	3404	-39.34	-13	26.34	Pass	441
3440	3560	1	RMS	3479.6	2.99	60	57.01	Pass	401
3560	7000	1	RMS	3561	-46.03	-13	33.03	Pass	3441
7000	26500	1	RMS	25077	-41.39	-13	28.39	Pass	19503




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.34	-13	55.34	Pass	401
0.15	30	0.01	RMS	28.75	-63.54	-13	50.54	Pass	2986
30	1000	0.1	RMS	975.884	-54.41	-13	41.41	Pass	9701
1000	3000	1	RMS	2882	-44.03	-13	31.03	Pass	2001
3000	3440	1	RMS	3418	-39.29	-13	26.29	Pass	441
3440	3560	1	RMS	3476.3	18.68	60	41.32	Pass	401
3560	7000	1	RMS	4221	-50.42	-13	37.42	Pass	3441
7000	26500	1	RMS	25096	-40.67	-13	27.67	Pass	19503




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.26	-13	56.26	Pass	401
0.15	30	0.01	RMS	18.53	-63.73	-13	50.73	Pass	2986
30	1000	0.1	RMS	525.3	-54.77	-13	41.77	Pass	9701
1000	3000	1	RMS	2979	-43.13	-13	30.13	Pass	2001
3000	3440	1	RMS	3427	-39.44	-13	26.44	Pass	441
3440	3560	1	RMS	3523.7	18.23	60	41.77	Pass	401
3560	7000	1	RMS	4221	-50.53	-13	37.53	Pass	3441
7000	26500	1	RMS	24115	-40.77	-13	27.77	Pass	19503




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.08	-13	54.08	Pass	401
0.15	30	0.01	RMS	18.01	-64.76	-13	51.76	Pass	2986
30	1000	0.1	RMS	987.592	-55.1	-13	42.1	Pass	9701
1000	3000	1	RMS	2821	-43.63	-13	30.63	Pass	2001
3000	3440	1	RMS	3415	-39.09	-13	26.09	Pass	441
3440	3560	1	RMS	3547.1	2.62	60	57.38	Pass	401
3560	7000	1	RMS	3561	-37.69	-13	24.69	Pass	3441
7000	26500	1	RMS	26094	-41.19	-13	28.19	Pass	19503




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-68.7	-13	55.7	Pass	401
0.15	30	0.01	RMS	0.31	-64.36	-13	51.36	Pass	2986
30	1000	0.1	RMS	816	-55.18	-13	42.18	Pass	9701
1000	3000	1	RMS	2974	-43.79	-13	30.79	Pass	2001
3000	3440	1	RMS	3401	-39.53	-13	26.53	Pass	441
3440	3560	1	RMS	3501.2	18.59	60	41.41	Pass	401
3560	7000	1	RMS	4224	-50.17	-13	37.17	Pass	3441
7000	26500	1	RMS	24072	-41.54	-13	28.54	Pass	19503




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.95	-13	54.95	Pass	401
0.15	30	0.01	RMS	18.51	-63.55	-13	50.55	Pass	2986
30	1000	0.1	RMS	735.9	-55.09	-13	42.09	Pass	9701
1000	3000	1	RMS	2829	-43.6	-13	30.6	Pass	2001
3000	3440	1	RMS	3403	-39.2	-13	26.2	Pass	441
3440	3560	1	RMS	3548.6	18.34	60	41.66	Pass	401
3560	7000	1	RMS	4221	-49.86	-13	36.86	Pass	3441
7000	26500	1	RMS	25783	-41.69	-13	28.69	Pass	19503




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	23.86	-64.75	-13	51.75	Pass	2986
30	1000	0.1	RMS	969.68	-54.68	-13	41.68	Pass	9701
1000	3000	1	RMS	2975	-43.45	-13	30.45	Pass	2001
3000	3440	1	RMS	3431	-38.3	-13	25.3	Pass	441
3440	3560	1	RMS	3458.9	-0.23	60	60.23	Pass	401
3560	7000	1	RMS	3561	-41.17	-13	28.17	Pass	3441
7000	26500	1	RMS	25097	-41.55	-13	28.55	Pass	19503




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.29	-13	56.29	Pass	401
0.15	30	0.01	RMS	8.58	-63.68	-13	50.68	Pass	2986
30	1000	0.1	RMS	421.1	-54.86	-13	41.86	Pass	9701
1000	3000	1	RMS	2867	-43.65	-13	30.65	Pass	2001
3000	3440	1	RMS	3419	-39.44	-13	26.44	Pass	441
3440	3560	1	RMS	3451.1	18.69	60	41.31	Pass	401
3560	7000	1	RMS	3647	-49.38	-13	36.38	Pass	3441
7000	26500	1	RMS	24161	-41.58	-13	28.58	Pass	19503



5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-68.6	-13	55.6	Pass	401
0.15	30	0.01	RMS	23.23	-62.79	-13	49.79	Pass	2986
30	1000	0.1	RMS	471.2	-55.18	-13	42.18	Pass	9701
1000	3000	1	RMS	2952	-43.34	-13	30.34	Pass	2001
3000	3440	1	RMS	3429	-39.36	-13	26.36	Pass	441
3440	3560	1	RMS	3548.9	18.4	60	41.6	Pass	401
3560	7000	1	RMS	4223	-50.11	-13	37.11	Pass	3441
7000	26500	1	RMS	26204	-41.74	-13	28.74	Pass	19503



3. n78(3700-3800)


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.47	-13	56.47	Pass	401
0.15	30	0.01	RMS	25.64	-64.89	-13	51.89	Pass	2986
30	1000	0.1	RMS	650.2	-54.56	-13	41.56	Pass	9701
1000	3000	1	RMS	2973	-43.37	-13	30.37	Pass	2001
3000	3690	1	RMS	3401	-39.4	-13	26.4	Pass	691
3690	3810	1	RMS	3701.7	8.86	60	51.14	Pass	401
3810	7000	1	RMS	6985	-55.21	-13	42.21	Pass	3191
7000	26500	1	RMS	25109	-41.03	-13	28.03	Pass	19503




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-69.9	-13	56.9	Pass	401
0.15	30	0.01	RMS	25.27	-63.12	-13	50.12	Pass	2986
30	1000	0.1	RMS	465.8	-54.66	-13	41.66	Pass	9701
1000	3000	1	RMS	2923	-43.34	-13	30.34	Pass	2001
3000	3690	1	RMS	3418	-39.25	-13	26.25	Pass	691
3690	3810	1	RMS	3700.8	17.61	60	42.39	Pass	401
3810	7000	1	RMS	6980	-55.34	-13	42.34	Pass	3191
7000	26500	1	RMS	25029	-41.69	-13	28.69	Pass	19503




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	20.59	-63.64	-13	50.64	Pass	2986
30	1000	0.1	RMS	807.8	-54.65	-13	41.65	Pass	9701
1000	3000	1	RMS	2983	-43.27	-13	30.27	Pass	2001
3000	3690	1	RMS	3392	-39.01	-13	26.01	Pass	691
3690	3810	1	RMS	3709.2	17.44	60	42.56	Pass	401
3810	7000	1	RMS	6996	-55.41	-13	42.41	Pass	3191
7000	26500	1	RMS	25759	-41.32	-13	28.32	Pass	19503




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.96	-13	56.96	Pass	401
0.15	30	0.01	RMS	11.85	-63.12	-13	50.12	Pass	2986
30	1000	0.1	RMS	827.8	-54.83	-13	41.83	Pass	9701
1000	3000	1	RMS	2749	-43.43	-13	30.43	Pass	2001
3000	3690	1	RMS	3381	-39.25	-13	26.25	Pass	691
3690	3810	1	RMS	3747	8.93	60	51.07	Pass	401
3810	7000	1	RMS	6948	-55.67	-13	42.67	Pass	3191
7000	26500	1	RMS	25079	-41.6	-13	28.6	Pass	19503




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.128	-69.22	-13	56.22	Pass	401
0.15	30	0.01	RMS	17.98	-63.89	-13	50.89	Pass	2986
30	1000	0.1	RMS	873.316	-55.05	-13	42.05	Pass	9701
1000	3000	1	RMS	2962	-43.42	-13	30.42	Pass	2001
3000	3690	1	RMS	3407	-39.08	-13	26.08	Pass	691
3690	3810	1	RMS	3745.8	17.68	60	42.32	Pass	401
3810	7000	1	RMS	6975	-55.99	-13	42.99	Pass	3191
7000	26500	1	RMS	24793	-41.71	-13	28.71	Pass	19503




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	18.93	-64.55	-13	51.55	Pass	2986
30	1000	0.1	RMS	889.427	-54.79	-13	41.79	Pass	9701
1000	3000	1	RMS	2936	-43.96	-13	30.96	Pass	2001
3000	3690	1	RMS	3401	-39.29	-13	26.29	Pass	691
3690	3810	1	RMS	3754.2	17.82	60	42.18	Pass	401
3810	7000	1	RMS	6950	-55.53	-13	42.53	Pass	3191
7000	26500	1	RMS	25713	-41.34	-13	28.34	Pass	19503




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-68.72	-13	55.72	Pass	401
0.15	30	0.01	RMS	14.03	-64.58	-13	51.58	Pass	2986
30	1000	0.1	RMS	926.251	-54.61	-13	41.61	Pass	9701
1000	3000	1	RMS	2940	-43.76	-13	30.76	Pass	2001
3000	3690	1	RMS	3417	-39.15	-13	26.15	Pass	691
3690	3810	1	RMS	3798.3	8.47	60	51.53	Pass	401
3810	7000	1	RMS	3810	-49.93	-13	36.93	Pass	3191
7000	26500	1	RMS	24116	-41.63	-13	28.63	Pass	19503




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-70.05	-13	57.05	Pass	401
0.15	30	0.01	RMS	26.77	-65.01	-13	52.01	Pass	2986
30	1000	0.1	RMS	491.2	-55.29	-13	42.29	Pass	9701
1000	3000	1	RMS	2967	-43.65	-13	30.65	Pass	2001
3000	3690	1	RMS	3427	-39.16	-13	26.16	Pass	691
3690	3810	1	RMS	3790.8	17.21	60	42.79	Pass	401
3810	7000	1	RMS	6963	-55.74	-13	42.74	Pass	3191
7000	26500	1	RMS	24782	-41.39	-13	28.39	Pass	19503




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.64	-13	54.64	Pass	401
0.15	30	0.01	RMS	24.67	-65.14	-13	52.14	Pass	2986
30	1000	0.1	RMS	479.5	-54.7	-13	41.7	Pass	9701
1000	3000	1	RMS	2890	-43.7	-13	30.7	Pass	2001
3000	3690	1	RMS	3421	-39.41	-13	26.41	Pass	691
3690	3810	1	RMS	3799.2	17.37	60	42.63	Pass	401
3810	7000	1	RMS	3810	-53.27	-13	40.27	Pass	3191
7000	26500	1	RMS	24085	-40.94	-13	27.94	Pass	19503




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.26	-13	56.26	Pass	401
0.15	30	0.01	RMS	28.36	-65.07	-13	52.07	Pass	2986
30	1000	0.1	RMS	866.912	-54.67	-13	41.67	Pass	9701
1000	3000	1	RMS	2954	-43.25	-13	30.25	Pass	2001
3000	3690	1	RMS	3690	-37.89	-13	24.89	Pass	691
3690	3810	1	RMS	3703.2	1.52	60	58.48	Pass	401
3810	7000	1	RMS	4221	-49.9	-13	36.9	Pass	3191
7000	26500	1	RMS	24780	-41.61	-13	28.61	Pass	19503




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	23.5	-64.64	-13	51.64	Pass	2986
30	1000	0.1	RMS	672.5	-54.11	-13	41.11	Pass	9701
1000	3000	1	RMS	2952	-43.36	-13	30.36	Pass	2001
3000	3690	1	RMS	3407	-39.21	-13	26.21	Pass	691
3690	3810	1	RMS	3701.1	17.23	60	42.77	Pass	401
3810	7000	1	RMS	4221	-49.91	-13	36.91	Pass	3191
7000	26500	1	RMS	25791	-41.4	-13	28.4	Pass	19503




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	25.51	-64.3	-13	51.3	Pass	2986
30	1000	0.1	RMS	870.014	-55.03	-13	42.03	Pass	9701
1000	3000	1	RMS	2952	-43.42	-13	30.42	Pass	2001
3000	3690	1	RMS	3372	-39.42	-13	26.42	Pass	691
3690	3810	1	RMS	3748.8	17.49	60	42.51	Pass	401
3810	7000	1	RMS	4223	-49.92	-13	36.92	Pass	3191
7000	26500	1	RMS	25763	-41.61	-13	28.61	Pass	19503




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.63	-13	55.63	Pass	401
0.15	30	0.01	RMS	23.86	-63.84	-13	50.84	Pass	2986
30	1000	0.1	RMS	629.2	-55.23	-13	42.23	Pass	9701
1000	3000	1	RMS	2987	-43.2	-13	30.2	Pass	2001
3000	3690	1	RMS	3433	-39.41	-13	26.41	Pass	691
3690	3810	1	RMS	3728.1	1.69	60	58.31	Pass	401
3810	7000	1	RMS	3810	-46.27	-13	33.27	Pass	3191
7000	26500	1	RMS	25155	-41.55	-13	28.55	Pass	19503




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-68.87	-13	55.87	Pass	401
0.15	30	0.01	RMS	23.43	-64.8	-13	51.8	Pass	2986
30	1000	0.1	RMS	932.455	-54.18	-13	41.18	Pass	9701
1000	3000	1	RMS	2941	-43.75	-13	30.75	Pass	2001
3000	3690	1	RMS	3397	-39.35	-13	26.35	Pass	691
3690	3810	1	RMS	3726.3	17.52	60	42.48	Pass	401
3810	7000	1	RMS	4221	-49.98	-13	36.98	Pass	3191
7000	26500	1	RMS	24076	-40.88	-13	27.88	Pass	19503




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-69.84	-13	56.84	Pass	401
0.15	30	0.01	RMS	19.19	-64.41	-13	51.41	Pass	2986
30	1000	0.1	RMS	914.043	-54.8	-13	41.8	Pass	9701
1000	3000	1	RMS	2976	-43.06	-13	30.06	Pass	2001
3000	3690	1	RMS	3407	-39.18	-13	26.18	Pass	691
3690	3810	1	RMS	3773.7	17.52	60	42.48	Pass	401
3810	7000	1	RMS	4219	-50.1	-13	37.1	Pass	3191
7000	26500	1	RMS	25050	-41.57	-13	28.57	Pass	19503




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-69.39	-13	56.39	Pass	401
0.15	30	0.01	RMS	26.26	-63.55	-13	50.55	Pass	2986
30	1000	0.1	RMS	919.847	-54.85	-13	41.85	Pass	9701
1000	3000	1	RMS	2767	-43.94	-13	30.94	Pass	2001
3000	3690	1	RMS	3411	-39.25	-13	26.25	Pass	691
3690	3810	1	RMS	3754.2	1.63	60	58.37	Pass	401
3810	7000	1	RMS	3811	-37.69	-13	24.69	Pass	3191
7000	26500	1	RMS	25139	-41.63	-13	28.63	Pass	19503




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	13.23	-63.09	-13	50.09	Pass	2986
30	1000	0.1	RMS	671.7	-54.89	-13	41.89	Pass	9701
1000	3000	1	RMS	2872	-43.92	-13	30.92	Pass	2001
3000	3690	1	RMS	3444	-39.41	-13	26.41	Pass	691
3690	3810	1	RMS	3751.2	17.59	60	42.41	Pass	401
3810	7000	1	RMS	4221	-50.34	-13	37.34	Pass	3191
7000	26500	1	RMS	24806	-41.55	-13	28.55	Pass	19503




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.133	-70.47	-13	57.47	Pass	401
0.15	30	0.01	RMS	21.94	-63.14	-13	50.14	Pass	2986
30	1000	0.1	RMS	750.8	-54.66	-13	41.66	Pass	9701
1000	3000	1	RMS	2827	-43.72	-13	30.72	Pass	2001
3000	3690	1	RMS	3431	-39.39	-13	26.39	Pass	691
3690	3810	1	RMS	3798.6	17.11	60	42.89	Pass	401
3810	7000	1	RMS	4222	-49.81	-13	36.81	Pass	3191
7000	26500	1	RMS	24170	-41.07	-13	28.07	Pass	19503




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	24.86	-63.86	-13	50.86	Pass	2986
30	1000	0.1	RMS	854.504	-55.53	-13	42.53	Pass	9701
1000	3000	1	RMS	2764	-43.57	-13	30.57	Pass	2001
3000	3690	1	RMS	3689	-38.31	-13	25.31	Pass	691
3690	3810	1	RMS	3702	-1.64	60	61.64	Pass	401
3810	7000	1	RMS	3811	-39.4	-13	26.4	Pass	3191
7000	26500	1	RMS	25460	-41.16	-13	28.16	Pass	19503




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	28.78	-64.98	-13	51.98	Pass	2986
30	1000	0.1	RMS	888.426	-54.76	-13	41.76	Pass	9701
1000	3000	1	RMS	2961	-43.77	-13	30.77	Pass	2001
3000	3690	1	RMS	3431	-39.3	-13	26.3	Pass	691
3690	3810	1	RMS	3701.1	17.28	60	42.72	Pass	401
3810	7000	1	RMS	4223	-50.15	-13	37.15	Pass	3191
7000	26500	1	RMS	25794	-41.32	-13	28.32	Pass	19503



3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.32	-13	56.32	Pass	401
0.15	30	0.01	RMS	18.15	-64.67	-13	51.67	Pass	2986
30	1000	0.1	RMS	803.4	-54.24	-13	41.24	Pass	9701
1000	3000	1	RMS	2967	-43.64	-13	30.64	Pass	2001
3000	3690	1	RMS	3427	-39.11	-13	26.11	Pass	691
3690	3810	1	RMS	3798.9	17.24	60	42.76	Pass	401
3810	7000	1	RMS	4224	-49.26	-13	36.26	Pass	3191
7000	26500	1	RMS	25108	-40.62	-13	27.62	Pass	19503



--BLANK BELOW--