


38.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3496	-0.04	30	Pass	601
3550	3551	0.2	RMS	3550.147	-41.18	-13	Pass	601
3551	3555	0.62	RMS	3554.853	-37.09	-13	Pass	601
3555	3655	1	RMS	3555.333	-34.61	-13	Pass	601



39. n77 30kHz(3700-3980MHz)


39.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3654.333	-39.96	-13	Pass	601
3695	3699	0.62	RMS	3698.973	-37.38	-13	Pass	601
3699	3700	0.2	RMS	3699.997	-25.12	-13	Pass	601
3700	3800	1	RMS	3700.833	16.66	30	Pass	601




39.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-33.74	-13	Pass	601
3695	3699	0.62	RMS	3698.98	-34.17	-13	Pass	601
3699	3700	0.2	RMS	3699.998	-35.16	-13	Pass	601
3700	3800	1	RMS	3715.667	6.78	30	Pass	601




39.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3618.667	-39.94	-13	Pass	601
3695	3699	0.62	RMS	3698.7	-38.12	-13	Pass	601
3699	3700	0.2	RMS	3700	-25.79	-13	Pass	601
3700	3800	1	RMS	3701	16.87	30	Pass	601




39.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.167	-29.19	-13	Pass	601
3695	3699	0.62	RMS	3698.98	-29.61	-13	Pass	601
3699	3700	0.2	RMS	3699.993	-32.7	-13	Pass	601
3700	3800	1	RMS	3714.333	6.8	30	Pass	601




39.5. Band Edge for SA(NTNV)(Subtest:5, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.833	18.6	30	Pass	601
3980	3981	0.2	RMS	3980.002	-23.41	-13	Pass	601
3981	3985	0.62	RMS	3981.04	-35.13	-13	Pass	601
3985	4085	1	RMS	3997	-39.7	-13	Pass	601




39.6. Band Edge for SA(NTNV)(Subtest:6, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3973.167	8.23	30	Pass	601
3980	3981	0.2	RMS	3980.012	-35.99	-13	Pass	601
3981	3985	0.62	RMS	3981.007	-33.09	-13	Pass	601
3985	4085	1	RMS	3985.667	-32.1	-13	Pass	601




39.7. Band Edge for SA(NTNV)(Subtest:7, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	18.61	30	Pass	601
3980	3981	0.2	RMS	3980	-22.92	-13	Pass	601
3981	3985	0.62	RMS	3981.007	-35.13	-13	Pass	601
3985	4085	1	RMS	3997	-39.54	-13	Pass	601




39.8. Band Edge for SA(NTNV)(Subtest:8, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3969.667	8.22	30	Pass	601
3980	3981	0.2	RMS	3980.012	-32.39	-13	Pass	601
3981	3985	0.62	RMS	3981.047	-28.21	-13	Pass	601
3985	4085	1	RMS	3985.167	-27.85	-13	Pass	601




39.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3672.333	-39.93	-13	Pass	601
3695	3699	0.62	RMS	3698.993	-38.3	-13	Pass	601
3699	3700	0.2	RMS	3699.997	-25.92	-13	Pass	601
3700	3800	1	RMS	3701.167	16.61	30	Pass	601




39.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3643.333	-36.4	-13	Pass	601
3695	3699	0.62	RMS	3699	-38.37	-13	Pass	601
3699	3700	0.2	RMS	3699.988	-41.7	-13	Pass	601
3700	3800	1	RMS	3746	2.44	30	Pass	601




39.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3671.667	-39.94	-13	Pass	601
3695	3699	0.62	RMS	3698.633	-38.09	-13	Pass	601
3699	3700	0.2	RMS	3700	-26.42	-13	Pass	601
3700	3800	1	RMS	3701.167	16.58	30	Pass	601




39.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-33.77	-13	Pass	601
3695	3699	0.62	RMS	3696.16	-34.97	-13	Pass	601
3699	3700	0.2	RMS	3699.975	-38.61	-13	Pass	601
3700	3800	1	RMS	3750	2.34	30	Pass	601




39.13. Band Edge for SA(NTNV)(Subtest:5, Channel:663332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	18.3	30	Pass	601
3980	3981	0.2	RMS	3980	-24.58	-13	Pass	601
3981	3985	0.62	RMS	3981.02	-35.7	-13	Pass	601
3985	4085	1	RMS	4000	-39.91	-13	Pass	601




39.14. Band Edge for SA(NTNV)(Subtest:6, Channel:663332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3966.333	2.79	30	Pass	601
3980	3981	0.2	RMS	3980.01	-39.09	-13	Pass	601
3981	3985	0.62	RMS	3981.093	-37.2	-13	Pass	601
3985	4085	1	RMS	3995	-35.52	-13	Pass	601




39.15. Band Edge for SA(NTNV)(Subtest:7, Channel:663332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.833	18.27	30	Pass	601
3980	3981	0.2	RMS	3980.003	-24.08	-13	Pass	601
3981	3985	0.62	RMS	3981.027	-35.44	-13	Pass	601
3985	4085	1	RMS	3999.667	-39.91	-13	Pass	601




39.16. Band Edge for SA(NTNV)(Subtest:8, Channel:663332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3970.333	2.78	30	Pass	601
3980	3981	0.2	RMS	3980.002	-37.65	-13	Pass	601
3981	3985	0.62	RMS	3981.94	-33.47	-13	Pass	601
3985	4085	1	RMS	3986.167	-32.17	-13	Pass	601




39.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3651.833	-39.86	-13	Pass	601
3695	3699	0.62	RMS	3699	-38.43	-13	Pass	601
3699	3700	0.2	RMS	3700	-25.34	-13	Pass	601
3700	3800	1	RMS	3701	16.62	30	Pass	601




39.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-34.84	-13	Pass	601
3695	3699	0.62	RMS	3695.013	-36.75	-13	Pass	601
3699	3700	0.2	RMS	3699.932	-41.51	-13	Pass	601
3700	3800	1	RMS	3775	0.32	30	Pass	601




39.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3692.667	-39.95	-13	Pass	601
3695	3699	0.62	RMS	3698.753	-38.17	-13	Pass	601
3699	3700	0.2	RMS	3700	-26.59	-13	Pass	601
3700	3800	1	RMS	3701.167	16.4	30	Pass	601




39.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3691.667	-34.27	-13	Pass	601
3695	3699	0.62	RMS	3695.013	-36.13	-13	Pass	601
3699	3700	0.2	RMS	3699.988	-40.58	-13	Pass	601
3700	3800	1	RMS	3740.667	0.22	30	Pass	601




39.21. Band Edge for SA(NTNV)(Subtest:5, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	18.34	30	Pass	601
3980	3981	0.2	RMS	3980.002	-24.47	-13	Pass	601
3981	3985	0.62	RMS	3981.013	-35.85	-13	Pass	601
3985	4085	1	RMS	4000	-39.89	-13	Pass	601




39.22. Band Edge for SA(NTNV)(Subtest:6, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3947.833	0.19	30	Pass	601
3980	3981	0.2	RMS	3980.273	-40.72	-13	Pass	601
3981	3985	0.62	RMS	3984.027	-35.63	-13	Pass	601
3985	4085	1	RMS	3987	-34.26	-13	Pass	601




39.23. Band Edge for SA(NTNV)(Subtest:7, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	18.26	30	Pass	601
3980	3981	0.2	RMS	3980	-24.56	-13	Pass	601
3981	3985	0.62	RMS	3981	-35.71	-13	Pass	601
3985	4085	1	RMS	4000.833	-39.9	-13	Pass	601



39.24. Band Edge for SA(NTNV)(Subtest:8, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3890	0.14	30	Pass	601
3980	3981	0.2	RMS	3980.133	-38.19	-13	Pass	601
3981	3985	0.62	RMS	3984.053	-33.48	-13	Pass	601
3985	4085	1	RMS	3987.167	-31.95	-13	Pass	601



40. n77 30kHz(3450-3650MHz)


40.1. Band Edge for SA_IC(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3403	-42.79	-30	Pass	40
3440	3444	1	RMS	3442	-43.12	-25	Pass	6
3444	3445	1	RMS	3444.528	-42.73	-13	Pass	601
3445	3449	1	RMS	3448.993	-30.23	-10	Pass	601
3449	3450	0.06	RMS	3450	-31.35	-13	Pass	18
3450	3650	1	RMS	3451	17.62	30	Pass	601




40.2. Band Edge for SA_IC(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3439	-35.02	-30	Pass	40
3440	3444	1	RMS	3442	-31.72	-25	Pass	6
3444	3445	1	RMS	3444.04	-33.02	-13	Pass	601
3445	3449	1	RMS	3448.993	-30.48	-10	Pass	601
3449	3450	0.06	RMS	3450	-40.32	-13	Pass	18
3450	3650	1	RMS	3458.667	7.18	30	Pass	601




40.3. Band Edge for SA_IC(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3400	-42.83	-30	Pass	40
3440	3444	1	RMS	3444	-43.11	-25	Pass	6
3444	3445	1	RMS	3444.992	-42.73	-13	Pass	601
3445	3449	1	RMS	3449	-30.73	-10	Pass	601
3449	3450	0.06	RMS	3450	-32.03	-13	Pass	18
3450	3650	1	RMS	3451	17.59	30	Pass	601




40.4. Band Edge for SA_IC(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3439	-33.38	-30	Pass	40
3440	3444	1	RMS	3442	-32.88	-25	Pass	6
3444	3445	1	RMS	3444.968	-31.48	-13	Pass	601
3445	3449	1	RMS	3448.98	-29.2	-10	Pass	601
3449	3450	0.06	RMS	3450	-40.97	-13	Pass	18
3450	3650	1	RMS	3460.667	7.3	30	Pass	601




40.5. Band Edge for SA_IC(NTNV)(Subtest:5, Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3600	3650	1	RMS	3648.833	15.82	30	Pass	601
3650	3651	0.062	RMS	3650	-33.77	-13	Pass	601
3651	3655	1	RMS	3651	-33.23	-10	Pass	601
3655	3656	1	RMS	3655.26	-40.04	-13	Pass	601
3656	3660	1	RMS	3656.583	-40.13	-25	Pass	601
3660	3700	1	RMS	3661.585	-40.21	-30	Pass	601




40.6. Band Edge for SA_IC(NTNV)(Subtest:6, Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3600	3650	1	RMS	3637.417	5.8	30	Pass	601
3650	3651	0.062	RMS	3650.048	-42.75	-13	Pass	601
3651	3655	1	RMS	3651.067	-32.7	-10	Pass	601
3655	3656	1	RMS	3655.85	-34.54	-13	Pass	601
3656	3660	1	RMS	3657	-33.67	-25	Pass	6
3660	3700	1	RMS	3661	-36.5	-30	Pass	40




40.7. Band Edge for SA_IC(NTNV)(Subtest:7, Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3600	3650	1	RMS	3649	15.95	30	Pass	601
3650	3651	0.062	RMS	3650.01	-32.35	-13	Pass	601
3651	3655	1	RMS	3651	-32.6	-10	Pass	601
3655	3656	1	RMS	3655.217	-40.04	-13	Pass	601
3656	3660	1	RMS	3658	-40.22	-25	Pass	6
3660	3700	1	RMS	3667	-40.21	-30	Pass	40




40.8. Band Edge for SA_IC(NTNV)(Subtest:8, Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3600	3650	1	RMS	3639.833	5.93	30	Pass	601
3650	3651	0.062	RMS	3650.482	-42.37	-13	Pass	601
3651	3655	1	RMS	3651	-31.86	-10	Pass	601
3655	3656	1	RMS	3655.028	-34.35	-13	Pass	601
3656	3660	1	RMS	3658	-34.83	-25	Pass	6
3660	3700	1	RMS	3661	-35.34	-30	Pass	40




40.9. Band Edge for SA_IC(NTNV)(Subtest:17, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3401	-42.9	-30	Pass	40
3440	3444	1	RMS	3442	-43.14	-25	Pass	6
3444	3445	1	RMS	3444.962	-42.75	-13	Pass	601
3445	3449	1	RMS	3448.993	-30.71	-10	Pass	601
3449	3450	0.03	RMS	3450	-34.38	-24	Pass	35
3450	3650	1	RMS	3451	17.4	30	Pass	601




40.10. Band Edge for SA_IC(NTNV)(Subtest:18, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3423	-35.8	-30	Pass	40
3440	3444	1	RMS	3444	-37.27	-25	Pass	6
3444	3445	1	RMS	3445	-35.31	-13	Pass	601
3445	3449	1	RMS	3448.607	-32.1	-10	Pass	601
3449	3450	0.03	RMS	3449.529	-46.71	-24	Pass	35
3450	3650	1	RMS	3477	2.22	30	Pass	601




40.11. Band Edge for SA_IC(NTNV)(Subtest:19, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3401	-42.86	-30	Pass	40
3440	3444	1	RMS	3444	-43.14	-25	Pass	6
3444	3445	1	RMS	3444.948	-42.76	-13	Pass	601
3445	3449	1	RMS	3448.993	-31.21	-10	Pass	601
3449	3450	0.03	RMS	3450	-35.56	-24	Pass	35
3450	3650	1	RMS	3451.333	16.48	30	Pass	601




40.12. Band Edge for SA_IC(NTNV)(Subtest:20, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3437	-35.82	-30	Pass	40
3440	3444	1	RMS	3442	-34.96	-25	Pass	6
3444	3445	1	RMS	3445	-33.98	-13	Pass	601
3445	3449	1	RMS	3448.487	-32.26	-10	Pass	601
3449	3450	0.03	RMS	3449.235	-46.72	-24	Pass	35
3450	3650	1	RMS	3482.667	2.29	30	Pass	601




40.13. Band Edge for SA_IC(NTNV)(Subtest:21, Channel:641334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3650	1	RMS	3648.9	15.77	30	Pass	601
3650	3651	0.03	RMS	3650.007	-37.82	-24	Pass	601
3651	3655	1	RMS	3651	-33.62	-10	Pass	601
3655	3656	1	RMS	3655.017	-40.1	-13	Pass	601
3656	3660	1	RMS	3660.292	-40.15	-25	Pass	601
3660	3700	1	RMS	3661.26	-40.23	-30	Pass	601




40.14. Band Edge for SA_IC(NTNV)(Subtest:22, Channel:641334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3650	1	RMS	3611.4	1.27	30	Pass	601
3650	3651	0.03	RMS	3650.073	-46.59	-24	Pass	601
3651	3655	1	RMS	3651.327	-33.49	-10	Pass	601
3655	3656	1	RMS	3655.005	-36.19	-13	Pass	601
3656	3660	1	RMS	3656	-37.39	-25	Pass	6
3660	3700	1	RMS	3677	-36.37	-30	Pass	40




40.15. Band Edge for SA_IC(NTNV)(Subtest:23, Channel:641334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3650	1	RMS	3648.9	15.8	30	Pass	601
3650	3651	0.03	RMS	3650.003	-36.38	-24	Pass	601
3651	3655	1	RMS	3651	-32.88	-10	Pass	601
3655	3656	1	RMS	3655.502	-40.07	-13	Pass	601
3656	3660	1	RMS	3656	-40.3	-25	Pass	6
3660	3700	1	RMS	3665	-40.29	-30	Pass	40




40.16. Band Edge for SA_IC(NTNV)(Subtest:24, Channel:641334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3650	1	RMS	3613.2	1.19	30	Pass	601
3650	3651	0.03	RMS	3650.977	-48.78	-24	Pass	601
3651	3655	1	RMS	3651.847	-34.42	-10	Pass	601
3655	3656	1	RMS	3655.025	-35.79	-13	Pass	601
3656	3660	1	RMS	3656	-36.46	-25	Pass	6
3660	3700	1	RMS	3662	-37.24	-30	Pass	40




40.17. Band Edge for SA_IC(NTNV)(Subtest:25, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3439	1	RMS	3402	-42.65	-30	Pass	40
3439	3444	1	RMS	3443	-43.17	-25	Pass	6
3444	3445	1	RMS	3444.743	-42.8	-13	Pass	601
3445	3449	1	RMS	3448.993	-31.57	-10	Pass	601
3449	3450	0.03	RMS	3450	-35.37	-24	Pass	35
3450	3650	1	RMS	3451	17.28	30	Pass	601




40.18. Band Edge for SA_IC(NTNV)(Subtest:26, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3439	1	RMS	3405	-37.31	-30	Pass	40
3439	3444	1	RMS	3444	-35.26	-25	Pass	6
3444	3445	1	RMS	3444.71	-34.51	-13	Pass	601
3445	3449	1	RMS	3449	-33.9	-10	Pass	601
3449	3450	0.03	RMS	3449.294	-46.7	-24	Pass	35
3450	3650	1	RMS	3489.667	0.06	30	Pass	601




40.19. Band Edge for SA_IC(NTNV)(Subtest:27, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3439	1	RMS	3402	-42.64	-30	Pass	40
3439	3444	1	RMS	3443	-43.11	-25	Pass	6
3444	3445	1	RMS	3444.955	-42.74	-13	Pass	601
3445	3449	1	RMS	3449	-31.85	-10	Pass	601
3449	3450	0.03	RMS	3450	-36.17	-24	Pass	35
3450	3650	1	RMS	3451	17.21	30	Pass	601




40.20. Band Edge for SA_IC(NTNV)(Subtest:28, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3439	1	RMS	3433	-35.64	-30	Pass	40
3439	3444	1	RMS	3444	-34.87	-25	Pass	6
3444	3445	1	RMS	3444.255	-34.29	-13	Pass	601
3445	3449	1	RMS	3445.087	-34.46	-10	Pass	601
3449	3450	0.03	RMS	3449.912	-47.54	-24	Pass	35
3450	3650	1	RMS	3491	-0.15	30	Pass	601




40.21. Band Edge for SA_IC(NTNV)(Subtest:29, Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3650	1	RMS	3649	15.06	30	Pass	601
3650	3651	0.03	RMS	3650	-38.82	-24	Pass	601
3651	3655	1	RMS	3651.007	-35.15	-10	Pass	601
3655	3656	1	RMS	3655.102	-40.76	-13	Pass	601
3656	3660	1	RMS	3656	-40.78	-25	Pass	601
3660	3700	1	RMS	3660	-40.83	-30	Pass	601




40.22. Band Edge for SA_IC(NTNV)(Subtest:30, Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3650	1	RMS	3589.75	-1.07	30	Pass	601
3650	3651	0.03	RMS	3650.007	-49.16	-24	Pass	601
3651	3655	1	RMS	3651.153	-36.21	-10	Pass	601
3655	3656	1	RMS	3655.035	-36.83	-13	Pass	601
3656	3660	1	RMS	3656	-37.46	-25	Pass	5
3660	3700	1	RMS	3694	-38.69	-30	Pass	41




40.23. Band Edge for SA_IC(NTNV)(Subtest:31, Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3650	1	RMS	3648.75	14.81	30	Pass	601
3650	3651	0.03	RMS	3650.002	-37.36	-24	Pass	601
3651	3655	1	RMS	3651	-33.98	-10	Pass	601
3655	3656	1	RMS	3655.047	-40.74	-13	Pass	601
3656	3660	1	RMS	3657	-40.94	-25	Pass	5
3660	3700	1	RMS	3666	-40.99	-30	Pass	41



40.24. Band Edge for SA_IC(NTNV)(Subtest:32, Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3650	1	RMS	3559.75	-1.12	30	Pass	601
3650	3651	0.03	RMS	3650.083	-50.46	-24	Pass	601
3651	3655	1	RMS	3651.8	-36.97	-10	Pass	601
3655	3656	1	RMS	3655.587	-36.75	-13	Pass	601
3656	3660	1	RMS	3656	-37.51	-25	Pass	5
3660	3700	1	RMS	3662	-38.12	-30	Pass	41



41. n77 30kHz(3650-3700MHz)


41.1. Band Edge for SA_IC(NTNV)(Subtest:1, Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3647.8	-46.07	-13	Pass	601
3649	3650	0.2	RMS	3650	-26.17	-13	Pass	601
3650	3670	0.1	RMS	3651.067	11	30	Pass	601




41.2. Band Edge for SA_IC(NTNV)(Subtest:2, Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.72	-40.1	-13	Pass	601
3649	3650	0.2	RMS	3649.998	-36.27	-13	Pass	601
3650	3670	0.1	RMS	3657.8	-3.69	30	Pass	601




41.3. Band Edge for SA_IC(NTNV)(Subtest:3, Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3647.84	-46.33	-13	Pass	601
3649	3650	0.2	RMS	3650	-26.57	-13	Pass	601
3650	3670	0.1	RMS	3650.9	11.47	30	Pass	601




41.4. Band Edge for SA_IC(NTNV)(Subtest:4, Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.28	-42.09	-13	Pass	601
3649	3650	0.2	RMS	3649.993	-37.05	-13	Pass	601
3650	3670	0.1	RMS	3654.733	-3.45	30	Pass	601




41.5. Band Edge for SA_IC(NTNV)(Subtest:5, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3699.033	10.24	30	Pass	601
3700	3701	0.2	RMS	3700.002	-27.07	-13	Pass	601
3701	3725	0.1	RMS	3702.24	-47.17	-13	Pass	601




41.6. Band Edge for SA_IC(NTNV)(Subtest:6, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3690.3	-3.95	30	Pass	601
3700	3701	0.2	RMS	3700.052	-38.3	-13	Pass	601
3701	3725	0.1	RMS	3701.24	-41.51	-13	Pass	601




41.7. Band Edge for SA_IC(NTNV)(Subtest:7, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3698.933	10.31	30	Pass	601
3700	3701	0.2	RMS	3700	-26.11	-13	Pass	601
3701	3725	0.1	RMS	3702.16	-46.81	-13	Pass	601




41.8. Band Edge for SA_IC(NTNV)(Subtest:8, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3684.667	-3.95	30	Pass	601
3700	3701	0.2	RMS	3700.015	-39.73	-13	Pass	601
3701	3725	0.1	RMS	3702.28	-43.61	-13	Pass	601




41.9. Band Edge for SA_IC(NTNV)(Subtest:9, Channel:644334, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.56	-45.17	-13	Pass	601
3649	3650	0.3	RMS	3649.998	-29.99	-13	Pass	601
3650	3685	0.1	RMS	3651.108	9.62	30	Pass	601




41.10. Band Edge for SA_IC(NTNV)(Subtest:10, Channel:644334, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.96	-42.97	-13	Pass	601
3649	3650	0.3	RMS	3649.988	-37.22	-13	Pass	601
3650	3685	0.1	RMS	3655.6	-7.06	30	Pass	601




41.11. Band Edge for SA_IC(NTNV)(Subtest:11, Channel:644334, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.56	-45.76	-13	Pass	601
3649	3650	0.3	RMS	3650	-29.9	-13	Pass	601
3650	3685	0.1	RMS	3651.108	9.43	30	Pass	601




41.12. Band Edge for SA_IC(NTNV)(Subtest:12, Channel:644334, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648	-45.02	-13	Pass	601
3649	3650	0.3	RMS	3649.993	-38.27	-13	Pass	601
3650	3685	0.1	RMS	3656.708	-6.86	30	Pass	601




41.13. Band Edge for SA_IC(NTNV)(Subtest:13, Channel:645666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3665	3700	0.1	RMS	3698.95	8.69	30	Pass	601
3700	3701	0.3	RMS	3700	-30.74	-13	Pass	601
3701	3725	0.1	RMS	3701.48	-46.71	-13	Pass	601




41.14. Band Edge for SA_IC(NTNV)(Subtest:14, Channel:645666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3665	3700	0.1	RMS	3675.617	-7.02	30	Pass	601
3700	3701	0.3	RMS	3700.702	-38.89	-13	Pass	601
3701	3725	0.1	RMS	3701.16	-43.85	-13	Pass	601




41.15. Band Edge for SA_IC(NTNV)(Subtest:15, Channel:645666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3665	3700	0.1	RMS	3698.833	8.61	30	Pass	601
3700	3701	0.3	RMS	3700.002	-30.68	-13	Pass	601
3701	3725	0.1	RMS	3701.4	-46.91	-13	Pass	601




41.16. Band Edge for SA_IC(NTNV)(Subtest:16, Channel:645666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3665	3700	0.1	RMS	3676.667	-7.06	30	Pass	601
3700	3701	0.3	RMS	3700.905	-39.59	-13	Pass	601
3701	3725	0.1	RMS	3701.16	-46.27	-13	Pass	601




41.17. Band Edge for SA_IC(NTNV)(Subtest:17, Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.52	-45.45	-13	Pass	601
3649	3650	0.39	RMS	3649.997	-27.06	-13	Pass	601
3650	3670	0.1	RMS	3651.1	9.81	30	Pass	601




41.18. Band Edge for SA_IC(NTNV)(Subtest:18, Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.96	-43.96	-13	Pass	601
3649	3650	0.39	RMS	3650	-37.22	-13	Pass	601
3650	3695	0.1	RMS	3667.925	-7.28	30	Pass	601




41.19. Band Edge for SA_IC(NTNV)(Subtest:19, Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.48	-45.34	-13	Pass	601
3649	3650	0.39	RMS	3650	-27.14	-13	Pass	601
3650	3695	0.1	RMS	3651.05	9.61	30	Pass	601




41.20. Band Edge for SA_IC(NTNV)(Subtest:20, Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3647.44	-45.3	-13	Pass	601
3649	3650	0.39	RMS	3650	-38.29	-13	Pass	601
3650	3695	0.1	RMS	3651.275	-8.31	30	Pass	601




41.21. Band Edge for SA_IC(NTNV)(Subtest:21, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3700	0.1	RMS	3698.875	9	30	Pass	601
3700	3701	0.39	RMS	3700.002	-28.36	-13	Pass	601
3701	3725	0.1	RMS	3701.4	-46.88	-13	Pass	601




41.22. Band Edge for SA_IC(NTNV)(Subtest:22, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3700	0.1	RMS	3677.95	-7.77	30	Pass	601
3700	3701	0.39	RMS	3700.487	-38.67	-13	Pass	601
3701	3725	0.1	RMS	3702.92	-44.82	-13	Pass	601




41.23. Band Edge for SA_IC(NTNV)(Subtest:23, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3700	0.1	RMS	3698.875	9.21	30	Pass	601
3700	3701	0.39	RMS	3700.002	-27.16	-13	Pass	601
3701	3725	0.1	RMS	3701.48	-46.8	-13	Pass	601



41.24. Band Edge for SA_IC(NTNV)(Subtest:24, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3700	0.1	RMS	3677.35	-8.51	30	Pass	601
3700	3701	0.39	RMS	3700.308	-40.56	-13	Pass	601
3701	3725	0.1	RMS	3702.44	-46.68	-13	Pass	601



42. n78 30kHz(3450-3550MHz)


42.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3345.667	-42.25	-13	Pass	601
3445	3449	0.62	RMS	3448.413	-35.35	-13	Pass	601
3449	3450	0.39	RMS	3449.998	-17.73	-13	Pass	601
3450	3550	1	RMS	3451	19.6	30	Pass	601




42.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.667	-24.67	-13	Pass	601
3445	3449	0.62	RMS	3448.973	-25.23	-13	Pass	601
3449	3450	0.39	RMS	3450	-24.28	-13	Pass	601
3450	3550	1	RMS	3463.167	9.31	30	Pass	601




42.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3433.167	-42.08	-13	Pass	601
3445	3449	0.62	RMS	3448.547	-35.1	-13	Pass	601
3449	3450	0.39	RMS	3450	-18.28	-13	Pass	601
3450	3550	1	RMS	3450.833	19.31	30	Pass	601




42.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.667	-18.74	-13	Pass	601
3445	3449	0.62	RMS	3448.06	-17.38	-13	Pass	601
3449	3450	0.39	RMS	3449.595	-17.84	-13	Pass	601
3450	3550	1	RMS	3453.833	9.3	30	Pass	601




42.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.17	30	Pass	601
3550	3551	0.39	RMS	3550	-19.04	-13	Pass	601
3551	3555	0.62	RMS	3551.013	-36.9	-13	Pass	601
3555	3655	1	RMS	3566.833	-39.57	-13	Pass	601




42.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3543	8.36	30	Pass	601
3550	3551	0.39	RMS	3550.005	-19.15	-13	Pass	601
3551	3555	0.62	RMS	3551.007	-19.82	-13	Pass	601
3555	3655	1	RMS	3557.667	-17.95	-13	Pass	601




42.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.89	30	Pass	601
3550	3551	0.39	RMS	3550	-18.02	-13	Pass	601
3551	3555	0.62	RMS	3551.047	-32.67	-13	Pass	601
3555	3655	1	RMS	3555	-38.48	-13	Pass	601




42.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3542.667	7.91	30	Pass	601
3550	3551	0.39	RMS	3550.132	-16.43	-13	Pass	601
3551	3555	0.62	RMS	3551.113	-15.4	-13	Pass	601
3555	3655	1	RMS	3555	-15.48	-13	Pass	601




42.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3403.667	-41.97	-13	Pass	601
3445	3449	0.62	RMS	3448.993	-37.99	-13	Pass	601
3449	3450	0.39	RMS	3450	-24.3	-13	Pass	601
3450	3550	1	RMS	3451.333	19.41	30	Pass	601




42.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.333	-24.56	-13	Pass	601
3445	3449	0.62	RMS	3445.46	-26.28	-13	Pass	601
3449	3450	0.39	RMS	3449.062	-28.26	-13	Pass	601
3450	3550	1	RMS	3484.167	5.19	30	Pass	601




42.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3403.667	-42.08	-13	Pass	601
3445	3449	0.62	RMS	3448.92	-35.36	-13	Pass	601
3449	3450	0.39	RMS	3450	-24.72	-13	Pass	601
3450	3550	1	RMS	3451.167	19.26	30	Pass	601




42.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.5	-22	-13	Pass	601
3445	3449	0.62	RMS	3445.36	-24.78	-13	Pass	601
3449	3450	0.39	RMS	3449.858	-26.81	-13	Pass	601
3450	3550	1	RMS	3469.333	5.12	30	Pass	601




42.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	18.83	30	Pass	601
3550	3551	0.39	RMS	3550.002	-25.74	-13	Pass	601
3551	3555	0.62	RMS	3551	-38.65	-13	Pass	601
3555	3655	1	RMS	3596.333	-39.62	-13	Pass	601




42.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3519	4.57	30	Pass	601
3550	3551	0.39	RMS	3550.8	-23.71	-13	Pass	601
3551	3555	0.62	RMS	3553.66	-21.93	-13	Pass	601
3555	3655	1	RMS	3555.167	-19.67	-13	Pass	601




42.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	18.59	30	Pass	601
3550	3551	0.39	RMS	3550.002	-24.66	-13	Pass	601
3551	3555	0.62	RMS	3551.28	-34.55	-13	Pass	601
3555	3655	1	RMS	3555	-38.89	-13	Pass	601




42.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3519.5	4.37	30	Pass	601
3550	3551	0.39	RMS	3550.938	-20	-13	Pass	601
3551	3555	0.62	RMS	3552.447	-17.93	-13	Pass	601
3555	3655	1	RMS	3555.333	-15.65	-13	Pass	601




42.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3352.833	-41.92	-13	Pass	601
3445	3449	0.62	RMS	3449	-36.86	-13	Pass	601
3449	3450	0.39	RMS	3450	-18.19	-13	Pass	601
3450	3550	1	RMS	3451	19.36	30	Pass	601




42.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.667	-28.03	-13	Pass	601
3445	3449	0.62	RMS	3448.82	-29.16	-13	Pass	601
3449	3450	0.39	RMS	3449.992	-30.86	-13	Pass	601
3450	3550	1	RMS	3489.667	1.79	30	Pass	601




42.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3353	-41.99	-13	Pass	601
3445	3449	0.62	RMS	3448.527	-35.55	-13	Pass	601
3449	3450	0.39	RMS	3450	-19.59	-13	Pass	601
3450	3550	1	RMS	3451	19.17	30	Pass	601




42.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-20.49	-13	Pass	601
3445	3449	0.62	RMS	3448.693	-22.16	-13	Pass	601
3449	3450	0.39	RMS	3449.932	-24.31	-13	Pass	601
3450	3550	1	RMS	3491	1.36	30	Pass	601




42.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.77	30	Pass	601
3550	3551	0.39	RMS	3550.002	-19.85	-13	Pass	601
3551	3555	0.62	RMS	3551	-37.84	-13	Pass	601
3555	3655	1	RMS	3646.667	-39.52	-13	Pass	601




42.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3508.833	0.25	30	Pass	601
3550	3551	0.2	RMS	3550.323	-37.64	-13	Pass	601
3551	3555	0.62	RMS	3551.08	-33.22	-13	Pass	601
3555	3655	1	RMS	3555.167	-31.72	-13	Pass	601




42.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.7	30	Pass	601
3550	3551	0.39	RMS	3550.002	-19.02	-13	Pass	601
3551	3555	0.62	RMS	3551	-33.88	-13	Pass	601
3555	3655	1	RMS	3555	-38.82	-13	Pass	601



42.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3491.167	0.17	30	Pass	601
3550	3551	0.2	RMS	3550.163	-37.25	-13	Pass	601
3551	3555	0.62	RMS	3551.22	-32.62	-13	Pass	601
3555	3655	1	RMS	3555	-30.83	-13	Pass	601



43. n78 30kHz(3700-3800MHz)


43.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-39.87	-13	Pass	601
3695	3699	0.62	RMS	3698.993	-37.56	-13	Pass	601
3699	3700	0.39	RMS	3699.998	-20.31	-13	Pass	601
3700	3800	1	RMS	3701	17.35	30	Pass	601




43.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-32.02	-13	Pass	601
3695	3699	0.62	RMS	3698.94	-33.19	-13	Pass	601
3699	3700	0.39	RMS	3699.988	-31.02	-13	Pass	601
3700	3800	1	RMS	3713.167	7.12	30	Pass	601




43.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3683	-39.87	-13	Pass	601
3695	3699	0.62	RMS	3698.653	-37.39	-13	Pass	601
3699	3700	0.39	RMS	3699.997	-21.28	-13	Pass	601
3700	3800	1	RMS	3701	17.24	30	Pass	601




43.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-27.34	-13	Pass	601
3695	3699	0.62	RMS	3698.947	-27.61	-13	Pass	601
3699	3700	0.39	RMS	3699.997	-27.63	-13	Pass	601
3700	3800	1	RMS	3714.167	7.1	30	Pass	601




43.5. Band Edge for SA(NTNV)(Subtest:5, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	19.02	30	Pass	601
3800	3801	0.39	RMS	3800	-19.52	-13	Pass	601
3801	3805	0.62	RMS	3801.013	-35.29	-13	Pass	601
3805	3905	1	RMS	3805.833	-38.36	-13	Pass	601




43.6. Band Edge for SA(NTNV)(Subtest:6, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3795.333	8.87	30	Pass	601
3800	3801	0.39	RMS	3800.012	-33.67	-13	Pass	601
3801	3805	0.62	RMS	3801	-33.08	-13	Pass	601
3805	3905	1	RMS	3806.333	-31.43	-13	Pass	601




43.7. Band Edge for SA(NTNV)(Subtest:7, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	19.1	30	Pass	601
3800	3801	0.39	RMS	3800.003	-18.64	-13	Pass	601
3801	3805	0.62	RMS	3801.053	-35.08	-13	Pass	601
3805	3905	1	RMS	3805.167	-38.34	-13	Pass	601




43.8. Band Edge for SA(NTNV)(Subtest:8, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3783	8.63	30	Pass	601
3800	3801	0.39	RMS	3800.623	-29.75	-13	Pass	601
3801	3805	0.62	RMS	3801.073	-28.17	-13	Pass	601
3805	3905	1	RMS	3805	-28.27	-13	Pass	601




43.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-39.87	-13	Pass	601
3695	3699	0.62	RMS	3698.567	-38.34	-13	Pass	601
3699	3700	0.39	RMS	3700	-26.93	-13	Pass	601
3700	3800	1	RMS	3701.167	17.04	30	Pass	601




43.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.333	-32.42	-13	Pass	601
3695	3699	0.62	RMS	3698.987	-35.59	-13	Pass	601
3699	3700	0.39	RMS	3699.995	-36.84	-13	Pass	601
3700	3800	1	RMS	3734.167	3.43	30	Pass	601




43.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3653.833	-39.92	-13	Pass	601
3695	3699	0.62	RMS	3698.84	-37.56	-13	Pass	601
3699	3700	0.39	RMS	3700	-27.12	-13	Pass	601
3700	3800	1	RMS	3701.167	17	30	Pass	601




43.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-29.89	-13	Pass	601
3695	3699	0.62	RMS	3697.547	-33.02	-13	Pass	601
3699	3700	0.39	RMS	3699.907	-34.39	-13	Pass	601
3700	3800	1	RMS	3721.167	3.25	30	Pass	601




43.13. Band Edge for SA(NTNV)(Subtest:5, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.667	18.98	30	Pass	601
3800	3801	0.39	RMS	3800	-27.38	-13	Pass	601
3801	3805	0.62	RMS	3801.167	-35.87	-13	Pass	601
3805	3905	1	RMS	3805.5	-38.37	-13	Pass	601




43.14. Band Edge for SA(NTNV)(Subtest:6, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3784.333	4.35	30	Pass	601
3800	3801	0.39	RMS	3800.637	-35.28	-13	Pass	601
3801	3805	0.62	RMS	3804.993	-32.19	-13	Pass	601
3805	3905	1	RMS	3805	-30.23	-13	Pass	601




43.15. Band Edge for SA(NTNV)(Subtest:7, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.667	18.9	30	Pass	601
3800	3801	0.39	RMS	3800.003	-26.26	-13	Pass	601
3801	3805	0.62	RMS	3801.1	-35.56	-13	Pass	601
3805	3905	1	RMS	3805.333	-38.33	-13	Pass	601




43.16. Band Edge for SA(NTNV)(Subtest:8, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3769.5	4.47	30	Pass	601
3800	3801	0.39	RMS	3800.983	-32.15	-13	Pass	601
3801	3805	0.62	RMS	3804.76	-29.88	-13	Pass	601
3805	3905	1	RMS	3805	-28.43	-13	Pass	601




43.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3651.833	-39.82	-13	Pass	601
3695	3699	0.62	RMS	3698.98	-38.08	-13	Pass	601
3699	3700	0.39	RMS	3699.997	-20.65	-13	Pass	601
3700	3800	1	RMS	3700.833	16.78	30	Pass	601




43.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-35	-13	Pass	601
3695	3699	0.62	RMS	3695.193	-36.91	-13	Pass	601
3699	3700	0.39	RMS	3699.982	-38.18	-13	Pass	601
3700	3800	1	RMS	3775.167	0.48	30	Pass	601




43.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3620.5	-39.91	-13	Pass	601
3695	3699	0.62	RMS	3698.573	-37.62	-13	Pass	601
3699	3700	0.39	RMS	3700	-21.99	-13	Pass	601
3700	3800	1	RMS	3701	16.74	30	Pass	601




43.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3691.5	-33.85	-13	Pass	601
3695	3699	0.62	RMS	3695.813	-36.31	-13	Pass	601
3699	3700	0.39	RMS	3699.992	-37.46	-13	Pass	601
3700	3800	1	RMS	3740.5	0.44	30	Pass	601




43.21. Band Edge for SA(NTNV)(Subtest:5, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.833	18.65	30	Pass	601
3800	3801	0.39	RMS	3800.003	-20.3	-13	Pass	601
3801	3805	0.62	RMS	3801.187	-35.71	-13	Pass	601
3805	3905	1	RMS	3805.167	-38.37	-13	Pass	601




43.22. Band Edge for SA(NTNV)(Subtest:6, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3739.833	-2.15	30	Pass	601
3800	3801	0.39	RMS	3800.36	-40.1	-13	Pass	601
3801	3805	0.62	RMS	3804.28	-38.4	-13	Pass	601
3805	3905	1	RMS	3805	-36.72	-13	Pass	601




43.23. Band Edge for SA(NTNV)(Subtest:7, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.833	18.7	30	Pass	601
3800	3801	0.39	RMS	3800.003	-19.81	-13	Pass	601
3801	3805	0.62	RMS	3801.067	-35.38	-13	Pass	601
3805	3905	1	RMS	3805	-38.3	-13	Pass	601



43.24. Band Edge for SA(NTNV)(Subtest:8, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3745.833	-2.26	30	Pass	601
3800	3801	0.39	RMS	3800.502	-40.67	-13	Pass	601
3801	3805	0.62	RMS	3804.433	-38.95	-13	Pass	601
3805	3905	1	RMS	3806.5	-37	-13	Pass	601



44. n78 30kHz(3450-3650MHz)


44.1. Band Edge for SA_IC(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3433	-43.16	-30	Pass	40
3440	3444	1	RMS	3441	-43.4	-25	Pass	6
3444	3445	1	RMS	3444.907	-43.09	-13	Pass	601
3445	3449	1	RMS	3449	-29.93	-10	Pass	601
3449	3450	0.06	RMS	3450	-31.38	-13	Pass	18
3450	3650	1	RMS	3451	17.12	30	Pass	601




44.2. Band Edge for SA_IC(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3439	-32.3	-30	Pass	40
3440	3444	1	RMS	3442	-29.38	-25	Pass	6
3444	3445	1	RMS	3444.037	-30.63	-13	Pass	601
3445	3449	1	RMS	3448.953	-27.63	-10	Pass	601
3449	3450	0.06	RMS	3450	-37.68	-13	Pass	18
3450	3650	1	RMS	3462.667	6.77	30	Pass	601




44.3. Band Edge for SA_IC(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3433	-43.14	-30	Pass	40
3440	3444	1	RMS	3441	-43.39	-25	Pass	6
3444	3445	1	RMS	3444.962	-43.08	-13	Pass	601
3445	3449	1	RMS	3448.993	-30.59	-10	Pass	601
3449	3450	0.06	RMS	3450	-32.38	-13	Pass	18
3450	3650	1	RMS	3451	17.06	30	Pass	601




44.4. Band Edge for SA_IC(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3439	-3.34	-30	Pass	40
3440	3444	1	RMS	3444	-28.78	-25	Pass	6
3444	3445	1	RMS	3444.963	-27.54	-13	Pass	601
3445	3449	1	RMS	3448.827	-25.37	-10	Pass	601
3449	3450	0.06	RMS	3449.529	-37.03	-13	Pass	18
3450	3650	1	RMS	3459.667	6.73	30	Pass	601




44.5. Band Edge for SA_IC(NTNV)(Subtest:5, Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3600	3650	1	RMS	3649	14.43	30	Pass	601
3650	3651	0.062	RMS	3650	-34.6	-13	Pass	601
3651	3655	1	RMS	3651.013	-34.34	-10	Pass	601
3655	3656	1	RMS	3655.17	-40.79	-13	Pass	601
3656	3660	1	RMS	3658.4	-40.75	-25	Pass	601
3660	3700	1	RMS	3666.655	-40.88	-30	Pass	601




44.6. Band Edge for SA_IC(NTNV)(Subtest:6, Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3600	3650	1	RMS	3638.583	4.25	30	Pass	601
3650	3651	0.062	RMS	3650.295	-42.61	-13	Pass	601
3651	3655	1	RMS	3651.02	-33.17	-10	Pass	601
3655	3656	1	RMS	3655.993	-34.55	-13	Pass	601
3656	3660	1	RMS	3657	-33.83	-25	Pass	6
3660	3700	1	RMS	3661	-36.84	-30	Pass	40




44.7. Band Edge for SA_IC(NTNV)(Subtest:7, Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3600	3650	1	RMS	3649	14.51	30	Pass	601
3650	3651	0.062	RMS	3650.002	-33.34	-13	Pass	601
3651	3655	1	RMS	3651	-33.24	-10	Pass	601
3655	3656	1	RMS	3655.18	-40.78	-13	Pass	601
3656	3660	1	RMS	3658	-40.91	-25	Pass	6
3660	3700	1	RMS	3669	-40.93	-30	Pass	40




44.8. Band Edge for SA_IC(NTNV)(Subtest:8, Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3600	3650	1	RMS	3639.833	4.46	30	Pass	601
3650	3651	0.062	RMS	3650.49	-41.52	-13	Pass	601
3651	3655	1	RMS	3651.013	-31.78	-10	Pass	601
3655	3656	1	RMS	3655.285	-34.06	-13	Pass	601
3656	3660	1	RMS	3656	-35.03	-25	Pass	6
3660	3700	1	RMS	3661	-35.91	-30	Pass	40




44.9. Band Edge for SA_IC(NTNV)(Subtest:9, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3404	-42.88	-30	Pass	40
3440	3444	1	RMS	3442	-43.35	-25	Pass	6
3444	3445	1	RMS	3444.968	-43.1	-13	Pass	601
3445	3449	1	RMS	3448.993	-35.15	-10	Pass	601
3449	3450	0.03	RMS	3450	-42.49	-24	Pass	35
3450	3650	1	RMS	3451.333	16.8	30	Pass	601




44.10. Band Edge for SA_IC(NTNV)(Subtest:10, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3427	-33.48	-30	Pass	40
3440	3444	1	RMS	3444	-30.63	-25	Pass	6
3444	3445	1	RMS	3444.992	-29.5	-13	Pass	601
3445	3449	1	RMS	3445.32	-29.3	-10	Pass	601
3449	3450	0.03	RMS	3449	-42.88	-24	Pass	35
3450	3650	1	RMS	3484.333	2.68	30	Pass	601




44.11. Band Edge for SA_IC(NTNV)(Subtest:11, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3404	-42.89	-30	Pass	40
3440	3444	1	RMS	3442	-43.3	-25	Pass	6
3444	3445	1	RMS	3444.812	-43.12	-13	Pass	601
3445	3449	1	RMS	3449	-34.11	-10	Pass	601
3449	3450	0.03	RMS	3450	-41.9	-24	Pass	35
3450	3650	1	RMS	3451.333	16.85	30	Pass	601




44.12. Band Edge for SA_IC(NTNV)(Subtest:12, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3439	-32.97	-30	Pass	40
3440	3444	1	RMS	3444	-28.48	-25	Pass	6
3444	3445	1	RMS	3444.078	-27.54	-13	Pass	601
3445	3449	1	RMS	3445.227	-27.52	-10	Pass	601
3449	3450	0.03	RMS	3449.647	-42.36	-24	Pass	35
3450	3650	1	RMS	3471	2.77	30	Pass	601




44.13. Band Edge for SA_IC(NTNV)(Subtest:13, Channel:641666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3650	1	RMS	3648.8	14.28	30	Pass	601
3650	3651	0.03	RMS	3650.005	-44.32	-24	Pass	601
3651	3655	1	RMS	3651.007	-37.18	-10	Pass	601
3655	3656	1	RMS	3655.087	-40.82	-13	Pass	601
3656	3660	1	RMS	3656.667	-40.8	-25	Pass	601
3660	3700	1	RMS	3661.91	-40.9	-30	Pass	601




44.14. Band Edge for SA_IC(NTNV)(Subtest:14, Channel:641666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3650	1	RMS	3607.7	0.83	30	Pass	601
3650	3651	0.03	RMS	3650.447	-48.78	-24	Pass	601
3651	3655	1	RMS	3651.02	-35.06	-10	Pass	601
3655	3656	1	RMS	3655.05	-36.66	-13	Pass	601
3656	3660	1	RMS	3656	-37.75	-25	Pass	6
3660	3700	1	RMS	3669	-36.42	-30	Pass	40



44.15. Band Edge for SA_IC(NTNV)(Subtest:15, Channel:641666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3650	1	RMS	3648.7	14.29	30	Pass	601
3650	3651	0.03	RMS	3650	-43.92	-24	Pass	601
3651	3655	1	RMS	3651.007	-36.69	-10	Pass	601
3655	3656	1	RMS	3655.472	-40.79	-13	Pass	601
3656	3660	1	RMS	3657	-40.98	-25	Pass	6
3660	3700	1	RMS	3665	-41.06	-30	Pass	40




44.16. Band Edge for SA_IC(NTNV)(Subtest:16, Channel:641666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3590	3650	1	RMS	3619.6	1.03	30	Pass	601
3650	3651	0.03	RMS	3650.923	-47.49	-24	Pass	601
3651	3655	1	RMS	3651.047	-34.15	-10	Pass	601
3655	3656	1	RMS	3655.388	-35.05	-13	Pass	601
3656	3660	1	RMS	3656	-35.71	-25	Pass	6
3660	3700	1	RMS	3661	-37.12	-30	Pass	40




44.17. Band Edge for SA_IC(NTNV)(Subtest:25, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3402	-42.97	-30	Pass	40
3440	3444	1	RMS	3441	-43.36	-25	Pass	6
3444	3445	1	RMS	3444.982	-43.08	-13	Pass	601
3445	3449	1	RMS	3449	-31.33	-10	Pass	601
3449	3450	0.03	RMS	3450	-35.32	-24	Pass	35
3450	3650	1	RMS	3451	16.66	30	Pass	601




44.18. Band Edge for SA_IC(NTNV)(Subtest:26, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3437	-35.63	-30	Pass	40
3440	3444	1	RMS	3444	-33.44	-25	Pass	6
3444	3445	1	RMS	3444.97	-32.28	-13	Pass	601
3445	3449	1	RMS	3448.973	-31.52	-10	Pass	601
3449	3450	0.03	RMS	3449.412	-45.39	-24	Pass	35
3450	3650	1	RMS	3517.667	-0.55	30	Pass	601




44.19. Band Edge for SA_IC(NTNV)(Subtest:27, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3402	-42.97	-30	Pass	40
3440	3444	1	RMS	3441	-43.34	-25	Pass	6
3444	3445	1	RMS	3444.923	-43.06	-13	Pass	601
3445	3449	1	RMS	3448.993	-31.74	-10	Pass	601
3449	3450	0.03	RMS	3450	-36.52	-24	Pass	35
3450	3650	1	RMS	3451	16.69	30	Pass	601




44.20. Band Edge for SA_IC(NTNV)(Subtest:28, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3400	3440	1	RMS	3436	-32.86	-30	Pass	40
3440	3444	1	RMS	3444	-31.93	-25	Pass	6
3444	3445	1	RMS	3444.743	-30.89	-13	Pass	601
3445	3449	1	RMS	3445.14	-31.06	-10	Pass	601
3449	3450	0.03	RMS	3449.412	-43.71	-24	Pass	35
3450	3650	1	RMS	3490.667	-0.56	30	Pass	601




44.21. Band Edge for SA_IC(NTNV)(Subtest:29, Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3650	1	RMS	3649	14.23	30	Pass	601
3650	3651	0.03	RMS	3650	-39.48	-24	Pass	601
3651	3655	1	RMS	3651.007	-35.54	-10	Pass	601
3655	3656	1	RMS	3655.233	-40.78	-13	Pass	601
3656	3660	1	RMS	3658.4	-40.82	-25	Pass	601
3660	3700	1	RMS	3661.78	-40.87	-30	Pass	601




44.22. Band Edge for SA_IC(NTNV)(Subtest:30, Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3650	1	RMS	3558.5	-1.43	30	Pass	601
3650	3651	0.03	RMS	3650.21	-49.25	-24	Pass	601
3651	3655	1	RMS	3651.127	-35.94	-10	Pass	601
3655	3656	1	RMS	3655.012	-36.56	-13	Pass	601
3656	3660	1	RMS	3656	-37.09	-25	Pass	6
3660	3700	1	RMS	3696	-38.13	-30	Pass	40




44.23. Band Edge for SA_IC(NTNV)(Subtest:31, Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3650	1	RMS	3648.75	13.86	30	Pass	601
3650	3651	0.03	RMS	3650.008	-38.18	-24	Pass	601
3651	3655	1	RMS	3651.007	-34.48	-10	Pass	601
3655	3656	1	RMS	3655.13	-40.77	-13	Pass	601
3656	3660	1	RMS	3658	-41	-25	Pass	6
3660	3700	1	RMS	3668	-41.05	-30	Pass	40



44.24. Band Edge for SA_IC(NTNV)(Subtest:32, Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3650	1	RMS	3560	-1.23	30	Pass	601
3650	3651	0.03	RMS	3650.922	-49.8	-24	Pass	601
3651	3655	1	RMS	3651.347	-36.47	-10	Pass	601
3655	3656	1	RMS	3655.965	-36.78	-13	Pass	601
3656	3660	1	RMS	3657	-37.13	-25	Pass	6
3660	3700	1	RMS	3665	-37.71	-30	Pass	40



45. n78 30kHz(3650-3700MHz)


45.1. Band Edge for SA_IC(NTNV)(Subtest:1, Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.48	-45.33	-13	Pass	601
3649	3650	0.2	RMS	3650	-27.78	-13	Pass	601
3650	3670	0.1	RMS	3650.967	9.6	30	Pass	601




45.2. Band Edge for SA_IC(NTNV)(Subtest:2, Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.72	-40.79	-13	Pass	601
3649	3650	0.2	RMS	3649.992	-36.82	-13	Pass	601
3650	3670	0.1	RMS	3658.567	-5.26	30	Pass	601




45.3. Band Edge for SA_IC(NTNV)(Subtest:3, Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.4	-45.25	-13	Pass	601
3649	3650	0.2	RMS	3650	-26.98	-13	Pass	601
3650	3670	0.1	RMS	3650.933	9.65	30	Pass	601




45.4. Band Edge for SA_IC(NTNV)(Subtest:4, Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.68	-41.99	-13	Pass	601
3649	3650	0.2	RMS	3649.963	-37.11	-13	Pass	601
3650	3670	0.1	RMS	3656.9	-5.37	30	Pass	601




45.5. Band Edge for SA_IC(NTNV)(Subtest:5, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3699	8.68	30	Pass	601
3700	3701	0.2	RMS	3700	-27.19	-13	Pass	601
3701	3725	0.1	RMS	3701.52	-46.45	-13	Pass	601




45.6. Band Edge for SA_IC(NTNV)(Subtest:6, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3690.3	-5.55	30	Pass	601
3700	3701	0.2	RMS	3700.008	-39.6	-13	Pass	601
3701	3725	0.1	RMS	3701.56	-43.19	-13	Pass	601




45.7. Band Edge for SA_IC(NTNV)(Subtest:7, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3698.967	8.77	30	Pass	601
3700	3701	0.2	RMS	3700.018	-27.59	-13	Pass	601
3701	3725	0.1	RMS	3701.6	-46.47	-13	Pass	601




45.8. Band Edge for SA_IC(NTNV)(Subtest:8, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3684.667	-5.5	30	Pass	601
3700	3701	0.2	RMS	3700.005	-40.34	-13	Pass	601
3701	3725	0.1	RMS	3701.6	-44.19	-13	Pass	601




45.9. Band Edge for SA_IC(NTNV)(Subtest:9, Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.48	-45.05	-13	Pass	601
3649	3650	0.39	RMS	3649.997	-27.11	-13	Pass	601
3650	3670	0.1	RMS	3651.1	9.83	30	Pass	601




45.10. Band Edge for SA_IC(NTNV)(Subtest:10, Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3647.4	-43.82	-13	Pass	601
3649	3650	0.39	RMS	3649.99	-37.23	-13	Pass	601
3650	3695	0.1	RMS	3667.925	-7.33	30	Pass	601




45.11. Band Edge for SA_IC(NTNV)(Subtest:11, Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.56	-45.2	-13	Pass	601
3649	3650	0.39	RMS	3649.998	-27.34	-13	Pass	601
3650	3670	0.1	RMS	3651.033	9.61	30	Pass	601




45.12. Band Edge for SA_IC(NTNV)(Subtest:12, Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.76	-44.57	-13	Pass	601
3649	3650	0.39	RMS	3649.995	-37.59	-13	Pass	601
3650	3695	0.1	RMS	3652.7	-8.55	30	Pass	601




45.13. Band Edge for SA_IC(NTNV)(Subtest:13, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3698.867	8.88	30	Pass	601
3700	3701	0.39	RMS	3700	-27.45	-13	Pass	601
3701	3725	0.1	RMS	3701.48	-46.67	-13	Pass	601




45.14. Band Edge for SA_IC(NTNV)(Subtest:14, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3700	0.1	RMS	3677.875	-7.88	30	Pass	601
3700	3701	0.39	RMS	3700.682	-38.95	-13	Pass	601
3701	3725	0.1	RMS	3701.48	-44.81	-13	Pass	601




45.15. Band Edge for SA_IC(NTNV)(Subtest:15, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3698.833	9.15	30	Pass	601
3700	3701	0.39	RMS	3700	-27.76	-13	Pass	601
3701	3725	0.1	RMS	3701.48	-46.5	-13	Pass	601




45.16. Band Edge for SA_IC(NTNV)(Subtest:16, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3655	3700	0.1	RMS	3672.85	-8.6	30	Pass	601
3700	3701	0.39	RMS	3700.327	-40.16	-13	Pass	601
3701	3725	0.1	RMS	3701	-46.12	-13	Pass	601




45.17. Band Edge for SA_IC(NTNV)(Subtest:17, Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.64	-45.45	-13	Pass	601
3649	3650	0.51	RMS	3650	-27.86	-13	Pass	601
3650	3670	0.1	RMS	3651.233	9.29	30	Pass	601




45.18. Band Edge for SA_IC(NTNV)(Subtest:18, Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3645.6	-44.7	-13	Pass	601
3649	3650	0.51	RMS	3649.992	-38.09	-13	Pass	601
3650	3705	0.1	RMS	3671.267	-9.16	30	Pass	601




45.19. Band Edge for SA_IC(NTNV)(Subtest:19, Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.6	-45.6	-13	Pass	601
3649	3650	0.51	RMS	3650	-27.38	-13	Pass	601
3650	3670	0.1	RMS	3651.167	9.63	30	Pass	601




45.20. Band Edge for SA_IC(NTNV)(Subtest:20, Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3625	3649	0.1	RMS	3648.8	-44.57	-13	Pass	601
3649	3650	0.51	RMS	3649.988	-38.58	-13	Pass	601
3650	3705	0.1	RMS	3676.95	-9.56	30	Pass	601




45.21. Band Edge for SA_IC(NTNV)(Subtest:21, Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3698.733	8.62	30	Pass	601
3700	3701	0.51	RMS	3700	-28.76	-13	Pass	601
3701	3725	0.1	RMS	3701.36	-46.83	-13	Pass	601




45.22. Band Edge for SA_IC(NTNV)(Subtest:22, Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3700	0.1	RMS	3672.958	-9.14	30	Pass	601
3700	3701	0.51	RMS	3700.01	-38.96	-13	Pass	601
3701	3725	0.1	RMS	3704.56	-45.43	-13	Pass	601




45.23. Band Edge for SA_IC(NTNV)(Subtest:23, Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3698.7	8.69	30	Pass	601
3700	3701	0.51	RMS	3700.003	-28.41	-13	Pass	601
3701	3725	0.1	RMS	3701.32	-46.61	-13	Pass	601



45.24. Band Edge for SA_IC(NTNV)(Subtest:24, Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3700	0.1	RMS	3661.867	-9.43	30	Pass	601
3700	3701	0.51	RMS	3700.965	-39.72	-13	Pass	601
3701	3725	0.1	RMS	3702.48	-46.1	-13	Pass	601



46. n41 30kHz (MIMO_ANT0)


46.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.185	-44.42	-25	Pass	601
2490	2495	1	RMS	2495	-30.83	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-31.3	-13	Pass	601
2496	2596	1	RMS	2497	17.54	30	Pass	601




46.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-35.59	-25	Pass	601
2490	2495	1	RMS	2494.983	-32.7	-13	Pass	601
2495	2496	0.4	RMS	2496	-33.77	-13	Pass	4
2496	2596	2	RMS	2510.167	10.16	30	Pass	601




46.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.185	-44.4	-25	Pass	601
2490	2495	1	RMS	2495	-30.84	-13	Pass	601
2495	2496	0.051	RMS	2496	-31.18	-13	Pass	601
2496	2596	1	RMS	2497.167	17.37	30	Pass	601




46.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-35.2	-25	Pass	601
2490	2495	1	RMS	2494.992	-32.98	-13	Pass	601
2495	2496	0.4	RMS	2496	-33.87	-13	Pass	4
2496	2596	1	RMS	2507.5	7.25	30	Pass	601




46.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689.167	16.74	30	Pass	601
2690	2691	0.1	RMS	2690.002	-28.99	-13	Pass	601
2691	2695	1	RMS	2691.007	-32.43	-13	Pass	601
2695	2710	1	RMS	2695.15	-44.17	-13	Pass	601
2710	2795	1	RMS	2751.367	-44.34	-25	Pass	601




46.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.833	6.98	30	Pass	601
2690	2691	0.4	RMS	2690	-38.21	-13	Pass	4
2691	2695	1	RMS	2691	-34.3	-13	Pass	601
2695	2710	1	RMS	2695.075	-37.05	-13	Pass	601
2710	2715	1	RMS	2714.917	-43.01	-25	Pass	601
2715	2795	1	RMS	2715.267	-43.1	-25	Pass	601




46.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	17.25	30	Pass	601
2690	2691	0.1	RMS	2690	-28.42	-13	Pass	601
2691	2695	1	RMS	2691.013	-31.9	-13	Pass	601
2695	2710	1	RMS	2695.175	-44.17	-13	Pass	601
2710	2795	1	RMS	2781.117	-44.29	-25	Pass	601




46.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.167	7.02	30	Pass	601
2690	2691	0.4	RMS	2690	-38.11	-13	Pass	4
2691	2695	1	RMS	2691.027	-34.29	-13	Pass	601
2695	2710	1	RMS	2695.3	-36.16	-13	Pass	601
2710	2715	1	RMS	2710.767	-42.61	-25	Pass	601
2715	2795	1	RMS	2715.267	-43.14	-25	Pass	601




46.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.68	-44.43	-25	Pass	601
2490	2495	1	RMS	2495	-31.09	-13	Pass	601
2495	2496	0.051	RMS	2495.998	-31.55	-13	Pass	601
2496	2596	1	RMS	2496.833	17.19	30	Pass	601




46.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-33.56	-25	Pass	601
2490	2495	1	RMS	2494.858	-31.02	-13	Pass	601
2495	2496	1.2	RMS	2496	-28.98	-13	Pass	2
2496	2596	2	RMS	2546.833	5.45	30	Pass	601




46.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-44.42	-25	Pass	601
2490	2495	1	RMS	2495	-31.14	-13	Pass	601
2495	2496	0.051	RMS	2496	-31.69	-13	Pass	601
2496	2596	1	RMS	2497	17.52	30	Pass	601




46.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.175	-31.42	-25	Pass	601
2490	2495	1	RMS	2494.558	-29.15	-13	Pass	601
2495	2496	1.2	RMS	2496	-27.71	-13	Pass	2
2496	2596	1	RMS	2547.167	2.48	30	Pass	601




46.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	17.09	30	Pass	601
2690	2691	0.1	RMS	2690	-29.97	-13	Pass	601
2691	2695	1	RMS	2691	-33.2	-13	Pass	601
2695	2750	1	RMS	2695.367	-44.16	-13	Pass	601
2750	2795	1	RMS	2780.675	-44.31	-25	Pass	601




46.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2662.833	2.25	30	Pass	601
2690	2691	1.2	RMS	2690	-30.83	-13	Pass	2
2691	2695	1	RMS	2691.62	-38.02	-13	Pass	601
2695	2750	1	RMS	2695	-38.58	-13	Pass	601
2750	2755	1	RMS	2750.975	-44.26	-25	Pass	601
2755	2795	1	RMS	2779.333	-44.31	-25	Pass	601




46.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.833	17.09	30	Pass	601
2690	2691	0.1	RMS	2690	-29.45	-13	Pass	601
2691	2695	1	RMS	2691	-32.97	-13	Pass	601
2695	2750	1	RMS	2695.825	-44.21	-13	Pass	601
2750	2795	1	RMS	2786.525	-44.31	-25	Pass	601




46.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2669.333	2.29	30	Pass	601
2690	2691	1.2	RMS	2690	-30.86	-13	Pass	2
2691	2695	1	RMS	2691.027	-34.93	-13	Pass	601
2695	2750	1	RMS	2695	-35.91	-13	Pass	601
2750	2755	1	RMS	2754.392	-44.31	-25	Pass	601
2755	2795	1	RMS	2790.4	-44.3	-25	Pass	601




46.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2485.71	-44.44	-25	Pass	601
2490	2495	1	RMS	2494.975	-31.89	-13	Pass	601
2495	2496	0.051	RMS	2495.99	-31.46	-13	Pass	601
2496	2596	1	RMS	2497	17.11	30	Pass	601




46.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-34.11	-25	Pass	601
2490	2495	1	RMS	2494.167	-32.52	-13	Pass	601
2495	2496	2	RMS	2496	-14.11	-13	Pass	2
2496	2596	2	RMS	2559	2.95	30	Pass	601




46.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-44.41	-25	Pass	601
2490	2495	1	RMS	2494.992	-32.33	-13	Pass	601
2495	2496	0.051	RMS	2496	-32.42	-13	Pass	601
2496	2596	1	RMS	2497	17.23	30	Pass	601




46.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-31.92	-25	Pass	601
2490	2495	1	RMS	2494.817	-30.54	-13	Pass	601
2495	2496	2	RMS	2496	-15.34	-13	Pass	2
2496	2596	1	RMS	2550.167	0.16	30	Pass	601




46.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.833	16.93	30	Pass	601
2690	2691	0.1	RMS	2690.003	-30.76	-13	Pass	601
2691	2695	1	RMS	2691.007	-33.91	-13	Pass	601
2695	2790	1	RMS	2695.158	-44.16	-13	Pass	601
2790	2795	1	RMS	2793.758	-44.35	-25	Pass	601




46.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2667.5	-0.02	30	Pass	601
2690	2691	2	RMS	2690	-34.22	-13	Pass	2
2691	2695	1	RMS	2694.093	-36.07	-13	Pass	601
2695	2790	1	RMS	2695.158	-36.84	-13	Pass	601
2790	2795	1	RMS	2793.992	-44.29	-25	Pass	601



46.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	17.03	30	Pass	601
2690	2691	0.1	RMS	2690.002	-29.6	-13	Pass	601
2691	2695	1	RMS	2691.007	-33.02	-13	Pass	601
2695	2790	1	RMS	2695.158	-44.15	-13	Pass	601
2790	2795	1	RMS	2792.083	-44.31	-25	Pass	601



46.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2660.333	0.04	30	Pass	601
2690	2691	2	RMS	2690	-32.59	-13	Pass	2
2691	2695	1	RMS	2693.967	-34.07	-13	Pass	601
2695	2790	1	RMS	2695.475	-34.82	-13	Pass	601
2790	2795	1	RMS	2790.108	-44.29	-25	Pass	601



47. n41 30kHz(MIMO_ANT3)


47.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-44.34	-25	Pass	601
2490	2495	1	RMS	2494.992	-31.16	-13	Pass	601
2495	2496	0.051	RMS	2496	-31.21	-13	Pass	601
2496	2596	1	RMS	2497	17.41	30	Pass	601




47.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-35.83	-25	Pass	601
2490	2495	1	RMS	2495	-33.06	-13	Pass	601
2495	2496	0.4	RMS	2496	-34.07	-13	Pass	4
2496	2596	2	RMS	2510.167	10.13	30	Pass	601




47.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.185	-44.26	-25	Pass	601
2490	2495	1	RMS	2494.992	-31.24	-13	Pass	601
2495	2496	0.051	RMS	2496	-31.38	-13	Pass	601
2496	2596	1	RMS	2497	17.55	30	Pass	601




47.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-35.24	-25	Pass	601
2490	2495	1	RMS	2494.992	-32.91	-13	Pass	601
2495	2496	0.4	RMS	2496	-33.94	-13	Pass	4
2496	2596	1	RMS	2507.333	7.17	30	Pass	601




47.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	17.16	30	Pass	601
2690	2691	0.1	RMS	2690	-29.02	-13	Pass	601
2691	2695	1	RMS	2691	-32.23	-13	Pass	601
2695	2710	1	RMS	2695.325	-44.14	-13	Pass	601
2710	2795	1	RMS	2790.608	-44.28	-25	Pass	601




47.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.667	6.97	30	Pass	601
2690	2691	0.4	RMS	2690	-38.19	-13	Pass	4
2691	2695	1	RMS	2691.087	-34.06	-13	Pass	601
2695	2710	1	RMS	2695	-37.06	-13	Pass	601
2710	2715	1	RMS	2711.842	-42.98	-25	Pass	601
2715	2795	1	RMS	2715.267	-43.12	-25	Pass	601




47.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	17.19	30	Pass	601
2690	2691	0.1	RMS	2690.003	-28.42	-13	Pass	601
2691	2695	1	RMS	2691.007	-31.67	-13	Pass	601
2695	2710	1	RMS	2695.05	-44.09	-13	Pass	601
2710	2795	1	RMS	2755.475	-44.29	-25	Pass	601




47.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2678.167	7.06	30	Pass	601
2690	2691	0.4	RMS	2690	-38.07	-13	Pass	4
2691	2695	1	RMS	2691	-34.28	-13	Pass	601
2695	2710	1	RMS	2695.025	-36.07	-13	Pass	601
2710	2715	1	RMS	2710.767	-42.58	-25	Pass	601
2715	2795	1	RMS	2715.133	-43.22	-25	Pass	601




47.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-44.33	-25	Pass	601
2490	2495	1	RMS	2495	-31.03	-13	Pass	601
2495	2496	0.051	RMS	2496	-31.52	-13	Pass	601
2496	2596	1	RMS	2497	17.37	30	Pass	601




47.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-33.17	-25	Pass	601
2490	2495	1	RMS	2494.967	-30.61	-13	Pass	601
2495	2496	1.2	RMS	2496	-28.84	-13	Pass	2
2496	2596	2	RMS	2546	5.51	30	Pass	601




47.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-44.39	-25	Pass	601
2490	2495	1	RMS	2495	-31.39	-13	Pass	601
2495	2496	0.051	RMS	2495.998	-31.8	-13	Pass	601
2496	2596	1	RMS	2497	17.5	30	Pass	601




47.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.175	-30.44	-25	Pass	601
2490	2495	1	RMS	2494.667	-28.15	-13	Pass	601
2495	2496	1.2	RMS	2496	-27.16	-13	Pass	2
2496	2596	1	RMS	2547	2.45	30	Pass	601




47.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	17.04	30	Pass	601
2690	2691	0.1	RMS	2690	-29.9	-13	Pass	601
2691	2695	1	RMS	2691	-33.57	-13	Pass	601
2695	2750	1	RMS	2695.55	-44.17	-13	Pass	601
2750	2795	1	RMS	2750.525	-44.26	-25	Pass	601




47.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2663	2.17	30	Pass	601
2690	2691	1.2	RMS	2690	-30.9	-13	Pass	2
2691	2695	1	RMS	2691.367	-38.19	-13	Pass	601
2695	2750	1	RMS	2695.183	-38.79	-13	Pass	601
2750	2755	1	RMS	2751.95	-44.25	-25	Pass	601
2755	2795	1	RMS	2760.8	-44.26	-25	Pass	601




47.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.833	17.11	30	Pass	601
2690	2691	0.1	RMS	2690.003	-29.73	-13	Pass	601
2691	2695	1	RMS	2691.007	-32.94	-13	Pass	601
2695	2750	1	RMS	2695.642	-44.09	-13	Pass	601
2750	2795	1	RMS	2752.25	-44.26	-25	Pass	601




47.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2669.667	2.23	30	Pass	601
2690	2691	1.2	RMS	2690	-30.71	-13	Pass	2
2691	2695	1	RMS	2691.187	-35.24	-13	Pass	601
2695	2750	1	RMS	2695.367	-36.29	-13	Pass	601
2750	2755	1	RMS	2754.633	-44.24	-25	Pass	601
2755	2795	1	RMS	2779.267	-44.24	-25	Pass	601




47.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-44.37	-25	Pass	601
2490	2495	1	RMS	2494.992	-31.98	-13	Pass	601
2495	2496	0.051	RMS	2495.998	-31.14	-13	Pass	601
2496	2596	1	RMS	2497	17.17	30	Pass	601




47.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-33.42	-25	Pass	601
2490	2495	1	RMS	2494.617	-32.41	-13	Pass	601
2495	2496	2	RMS	2496	-15.19	-13	Pass	2
2496	2596	2	RMS	2559	2.99	30	Pass	601




47.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-44.41	-25	Pass	601
2490	2495	1	RMS	2495	-32.46	-13	Pass	601
2495	2496	0.051	RMS	2496	-32.34	-13	Pass	601
2496	2596	1	RMS	2497	17.31	30	Pass	601




47.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-31.25	-25	Pass	601
2490	2495	1	RMS	2494.917	-30.24	-13	Pass	601
2495	2496	2	RMS	2496	-15.39	-13	Pass	2
2496	2596	1	RMS	2550.167	0.22	30	Pass	601




47.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	16.89	30	Pass	601
2690	2691	0.1	RMS	2690.002	-30.65	-13	Pass	601
2691	2695	1	RMS	2691.007	-33.82	-13	Pass	601
2695	2790	1	RMS	2696.108	-44.16	-13	Pass	601
2790	2795	1	RMS	2791.225	-44.31	-25	Pass	601




47.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2667.5	-0.07	30	Pass	601
2690	2691	2	RMS	2690	-34.09	-13	Pass	2
2691	2695	1	RMS	2694.42	-36.15	-13	Pass	601
2695	2790	1	RMS	2695.475	-36.74	-13	Pass	601
2790	2795	1	RMS	2794.025	-44.31	-25	Pass	601




47.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.833	16.9	30	Pass	601
2690	2691	0.1	RMS	2690.002	-29.58	-13	Pass	601
2691	2695	1	RMS	2691.007	-32.89	-13	Pass	601
2695	2790	1	RMS	2695	-44.14	-13	Pass	601
2790	2795	1	RMS	2791.233	-44.29	-25	Pass	601



47.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2660.333	0.03	30	Pass	601
2690	2691	2	RMS	2690	-32.46	-13	Pass	2
2691	2695	1	RMS	2693.867	-34.14	-13	Pass	601
2695	2790	1	RMS	2695	-34.81	-13	Pass	601
2790	2795	1	RMS	2792.783	-44.3	-25	Pass	601



48. n77 30kHz(3450-3550MHz)_MIMO-ANT1


48.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3349.333	-42.28	-13	Pass	601
3445	3449	0.62	RMS	3447.787	-38.58	-13	Pass	601
3449	3450	0.39	RMS	3449.995	-21.01	-13	Pass	601
3450	3550	1	RMS	3451	17.67	30	Pass	601




48.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-26.95	-13	Pass	601
3445	3449	0.62	RMS	3448.4	-26.66	-13	Pass	601
3449	3450	0.39	RMS	3449.983	-27	-13	Pass	601
3450	3550	1	RMS	3459.833	7.43	30	Pass	601




48.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3346.667	-42.31	-13	Pass	601
3445	3449	0.62	RMS	3447.78	-38.52	-13	Pass	601
3449	3450	0.39	RMS	3449.997	-20.87	-13	Pass	601
3450	3550	1	RMS	3451	17.59	30	Pass	601




48.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-25.89	-13	Pass	601
3445	3449	0.62	RMS	3448.92	-25.79	-13	Pass	601
3449	3450	0.39	RMS	3450	-26.38	-13	Pass	601
3450	3550	1	RMS	3461.5	7.49	30	Pass	601




48.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	17.3	30	Pass	601
3550	3551	0.39	RMS	3550	-20.65	-13	Pass	601
3551	3555	0.62	RMS	3551.02	-39.25	-13	Pass	601
3555	3655	1	RMS	3618.833	-40.53	-13	Pass	601




48.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3539.667	7.29	30	Pass	601
3550	3551	0.39	RMS	3550.013	-27.59	-13	Pass	601
3551	3555	0.62	RMS	3551.02	-26	-13	Pass	601
3555	3655	1	RMS	3555	-26.95	-13	Pass	601




48.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549.167	17	30	Pass	601
3550	3551	0.39	RMS	3550.002	-21	-13	Pass	601
3551	3555	0.62	RMS	3552.193	-39.25	-13	Pass	601
3555	3655	1	RMS	3620.167	-40.53	-13	Pass	601




48.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3541.167	7.3	30	Pass	601
3550	3551	0.39	RMS	3550.193	-26.86	-13	Pass	601
3551	3555	0.62	RMS	3551.22	-25.55	-13	Pass	601
3555	3655	1	RMS	3555	-26.21	-13	Pass	601




48.9. Band Edge for SA(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3392.833	-42.12	-13	Pass	601
3445	3449	0.62	RMS	3447.787	-38.72	-13	Pass	601
3449	3450	0.39	RMS	3449.997	-21.17	-13	Pass	601
3450	3550	1	RMS	3451	17.58	30	Pass	601




48.10. Band Edge for SA(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.667	-30.02	-13	Pass	601
3445	3449	0.62	RMS	3448.693	-30.14	-13	Pass	601
3449	3450	0.39	RMS	3449.998	-32.04	-13	Pass	601
3450	3550	1	RMS	3482.667	2.49	30	Pass	601




48.11. Band Edge for SA(NTNV)(Subtest:3, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3393.167	-41.97	-13	Pass	601
3445	3449	0.62	RMS	3447.847	-38.55	-13	Pass	601
3449	3450	0.39	RMS	3450	-21.12	-13	Pass	601
3450	3550	1	RMS	3451.167	17.37	30	Pass	601




48.12. Band Edge for SA(NTNV)(Subtest:4, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.167	-29.4	-13	Pass	601
3445	3449	0.62	RMS	3448.973	-29.55	-13	Pass	601
3449	3450	0.39	RMS	3449.003	-31.57	-13	Pass	601
3450	3550	1	RMS	3489.5	2.43	30	Pass	601




48.13. Band Edge for SA(NTNV)(Subtest:5, Channel:634664, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	17.06	30	Pass	601
3550	3551	0.39	RMS	3550.002	-22.08	-13	Pass	601
3551	3555	0.62	RMS	3552.153	-39.8	-13	Pass	601
3555	3655	1	RMS	3606.667	-40.38	-13	Pass	601




48.14. Band Edge for SA(NTNV)(Subtest:6, Channel:634664, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3522.833	2.26	30	Pass	601
3550	3551	0.39	RMS	3550.003	-32.35	-13	Pass	601
3551	3555	0.62	RMS	3552.433	-30.47	-13	Pass	601
3555	3655	1	RMS	3555.167	-30.1	-13	Pass	601




48.15. Band Edge for SA(NTNV)(Subtest:7, Channel:634664, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	17.03	30	Pass	601
3550	3551	0.39	RMS	3550	-21.88	-13	Pass	601
3551	3555	0.62	RMS	3551.027	-39.52	-13	Pass	601
3555	3655	1	RMS	3607.167	-40.37	-13	Pass	601




48.16. Band Edge for SA(NTNV)(Subtest:8, Channel:634664, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3515.667	2.27	30	Pass	601
3550	3551	0.39	RMS	3550.965	-31.79	-13	Pass	601
3551	3555	0.62	RMS	3551.047	-30	-13	Pass	601
3555	3655	1	RMS	3555.333	-29.86	-13	Pass	601




48.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3353	-41.79	-13	Pass	601
3445	3449	0.62	RMS	3447.767	-38.71	-13	Pass	601
3449	3450	0.39	RMS	3449.997	-21.85	-13	Pass	601
3450	3550	1	RMS	3450.833	17.19	30	Pass	601




48.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-30.4	-13	Pass	601
3445	3449	0.62	RMS	3445.013	-32.39	-13	Pass	601
3449	3450	0.39	RMS	3449.987	-33.62	-13	Pass	601
3450	3550	1	RMS	3491	0.04	30	Pass	601




48.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3352.833	-41.7	-13	Pass	601
3445	3449	0.62	RMS	3447.807	-38.76	-13	Pass	601
3449	3450	0.39	RMS	3449.99	-22.28	-13	Pass	601
3450	3550	1	RMS	3451.167	17.2	30	Pass	601




48.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-30.31	-13	Pass	601
3445	3449	0.62	RMS	3445.313	-32.18	-13	Pass	601
3449	3450	0.39	RMS	3449.965	-33.81	-13	Pass	601
3450	3550	1	RMS	3500.5	0.01	30	Pass	601




48.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	17.01	30	Pass	601
3550	3551	0.39	RMS	3550	-21.04	-13	Pass	601
3551	3555	0.62	RMS	3551	-39.37	-13	Pass	601
3555	3655	1	RMS	3646.667	-40.52	-13	Pass	601




48.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3491.167	-0.22	30	Pass	601
3550	3551	0.2	RMS	3550.155	-42.85	-13	Pass	601
3551	3555	0.62	RMS	3551.567	-38.59	-13	Pass	601
3555	3655	1	RMS	3555.167	-36.16	-13	Pass	601




48.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	16.99	30	Pass	601
3550	3551	0.39	RMS	3550	-20.74	-13	Pass	601
3551	3555	0.62	RMS	3551.013	-38.85	-13	Pass	601
3555	3655	1	RMS	3646.833	-40.52	-13	Pass	601



48.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3496.667	-0.12	30	Pass	601
3550	3551	0.2	RMS	3550.147	-44.16	-13	Pass	601
3551	3555	0.62	RMS	3553.467	-39.23	-13	Pass	601
3555	3655	1	RMS	3555.167	-36.87	-13	Pass	601



49. n77 30kHz(3450-3550MHz) _MIMO-ANT4

49.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3349	-42.27	-13	Pass	601
3445	3449	0.62	RMS	3448.987	-38.8	-13	Pass	601
3449	3450	0.2	RMS	3450	-25.16	-13	Pass	601
3450	3550	1	RMS	3451.167	17.27	30	Pass	601

