Internal Photos
















Model No : A-10
Rating:3.63V 18.51Wh
Rechargeable Li-ion Battery
Min. Capacity:5100mAh
Charging voltage:4.2V
P/N:308-50018-01
Ario Technologies, Inc.
Made in China
1CR19/66-2



Model No : A-10
Rating:3.63V 18.51Wh
Rechargeable Li-ion Battery
Min. Capacity:5100mAh
Charging voltage:4.2V
P/N:308-50018-01
Arlo Technologies, Inc.
Made in China
1ICR19/65-2

Model No : A-10
Rating:3.63V 18.51Wh
Rechargeable Li-ion Battery
Min. Capacity:5100mAh
Charging voltage:4.2V
P/N:308-50018-01
Arlo Technologies, Inc.
Made in China
1ICR19/65-2
PS E
テックウインド株式会社
3.63Vdc
5.1Ah
WARNING: Do not crush, puncture, short external contacts or dispose of in fire or water. Do not expose to temperatures above 60°C (140°F). Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.
AVERTISSEMENT: Risque d'incendie, d'explosion et de. brûlure. Ne pas démonter, écraser, chauffer au-dessus de 60C, ou incinérer. Risque d'explosion si la batterie est remplacée par un type incorrect. Dépose des batteries utilisées selon les instructions


Li-ion
c UL us
E217462
KS
A4N102AR00110














016J C
CN3
U21
DC11
DC1V8
U49


DC11
DC1V8
U49
U11
DCFEM3V6
ANT1
ANT0
CN4


























C27R11
FM2
CN1
FPC1


UNCL7 94V-0 E56327
C27R11
FM2
CN1
FPC1






95.2395
803270
REV.1 GP


SW1
HOLD1
95.2395
803270
REV.1 GP


1R5
95 2395
803270
REV. 1 GP