


Mode	802.11b - Emission	Channel	3
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4844	41.47	4.19	45.66	74	-28.34	PK
		7266	41.43	12.2	53.63	74	-20.37	PK
		7266	38.52	12.2	50.72	54	-3.28	AVG
		14485	28.87	27.98	56.85	74	-17.15	PK
		14485	19.85	27.98	47.83	54	-6.17	AVG
		15910	30.4	24.99	55.39	74	-18.61	PK
		15910	21.57	24.99	46.56	54	-7.44	AVG
	*	16954	34.94	5.3	40.24	74	-33.76	PK
	*	19376	35.08	3.68	38.76	74	-35.24	PK
	*	21798	33.11	6.04	39.15	74	-34.85	PK
	*	24220	32.75	11.15	43.9	74	-30.1	PK
Vertical	*	4844	46.33	4.19	50.52	74	-23.48	PK
		7266	44.1	12.2	56.3	74	-17.7	PK
		7266	40.11	12.2	52.31	54	-1.69	AVG
		14470	29.45	27.97	57.42	74	-16.58	PK
		14470	19.97	27.97	47.94	54	-6.06	AVG
		15940	31.23	24.94	56.17	74	-17.83	PK
		15940	22.4	24.94	47.34	54	-6.66	AVG
	*	16954	34.91	5.3	40.21	74	-33.79	PK
	*	19376	35.47	3.68	39.15	74	-34.85	PK
	*	21798	33.01	6.04	39.05	74	-34.95	PK
	*	24220	32.42	11.15	43.57	74	-30.43	PK


TX, 802.11b - Emission (Ch 3)

Radiated Spurious Emission, Horizontal




TX, 802.11b - Emission (Ch 3)

Radiated Spurious Emission, Vertical




TX, 802.11b - Emission (Ch 3)

Radiated Spurious Emission, Horizontal



TX, 802.11b - Emission (Ch 3)

Radiated Spurious Emission, Vertical




Mode	802.11b - Emission	Channel	6
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4874	41.15	4.4	45.55	74	-28.45	PK
		7311	40.93	12.17	53.1	74	-20.9	PK
		7311	38.13	12.17	50.3	54	-3.7	AVG
		14485	29.48	27.98	57.46	74	-16.54	PK
		14485	20	27.98	47.98	54	-6.02	AVG
		15490	31.24	25.95	57.19	74	-16.81	PK
		15490	21.96	25.95	47.91	54	-6.09	AVG
	*	17059	34.77	5.27	40.04	74	-33.96	PK
	*	19496	35.25	3.87	39.12	74	-34.88	PK
	*	21933	33.9	6.07	39.97	74	-34.03	PK
Vertical	*	24370	32.99	11.67	44.66	74	-29.34	PK
	*	4874	47.93	4.4	52.33	74	-21.67	PK
		7311	46.1	12.17	58.27	74	-15.73	PK
		7311	41.65	12.17	53.82	54	-0.18	AVG
		14485	29.04	27.98	57.02	74	-16.98	PK
		14485	19.56	27.98	47.54	54	-6.46	AVG
		15370	29.56	26.29	55.85	74	-18.15	PK
		15370	20.73	26.29	47.02	54	-6.98	AVG
	*	17059	34.47	5.27	39.74	74	-34.26	PK
	*	19496	35.74	3.87	39.61	74	-34.39	PK
	*	21933	33.68	6.07	39.75	74	-34.25	PK
	*	24370	32.65	11.67	44.32	74	-29.68	PK


TX, 802.11b - Emission (Ch 6)

Radiated Spurious Emission, Horizontal




TX, 802.11b - Emission (Ch 6)

Radiated Spurious Emission, Vertical




TX, 802.11b - Emission (Ch 6)

Radiated Spurious Emission, Horizontal



TX, 802.11b - Emission (Ch 6)

Radiated Spurious Emission, Vertical




Mode	802.11b - Emission	Channel	9
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4904	40.05	4.64	44.69	74	-29.31	PK
		7356	41.64	12.29	53.93	74	-20.07	PK
		7356	38.72	12.29	51.01	54	-2.99	AVG
		14485	29.08	27.98	57.06	74	-16.94	PK
		14485	19.6	27.98	47.58	54	-6.42	AVG
		15370	29.93	26.29	56.22	74	-17.78	PK
		15370	21.1	26.29	47.39	54	-6.61	AVG
	*	17164	34.78	5.22	40	74	-34	PK
	*	19616	35.24	3.85	39.09	74	-34.91	PK
	*	22068	33.42	6.23	39.65	74	-34.35	PK
Vertical	*	24520	32.38	12.15	44.53	74	-29.47	PK
	*	4904	43.91	4.64	48.55	74	-25.45	PK
		7356	42.51	12.29	54.8	74	-19.2	PK
		7356	39.31	12.29	51.6	54	-2.4	AVG
		14470	29.14	27.97	57.11	74	-16.89	PK
		14470	19.66	27.97	47.63	54	-6.37	AVG
		15475	31.03	25.98	57.01	74	-16.99	PK
		15475	21.75	25.98	47.73	54	-6.27	AVG
	*	17164	36.5	5.22	41.72	74	-32.28	PK
	*	19616	35.31	3.85	39.16	74	-34.84	PK
	*	22068	33.65	6.23	39.88	74	-34.12	PK
	*	24520	31.99	12.15	44.14	74	-29.86	PK


TX, 802.11b - Emission (Ch 9)

Radiated Spurious Emission, Horizontal




TX, 802.11b - Emission (Ch 9)

Radiated Spurious Emission, Vertical




TX, 802.11b - Emission (Ch 9)

Radiated Spurious Emission, Horizontal



TX, 802.11b - Emission (Ch 9)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0


Mode	802.11b - Emission	Channel	10
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4914	37.13	4.62	41.75	74	-32.25	PK
	*	7371	37.87	12.36	50.23	74	-23.77	PK
		14500	28.25	28	56.25	74	-17.75	PK
		14500	19.68	28	47.68	54	-6.32	AVG
		15475	29.64	25.98	55.62	74	-18.38	PK
		15475	20.81	25.98	46.79	54	-7.21	AVG
	*	17199	34.57	5.15	39.72	74	-34.28	PK
	*	19656	35.84	3.86	39.7	74	-34.3	PK
	*	22113	33.86	6.33	40.19	74	-33.81	PK
Vertical	*	24570	32.71	12.19	44.9	74	-29.1	PK
	*	4914	39.77	4.62	44.39	74	-29.61	PK
	*	7371	38.35	12.36	50.71	74	-23.29	PK
		14470	28.9	27.97	56.87	74	-17.13	PK
		14470	19.88	27.97	47.85	54	-6.15	AVG
		15490	29.73	25.95	55.68	74	-18.32	PK
		15490	20.9	25.95	46.85	54	-7.15	AVG
	*	17199	35.7	5.15	40.85	74	-33.15	PK
	*	19656	35.48	3.86	39.34	74	-34.66	PK
	*	22113	33.1	6.33	39.43	74	-34.57	PK
	*	24570	33.08	12.19	45.27	74	-28.73	PK


TX, 802.11b - Emission (Ch 10) Radiated Spurious Emission, Horizontal




TX, 802.11b - Emission (Ch 10) Radiated Spurious Emission, Vertical



TX, 802.11b - Emission (Ch 10) Radiated Spurious Emission, Horizontal



TX, 802.11b - Emission (Ch 10) Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0


Mode	802.11b - Emission	Channel	11
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4924	37.92	4.62	42.54	74	-31.46	PK
	*	7386	35.92	12.43	48.35	74	-25.65	PK
		14500	29.58	28	57.58	74	-16.42	PK
		14500	19.63	28	47.63	54	-6.37	AVG
		15850	30.19	25.14	55.33	74	-18.67	PK
		15850	21.36	25.14	46.5	54	-7.5	AVG
	*	17234	34.79	5.08	39.87	74	-34.13	PK
	*	19696	35.53	3.85	39.38	74	-34.62	PK
	*	22158	33.12	6.44	39.56	74	-34.44	PK
Vertical	*	24620	33.4	12.22	45.62	74	-28.38	PK
	*	4924	40.11	4.62	44.73	74	-29.27	PK
	*	7386	38.16	12.43	50.59	74	-23.41	PK
		14500	29.21	28	57.21	74	-16.79	PK
		14500	19.73	28	47.73	54	-6.27	AVG
		15370	30.01	26.29	56.3	74	-17.7	PK
		15370	21.18	26.29	47.47	54	-6.53	AVG
	*	17234	34.84	5.08	39.92	74	-34.08	PK
	*	19696	35.28	3.85	39.13	74	-34.87	PK
	*	22158	34.39	6.44	40.83	74	-33.17	PK
	*	24620	32.82	12.22	45.04	74	-28.96	PK


TX, 802.11b - Emission (Ch 11)
Radiated Spurious Emission, Horizontal




TX, 802.11b - Emission (Ch 11)
Radiated Spurious Emission, Vertical



TX, 802.11b - Emission (Ch 11)
Radiated Spurious Emission, Horizontal




TX, 802.11b - Emission (Ch 11)
Radiated Spurious Emission, Vertical




Mode	802.11g	Channel	1
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBUV)	Correct (dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Remark
Horizontal		2389.99	50.1	20.83	70.93	74	-3.07	PK
		2389.99	32.52	20.83	53.35	54	-0.65	AVG
	@	2412	92.01	20.75	112.76	N/A	N/A	PK
	@	2412	83.21	20.75	103.96	N/A	N/A	AVG
Vertical		2389.42	44.05	20.83	64.88	74	-9.12	PK
		2389.8	31.75	20.83	52.58	54	-1.42	AVG
	@	2412	90.85	20.75	111.6	N/A	N/A	PK
	@	2412	83.12	20.75	103.87	N/A	N/A	AVG




Mode	802.11g	Channel	2
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.04	51.42	20.83	72.25	74	-1.75	PK
		2389.99	32.24	20.83	53.07	54	-0.93	AVG
	@	2417	93.67	20.73	114.4	N/A	N/A	PK
	@	2417	84.89	20.73	105.62	N/A	N/A	AVG
Vertical		2388.85	49.54	20.83	70.37	74	-3.63	PK
		2389.8	30.68	20.83	51.51	54	-2.49	AVG
	@	2417	93.08	20.73	113.81	N/A	N/A	PK
	@	2417	84	20.73	104.73	N/A	N/A	AVG




Mode	802.11g	Channel	3
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.61	56.88	13.83	70.71	74	-3.29	PK
		2389.8	38.59	13.83	52.42	54	-1.58	AVG
	@	2422	101.37	13.71	115.08	N/A	N/A	PK
	@	2422	93.52	13.71	107.23	N/A	N/A	AVG
Vertical		2388.85	54.23	13.83	68.06	74	-5.94	PK
		2389.8	36.61	13.83	50.44	54	-3.56	AVG
	@	2422	99.33	13.71	113.04	N/A	N/A	PK
	@	2422	90.87	13.71	104.58	N/A	N/A	AVG







Mode	802.11g	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2388.85	31.17	20.83	52	54	-2	AVG
		2389.61	51.69	20.83	72.52	74	-1.48	PK
	@	2437	96.28	20.65	116.93	N/A	N/A	PK
	@	2437	87.94	20.65	108.59	N/A	N/A	AVG
		2483.66	33.19	20.65	53.84	54	-0.16	AVG
Vertical		2489.17	51.19	20.66	71.85	74	-2.15	PK
		2389.8	49.32	20.83	70.15	74	-3.85	PK
		2389.8	30.98	20.83	51.81	54	-2.19	AVG
	@	2437	97.4	20.65	118.05	N/A	N/A	PK
	@	2437	89.24	20.65	109.89	N/A	N/A	AVG
		2483.85	32.74	20.65	53.39	54	-0.61	AVG
		2486.32	49.72	20.65	70.37	74	-3.63	PK




Mode	802.11g	Channel	9
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	98.82	13.6	112.42	N/A	N/A	PK
	@	2452	90.61	13.6	104.21	N/A	N/A	AVG
		2483.66	49.54	13.65	63.19	74	-10.81	PK
		2483.85	36.91	13.65	50.56	54	-3.44	AVG
Vertical	@	2452	100.79	13.6	114.39	N/A	N/A	PK
	@	2452	91.87	13.6	105.47	N/A	N/A	AVG
		2483.66	39.6	13.65	53.25	54	-0.75	AVG
		2486.13	59.22	13.65	72.87	74	-1.13	PK

TX, 802.11g (Ch 9)
Band Edge (Average), Horizontal

TX, 802.11g (Ch 9)
Band Edge (Average), Vertical

TX, 802.11g (Ch 9)
Band Edge (Peak), Horizontal

TX, 802.11g (Ch 9)
Band Edge (Peak), Vertical



Mode	802.11g	Channel	10
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	90.21	20.61	110.82	N/A	N/A	PK
	@	2457	82.36	20.61	102.97	N/A	N/A	AVG
		2483.66	32.82	20.65	53.47	54	-0.53	AVG
		2484.23	47.28	20.65	67.93	74	-6.07	PK
Vertical	@	2457	92.86	20.61	113.47	N/A	N/A	PK
	@	2457	84.91	20.61	105.52	N/A	N/A	AVG
		2483.66	49.59	20.65	70.24	74	-3.76	PK
		2483.66	32.85	20.65	53.5	54	-0.5	AVG



Mode	802.11g	Channel	11
------	---------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	89.37	20.62	109.99	N/A	N/A	PK
	@	2462	81.57	20.62	102.19	N/A	N/A	AVG
		2483.66	33.21	20.65	53.86	54	-0.14	AVG
		2485.37	46.4	20.65	67.05	74	-6.95	PK
Vertical	@	2462	90.75	20.62	111.37	N/A	N/A	PK
	@	2462	83.31	20.62	103.93	N/A	N/A	AVG
		2483.66	44.09	20.65	64.74	74	-9.26	PK
		2483.66	33.1	20.65	53.75	54	-0.25	AVG




Mode	802.11g - Emission	Channel	1
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4824	38.06	4.2	42.26	74	-31.74	PK
	*	7236	35.26	12.16	47.42	N/A	N/A	PK
		14500	28.65	28	56.65	74	-17.35	PK
		14500	19.63	28	47.63	54	-6.37	AVG
		15565	29.92	25.63	55.55	74	-18.45	PK
		15565	21.09	25.63	46.72	54	-7.28	AVG
	*	16884	34.73	5.44	40.17	74	-33.83	PK
	*	19296	35.33	3.56	38.89	74	-35.11	PK
	*	21708	34.07	6.02	40.09	74	-33.91	PK
Vertical	*	24120	33.15	10.87	44.02	74	-29.98	PK
	*	4824	42.02	4.2	46.22	74	-27.78	PK
	*	7236	37.97	12.06	50.03	N/A	N/A	PK
		14470	28.79	27.97	56.76	74	-17.24	PK
		14470	19.77	27.97	47.74	54	-6.26	AVG
		15430	29.49	26.08	55.57	74	-18.43	PK
		15430	20.66	26.08	46.74	54	-7.26	AVG
	*	16884	34.33	5.44	39.77	74	-34.23	PK
	*	19296	36	3.56	39.56	74	-34.44	PK
	*	21708	33.48	6.02	39.5	74	-34.5	PK
	*	24120	33.04	10.87	43.91	74	-30.09	PK


TX, 802.11g - Emission (Ch 1) Radiated Spurious Emission, Horizontal




TX, 802.11g - Emission (Ch 1) Radiated Spurious Emission, Vertical



TX, 802.11g - Emission (Ch 1) Radiated Spurious Emission, Horizontal



TX, 802.11g - Emission (Ch 1) Radiated Spurious Emission, Vertical




Mode	802.11g - Emission	Channel	2
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4834	39.73	4.19	43.92	74	-30.08	PK
		7251	38.97	12.22	51.19	74	-22.81	PK
		7251	30.99	12.22	43.21	54	-10.79	AVG
		14500	28.95	28	56.95	74	-17.05	PK
		14500	19.93	28	47.93	54	-6.07	AVG
		15385	29.15	26.22	55.37	74	-18.63	PK
		15385	20.32	26.22	46.54	54	-7.46	AVG
	*	16919	34.03	5.4	39.43	74	-34.57	PK
	*	19336	35.17	3.61	38.78	74	-35.22	PK
	*	21753	33.12	6.03	39.15	74	-34.85	PK
Vertical	*	24170	32.79	11.01	43.8	74	-30.2	PK
	*	4834	44.88	4.19	49.07	74	-24.93	PK
		7251	42.52	12.22	54.74	74	-19.26	PK
		7251	34.64	12.22	46.86	54	-7.14	AVG
		14470	28.62	27.97	56.59	74	-17.41	PK
		14470	19.6	27.97	47.57	54	-6.43	AVG
		15415	28.88	26.1	54.98	74	-19.02	PK
		15415	20.05	26.1	46.15	54	-7.85	AVG
	*	16919	35.46	5.4	40.86	74	-33.14	PK
	*	19336	35.74	3.61	39.35	74	-34.65	PK
	*	21753	33.69	6.03	39.72	74	-34.28	PK
	*	24170	32.52	11.01	43.53	74	-30.47	PK


TX, 802.11g - Emission (Ch 2)

Radiated Spurious Emission, Horizontal




TX, 802.11g - Emission (Ch 2)

Radiated Spurious Emission, Vertical




TX, 802.11g - Emission (Ch 2)

Radiated Spurious Emission, Horizontal







TX, 802.11g - Emission (Ch 2)

Radiated Spurious Emission, Vertical




Mode	802.11g - Emission	Channel	3
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4844	41.15	4.19	45.34	74	-28.66	PK
	*	7266	40.32	12.2	52.52	74	-21.48	PK
		14485	29.7	27.98	57.68	74	-16.32	PK
		14485	19.75	27.98	47.73	54	-6.27	AVG
		15460	30.22	26.02	56.24	74	-17.76	PK
		15460	21.39	26.02	47.41	54	-6.59	AVG
	*	16954	35.1	5.3	40.4	74	-33.6	PK
	*	19376	35.39	3.68	39.07	74	-34.93	PK
	*	21798	32.91	6.04	38.95	74	-35.05	PK
	*	24220	32.33	11.15	43.48	74	-30.52	PK
Vertical	*	4844	48.41	4.19	52.6	74	-21.4	PK
		7266	42.36	12.2	54.56	74	-19.44	PK
		7266	35.35	12.2	47.55	54	-6.45	AVG
		14500	28.56	28	56.56	74	-17.44	PK
		14500	19.99	28	47.99	54	-6.01	AVG
		15355	29.99	26.36	56.35	74	-17.65	PK
		15355	21.16	26.36	47.52	54	-6.48	AVG
	*	16954	34.81	5.3	40.11	74	-33.89	PK
	*	19376	35.46	3.68	39.14	74	-34.86	PK
	*	21798	32.96	6.04	39	74	-35	PK
	*	24220	32.34	11.15	43.49	74	-30.51	PK



Mode	802.11g - Emission	Channel	6
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		4874	42.82	4.4	47.22	74	-26.78	PK
		4874	35.3	4.4	39.7	54	-14.3	AVG
		7311	43.27	12.17	55.44	74	-18.56	PK
		7311	36.77	12.17	48.94	54	-5.06	AVG
		14470	29.04	27.97	57.01	74	-16.99	PK
		14470	20.02	27.97	47.99	54	-6.01	AVG
		15745	30.4	25.35	55.75	74	-18.25	PK
		15745	21.57	25.35	46.92	54	-7.08	AVG
	*	17059	34.69	5.27	39.96	74	-34.04	PK
	*	19496	35.9	3.87	39.77	74	-34.23	PK
	*	21933	33.46	6.07	39.53	74	-34.47	PK
	*	24370	32.26	11.67	43.93	74	-30.07	PK
Vertical		4874	48.79	4.4	53.19	74	-20.81	PK
		4874	40.71	4.4	45.11	54	-8.89	AVG
		7311	45.15	12.17	57.32	74	-16.68	PK
		7311	37.47	12.17	49.64	54	-4.36	AVG
		14500	29	28	57	74	-17	PK
		14500	19.98	28	47.98	54	-6.02	AVG
		15505	30.26	25.9	56.16	74	-17.84	PK
		15505	21.43	25.9	47.33	54	-6.67	AVG
	*	17059	34.89	5.27	40.16	74	-33.84	PK
	*	19496	35.04	3.87	38.91	74	-35.09	PK
	*	21933	33.25	6.07	39.32	74	-34.68	PK
	*	24370	32.98	11.67	44.65	74	-29.35	PK




Mode	802.11g - Emission	Channel	9
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4904	36.43	4.64	41.07	74	-32.93	PK
		7356	43.51	12.29	55.8	74	-18.2	PK
		7356	30.84	12.29	43.13	54	-10.87	AVG
		14470	28.83	27.97	56.8	74	-17.2	PK
		14470	19.81	27.97	47.78	54	-6.22	AVG
		15685	29.95	25.44	55.39	74	-18.61	PK
		15685	21.12	25.44	46.56	54	-7.44	AVG
	*	17164	34.67	5.22	39.89	74	-34.11	PK
	*	19616	34.92	3.85	38.77	74	-35.23	PK
	*	22068	33.41	6.23	39.64	74	-34.36	PK
Vertical	*	24520	32.68	12.15	44.83	74	-29.17	PK
	*	4904	42.71	4.64	47.35	74	-26.65	PK
		7356	43.22	12.29	55.51	74	-18.49	PK
		7356	33.63	12.29	45.92	54	-8.08	AVG
		14485	28.87	27.98	56.85	74	-17.15	PK
		14485	19.85	27.98	47.83	54	-6.17	AVG
		15625	29.77	25.47	55.24	74	-18.76	PK
		15625	20.94	25.47	46.41	54	-7.59	AVG
	*	17164	34.91	5.22	40.13	74	-33.87	PK
	*	19616	35.78	3.85	39.63	74	-34.37	PK
	*	22068	33.72	6.23	39.95	74	-34.05	PK
	*	24520	32.45	12.15	44.6	74	-29.4	PK


TX, 802.11g - Emission (Ch 9)

Radiated Spurious Emission, Horizontal




TX, 802.11g - Emission (Ch 9)

Radiated Spurious Emission, Vertical




TX, 802.11g - Emission (Ch 9)

Radiated Spurious Emission, Horizontal







TX, 802.11g - Emission (Ch 9)

Radiated Spurious Emission, Vertical




Mode	802.11g - Emission	Channel	10
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4914	37.99	4.62	42.61	74	-31.39	PK
		7371	39.12	12.36	51.48	74	-22.52	PK
		7371	31.35	12.36	43.71	54	-10.29	AVG
		14500	28.83	28	56.83	74	-17.17	PK
		14500	19.81	28	47.81	54	-6.19	AVG
		15490	28.96	25.95	54.91	74	-19.09	PK
		15490	20.13	25.95	46.08	54	-7.92	AVG
	*	17199	35.18	5.15	40.33	74	-33.67	PK
	*	19656	35.39	3.86	39.25	74	-34.75	PK
	*	22113	33.11	6.33	39.44	74	-34.56	PK
	*	24570	31.9	12.19	44.09	74	-29.91	PK
Vertical	*	4914	43.44	4.62	48.06	74	-25.94	PK
		7371	43.69	12.36	56.05	74	-17.95	PK
		7371	35.89	12.36	48.25	54	-5.75	AVG
		14485	28.1	27.98	56.08	74	-17.92	PK
		14485	19.53	27.98	47.51	54	-6.49	AVG
		15385	29.13	26.22	55.35	74	-18.65	PK
		15385	20.3	26.22	46.52	54	-7.48	AVG
	*	17199	34.79	5.15	39.94	74	-34.06	PK
	*	19656	34.69	3.86	38.55	74	-35.45	PK
	*	22113	33.5	6.33	39.83	74	-34.17	PK
	*	24570	32.98	12.19	45.17	74	-28.83	PK

TX, 802.11g - Emission (Ch 10)
Radiated Spurious Emission, Horizontal

TX, 802.11g - Emission (Ch 10)
Radiated Spurious Emission, Vertical

TX, 802.11g - Emission (Ch 10)
Radiated Spurious Emission, Horizontal

TX, 802.11g - Emission (Ch 10)
Radiated Spurious Emission, Vertical


Mode	802.11g - Emission	Channel	11
------	--------------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4924	35.51	4.62	40.13	74	-33.87	PK
	*	7386	33.25	12.43	45.68	74	-28.32	PK
		14485	30.19	27.98	58.17	74	-15.83	PK
		14485	19.76	27.98	47.74	54	-6.26	AVG
		15820	30.3	25.21	55.51	74	-18.49	PK
		15820	21.47	25.21	46.68	54	-7.32	AVG
	*	17234	34.76	5.08	39.84	74	-34.16	PK
	*	19696	35.38	3.85	39.23	74	-34.77	PK
	*	22158	33.26	6.44	39.7	74	-34.3	PK
Vertical	*	24620	32.18	12.22	44.4	74	-29.6	PK
	*	4924	36.07	4.62	40.69	74	-33.31	PK
	*	7386	34.08	12.43	46.51	74	-27.49	PK
		14500	29	28	57	74	-17	PK
		14500	19.98	28	47.98	54	-6.02	AVG
		15445	29.52	26.05	55.57	74	-18.43	PK
		15445	20.69	26.05	46.74	54	-7.26	AVG
	*	17234	34.51	5.08	39.59	74	-34.41	PK
	*	19696	35.87	3.85	39.72	74	-34.28	PK
	*	22158	33.69	6.44	40.13	74	-33.87	PK
	*	24620	32.43	12.22	44.65	74	-29.35	PK




Mode	802.11n(HT20)	Channel	1
------	---------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.99	43.67	20.83	64.5	74	-9.5	PK
		2389.99	32.78	20.83	53.61	54	-0.39	AVG
	@	2412	89.93	20.75	110.68	N/A	N/A	PK
	@	2412	82.41	20.75	103.16	N/A	N/A	AVG
Vertical		2389.04	40.69	20.83	61.52	74	-12.48	PK
		2389.99	31.01	20.83	51.84	54	-2.16	AVG
	@	2412	89.43	20.75	110.18	N/A	N/A	PK
	@	2412	81.21	20.75	101.96	N/A	N/A	AVG


TX, 802.11n(HT20) (Ch 1)
Band Edge (Average), Horizontal




TX, 802.11n(HT20) (Ch 1)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 1)
Band Edge (Peak), Horizontal




TX, 802.11n(HT20) (Ch 1)
Band Edge (Peak), Vertical




Mode	802.11n(HT20)	Channel	2
------	---------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBUV)	Correct (dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Remark
Horizontal		2389.99	48.27	20.83	69.1	74	-4.9	PK
		2389.99	32.38	20.83	53.21	54	-0.79	AVG
	@	2417	91.67	20.73	112.4	N/A	N/A	PK
	@	2417	84.02	20.73	104.75	N/A	N/A	AVG
Vertical		2389.8	45.24	20.83	66.07	74	-7.93	PK
		2389.8	31.06	20.83	51.89	54	-2.11	AVG
	@	2417	91.46	20.73	112.19	N/A	N/A	PK
	@	2417	83.35	20.73	104.08	N/A	N/A	AVG


TX, 802.11n(HT20) (Ch 2)
Band Edge (Average), Horizontal




TX, 802.11n(HT20) (Ch 2)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 2)
Band Edge (Peak), Horizontal




TX, 802.11n(HT20) (Ch 2)
Band Edge (Peak), Vertical




Mode	802.11n(HT20)	Channel	3
------	---------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.42	55.61	13.83	69.44	74	-4.56	PK
		2389.61	38.59	13.83	52.42	54	-1.58	AVG
	@	2422	100.03	13.71	113.74	N/A	N/A	PK
	@	2422	92.16	13.71	105.87	N/A	N/A	AVG
Vertical		2389.99	55.85	13.83	69.68	74	-4.32	PK
		2389.99	37.07	13.83	50.9	54	-3.1	AVG
	@	2422	99.72	13.71	113.43	N/A	N/A	PK
	@	2422	91.02	13.71	104.73	N/A	N/A	AVG


TX, 802.11n(HT20) (Ch 3)
Band Edge (Average), Horizontal




TX, 802.11n(HT20) (Ch 3)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 3)
Band Edge (Peak), Horizontal




TX, 802.11n(HT20) (Ch 3)
Band Edge (Peak), Vertical




Mode	802.11n(HT20)	Channel	6
------	---------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2387.52	45.6	20.84	66.44	74	-7.56	PK
		2389.99	31.28	20.83	52.11	54	-1.89	AVG
	@	2437	95.51	20.65	116.16	N/A	N/A	PK
	@	2437	87.45	20.65	108.1	N/A	N/A	AVG
		2484.8	32.46	20.65	53.11	54	-0.89	AVG
		2487.46	49.06	20.66	69.72	74	-4.28	PK
Vertical		2388.66	42.13	20.84	62.97	74	-11.03	PK
		2389.99	30.55	20.83	51.38	54	-2.62	AVG
	@	2437	96.89	20.65	117.54	N/A	N/A	PK
	@	2437	88.33	20.65	108.98	N/A	N/A	AVG
		2483.66	32.36	20.65	53.01	54	-0.99	AVG
		2484.8	46.74	20.65	67.39	74	-6.61	PK


TX, 802.11n(HT20) (Ch 6)
Band Edge (Average), Horizontal




TX, 802.11n(HT20) (Ch 6)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 6)
Band Edge (Peak), Horizontal




TX, 802.11n(HT20) (Ch 6)
Band Edge (Peak), Vertical




Mode	802.11n(HT20)	Channel	9
------	---------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	97.42	13.6	111.02	N/A	N/A	PK
	@	2452	90.15	13.6	103.75	N/A	N/A	AVG
		2484.61	49.86	13.65	63.51	74	-10.49	PK
		2484.8	36.13	13.65	49.78	54	-4.22	AVG
Vertical	@	2452	100.42	13.6	114.02	N/A	N/A	PK
	@	2452	91.23	13.6	104.83	N/A	N/A	AVG
		2483.85	57.13	13.65	70.78	74	-3.22	PK
		2484.8	39.9	13.65	53.55	54	-0.45	AVG


TX, 802.11n(HT20) (Ch 9)
Band Edge (Average), Horizontal




TX, 802.11n(HT20) (Ch 9)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 9)
Band Edge (Peak), Horizontal




TX, 802.11n(HT20) (Ch 9)
Band Edge (Peak), Vertical




Mode	802.11n(HT20)	Channel	10
------	---------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	90.09	20.61	110.7	N/A	N/A	PK
	@	2457	81.64	20.61	102.25	N/A	N/A	AVG
		2483.85	43.61	20.65	64.26	74	-9.74	PK
		2484.04	32.68	20.65	53.33	54	-0.67	AVG
Vertical	@	2457	92.27	20.61	112.88	N/A	N/A	PK
	@	2457	84.15	20.61	104.76	N/A	N/A	AVG
		2483.85	32.6	20.65	53.25	54	-0.75	AVG
		2484.42	43.84	20.65	64.49	74	-9.51	PK


TX, 802.11n(HT20) (Ch 10)
Band Edge (Average), Horizontal




TX, 802.11n(HT20) (Ch 10)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 10)
Band Edge (Peak), Horizontal




TX, 802.11n(HT20) (Ch 10)
Band Edge (Peak), Vertical




Mode	802.11n(HT20)	Channel	11
------	---------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	88.01	20.62	108.63	N/A	N/A	PK
	@	2462	80.31	20.62	100.93	N/A	N/A	AVG
		2483.85	32.68	20.65	53.33	54	-0.67	AVG
		2485.37	42.8	20.65	63.45	74	-10.55	PK
Vertical	@	2462	89.8	20.62	110.42	N/A	N/A	PK
	@	2462	82.47	20.62	103.09	N/A	N/A	AVG
		2483.66	33.13	20.65	53.78	54	-0.22	AVG
		2484.23	42.55	20.65	63.2	74	-10.8	PK


TX, 802.11n(HT20) (Ch 11)
Band Edge (Average), Horizontal




TX, 802.11n(HT20) (Ch 11)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 11)
Band Edge (Peak), Horizontal




TX, 802.11n(HT20) (Ch 11)
Band Edge (Peak), Vertical



Below 1 GHz

Mode	802.11b	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		82.38	57.35	-26.58	30.77	40	-9.23	PK
		163.86	58.83	-24.52	34.31	43.5	-9.19	PK
		222.06	53.52	-21.61	31.91	46	-14.09	PK
		477.17	38.7	-14.46	24.24	46	-21.76	PK
		833.16	37.08	-7.74	29.34	46	-16.66	PK
		939.86	36.41	-6.02	30.39	46	-15.61	PK
Vertical		31.94	56.92	-24.61	32.31	40	-7.69	PK
		69.77	56.55	-25.02	31.53	40	-8.47	PK
		167.74	55.09	-24.4	30.69	43.5	-12.81	PK
		237.58	51.51	-20.39	31.12	46	-14.88	PK
		350.1	41.58	-16.8	24.78	46	-21.22	PK
		596.48	39.38	-11.33	28.05	46	-17.95	PK



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0

9 kHz ~ 30 MHz Data:

For 9 kHz to 30 MHz radiated emission have performed all modes of operation were investigated. The amplitude of spurious emissions attenuated more than 20 dB below the permissible value is not required to be report.

No non-compliance noted:

KDB 414788 D01 OATS and Chamber Correlation Justification

- Base on FCC 15.31 (f) (2): measurements may be performed at a distance closer than that specified in the regulations; however, an attempt should be made to avoid making measurements in the near field.

- OATs and chamber correlation testing had been performed and chamber measured test results is the worst case test result.

Although these tests were performed other than open area test site, adequate comparison measurements were confirmed against 30m open area test site. Therefore sufficient tests were made to demonstrate that the alternative site produces results that correlate with the ones of tests made in an open field based on KDB 414788.

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0

9.6. AC Power Line Conducted Emission

Requirements

Frequency (MHz)	Conducted limit (dBμV)	
	Quasi-peak	Average
0.15 - 0.5	66 - 56	56 - 46
0.50 - 5.0	56	46
5.0 - 30	60	50

Note:

1. The lower limit shall apply at the transition frequencies.
2. The limit decreases in line with the logarithm of the frequency in the range of 0.15 to 0.50MHz.

Test Procedures

- a. The EUT was placed 0.4 meters from the conducting wall of the shielded room with EUT being connected to the power mains through a line impedance stabilization network (LISN). Other support units were connected to the power mains through another LISN. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument.
- b. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.
- c. The frequency range from 150kHz to 30MHz was searched. Emission levels under (Limit - 20dB) was not recorded.

NOTE:

1. The resolution bandwidth and video bandwidth of test receiver is 9kHz for quasi-peak detection (QP) and average detection (AV) at frequency 0.15MHz-30MHz.
2. All modes of operation were investigated (includes all external accessories) and the worst-case emissions are reported, the other emission levels were low against the limit.
3. Test data of Result value (dBuV) = Reading value (dBuV) + Correction Factor (dB).
4. Test data of Margin(dB) = Result value (dBuV) - Limit value (dBuV).
5. Test data of Correction Factor (dB) = Insertion loss(dB) + Cable loss(dB).

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0

Test Setup




Note: 1.Support units were connected to second LISN.

For the actual test configuration, please refer to the Setup Configurations.

Test Data

Mode	11g_TX2437	Channel	6
------	------------	---------	---



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1520	14.40	19.45	33.85	65.89	-32.04	QP
2	0.1520	0.89	19.45	20.34	55.89	-35.55	AVG
3	0.2007	20.16	19.45	39.61	63.58	-23.97	QP
4	0.2007	4.54	19.45	23.99	53.58	-29.59	AVG
5	0.4695	16.05	19.45	35.50	56.52	-21.02	QP
6	0.4695	9.03	19.45	28.48	46.52	-18.04	AVG
7	0.5031	13.06	19.46	32.52	56.00	-23.48	QP
8	0.5031	3.18	19.46	22.64	46.00	-23.36	AVG
9	2.1413	11.12	19.51	30.63	56.00	-25.37	QP
10	2.1413	5.54	19.51	25.05	46.00	-20.95	AVG
11	4.6166	8.10	19.56	27.66	56.00	-28.34	QP
12	4.6166	3.28	19.56	22.84	46.00	-23.16	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0

Mode	11g_TX2437	Channel	6
------	------------	---------	---



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1511	30.67	19.45	50.12	65.94	-15.82	QP
2	0.1511	16.66	19.45	36.11	55.94	-19.83	AVG
3	0.1995	20.58	19.45	40.03	63.63	-23.60	QP
4	0.1995	4.40	19.45	23.85	53.63	-29.78	AVG
5	0.4634	16.63	19.45	36.08	56.63	-20.55	QP
6	0.4634	11.00	19.45	30.45	46.63	-16.18	AVG
7	0.4996	13.70	19.45	33.15	56.01	-22.86	QP
8	0.4996	2.49	19.45	21.94	46.01	-24.07	AVG
9	1.8697	9.72	19.51	29.23	56.00	-26.77	QP
10	1.8697	4.38	19.51	23.89	46.00	-22.11	AVG
11	2.3020	11.38	19.51	30.89	56.00	-25.11	QP
12	2.3020	6.09	19.51	25.60	46.00	-20.40	AVG

END OF REPORT

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0