

Antenna Test Report

Index:

1. Overview
2. Revision History
3. Test Item & Equipment
4. Matching Circuit
5. S Parameter Test
6. Active Test
7. Conducted Emission Test
8. Environmental Processing

Project Name: UTi640Q

Supplier: MyAntenna RF Technology Co., Ltd
ADD: Room 410, Building A, Fenghuang Zhigu,
No. 50 Tiezi Road, Gongle Community, Xixiang
Street, Baoan District, Shenzhen

Author: 杨永成

Update: 2023-11-29

项目概况

OverView

CUSTOMER NAME	优利德	PROJECT NAME	UTi640Q
Items	Details		
• FREQUENCY	2400MHz-2500MHz; 5100MHz-5800MHz		
• PROJECT TYPE			
• ANTENNA SPACE			
• FEED & GROUND PAD			
• SENSITIVE ELEMENTS			
• ANTENNA TYPE			
• PCB			
• OTHERS			



历史报告记录

Revision History


日期(Date)	版本 (Revision)	负责人(Author)	更改原因(Description of changes)
2023-11-29	A	杨永成	天线初版报告

Test Item & Equipment

List	Test Item	Equipment	
1.S Parameter	VSWR, Return Loss	Agilent VNA	
2.Active Test	TRP, TIS	Agilent 8960	RayZone1800
3.Passive Test	Gain, Efficiency, Pattern	Agilent E5071C	




Matching Circuit





Element	Value
E1(0402)	NC
E2(0402)	0
E3(0402)	NC

2023-11-29



VSWR



无源数据（效率）




无源数据（增益）




无源数据（详细数据）

Freq	Gain (dBi)	Efficiency (%)	Freq	Gain (dBi)	Efficiency (%)
2400	2.15	46.52	5400	2.27	55.80
2410	2.25	48.94	5420	2.04	53.21
2420	1.92	47.04	5440	2.08	51.96
2430	1.95	46.55	5460	2.42	52.63
2440	2.02	46.98	5480	2.87	53.28
2450	2.11	47.42	5500	3.14	54.74
2460	2.06	46.67	5520	2.96	52.27
2470	2.06	46.59	5540	2.82	48.76
2480	2.02	46.35	5560	3.36	50.47
2490	2.11	48.10	5580	3.82	57.27
2500	2.37	51.35	5600	3.45	55.39
5100	1.75	53.34	5620	3.58	54.11
5120	1.63	52.54	5640	3.73	55.42
5140	1.46	52.74	5660	3.71	56.70
5160	1.70	54.55	5680	3.73	57.92
5180	1.57	55.42	5700	4.12	60.54
5200	1.40	56.16	5720	3.85	57.57
5220	1.34	55.05	5740	3.85	60.36
5240	1.47	56.85	5760	3.89	62.24
5260	1.80	58.54	5780	3.81	63.50
5280	1.81	59.39	5800	3.44	61.11
5300	1.79	59.26	5820	3.08	57.01
5320	1.91	58.15	5840	2.76	53.09
5340	1.99	57.66	5860	2.80	51.74
5360	2.32	57.94	5880	2.67	50.24
5380	2.22	55.86	5900	2.33	46.95


天线2D/3D方向图（2450MHz）




3D



H面




E1面




E2面


天线2D/3D方向图 (5500MHz)




3D



H面



E1面



E2面

尺寸图

