ANTENNA SPECIFICATION

Product description: 24G Ceramic Antenna

Uni Link's part number:

Issue Date:

Note: 24012-24235MHZ

1、（PRODUCT TECHNICAL SPECIFICATION）

Electrical Specifications	
Frequency Range (MHz)	24012-24235
Input Impendence (Ω)	50
Gain(dBi)	9
Polarization Type	Horizontal
Power Capacity (w)	0.0012
Mechanical Specifications	
Antenna Length (mm)	NC
Radiator	Cuprum
Connect Type	NC
Working Temp(℃)	-30~85
Storage Temperature(℃)	-40~125
antenna size	2.45*3.10mm
Weight(g)	/

2、PRODUCT PICTURE



3、PRODUCT SPECIFICATION CHART



4、3D Antenna Gain

参考 layout 模型图，x 轴为水平方向，y 轴为垂直方向，z 轴为垂直屏幕的法向方向；

	yoz	xoy	xoz
TX			
RX			

5、2D Antenna Gain



Antenna manufacturer:
SHENZHEN CSCURVE ANTENNA TECHNOLOGY CO., LTD

Address:
305, 3rd Floor, Building C, Xintang Smart Park, No. 11 ZhongxingRoad, Bantian Street, Longgang District, Shenzhen