

Appendix B.16

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.62	0.33	21.80	<=38.45	Pass
			2	23.65	0.33	21.83	<=38.45	Pass
			5	23.62	0.33	21.80	<=38.45	Pass
		3	0	23.63	0.33	21.81	<=38.45	Pass
			2	23.66	0.33	21.84	<=38.45	Pass
			3	23.69	0.33	21.87	<=38.45	Pass
		6	0	22.63	0.33	20.81	<=38.45	Pass
	836.5	1	0	23.11	0.33	21.29	<=38.45	Pass
			2	23.10	0.33	21.28	<=38.45	Pass
			5	23.04	0.33	21.22	<=38.45	Pass
		3	0	23.15	0.33	21.33	<=38.45	Pass
			2	23.11	0.33	21.29	<=38.45	Pass
			3	23.05	0.33	21.23	<=38.45	Pass
		6	0	22.11	0.33	20.29	<=38.45	Pass
	848.3	1	0	22.64	0.33	20.82	<=38.45	Pass
			2	22.59	0.33	20.77	<=38.45	Pass
			5	22.61	0.33	20.79	<=38.45	Pass
		3	0	22.65	0.33	20.83	<=38.45	Pass
			2	22.72	0.33	20.90	<=38.45	Pass
			3	22.69	0.33	20.87	<=38.45	Pass
		6	0	21.68	0.33	19.86	<=38.45	Pass
16QAM	824.7	1	0	22.93	0.33	21.11	<=38.45	Pass
			2	22.88	0.33	21.06	<=38.45	Pass
			5	22.85	0.33	21.03	<=38.45	Pass
		3	0	22.60	0.33	20.78	<=38.45	Pass
			2	22.66	0.33	20.84	<=38.45	Pass
			3	22.57	0.33	20.75	<=38.45	Pass
		6	0	21.71	0.33	19.89	<=38.45	Pass
	836.5	1	0	22.34	0.33	20.52	<=38.45	Pass
			2	22.38	0.33	20.56	<=38.45	Pass
			5	22.33	0.33	20.51	<=38.45	Pass
		3	0	22.11	0.33	20.29	<=38.45	Pass
			2	22.04	0.33	20.22	<=38.45	Pass
			3	22.03	0.33	20.21	<=38.45	Pass
		6	0	21.21	0.33	19.39	<=38.45	Pass
	848.3	1	0	21.82	0.33	20.00	<=38.45	Pass
			2	21.90	0.33	20.08	<=38.45	Pass
			5	21.93	0.33	20.11	<=38.45	Pass
		3	0	21.72	0.33	19.90	<=38.45	Pass
			2	21.78	0.33	19.96	<=38.45	Pass
			3	21.74	0.33	19.92	<=38.45	Pass

		6	0	20.82	0.33	19.00	<=38.45	Pass	
64QAM	824.7	1	0	21.76	0.33	19.94	<=38.45	Pass	
			2	21.74	0.33	19.92	<=38.45	Pass	
			5	21.72	0.33	19.90	<=38.45	Pass	
			0	21.73	0.33	19.91	<=38.45	Pass	
		3	2	21.66	0.33	19.84	<=38.45	Pass	
			3	21.71	0.33	19.89	<=38.45	Pass	
			6	0	20.61	0.33	18.79	<=38.45	Pass
		836.5	1	0	21.27	0.33	19.45	<=38.45	Pass
				2	21.26	0.33	19.44	<=38.45	Pass
	5			21.27	0.33	19.45	<=38.45	Pass	
	0			21.18	0.33	19.36	<=38.45	Pass	
	3		2	21.21	0.33	19.39	<=38.45	Pass	
			3	21.19	0.33	19.37	<=38.45	Pass	
			6	0	20.07	0.33	18.25	<=38.45	Pass
	848.3		1	0	20.81	0.33	18.99	<=38.45	Pass
				2	20.81	0.33	18.99	<=38.45	Pass
		5		20.82	0.33	19.00	<=38.45	Pass	
		0		20.76	0.33	18.94	<=38.45	Pass	
		3	2	20.83	0.33	19.01	<=38.45	Pass	
			3	20.79	0.33	18.97	<=38.45	Pass	
			6	0	19.60	0.33	17.78	<=38.45	Pass
256QAM		824.7	1	0	18.85	0.33	17.03	<=38.45	Pass
				2	18.88	0.33	17.06	<=38.45	Pass
	5			18.79	0.33	16.97	<=38.45	Pass	
	0			18.77	0.33	16.95	<=38.45	Pass	
	3		2	18.81	0.33	16.99	<=38.45	Pass	
			3	18.79	0.33	16.97	<=38.45	Pass	
			6	0	18.74	0.33	16.92	<=38.45	Pass
	836.5		1	0	18.27	0.33	16.45	<=38.45	Pass
				2	18.35	0.33	16.53	<=38.45	Pass
		5		18.29	0.33	16.47	<=38.45	Pass	
		0		18.27	0.33	16.45	<=38.45	Pass	
		3	2	18.23	0.33	16.41	<=38.45	Pass	
			3	18.22	0.33	16.40	<=38.45	Pass	
			6	0	18.21	0.33	16.39	<=38.45	Pass
		848.3	1	0	17.85	0.33	16.03	<=38.45	Pass
				2	17.94	0.33	16.12	<=38.45	Pass
	5			17.87	0.33	16.05	<=38.45	Pass	
	0			17.88	0.33	16.06	<=38.45	Pass	
	3		2	17.83	0.33	16.01	<=38.45	Pass	
			3	17.89	0.33	16.07	<=38.45	Pass	
			6	0	17.80	0.33	15.98	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.59	0.33	21.77	<=38.45	Pass
			7	23.59	0.33	21.77	<=38.45	Pass
			14	23.53	0.33	21.71	<=38.45	Pass

	836.5	8	0	22.61	0.33	20.79	<=38.45	Pass
			4	22.59	0.33	20.77	<=38.45	Pass
			7	22.55	0.33	20.73	<=38.45	Pass
		15	0	22.57	0.33	20.75	<=38.45	Pass
			0	23.14	0.33	21.32	<=38.45	Pass
			7	23.08	0.33	21.26	<=38.45	Pass
		1	14	23.00	0.33	21.18	<=38.45	Pass
			0	22.13	0.33	20.31	<=38.45	Pass
			4	22.01	0.33	20.19	<=38.45	Pass
	847.5	8	7	22.06	0.33	20.24	<=38.45	Pass
			0	22.13	0.33	20.31	<=38.45	Pass
			7	22.67	0.33	20.85	<=38.45	Pass
		1	7	22.62	0.33	20.80	<=38.45	Pass
			14	22.62	0.33	20.80	<=38.45	Pass
			0	21.68	0.33	19.86	<=38.45	Pass
		8	4	21.65	0.33	19.83	<=38.45	Pass
			7	21.64	0.33	19.82	<=38.45	Pass
			0	21.66	0.33	19.84	<=38.45	Pass
16QAM	825.5	1	0	22.92	0.33	21.10	<=38.45	Pass
			7	22.76	0.33	20.94	<=38.45	Pass
			14	22.78	0.33	20.96	<=38.45	Pass
		8	0	21.69	0.33	19.87	<=38.45	Pass
			4	21.64	0.33	19.82	<=38.45	Pass
			7	21.61	0.33	19.79	<=38.45	Pass
		15	0	21.60	0.33	19.78	<=38.45	Pass
			0	22.44	0.33	20.62	<=38.45	Pass
			7	22.39	0.33	20.57	<=38.45	Pass
	836.5	1	14	22.32	0.33	20.50	<=38.45	Pass
			0	21.22	0.33	19.40	<=38.45	Pass
			4	21.13	0.33	19.31	<=38.45	Pass
		8	7	21.12	0.33	19.30	<=38.45	Pass
			0	21.09	0.33	19.27	<=38.45	Pass
			7	22.02	0.33	20.20	<=38.45	Pass
		1	7	21.88	0.33	20.06	<=38.45	Pass
			14	21.79	0.33	19.97	<=38.45	Pass
			0	20.77	0.33	18.95	<=38.45	Pass
64QAM	825.5	8	4	20.72	0.33	18.90	<=38.45	Pass
			7	20.65	0.33	18.83	<=38.45	Pass
			0	20.69	0.33	18.87	<=38.45	Pass
		15	0	21.74	0.33	19.92	<=38.45	Pass
			7	21.74	0.33	19.92	<=38.45	Pass
			14	21.71	0.33	19.89	<=38.45	Pass
		8	0	20.63	0.33	18.81	<=38.45	Pass
			4	20.61	0.33	18.79	<=38.45	Pass
			7	20.59	0.33	18.77	<=38.45	Pass
	836.5	1	0	20.51	0.33	18.69	<=38.45	Pass
			0	21.39	0.33	19.57	<=38.45	Pass
			7	21.32	0.33	19.50	<=38.45	Pass
		8	14	21.19	0.33	19.37	<=38.45	Pass
			0	20.14	0.33	18.32	<=38.45	Pass
			4	20.02	0.33	18.20	<=38.45	Pass
		15	7	20.05	0.33	18.23	<=38.45	Pass
			0	20.05	0.33	18.23	<=38.45	Pass
			7	20.76	0.33	18.94	<=38.45	Pass
	847.5	1	0	20.76	0.33	18.94	<=38.45	Pass
			7	20.76	0.33	18.94	<=38.45	Pass

256QAM	825.5	8	14	20.85	0.33	19.03	<=38.45	Pass
			0	19.66	0.33	17.84	<=38.45	Pass
			4	19.58	0.33	17.76	<=38.45	Pass
			7	19.55	0.33	17.73	<=38.45	Pass
		15	0	19.64	0.33	17.82	<=38.45	Pass
			0	18.83	0.33	17.01	<=38.45	Pass
			7	18.79	0.33	16.97	<=38.45	Pass
			14	18.77	0.33	16.95	<=38.45	Pass
		8	0	18.74	0.33	16.92	<=38.45	Pass
			4	18.71	0.33	16.89	<=38.45	Pass
			7	18.73	0.33	16.91	<=38.45	Pass
			0	18.69	0.33	16.87	<=38.45	Pass
	836.5	1	0	18.40	0.33	16.58	<=38.45	Pass
			7	18.33	0.33	16.51	<=38.45	Pass
			14	18.22	0.33	16.40	<=38.45	Pass
			0	18.24	0.33	16.42	<=38.45	Pass
		8	4	18.17	0.33	16.35	<=38.45	Pass
			7	18.22	0.33	16.40	<=38.45	Pass
			0	18.22	0.33	16.40	<=38.45	Pass
			0	17.93	0.33	16.11	<=38.45	Pass
		1	7	17.89	0.33	16.07	<=38.45	Pass
			14	17.94	0.33	16.12	<=38.45	Pass
			0	17.80	0.33	15.98	<=38.45	Pass
			4	17.80	0.33	15.98	<=38.45	Pass
	847.5	8	7	17.71	0.33	15.89	<=38.45	Pass
			0	17.71	0.33	15.89	<=38.45	Pass
			0	17.71	0.33	15.89	<=38.45	Pass
			0	17.71	0.33	15.89	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.65	0.33	21.83	<=38.45	Pass
			13	23.54	0.33	21.72	<=38.45	Pass
			24	23.50	0.33	21.68	<=38.45	Pass
		12	0	22.68	0.33	20.86	<=38.45	Pass
			6	22.59	0.33	20.77	<=38.45	Pass
			13	22.50	0.33	20.68	<=38.45	Pass
		25	0	22.55	0.33	20.73	<=38.45	Pass
			0	23.24	0.33	21.42	<=38.45	Pass
			13	23.06	0.33	21.24	<=38.45	Pass
			24	22.95	0.33	21.13	<=38.45	Pass
	836.5	1	0	22.17	0.33	20.35	<=38.45	Pass
			6	22.10	0.33	20.28	<=38.45	Pass
			13	22.03	0.33	20.21	<=38.45	Pass
		12	0	22.12	0.33	20.30	<=38.45	Pass
			0	22.73	0.33	20.91	<=38.45	Pass
			13	22.61	0.33	20.79	<=38.45	Pass
			24	22.65	0.33	20.83	<=38.45	Pass
		25	0	21.72	0.33	19.90	<=38.45	Pass
			6	21.72	0.33	19.90	<=38.45	Pass
			13	21.47	0.33	19.65	<=38.45	Pass

		25	0	21.59	0.33	19.77	<=38.45	Pass
16QAM	826.5	1	0	22.93	0.33	21.11	<=38.45	Pass
			13	22.79	0.33	20.97	<=38.45	Pass
			24	22.72	0.33	20.90	<=38.45	Pass
		12	0	21.59	0.33	19.77	<=38.45	Pass
			6	21.57	0.33	19.75	<=38.45	Pass
			13	21.41	0.33	19.59	<=38.45	Pass
		25	0	21.62	0.33	19.80	<=38.45	Pass
	836.5	1	0	22.57	0.33	20.75	<=38.45	Pass
			13	22.40	0.33	20.58	<=38.45	Pass
			24	22.26	0.33	20.44	<=38.45	Pass
		12	0	21.15	0.33	19.33	<=38.45	Pass
			6	21.09	0.33	19.27	<=38.45	Pass
			13	21.02	0.33	19.20	<=38.45	Pass
		25	0	21.14	0.33	19.32	<=38.45	Pass
	846.5	1	0	22.08	0.33	20.26	<=38.45	Pass
			13	21.91	0.33	20.09	<=38.45	Pass
			24	21.94	0.33	20.12	<=38.45	Pass
		12	0	20.70	0.33	18.88	<=38.45	Pass
			6	20.67	0.33	18.85	<=38.45	Pass
			13	20.47	0.33	18.65	<=38.45	Pass
		25	0	20.61	0.33	18.79	<=38.45	Pass
64QAM	826.5	1	0	21.76	0.33	19.94	<=38.45	Pass
			13	21.69	0.33	19.87	<=38.45	Pass
			24	21.66	0.33	19.84	<=38.45	Pass
		12	0	20.61	0.33	18.79	<=38.45	Pass
			6	20.57	0.33	18.75	<=38.45	Pass
			13	20.45	0.33	18.63	<=38.45	Pass
		25	0	20.54	0.33	18.72	<=38.45	Pass
	836.5	1	0	21.42	0.33	19.60	<=38.45	Pass
			13	21.20	0.33	19.38	<=38.45	Pass
			24	21.10	0.33	19.28	<=38.45	Pass
		12	0	20.11	0.33	18.29	<=38.45	Pass
			6	20.08	0.33	18.26	<=38.45	Pass
			13	20.01	0.33	18.19	<=38.45	Pass
		25	0	20.09	0.33	18.27	<=38.45	Pass
	846.5	1	0	20.89	0.33	19.07	<=38.45	Pass
			13	20.82	0.33	19.00	<=38.45	Pass
			24	20.82	0.33	19.00	<=38.45	Pass
		12	0	19.69	0.33	17.87	<=38.45	Pass
			6	19.69	0.33	17.87	<=38.45	Pass
			13	19.50	0.33	17.68	<=38.45	Pass
		25	0	19.56	0.33	17.74	<=38.45	Pass
256QAM	826.5	1	0	18.93	0.33	17.11	<=38.45	Pass
			13	18.79	0.33	16.97	<=38.45	Pass
			24	18.69	0.33	16.87	<=38.45	Pass
		12	0	18.69	0.33	16.87	<=38.45	Pass
			6	18.65	0.33	16.83	<=38.45	Pass
			13	18.53	0.33	16.71	<=38.45	Pass
		25	0	18.68	0.33	16.86	<=38.45	Pass
	836.5	1	0	18.43	0.33	16.61	<=38.45	Pass
			13	18.28	0.33	16.46	<=38.45	Pass
			24	18.12	0.33	16.30	<=38.45	Pass
		12	0	18.21	0.33	16.39	<=38.45	Pass
			6	18.19	0.33	16.37	<=38.45	Pass

	846.5	25	13	18.11	0.33	16.29	<=38.45	Pass
			0	18.18	0.33	16.36	<=38.45	Pass
			0	17.97	0.33	16.15	<=38.45	Pass
		1	13	17.81	0.33	15.99	<=38.45	Pass
			24	17.85	0.33	16.03	<=38.45	Pass
			0	17.81	0.33	15.99	<=38.45	Pass
		12	6	17.73	0.33	15.91	<=38.45	Pass
			13	17.54	0.33	15.72	<=38.45	Pass
			0	17.70	0.33	15.88	<=38.45	Pass
		25	0	17.70	0.33	15.88	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.62	0.33	21.80	<=38.45	Pass
			25	23.50	0.33	21.68	<=38.45	Pass
			49	23.24	0.33	21.42	<=38.45	Pass
		25	0	22.66	0.33	20.84	<=38.45	Pass
			13	22.54	0.33	20.72	<=38.45	Pass
			25	22.36	0.33	20.54	<=38.45	Pass
		50	0	22.56	0.33	20.74	<=38.45	Pass
	836.5	1	0	23.38	0.33	21.56	<=38.45	Pass
			25	23.13	0.33	21.31	<=38.45	Pass
			49	22.85	0.33	21.03	<=38.45	Pass
		25	0	22.13	0.33	20.31	<=38.45	Pass
			13	22.12	0.33	20.30	<=38.45	Pass
			25	21.98	0.33	20.16	<=38.45	Pass
		50	0	22.03	0.33	20.21	<=38.45	Pass
	844	1	0	22.93	0.33	21.11	<=38.45	Pass
			25	22.76	0.33	20.94	<=38.45	Pass
			49	22.62	0.33	20.80	<=38.45	Pass
		25	0	22.03	0.33	20.21	<=38.45	Pass
			13	21.84	0.33	20.02	<=38.45	Pass
			25	21.59	0.33	19.77	<=38.45	Pass
		50	0	21.84	0.33	20.02	<=38.45	Pass
16QAM	829	1	0	22.95	0.33	21.13	<=38.45	Pass
			25	22.65	0.33	20.83	<=38.45	Pass
			49	22.60	0.33	20.78	<=38.45	Pass
		25	0	21.68	0.33	19.86	<=38.45	Pass
			13	21.54	0.33	19.72	<=38.45	Pass
			25	21.41	0.33	19.59	<=38.45	Pass
		50	0	21.50	0.33	19.68	<=38.45	Pass
	836.5	1	0	22.52	0.33	20.70	<=38.45	Pass
			25	22.34	0.33	20.52	<=38.45	Pass
			49	22.00	0.33	20.18	<=38.45	Pass
		25	0	21.15	0.33	19.33	<=38.45	Pass
			13	21.15	0.33	19.33	<=38.45	Pass
			25	20.95	0.33	19.13	<=38.45	Pass
		50	0	21.03	0.33	19.21	<=38.45	Pass
	844	1	0	22.26	0.33	20.44	<=38.45	Pass
			25	22.07	0.33	20.25	<=38.45	Pass

		25	49	21.77	0.33	19.95	<=38.45	Pass		
			0	21.04	0.33	19.22	<=38.45	Pass		
			13	20.80	0.33	18.98	<=38.45	Pass		
			25	20.64	0.33	18.82	<=38.45	Pass		
		50	0	20.86	0.33	19.04	<=38.45	Pass		
64QAM	829	1	0	21.80	0.33	19.98	<=38.45	Pass		
			25	21.56	0.33	19.74	<=38.45	Pass		
			49	21.39	0.33	19.57	<=38.45	Pass		
		25	0	20.64	0.33	18.82	<=38.45	Pass		
			13	20.48	0.33	18.66	<=38.45	Pass		
			25	20.34	0.33	18.52	<=38.45	Pass		
		50	0	20.46	0.33	18.64	<=38.45	Pass		
		836.5	1	0	21.42	0.33	19.60	<=38.45	Pass	
				25	21.32	0.33	19.50	<=38.45	Pass	
	49			21.08	0.33	19.26	<=38.45	Pass		
	25		0	20.14	0.33	18.32	<=38.45	Pass		
			13	20.11	0.33	18.29	<=38.45	Pass		
			25	19.91	0.33	18.09	<=38.45	Pass		
	50		0	20.04	0.33	18.22	<=38.45	Pass		
	844		1	0	21.09	0.33	19.27	<=38.45	Pass	
				25	20.90	0.33	19.08	<=38.45	Pass	
		49		20.78	0.33	18.96	<=38.45	Pass		
		25	0	20.05	0.33	18.23	<=38.45	Pass		
			13	19.82	0.33	18.00	<=38.45	Pass		
			25	19.61	0.33	17.79	<=38.45	Pass		
		50	0	19.83	0.33	18.01	<=38.45	Pass		
		256QAM	829	1	0	18.94	0.33	17.12	<=38.45	Pass
					25	18.75	0.33	16.93	<=38.45	Pass
	49				18.49	0.33	16.67	<=38.45	Pass	
	25			0	18.77	0.33	16.95	<=38.45	Pass	
				13	18.64	0.33	16.82	<=38.45	Pass	
25				18.43	0.33	16.61	<=38.45	Pass		
50	0			18.66	0.33	16.84	<=38.45	Pass		
836.5	1		0	18.60	0.33	16.78	<=38.45	Pass		
			25	18.32	0.33	16.50	<=38.45	Pass		
			49	18.04	0.33	16.22	<=38.45	Pass		
	25		0	18.23	0.33	16.41	<=38.45	Pass		
			13	18.18	0.33	16.36	<=38.45	Pass		
			25	18.07	0.33	16.25	<=38.45	Pass		
	50		0	18.17	0.33	16.35	<=38.45	Pass		
844	1		0	18.18	0.33	16.36	<=38.45	Pass		
			25	17.93	0.33	16.11	<=38.45	Pass		
			49	17.85	0.33	16.03	<=38.45	Pass		
	25		0	18.15	0.33	16.33	<=38.45	Pass		
		13	17.89	0.33	16.07	<=38.45	Pass			
		25	17.76	0.33	15.94	<=38.45	Pass			
	50	0	17.91	0.33	16.09	<=38.45	Pass			
Note1: ERP=Conducted Power+Antenna Gain-2.15										

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTV						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	ERP (dBm)	Verdict

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	831.5	1	0	23.53	0.33	21.71	<=38.45	Pass
			38	23.35	0.33	21.53	<=38.45	Pass
			74	22.93	0.33	21.11	<=38.45	Pass
		36	0	22.52	0.33	20.70	<=38.45	Pass
			18	22.33	0.33	20.51	<=38.45	Pass
			39	22.24	0.33	20.42	<=38.45	Pass
		75	0	22.37	0.33	20.55	<=38.45	Pass
	836.5	1	0	23.37	0.33	21.55	<=38.45	Pass
			38	23.11	0.33	21.29	<=38.45	Pass
			74	22.73	0.33	20.91	<=38.45	Pass
		36	0	22.21	0.33	20.39	<=38.45	Pass
			18	22.15	0.33	20.33	<=38.45	Pass
			39	21.90	0.33	20.08	<=38.45	Pass
		75	0	22.07	0.33	20.25	<=38.45	Pass
	841.5	1	0	23.14	0.33	21.32	<=38.45	Pass
			38	22.88	0.33	21.06	<=38.45	Pass
			74	22.55	0.33	20.73	<=38.45	Pass
		36	0	21.96	0.33	20.14	<=38.45	Pass
			18	21.90	0.33	20.08	<=38.45	Pass
			39	21.72	0.33	19.90	<=38.45	Pass
		75	0	21.90	0.33	20.08	<=38.45	Pass
16QAM	831.5	1	0	22.80	0.33	20.98	<=38.45	Pass
			38	22.57	0.33	20.75	<=38.45	Pass
			74	22.26	0.33	20.44	<=38.45	Pass
		36	0	21.54	0.33	19.72	<=38.45	Pass
			18	21.38	0.33	19.56	<=38.45	Pass
			39	21.19	0.33	19.37	<=38.45	Pass
		75	0	21.37	0.33	19.55	<=38.45	Pass
	836.5	1	0	22.61	0.33	20.79	<=38.45	Pass
			38	22.35	0.33	20.53	<=38.45	Pass
			74	21.94	0.33	20.12	<=38.45	Pass
		36	0	21.17	0.33	19.35	<=38.45	Pass
			18	21.13	0.33	19.31	<=38.45	Pass
			39	20.88	0.33	19.06	<=38.45	Pass
		75	0	21.06	0.33	19.24	<=38.45	Pass
	841.5	1	0	22.36	0.33	20.54	<=38.45	Pass
			38	22.16	0.33	20.34	<=38.45	Pass
			74	21.83	0.33	20.01	<=38.45	Pass
		36	0	21.04	0.33	19.22	<=38.45	Pass
			18	20.88	0.33	19.06	<=38.45	Pass
			39	20.72	0.33	18.90	<=38.45	Pass
		75	0	20.94	0.33	19.12	<=38.45	Pass
64QAM	831.5	1	0	21.72	0.33	19.90	<=38.45	Pass
			38	21.48	0.33	19.66	<=38.45	Pass
			74	21.05	0.33	19.23	<=38.45	Pass
		36	0	20.51	0.33	18.69	<=38.45	Pass
			18	20.38	0.33	18.56	<=38.45	Pass
			39	20.21	0.33	18.39	<=38.45	Pass
		75	0	20.33	0.33	18.51	<=38.45	Pass
	836.5	1	0	21.54	0.33	19.72	<=38.45	Pass
			38	21.27	0.33	19.45	<=38.45	Pass
			74	20.86	0.33	19.04	<=38.45	Pass
		36	0	20.19	0.33	18.37	<=38.45	Pass
			18	20.16	0.33	18.34	<=38.45	Pass

	841.5	75	39	19.84	0.33	18.02	<=38.45	Pass
			0	20.01	0.33	18.19	<=38.45	Pass
		1	0	21.33	0.33	19.51	<=38.45	Pass
			38	21.00	0.33	19.18	<=38.45	Pass
			74	20.69	0.33	18.87	<=38.45	Pass
		36	0	19.97	0.33	18.15	<=38.45	Pass
			18	19.91	0.33	18.09	<=38.45	Pass
			39	19.75	0.33	17.93	<=38.45	Pass
		75	0	19.87	0.33	18.05	<=38.45	Pass
256QAM	831.5	1	0	18.78	0.33	16.96	<=38.45	Pass
			38	18.60	0.33	16.78	<=38.45	Pass
			74	18.20	0.33	16.38	<=38.45	Pass
		36	0	18.65	0.33	16.83	<=38.45	Pass
			18	18.49	0.33	16.67	<=38.45	Pass
			39	18.32	0.33	16.50	<=38.45	Pass
		75	0	18.48	0.33	16.66	<=38.45	Pass
	836.5	1	0	18.58	0.33	16.76	<=38.45	Pass
			38	18.37	0.33	16.55	<=38.45	Pass
			74	17.94	0.33	16.12	<=38.45	Pass
		36	0	18.32	0.33	16.50	<=38.45	Pass
			18	18.27	0.33	16.45	<=38.45	Pass
			39	17.98	0.33	16.16	<=38.45	Pass
		75	0	18.10	0.33	16.28	<=38.45	Pass
	841.5	1	0	18.32	0.33	16.50	<=38.45	Pass
			38	18.03	0.33	16.21	<=38.45	Pass
			74	17.88	0.33	16.06	<=38.45	Pass
		36	0	18.12	0.33	16.30	<=38.45	Pass
			18	18.01	0.33	16.19	<=38.45	Pass
			39	17.80	0.33	15.98	<=38.45	Pass
		75	0	18.04	0.33	16.22	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

- End of the Appendix -