

Appendix B.26

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n7 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2502.5	Edge_1RB_Left	22.48	/	/	25.23	/	/	<=33.01	Pass
		Edge_1RB_Right	22.49	/	/	25.24	/	/	<=33.01	Pass
		Outer_Full	22.53	/	/	25.28	/	/	<=33.01	Pass
		Inner_Full	23.07	/	/	25.82	/	/	<=33.01	Pass
		Inner_1RB_Left	22.94	/	/	25.69	/	/	<=33.01	Pass
		Inner_1RB_Right	22.99	/	/	25.74	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	22.53	/	/	25.28	/	/	<=33.01	Pass
		Edge_1RB_Right	22.41	/	/	25.16	/	/	<=33.01	Pass
		Outer_Full	22.50	/	/	25.25	/	/	<=33.01	Pass
		Inner_Full	22.98	/	/	25.73	/	/	<=33.01	Pass
		Inner_1RB_Left	22.96	/	/	25.71	/	/	<=33.01	Pass
		Inner_1RB_Right	22.94	/	/	25.69	/	/	<=33.01	Pass
	2567.5	Edge_1RB_Left	22.22	/	/	24.97	/	/	<=33.01	Pass
		Edge_1RB_Right	22.23	/	/	24.98	/	/	<=33.01	Pass
		Outer_Full	22.33	/	/	25.08	/	/	<=33.01	Pass
		Inner_Full	22.82	/	/	25.57	/	/	<=33.01	Pass
		Inner_1RB_Left	22.69	/	/	25.44	/	/	<=33.01	Pass
		Inner_1RB_Right	22.63	/	/	25.38	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	2502.5	Edge_1RB_Left	21.99	/	/	24.74	/	/	<=33.01	Pass
		Edge_1RB_Right	21.99	/	/	24.74	/	/	<=33.01	Pass
		Outer_Full	22.07	/	/	24.82	/	/	<=33.01	Pass
		Inner_Full	23.05	/	/	25.80	/	/	<=33.01	Pass
		Inner_1RB_Left	22.97	/	/	25.72	/	/	<=33.01	Pass
		Inner_1RB_Right	23.01	/	/	25.76	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	21.93	/	/	24.68	/	/	<=33.01	Pass
		Edge_1RB_Right	21.87	/	/	24.62	/	/	<=33.01	Pass
		Outer_Full	22.01	/	/	24.76	/	/	<=33.01	Pass
		Inner_Full	23.00	/	/	25.75	/	/	<=33.01	Pass
		Inner_1RB_Left	22.89	/	/	25.64	/	/	<=33.01	Pass
		Inner_1RB_Right	22.83	/	/	25.58	/	/	<=33.01	Pass
	2567.5	Edge_1RB_Left	21.67	/	/	24.42	/	/	<=33.01	Pass
		Edge_1RB_Right	21.64	/	/	24.39	/	/	<=33.01	Pass
		Outer_Full	21.80	/	/	24.55	/	/	<=33.01	Pass
		Inner_Full	22.83	/	/	25.58	/	/	<=33.01	Pass
		Inner_1RB_Left	22.65	/	/	25.40	/	/	<=33.01	Pass
		Inner_1RB_Right	22.59	/	/	25.34	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	2502.5	Edge_1RB_Left	20.89	/	/	23.64	/	/	<=33.01	Pass
		Edge_1RB_Right	20.86	/	/	23.61	/	/	<=33.01	Pass
		Outer_Full	20.99	/	/	23.74	/	/	<=33.01	Pass
		Inner_Full	22.06	/	/	24.81	/	/	<=33.01	Pass
		Inner_1RB_Left	21.90	/	/	24.65	/	/	<=33.01	Pass

	2535	Inner 1RB Right	21.88	/	/	24.63	/	/	<=33.01	Pass
		Edge 1RB Left	20.88	/	/	23.63	/	/	<=33.01	Pass
		Edge 1RB Right	20.81	/	/	23.56	/	/	<=33.01	Pass
		Outer Full	20.97	/	/	23.72	/	/	<=33.01	Pass
		Inner Full	21.97	/	/	24.72	/	/	<=33.01	Pass
		Inner 1RB Left	21.88	/	/	24.63	/	/	<=33.01	Pass
	2567.5	Inner 1RB Right	21.90	/	/	24.65	/	/	<=33.01	Pass
		Edge 1RB Left	20.64	/	/	23.39	/	/	<=33.01	Pass
		Edge 1RB Right	20.61	/	/	23.36	/	/	<=33.01	Pass
		Outer Full	20.76	/	/	23.51	/	/	<=33.01	Pass
		Inner Full	21.85	/	/	24.60	/	/	<=33.01	Pass
		Inner 1RB Left	21.63	/	/	24.38	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	2502.5	Inner 1RB Right	21.60	/	/	24.35	/	/	<=33.01	Pass
		Edge 1RB Left	20.19	/	/	22.94	/	/	<=33.01	Pass
		Edge 1RB Right	20.11	/	/	22.86	/	/	<=33.01	Pass
		Outer Full	20.54	/	/	23.29	/	/	<=33.01	Pass
		Inner Full	20.47	/	/	23.22	/	/	<=33.01	Pass
		Inner 1RB Left	20.10	/	/	22.85	/	/	<=33.01	Pass
	2535	Inner 1RB Right	20.10	/	/	22.85	/	/	<=33.01	Pass
		Edge 1RB Left	20.06	/	/	22.81	/	/	<=33.01	Pass
		Edge 1RB Right	20.01	/	/	22.76	/	/	<=33.01	Pass
		Outer Full	20.53	/	/	23.28	/	/	<=33.01	Pass
		Inner Full	20.45	/	/	23.20	/	/	<=33.01	Pass
		Inner 1RB Left	20.32	/	/	23.07	/	/	<=33.01	Pass
	2567.5	Inner 1RB Right	20.28	/	/	23.03	/	/	<=33.01	Pass
		Edge 1RB Left	19.81	/	/	22.56	/	/	<=33.01	Pass
		Edge 1RB Right	19.79	/	/	22.54	/	/	<=33.01	Pass
		Outer Full	20.34	/	/	23.09	/	/	<=33.01	Pass
		Inner Full	20.26	/	/	23.01	/	/	<=33.01	Pass
		Inner 1RB Left	19.78	/	/	22.53	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	2502.5	Inner 1RB Right	19.74	/	/	22.49	/	/	<=33.01	Pass
		Edge 1RB Left	18.88	/	/	21.63	/	/	<=33.01	Pass
		Edge 1RB Right	18.94	/	/	21.69	/	/	<=33.01	Pass
		Outer Full	18.71	/	/	21.46	/	/	<=33.01	Pass
		Inner Full	18.59	/	/	21.34	/	/	<=33.01	Pass
		Inner 1RB Left	18.92	/	/	21.67	/	/	<=33.01	Pass
	2535	Inner 1RB Right	18.96	/	/	21.71	/	/	<=33.01	Pass
		Edge 1RB Left	18.83	/	/	21.58	/	/	<=33.01	Pass
		Edge 1RB Right	18.75	/	/	21.50	/	/	<=33.01	Pass
		Outer Full	18.65	/	/	21.40	/	/	<=33.01	Pass
		Inner Full	18.51	/	/	21.26	/	/	<=33.01	Pass
		Inner 1RB Left	18.89	/	/	21.64	/	/	<=33.01	Pass
	2567.5	Inner 1RB Right	18.86	/	/	21.61	/	/	<=33.01	Pass
		Edge 1RB Left	18.61	/	/	21.36	/	/	<=33.01	Pass
		Edge 1RB Right	18.63	/	/	21.38	/	/	<=33.01	Pass
		Outer Full	18.47	/	/	21.22	/	/	<=33.01	Pass
		Inner Full	18.33	/	/	21.08	/	/	<=33.01	Pass
		Inner 1RB Left	18.68	/	/	21.43	/	/	<=33.01	Pass
CP-OFDM QPSK	2502.5	Inner 1RB Right	18.68	/	/	21.43	/	/	<=33.01	Pass
		Edge 1RB Left	20.02	/	/	22.77	/	/	<=33.01	Pass
		Edge 1RB Right	19.99	/	/	22.74	/	/	<=33.01	Pass
		Outer Full	19.98	/	/	22.73	/	/	<=33.01	Pass
		Inner Full	21.52	/	/	24.27	/	/	<=33.01	Pass
		Inner 1RB Left	21.50	/	/	24.25	/	/	<=33.01	Pass
	2502.5	Inner 1RB Right	21.47	/	/	24.22	/	/	<=33.01	Pass

	2535	Edge_1RB_Left	19.99	/	/	22.74	/	/	<=33.01	Pass
		Edge_1RB_Right	19.96	/	/	22.71	/	/	<=33.01	Pass
		Outer_Full	19.97	/	/	22.72	/	/	<=33.01	Pass
		Inner_Full	21.55	/	/	24.30	/	/	<=33.01	Pass
		Inner_1RB_Left	21.44	/	/	24.19	/	/	<=33.01	Pass
		Inner_1RB_Right	21.34	/	/	24.09	/	/	<=33.01	Pass
	2567.5	Edge_1RB_Left	19.80	/	/	22.55	/	/	<=33.01	Pass
		Edge_1RB_Right	19.76	/	/	22.51	/	/	<=33.01	Pass
		Outer_Full	19.72	/	/	22.47	/	/	<=33.01	Pass
		Inner_Full	21.28	/	/	24.03	/	/	<=33.01	Pass
		Inner_1RB_Left	21.25	/	/	24.00	/	/	<=33.01	Pass
		Inner_1RB_Right	21.08	/	/	23.83	/	/	<=33.01	Pass
CP-OFDM 16 QAM	2502.5	Edge_1RB_Left	19.88	/	/	22.63	/	/	<=33.01	Pass
		Edge_1RB_Right	19.96	/	/	22.71	/	/	<=33.01	Pass
		Outer_Full	19.97	/	/	22.72	/	/	<=33.01	Pass
		Inner_Full	21.04	/	/	23.79	/	/	<=33.01	Pass
		Inner_1RB_Left	20.87	/	/	23.62	/	/	<=33.01	Pass
		Inner_1RB_Right	20.88	/	/	23.63	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	19.89	/	/	22.64	/	/	<=33.01	Pass
		Edge_1RB_Right	19.82	/	/	22.57	/	/	<=33.01	Pass
		Outer_Full	19.90	/	/	22.65	/	/	<=33.01	Pass
		Inner_Full	20.97	/	/	23.72	/	/	<=33.01	Pass
		Inner_1RB_Left	20.91	/	/	23.66	/	/	<=33.01	Pass
		Inner_1RB_Right	20.82	/	/	23.57	/	/	<=33.01	Pass
	2567.5	Edge_1RB_Left	19.65	/	/	22.40	/	/	<=33.01	Pass
		Edge_1RB_Right	19.64	/	/	22.39	/	/	<=33.01	Pass
		Outer_Full	19.72	/	/	22.47	/	/	<=33.01	Pass
		Inner_Full	20.81	/	/	23.56	/	/	<=33.01	Pass
		Inner_1RB_Left	20.61	/	/	23.36	/	/	<=33.01	Pass
		Inner_1RB_Right	20.58	/	/	23.33	/	/	<=33.01	Pass
CP-OFDM 64 QAM	2502.5	Edge_1RB_Left	19.27	/	/	22.02	/	/	<=33.01	Pass
		Edge_1RB_Right	19.28	/	/	22.03	/	/	<=33.01	Pass
		Outer_Full	19.65	/	/	22.40	/	/	<=33.01	Pass
		Inner_Full	19.65	/	/	22.40	/	/	<=33.01	Pass
		Inner_1RB_Left	19.28	/	/	22.03	/	/	<=33.01	Pass
		Inner_1RB_Right	19.26	/	/	22.01	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	19.28	/	/	22.03	/	/	<=33.01	Pass
		Edge_1RB_Right	19.33	/	/	22.08	/	/	<=33.01	Pass
		Outer_Full	19.58	/	/	22.33	/	/	<=33.01	Pass
		Inner_Full	19.67	/	/	22.42	/	/	<=33.01	Pass
		Inner_1RB_Left	19.26	/	/	22.01	/	/	<=33.01	Pass
		Inner_1RB_Right	19.21	/	/	21.96	/	/	<=33.01	Pass
	2567.5	Edge_1RB_Left	19.14	/	/	21.89	/	/	<=33.01	Pass
		Edge_1RB_Right	18.96	/	/	21.71	/	/	<=33.01	Pass
		Outer_Full	19.42	/	/	22.17	/	/	<=33.01	Pass
		Inner_Full	19.45	/	/	22.20	/	/	<=33.01	Pass
		Inner_1RB_Left	19.11	/	/	21.86	/	/	<=33.01	Pass
		Inner_1RB_Right	18.94	/	/	21.69	/	/	<=33.01	Pass
CP-OFDM 256 QAM	2502.5	Edge_1RB_Left	16.73	/	/	19.48	/	/	<=33.01	Pass
		Edge_1RB_Right	16.71	/	/	19.46	/	/	<=33.01	Pass
		Outer_Full	16.64	/	/	19.39	/	/	<=33.01	Pass
		Inner_Full	16.74	/	/	19.49	/	/	<=33.01	Pass
		Inner_1RB_Left	16.82	/	/	19.57	/	/	<=33.01	Pass
		Inner_1RB_Right	16.85	/	/	19.60	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	16.64	/	/	19.39	/	/	<=33.01	Pass

		Edge_1RB_Right	16.65	/	/	19.40	/	/	<=33.01	Pass
		Outer_Full	16.59	/	/	19.34	/	/	<=33.01	Pass
		Inner_Full	16.61	/	/	19.36	/	/	<=33.01	Pass
		Inner_1RB_Left	16.79	/	/	19.54	/	/	<=33.01	Pass
		Inner_1RB_Right	16.71	/	/	19.46	/	/	<=33.01	Pass
	2567.5	Edge_1RB_Left	16.45	/	/	19.20	/	/	<=33.01	Pass
		Edge_1RB_Right	16.44	/	/	19.19	/	/	<=33.01	Pass
		Outer_Full	16.37	/	/	19.12	/	/	<=33.01	Pass
		Inner_Full	16.44	/	/	19.19	/	/	<=33.01	Pass
		Inner_1RB_Left	16.54	/	/	19.29	/	/	<=33.01	Pass
		Inner_1RB_Right	16.47	/	/	19.22	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15_S_10M_NTNV_EIRP

5G NR n7 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2505	Edge 1RB Left	22.31	/	/	25.06	/	/	<=33.01	Pass
		Edge 1RB Right	22.49	/	/	25.24	/	/	<=33.01	Pass
		Outer Full	22.50	/	/	25.25	/	/	<=33.01	Pass
		Inner Full	23.01	/	/	25.76	/	/	<=33.01	Pass
		Inner 1RB Left	22.83	/	/	25.58	/	/	<=33.01	Pass
		Inner 1RB Right	22.89	/	/	25.64	/	/	<=33.01	Pass
	2535	Edge 1RB Left	22.31	/	/	25.06	/	/	<=33.01	Pass
		Edge 1RB Right	22.37	/	/	25.12	/	/	<=33.01	Pass
		Outer Full	22.51	/	/	25.26	/	/	<=33.01	Pass
		Inner Full	23.02	/	/	25.77	/	/	<=33.01	Pass
		Inner 1RB Left	22.86	/	/	25.61	/	/	<=33.01	Pass
		Inner 1RB Right	22.91	/	/	25.66	/	/	<=33.01	Pass
	2565	Edge 1RB Left	22.17	/	/	24.92	/	/	<=33.01	Pass
		Edge 1RB Right	22.20	/	/	24.95	/	/	<=33.01	Pass
		Outer Full	22.32	/	/	25.07	/	/	<=33.01	Pass
		Inner Full	22.87	/	/	25.62	/	/	<=33.01	Pass
		Inner 1RB Left	22.72	/	/	25.47	/	/	<=33.01	Pass
		Inner 1RB Right	22.69	/	/	25.44	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	2505	Edge 1RB Left	21.84	/	/	24.59	/	/	<=33.01	Pass
		Edge 1RB Right	21.89	/	/	24.64	/	/	<=33.01	Pass
		Outer Full	21.96	/	/	24.71	/	/	<=33.01	Pass
		Inner Full	23.01	/	/	25.76	/	/	<=33.01	Pass
		Inner 1RB Left	22.83	/	/	25.58	/	/	<=33.01	Pass
		Inner 1RB Right	22.82	/	/	25.57	/	/	<=33.01	Pass
	2535	Edge 1RB Left	21.78	/	/	24.53	/	/	<=33.01	Pass
		Edge 1RB Right	21.91	/	/	24.66	/	/	<=33.01	Pass
		Outer Full	21.99	/	/	24.74	/	/	<=33.01	Pass
		Inner Full	23.03	/	/	25.78	/	/	<=33.01	Pass
		Inner 1RB Left	22.81	/	/	25.56	/	/	<=33.01	Pass
		Inner 1RB Right	22.83	/	/	25.58	/	/	<=33.01	Pass
	2565	Edge 1RB Left	21.69	/	/	24.44	/	/	<=33.01	Pass
		Edge 1RB Right	21.68	/	/	24.43	/	/	<=33.01	Pass
		Outer Full	21.83	/	/	24.58	/	/	<=33.01	Pass
		Inner Full	22.87	/	/	25.62	/	/	<=33.01	Pass

DFT-s-OFDM 16 QAM		Inner_1RB_Left	22.66	/	/	25.41	/	/	<=33.01	Pass
		Inner_1RB_Right	22.64	/	/	25.39	/	/	<=33.01	Pass
	2505	Edge_1RB_Left	20.72	/	/	23.47	/	/	<=33.01	Pass
		Edge_1RB_Right	20.84	/	/	23.59	/	/	<=33.01	Pass
		Outer_Full	20.96	/	/	23.71	/	/	<=33.01	Pass
		Inner_Full	22.02	/	/	24.77	/	/	<=33.01	Pass
		Inner_1RB_Left	21.82	/	/	24.57	/	/	<=33.01	Pass
		Inner_1RB_Right	21.79	/	/	24.54	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	20.78	/	/	23.53	/	/	<=33.01	Pass
		Edge_1RB_Right	20.85	/	/	23.60	/	/	<=33.01	Pass
		Outer_Full	21.00	/	/	23.75	/	/	<=33.01	Pass
		Inner_Full	21.99	/	/	24.74	/	/	<=33.01	Pass
		Inner_1RB_Left	21.86	/	/	24.61	/	/	<=33.01	Pass
		Inner_1RB_Right	21.81	/	/	24.56	/	/	<=33.01	Pass
	2565	Edge_1RB_Left	20.66	/	/	23.41	/	/	<=33.01	Pass
		Edge_1RB_Right	20.68	/	/	23.43	/	/	<=33.01	Pass
		Outer_Full	20.85	/	/	23.60	/	/	<=33.01	Pass
		Inner_Full	21.79	/	/	24.54	/	/	<=33.01	Pass
		Inner_1RB_Left	21.63	/	/	24.38	/	/	<=33.01	Pass
		Inner_1RB_Right	21.67	/	/	24.42	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	2505	Edge_1RB_Left	19.98	/	/	22.73	/	/	<=33.01	Pass
		Edge_1RB_Right	20.06	/	/	22.81	/	/	<=33.01	Pass
		Outer_Full	20.49	/	/	23.24	/	/	<=33.01	Pass
		Inner_Full	20.46	/	/	23.21	/	/	<=33.01	Pass
		Inner_1RB_Left	20.05	/	/	22.80	/	/	<=33.01	Pass
		Inner_1RB_Right	19.96	/	/	22.71	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	20.16	/	/	22.91	/	/	<=33.01	Pass
		Edge_1RB_Right	20.11	/	/	22.86	/	/	<=33.01	Pass
		Outer_Full	20.46	/	/	23.21	/	/	<=33.01	Pass
		Inner_Full	20.44	/	/	23.19	/	/	<=33.01	Pass
		Inner_1RB_Left	19.92	/	/	22.67	/	/	<=33.01	Pass
		Inner_1RB_Right	20.31	/	/	23.06	/	/	<=33.01	Pass
	2565	Edge_1RB_Left	19.99	/	/	22.74	/	/	<=33.01	Pass
		Edge_1RB_Right	19.80	/	/	22.55	/	/	<=33.01	Pass
		Outer_Full	20.33	/	/	23.08	/	/	<=33.01	Pass
		Inner_Full	20.27	/	/	23.02	/	/	<=33.01	Pass
		Inner_1RB_Left	19.75	/	/	22.50	/	/	<=33.01	Pass
		Inner_1RB_Right	19.80	/	/	22.55	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	2505	Edge_1RB_Left	18.71	/	/	21.46	/	/	<=33.01	Pass
		Edge_1RB_Right	18.88	/	/	21.63	/	/	<=33.01	Pass
		Outer_Full	18.62	/	/	21.37	/	/	<=33.01	Pass
		Inner_Full	18.59	/	/	21.34	/	/	<=33.01	Pass
		Inner_1RB_Left	18.68	/	/	21.43	/	/	<=33.01	Pass
		Inner_1RB_Right	18.86	/	/	21.61	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	18.77	/	/	21.52	/	/	<=33.01	Pass
		Edge_1RB_Right	18.88	/	/	21.63	/	/	<=33.01	Pass
		Outer_Full	18.68	/	/	21.43	/	/	<=33.01	Pass
		Inner_Full	18.62	/	/	21.37	/	/	<=33.01	Pass
		Inner_1RB_Left	18.80	/	/	21.55	/	/	<=33.01	Pass
		Inner_1RB_Right	18.86	/	/	21.61	/	/	<=33.01	Pass
	2565	Edge_1RB_Left	18.58	/	/	21.33	/	/	<=33.01	Pass
		Edge_1RB_Right	18.68	/	/	21.43	/	/	<=33.01	Pass
		Outer_Full	18.53	/	/	21.28	/	/	<=33.01	Pass
		Inner_Full	18.44	/	/	21.19	/	/	<=33.01	Pass
		Inner_1RB_Left	18.71	/	/	21.46	/	/	<=33.01	Pass

		Inner 1RB Right	18.71	/	/	21.46	/	/	<=33.01	Pass
CP-OFDM QPSK	2505	Edge 1RB Left	19.88	/	/	22.63	/	/	<=33.01	Pass
		Edge 1RB Right	20.00	/	/	22.75	/	/	<=33.01	Pass
		Outer Full	19.94	/	/	22.69	/	/	<=33.01	Pass
		Inner Full	21.44	/	/	24.19	/	/	<=33.01	Pass
		Inner 1RB Left	21.34	/	/	24.09	/	/	<=33.01	Pass
		Inner 1RB Right	21.42	/	/	24.17	/	/	<=33.01	Pass
	2535	Edge 1RB Left	19.87	/	/	22.62	/	/	<=33.01	Pass
		Edge 1RB Right	19.95	/	/	22.70	/	/	<=33.01	Pass
		Outer Full	19.91	/	/	22.66	/	/	<=33.01	Pass
		Inner Full	21.49	/	/	24.24	/	/	<=33.01	Pass
		Inner 1RB Left	21.26	/	/	24.01	/	/	<=33.01	Pass
		Inner 1RB Right	21.37	/	/	24.12	/	/	<=33.01	Pass
	2565	Edge 1RB Left	19.73	/	/	22.48	/	/	<=33.01	Pass
		Edge 1RB Right	19.76	/	/	22.51	/	/	<=33.01	Pass
		Outer Full	19.79	/	/	22.54	/	/	<=33.01	Pass
		Inner Full	21.35	/	/	24.10	/	/	<=33.01	Pass
		Inner 1RB Left	21.19	/	/	23.94	/	/	<=33.01	Pass
		Inner 1RB Right	21.13	/	/	23.88	/	/	<=33.01	Pass
CP-OFDM 16 QAM	2505	Edge 1RB Left	19.73	/	/	22.48	/	/	<=33.01	Pass
		Edge 1RB Right	19.82	/	/	22.57	/	/	<=33.01	Pass
		Outer Full	19.91	/	/	22.66	/	/	<=33.01	Pass
		Inner Full	20.93	/	/	23.68	/	/	<=33.01	Pass
		Inner 1RB Left	20.79	/	/	23.54	/	/	<=33.01	Pass
		Inner 1RB Right	20.84	/	/	23.59	/	/	<=33.01	Pass
	2535	Edge 1RB Left	19.80	/	/	22.55	/	/	<=33.01	Pass
		Edge 1RB Right	19.80	/	/	22.55	/	/	<=33.01	Pass
		Outer Full	19.95	/	/	22.70	/	/	<=33.01	Pass
		Inner Full	21.02	/	/	23.77	/	/	<=33.01	Pass
		Inner 1RB Left	20.76	/	/	23.51	/	/	<=33.01	Pass
		Inner 1RB Right	20.79	/	/	23.54	/	/	<=33.01	Pass
	2565	Edge 1RB Left	19.58	/	/	22.33	/	/	<=33.01	Pass
		Edge 1RB Right	19.68	/	/	22.43	/	/	<=33.01	Pass
		Outer Full	19.79	/	/	22.54	/	/	<=33.01	Pass
		Inner Full	20.81	/	/	23.56	/	/	<=33.01	Pass
		Inner 1RB Left	20.68	/	/	23.43	/	/	<=33.01	Pass
		Inner 1RB Right	20.70	/	/	23.45	/	/	<=33.01	Pass
CP-OFDM 64 QAM	2505	Edge 1RB Left	19.13	/	/	21.88	/	/	<=33.01	Pass
		Edge 1RB Right	19.19	/	/	21.94	/	/	<=33.01	Pass
		Outer Full	19.53	/	/	22.28	/	/	<=33.01	Pass
		Inner Full	19.57	/	/	22.32	/	/	<=33.01	Pass
		Inner 1RB Left	19.17	/	/	21.92	/	/	<=33.01	Pass
		Inner 1RB Right	19.25	/	/	22.00	/	/	<=33.01	Pass
	2535	Edge 1RB Left	19.15	/	/	21.90	/	/	<=33.01	Pass
		Edge 1RB Right	19.23	/	/	21.98	/	/	<=33.01	Pass
		Outer Full	19.57	/	/	22.32	/	/	<=33.01	Pass
		Inner Full	19.67	/	/	22.42	/	/	<=33.01	Pass
		Inner 1RB Left	19.17	/	/	21.92	/	/	<=33.01	Pass
		Inner 1RB Right	19.24	/	/	21.99	/	/	<=33.01	Pass
	2565	Edge 1RB Left	18.97	/	/	21.72	/	/	<=33.01	Pass
		Edge 1RB Right	19.05	/	/	21.80	/	/	<=33.01	Pass
		Outer Full	19.45	/	/	22.20	/	/	<=33.01	Pass
		Inner Full	19.50	/	/	22.25	/	/	<=33.01	Pass
		Inner 1RB Left	18.97	/	/	21.72	/	/	<=33.01	Pass
		Inner 1RB Right	19.04	/	/	21.79	/	/	<=33.01	Pass

CP-OFDM 256 QAM	2505	Edge_1RB_Left	16.68	/	/	19.43	/	/	<=33.01	Pass
		Edge_1RB_Right	16.76	/	/	19.51	/	/	<=33.01	Pass
		Outer_Full	16.53	/	/	19.28	/	/	<=33.01	Pass
		Inner_Full	16.56	/	/	19.31	/	/	<=33.01	Pass
		Inner_1RB_Left	16.65	/	/	19.40	/	/	<=33.01	Pass
		Inner_1RB_Right	16.80	/	/	19.55	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	16.54	/	/	19.29	/	/	<=33.01	Pass
		Edge_1RB_Right	16.70	/	/	19.45	/	/	<=33.01	Pass
		Outer_Full	16.57	/	/	19.32	/	/	<=33.01	Pass
		Inner_Full	16.58	/	/	19.33	/	/	<=33.01	Pass
		Inner_1RB_Left	16.71	/	/	19.46	/	/	<=33.01	Pass
		Inner_1RB_Right	16.76	/	/	19.51	/	/	<=33.01	Pass
	2565	Edge_1RB_Left	16.42	/	/	19.17	/	/	<=33.01	Pass
		Edge_1RB_Right	16.45	/	/	19.20	/	/	<=33.01	Pass
		Outer_Full	16.46	/	/	19.21	/	/	<=33.01	Pass
		Inner_Full	16.46	/	/	19.21	/	/	<=33.01	Pass
		Inner_1RB_Left	16.47	/	/	19.22	/	/	<=33.01	Pass
		Inner_1RB_Right	16.57	/	/	19.32	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15_S_15M_NTNV_EIRP

5G NR n7 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2507.5	Edge_1RB_Left	22.24	/	/	24.99	/	/	<=33.01	Pass
		Edge_1RB_Right	22.43	/	/	25.18	/	/	<=33.01	Pass
		Outer_Full	22.45	/	/	25.20	/	/	<=33.01	Pass
		Inner_Full	22.99	/	/	25.74	/	/	<=33.01	Pass
		Inner_1RB_Left	22.74	/	/	25.49	/	/	<=33.01	Pass
		Inner_1RB_Right	22.88	/	/	25.63	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	22.28	/	/	25.03	/	/	<=33.01	Pass
		Edge_1RB_Right	22.35	/	/	25.10	/	/	<=33.01	Pass
		Outer_Full	22.43	/	/	25.18	/	/	<=33.01	Pass
		Inner_Full	22.97	/	/	25.72	/	/	<=33.01	Pass
		Inner_1RB_Left	22.80	/	/	25.55	/	/	<=33.01	Pass
		Inner_1RB_Right	22.80	/	/	25.55	/	/	<=33.01	Pass
	2562.5	Edge_1RB_Left	22.16	/	/	24.91	/	/	<=33.01	Pass
		Edge_1RB_Right	22.20	/	/	24.95	/	/	<=33.01	Pass
		Outer_Full	22.38	/	/	25.13	/	/	<=33.01	Pass
		Inner_Full	22.90	/	/	25.65	/	/	<=33.01	Pass
		Inner_1RB_Left	22.63	/	/	25.38	/	/	<=33.01	Pass
		Inner_1RB_Right	22.66	/	/	25.41	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	2507.5	Edge_1RB_Left	21.74	/	/	24.49	/	/	<=33.01	Pass
		Edge_1RB_Right	21.84	/	/	24.59	/	/	<=33.01	Pass
		Outer_Full	21.89	/	/	24.64	/	/	<=33.01	Pass
		Inner_Full	22.95	/	/	25.70	/	/	<=33.01	Pass
		Inner_1RB_Left	22.75	/	/	25.50	/	/	<=33.01	Pass
		Inner_1RB_Right	22.85	/	/	25.60	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	21.71	/	/	24.46	/	/	<=33.01	Pass
		Edge_1RB_Right	21.81	/	/	24.56	/	/	<=33.01	Pass
		Outer_Full	21.99	/	/	24.74	/	/	<=33.01	Pass

		Inner Full	23.03	/	/	25.78	/	/	<=33.01	Pass
		Inner 1RB Left	22.71	/	/	25.46	/	/	<=33.01	Pass
		Inner 1RB Right	22.84	/	/	25.59	/	/	<=33.01	Pass
	2562.5	Edge 1RB Left	21.65	/	/	24.40	/	/	<=33.01	Pass
		Edge 1RB Right	21.69	/	/	24.44	/	/	<=33.01	Pass
		Outer Full	21.85	/	/	24.60	/	/	<=33.01	Pass
		Inner Full	22.96	/	/	25.71	/	/	<=33.01	Pass
		Inner 1RB Left	22.69	/	/	25.44	/	/	<=33.01	Pass
		Inner 1RB Right	22.63	/	/	25.38	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	2507.5	Edge 1RB Left	20.69	/	/	23.44	/	/	<=33.01	Pass
		Edge 1RB Right	20.88	/	/	23.63	/	/	<=33.01	Pass
		Outer Full	20.91	/	/	23.66	/	/	<=33.01	Pass
		Inner Full	21.95	/	/	24.70	/	/	<=33.01	Pass
		Inner 1RB Left	21.71	/	/	24.46	/	/	<=33.01	Pass
		Inner 1RB Right	21.79	/	/	24.54	/	/	<=33.01	Pass
	2535	Edge 1RB Left	20.80	/	/	23.55	/	/	<=33.01	Pass
		Edge 1RB Right	20.77	/	/	23.52	/	/	<=33.01	Pass
		Outer Full	20.97	/	/	23.72	/	/	<=33.01	Pass
		Inner Full	21.98	/	/	24.73	/	/	<=33.01	Pass
		Inner 1RB Left	21.82	/	/	24.57	/	/	<=33.01	Pass
		Inner 1RB Right	21.78	/	/	24.53	/	/	<=33.01	Pass
	2562.5	Edge 1RB Left	20.59	/	/	23.34	/	/	<=33.01	Pass
		Edge 1RB Right	20.64	/	/	23.39	/	/	<=33.01	Pass
		Outer Full	20.87	/	/	23.62	/	/	<=33.01	Pass
		Inner Full	21.89	/	/	24.64	/	/	<=33.01	Pass
		Inner 1RB Left	21.63	/	/	24.38	/	/	<=33.01	Pass
		Inner 1RB Right	21.56	/	/	24.31	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	2507.5	Edge 1RB Left	19.90	/	/	22.65	/	/	<=33.01	Pass
		Edge 1RB Right	19.96	/	/	22.71	/	/	<=33.01	Pass
		Outer Full	20.46	/	/	23.21	/	/	<=33.01	Pass
		Inner Full	20.44	/	/	23.19	/	/	<=33.01	Pass
		Inner 1RB Left	19.90	/	/	22.65	/	/	<=33.01	Pass
		Inner 1RB Right	19.96	/	/	22.71	/	/	<=33.01	Pass
	2535	Edge 1RB Left	20.07	/	/	22.82	/	/	<=33.01	Pass
		Edge 1RB Right	20.08	/	/	22.83	/	/	<=33.01	Pass
		Outer Full	20.46	/	/	23.21	/	/	<=33.01	Pass
		Inner Full	20.52	/	/	23.27	/	/	<=33.01	Pass
		Inner 1RB Left	20.07	/	/	22.82	/	/	<=33.01	Pass
		Inner 1RB Right	19.96	/	/	22.71	/	/	<=33.01	Pass
	2562.5	Edge 1RB Left	19.72	/	/	22.47	/	/	<=33.01	Pass
		Edge 1RB Right	19.77	/	/	22.52	/	/	<=33.01	Pass
		Outer Full	20.32	/	/	23.07	/	/	<=33.01	Pass
		Inner Full	20.45	/	/	23.20	/	/	<=33.01	Pass
		Inner 1RB Left	19.74	/	/	22.49	/	/	<=33.01	Pass
		Inner 1RB Right	19.73	/	/	22.48	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	2507.5	Edge 1RB Left	18.67	/	/	21.42	/	/	<=33.01	Pass
		Edge 1RB Right	18.85	/	/	21.60	/	/	<=33.01	Pass
		Outer Full	18.59	/	/	21.34	/	/	<=33.01	Pass
		Inner Full	18.55	/	/	21.30	/	/	<=33.01	Pass
		Inner 1RB Left	18.75	/	/	21.50	/	/	<=33.01	Pass
		Inner 1RB Right	18.91	/	/	21.66	/	/	<=33.01	Pass
	2535	Edge 1RB Left	18.74	/	/	21.49	/	/	<=33.01	Pass
		Edge 1RB Right	18.71	/	/	21.46	/	/	<=33.01	Pass
		Outer Full	18.55	/	/	21.30	/	/	<=33.01	Pass
		Inner Full	18.65	/	/	21.40	/	/	<=33.01	Pass

		Inner_1RB_Left	18.81	/	/	21.56	/	/	<=33.01	Pass
		Inner_1RB_Right	18.74	/	/	21.49	/	/	<=33.01	Pass
	2562.5	Edge_1RB_Left	18.53	/	/	21.28	/	/	<=33.01	Pass
		Edge_1RB_Right	18.56	/	/	21.31	/	/	<=33.01	Pass
		Outer_Full	18.44	/	/	21.19	/	/	<=33.01	Pass
		Inner_Full	18.55	/	/	21.30	/	/	<=33.01	Pass
		Inner_1RB_Left	18.59	/	/	21.34	/	/	<=33.01	Pass
		Inner_1RB_Right	18.66	/	/	21.41	/	/	<=33.01	Pass
CP-OFDM QPSK	2507.5	Edge_1RB_Left	19.81	/	/	22.56	/	/	<=33.01	Pass
		Edge_1RB_Right	19.95	/	/	22.70	/	/	<=33.01	Pass
		Outer_Full	19.88	/	/	22.63	/	/	<=33.01	Pass
		Inner_Full	21.46	/	/	24.21	/	/	<=33.01	Pass
		Inner_1RB_Left	21.35	/	/	24.10	/	/	<=33.01	Pass
		Inner_1RB_Right	21.47	/	/	24.22	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	19.82	/	/	22.57	/	/	<=33.01	Pass
		Edge_1RB_Right	19.87	/	/	22.62	/	/	<=33.01	Pass
		Outer_Full	19.94	/	/	22.69	/	/	<=33.01	Pass
		Inner_Full	21.52	/	/	24.27	/	/	<=33.01	Pass
		Inner_1RB_Left	21.20	/	/	23.95	/	/	<=33.01	Pass
		Inner_1RB_Right	21.25	/	/	24.00	/	/	<=33.01	Pass
	2562.5	Edge_1RB_Left	19.63	/	/	22.38	/	/	<=33.01	Pass
		Edge_1RB_Right	19.74	/	/	22.49	/	/	<=33.01	Pass
		Outer_Full	19.84	/	/	22.59	/	/	<=33.01	Pass
		Inner_Full	21.46	/	/	24.21	/	/	<=33.01	Pass
		Inner_1RB_Left	21.14	/	/	23.89	/	/	<=33.01	Pass
		Inner_1RB_Right	21.12	/	/	23.87	/	/	<=33.01	Pass
CP-OFDM 16 QAM	2507.5	Edge_1RB_Left	19.70	/	/	22.45	/	/	<=33.01	Pass
		Edge_1RB_Right	19.84	/	/	22.59	/	/	<=33.01	Pass
		Outer_Full	19.95	/	/	22.70	/	/	<=33.01	Pass
		Inner_Full	21.02	/	/	23.77	/	/	<=33.01	Pass
		Inner_1RB_Left	20.70	/	/	23.45	/	/	<=33.01	Pass
		Inner_1RB_Right	20.87	/	/	23.62	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	19.71	/	/	22.46	/	/	<=33.01	Pass
		Edge_1RB_Right	19.75	/	/	22.50	/	/	<=33.01	Pass
		Outer_Full	19.95	/	/	22.70	/	/	<=33.01	Pass
		Inner_Full	21.03	/	/	23.78	/	/	<=33.01	Pass
		Inner_1RB_Left	20.74	/	/	23.49	/	/	<=33.01	Pass
		Inner_1RB_Right	20.81	/	/	23.56	/	/	<=33.01	Pass
	2562.5	Edge_1RB_Left	19.55	/	/	22.30	/	/	<=33.01	Pass
		Edge_1RB_Right	19.65	/	/	22.40	/	/	<=33.01	Pass
		Outer_Full	19.85	/	/	22.60	/	/	<=33.01	Pass
		Inner_Full	20.95	/	/	23.70	/	/	<=33.01	Pass
		Inner_1RB_Left	20.65	/	/	23.40	/	/	<=33.01	Pass
		Inner_1RB_Right	20.68	/	/	23.43	/	/	<=33.01	Pass
CP-OFDM 64 QAM	2507.5	Edge_1RB_Left	19.06	/	/	21.81	/	/	<=33.01	Pass
		Edge_1RB_Right	19.18	/	/	21.93	/	/	<=33.01	Pass
		Outer_Full	19.54	/	/	22.29	/	/	<=33.01	Pass
		Inner_Full	19.51	/	/	22.26	/	/	<=33.01	Pass
		Inner_1RB_Left	19.11	/	/	21.86	/	/	<=33.01	Pass
		Inner_1RB_Right	19.19	/	/	21.94	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	19.11	/	/	21.86	/	/	<=33.01	Pass
		Edge_1RB_Right	19.21	/	/	21.96	/	/	<=33.01	Pass
		Outer_Full	19.61	/	/	22.36	/	/	<=33.01	Pass
		Inner_Full	19.56	/	/	22.31	/	/	<=33.01	Pass
		Inner_1RB_Left	19.10	/	/	21.85	/	/	<=33.01	Pass
		Inner_1RB_Right	19.10	/	/	21.85	/	/	<=33.01	Pass

	2562.5	Inner_1RB_Right	19.19	/	/	21.94	/	/	<=33.01	Pass
		Edge_1RB_Left	18.93	/	/	21.68	/	/	<=33.01	Pass
		Edge_1RB_Right	19.00	/	/	21.75	/	/	<=33.01	Pass
		Outer_Full	19.47	/	/	22.22	/	/	<=33.01	Pass
		Inner_Full	19.50	/	/	22.25	/	/	<=33.01	Pass
		Inner_1RB_Left	18.96	/	/	21.71	/	/	<=33.01	Pass
		Inner_1RB_Right	19.03	/	/	21.78	/	/	<=33.01	Pass
CP-OFDM 256 QAM	2507.5	Edge_1RB_Left	16.47	/	/	19.22	/	/	<=33.01	Pass
		Edge_1RB_Right	16.61	/	/	19.36	/	/	<=33.01	Pass
		Outer_Full	16.58	/	/	19.33	/	/	<=33.01	Pass
		Inner_Full	16.54	/	/	19.29	/	/	<=33.01	Pass
		Inner_1RB_Left	16.65	/	/	19.40	/	/	<=33.01	Pass
		Inner_1RB_Right	16.74	/	/	19.49	/	/	<=33.01	Pass
	2535	Edge_1RB_Left	16.57	/	/	19.32	/	/	<=33.01	Pass
		Edge_1RB_Right	16.63	/	/	19.38	/	/	<=33.01	Pass
		Outer_Full	16.56	/	/	19.31	/	/	<=33.01	Pass
		Inner_Full	16.54	/	/	19.29	/	/	<=33.01	Pass
		Inner_1RB_Left	16.66	/	/	19.41	/	/	<=33.01	Pass
		Inner_1RB_Right	16.63	/	/	19.38	/	/	<=33.01	Pass
	2562.5	Edge_1RB_Left	16.44	/	/	19.19	/	/	<=33.01	Pass
		Edge_1RB_Right	16.45	/	/	19.20	/	/	<=33.01	Pass
		Outer_Full	16.49	/	/	19.24	/	/	<=33.01	Pass
		Inner_Full	16.49	/	/	19.24	/	/	<=33.01	Pass
		Inner_1RB_Left	16.42	/	/	19.17	/	/	<=33.01	Pass
		Inner_1RB_Right	16.58	/	/	19.33	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 15_S_20M_NTNV_EIRP

5G NR n7 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2510	Edge 1RB Left	22.28	/	/	25.03	/	/	<=33.01	Pass
		Edge 1RB Right	22.50	/	/	25.25	/	/	<=33.01	Pass
		Outer Full	22.38	/	/	25.13	/	/	<=33.01	Pass
		Inner Full	22.97	/	/	25.72	/	/	<=33.01	Pass
		Inner 1RB Left	22.77	/	/	25.52	/	/	<=33.01	Pass
		Inner 1RB Right	22.96	/	/	25.71	/	/	<=33.01	Pass
	2535	Edge 1RB Left	22.35	/	/	25.10	/	/	<=33.01	Pass
		Edge 1RB Right	22.39	/	/	25.14	/	/	<=33.01	Pass
		Outer Full	22.46	/	/	25.21	/	/	<=33.01	Pass
		Inner Full	23.01	/	/	25.76	/	/	<=33.01	Pass
		Inner 1RB Left	22.84	/	/	25.59	/	/	<=33.01	Pass
		Inner 1RB Right	22.87	/	/	25.62	/	/	<=33.01	Pass
	2560	Edge 1RB Left	22.21	/	/	24.96	/	/	<=33.01	Pass
		Edge 1RB Right	22.23	/	/	24.98	/	/	<=33.01	Pass
		Outer Full	22.35	/	/	25.10	/	/	<=33.01	Pass
		Inner Full	22.94	/	/	25.69	/	/	<=33.01	Pass
		Inner 1RB Left	22.71	/	/	25.46	/	/	<=33.01	Pass
		Inner 1RB Right	22.76	/	/	25.51	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	2510	Edge 1RB Left	21.76	/	/	24.51	/	/	<=33.01	Pass
		Edge 1RB Right	21.92	/	/	24.67	/	/	<=33.01	Pass

DFT-s-OFDM 16 QAM		Outer Full	21.89	/	/	24.64	/	/	<=33.01	Pass
		Inner Full	22.98	/	/	25.73	/	/	<=33.01	Pass
		Inner 1RB Left	22.75	/	/	25.50	/	/	<=33.01	Pass
		Inner 1RB Right	22.90	/	/	25.65	/	/	<=33.01	Pass
	2535	Edge 1RB Left	21.82	/	/	24.57	/	/	<=33.01	Pass
		Edge 1RB Right	21.89	/	/	24.64	/	/	<=33.01	Pass
		Outer Full	21.96	/	/	24.71	/	/	<=33.01	Pass
		Inner Full	23.04	/	/	25.79	/	/	<=33.01	Pass
	2560	Inner 1RB Left	22.78	/	/	25.53	/	/	<=33.01	Pass
		Inner 1RB Right	22.83	/	/	25.58	/	/	<=33.01	Pass
		Edge 1RB Left	21.68	/	/	24.43	/	/	<=33.01	Pass
		Edge 1RB Right	21.77	/	/	24.52	/	/	<=33.01	Pass
		Outer Full	21.85	/	/	24.60	/	/	<=33.01	Pass
		Inner Full	22.93	/	/	25.68	/	/	<=33.01	Pass
		Inner 1RB Left	22.67	/	/	25.42	/	/	<=33.01	Pass
		Inner 1RB Right	22.75	/	/	25.50	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	2510	Edge 1RB Left	20.75	/	/	23.50	/	/	<=33.01	Pass
		Edge 1RB Right	20.89	/	/	23.64	/	/	<=33.01	Pass
		Outer Full	20.84	/	/	23.59	/	/	<=33.01	Pass
		Inner Full	21.92	/	/	24.67	/	/	<=33.01	Pass
	2535	Inner 1RB Left	21.71	/	/	24.46	/	/	<=33.01	Pass
		Inner 1RB Right	21.88	/	/	24.63	/	/	<=33.01	Pass
		Edge 1RB Left	20.83	/	/	23.58	/	/	<=33.01	Pass
		Edge 1RB Right	20.82	/	/	23.57	/	/	<=33.01	Pass
		Outer Full	21.00	/	/	23.75	/	/	<=33.01	Pass
		Inner Full	22.04	/	/	24.79	/	/	<=33.01	Pass
		Inner 1RB Left	21.73	/	/	24.48	/	/	<=33.01	Pass
		Inner 1RB Right	21.84	/	/	24.59	/	/	<=33.01	Pass
	2560	Edge 1RB Left	20.71	/	/	23.46	/	/	<=33.01	Pass
		Edge 1RB Right	20.82	/	/	23.57	/	/	<=33.01	Pass
		Outer Full	20.80	/	/	23.55	/	/	<=33.01	Pass
		Inner Full	21.95	/	/	24.70	/	/	<=33.01	Pass
		Inner 1RB Left	21.60	/	/	24.35	/	/	<=33.01	Pass
		Inner 1RB Right	21.67	/	/	24.42	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	2510	Edge 1RB Left	18.70	/	/	21.45	/	/	<=33.01	Pass
		Edge 1RB Right	18.94	/	/	21.69	/	/	<=33.01	Pass
		Outer Full	18.51	/	/	21.26	/	/	<=33.01	Pass
		Inner Full	18.51	/	/	21.26	/	/	<=33.01	Pass

		Inner Full	18.54	/	/	21.29	/	/	<=33.01	Pass
		Inner 1RB Left	18.78	/	/	21.53	/	/	<=33.01	Pass
		Inner 1RB Right	19.00	/	/	21.75	/	/	<=33.01	Pass
	2535	Edge 1RB Left	18.68	/	/	21.43	/	/	<=33.01	Pass
		Edge 1RB Right	18.85	/	/	21.60	/	/	<=33.01	Pass
		Outer Full	18.62	/	/	21.37	/	/	<=33.01	Pass
		Inner Full	18.62	/	/	21.37	/	/	<=33.01	Pass
		Inner 1RB Left	18.79	/	/	21.54	/	/	<=33.01	Pass
		Inner 1RB Right	18.91	/	/	21.66	/	/	<=33.01	Pass
	2560	Edge 1RB Left	18.69	/	/	21.44	/	/	<=33.01	Pass
		Edge 1RB Right	18.74	/	/	21.49	/	/	<=33.01	Pass
		Outer Full	18.44	/	/	21.19	/	/	<=33.01	Pass
		Inner Full	18.59	/	/	21.34	/	/	<=33.01	Pass
		Inner 1RB Left	18.65	/	/	21.40	/	/	<=33.01	Pass
		Inner 1RB Right	18.68	/	/	21.43	/	/	<=33.01	Pass
CP-OFDM QPSK	2510	Edge 1RB Left	19.84	/	/	22.59	/	/	<=33.01	Pass
		Edge 1RB Right	20.01	/	/	22.76	/	/	<=33.01	Pass
		Outer Full	19.87	/	/	22.62	/	/	<=33.01	Pass
		Inner Full	21.39	/	/	24.14	/	/	<=33.01	Pass
		Inner 1RB Left	21.21	/	/	23.96	/	/	<=33.01	Pass
		Inner 1RB Right	21.42	/	/	24.17	/	/	<=33.01	Pass
	2535	Edge 1RB Left	19.87	/	/	22.62	/	/	<=33.01	Pass
		Edge 1RB Right	19.88	/	/	22.63	/	/	<=33.01	Pass
		Outer Full	19.95	/	/	22.70	/	/	<=33.01	Pass
		Inner Full	21.42	/	/	24.17	/	/	<=33.01	Pass
		Inner 1RB Left	21.31	/	/	24.06	/	/	<=33.01	Pass
		Inner 1RB Right	21.39	/	/	24.14	/	/	<=33.01	Pass
	2560	Edge 1RB Left	19.74	/	/	22.49	/	/	<=33.01	Pass
		Edge 1RB Right	19.78	/	/	22.53	/	/	<=33.01	Pass
		Outer Full	19.84	/	/	22.59	/	/	<=33.01	Pass
		Inner Full	21.39	/	/	24.14	/	/	<=33.01	Pass
		Inner 1RB Left	21.21	/	/	23.96	/	/	<=33.01	Pass
		Inner 1RB Right	21.20	/	/	23.95	/	/	<=33.01	Pass
CP-OFDM 16 QAM	2510	Edge 1RB Left	19.62	/	/	22.37	/	/	<=33.01	Pass
		Edge 1RB Right	19.90	/	/	22.65	/	/	<=33.01	Pass
		Outer Full	19.88	/	/	22.63	/	/	<=33.01	Pass
		Inner Full	20.93	/	/	23.68	/	/	<=33.01	Pass
		Inner 1RB Left	20.75	/	/	23.50	/	/	<=33.01	Pass
		Inner 1RB Right	20.98	/	/	23.73	/	/	<=33.01	Pass
	2535	Edge 1RB Left	19.78	/	/	22.53	/	/	<=33.01	Pass
		Edge 1RB Right	19.80	/	/	22.55	/	/	<=33.01	Pass
		Outer Full	19.99	/	/	22.74	/	/	<=33.01	Pass
		Inner Full	21.00	/	/	23.75	/	/	<=33.01	Pass
		Inner 1RB Left	20.77	/	/	23.52	/	/	<=33.01	Pass
		Inner 1RB Right	20.83	/	/	23.58	/	/	<=33.01	Pass
	2560	Edge 1RB Left	19.67	/	/	22.42	/	/	<=33.01	Pass
		Edge 1RB Right	19.75	/	/	22.50	/	/	<=33.01	Pass
		Outer Full	19.78	/	/	22.53	/	/	<=33.01	Pass
		Inner Full	20.90	/	/	23.65	/	/	<=33.01	Pass
		Inner 1RB Left	20.59	/	/	23.34	/	/	<=33.01	Pass
		Inner 1RB Right	20.63	/	/	23.38	/	/	<=33.01	Pass
CP-OFDM 64 QAM	2510	Edge 1RB Left	19.13	/	/	21.88	/	/	<=33.01	Pass
		Edge 1RB Right	19.41	/	/	22.16	/	/	<=33.01	Pass
		Outer Full	19.49	/	/	22.24	/	/	<=33.01	Pass
		Inner Full	19.55	/	/	22.30	/	/	<=33.01	Pass

		Inner_1RB_Left	19.23	/	/	21.98	/	/	<=33.01	Pass	
		Inner_1RB_Right	19.29	/	/	22.04	/	/	<=33.01	Pass	
		2535	Edge_1RB_Left	19.21	/	/	21.96	/	/	<=33.01	Pass
			Edge_1RB_Right	19.28	/	/	22.03	/	/	<=33.01	Pass
			Outer_Full	19.59	/	/	22.34	/	/	<=33.01	Pass
			Inner_Full	19.65	/	/	22.40	/	/	<=33.01	Pass
			Inner_1RB_Left	19.18	/	/	21.93	/	/	<=33.01	Pass
			Inner_1RB_Right	19.20	/	/	21.95	/	/	<=33.01	Pass
	2560	Edge_1RB_Left	19.03	/	/	21.78	/	/	<=33.01	Pass	
		Edge_1RB_Right	19.19	/	/	21.94	/	/	<=33.01	Pass	
		Outer_Full	19.49	/	/	22.24	/	/	<=33.01	Pass	
		Inner_Full	19.58	/	/	22.33	/	/	<=33.01	Pass	
		Inner_1RB_Left	18.99	/	/	21.74	/	/	<=33.01	Pass	
		Inner_1RB_Right	19.03	/	/	21.78	/	/	<=33.01	Pass	
CP-OFDM 256 QAM	2510	Edge_1RB_Left	16.53	/	/	19.28	/	/	<=33.01	Pass	
		Edge_1RB_Right	16.82	/	/	19.57	/	/	<=33.01	Pass	
		Outer_Full	16.39	/	/	19.14	/	/	<=33.01	Pass	
		Inner_Full	16.53	/	/	19.28	/	/	<=33.01	Pass	
		Inner_1RB_Left	16.62	/	/	19.37	/	/	<=33.01	Pass	
		Inner_1RB_Right	16.80	/	/	19.55	/	/	<=33.01	Pass	
	2535	Edge_1RB_Left	16.58	/	/	19.33	/	/	<=33.01	Pass	
		Edge_1RB_Right	16.68	/	/	19.43	/	/	<=33.01	Pass	
		Outer_Full	16.56	/	/	19.31	/	/	<=33.01	Pass	
		Inner_Full	16.57	/	/	19.32	/	/	<=33.01	Pass	
		Inner_1RB_Left	16.52	/	/	19.27	/	/	<=33.01	Pass	
		Inner_1RB_Right	16.82	/	/	19.57	/	/	<=33.01	Pass	
	2560	Edge_1RB_Left	16.46	/	/	19.21	/	/	<=33.01	Pass	
		Edge_1RB_Right	16.40	/	/	19.15	/	/	<=33.01	Pass	
		Outer_Full	16.39	/	/	19.14	/	/	<=33.01	Pass	
		Inner_Full	16.50	/	/	19.25	/	/	<=33.01	Pass	
		Inner_1RB_Left	16.59	/	/	19.34	/	/	<=33.01	Pass	
		Inner_1RB_Right	16.53	/	/	19.28	/	/	<=33.01	Pass	
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain											

- End of the Appendix -