

Appendix B.29

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n25 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	23.58	/	/	26.33	/	/	<=33.01	Pass
		Edge_1RB_Right	23.63	/	/	26.38	/	/	<=33.01	Pass
		Outer_Full	23.65	/	/	26.40	/	/	<=33.01	Pass
		Inner_Full	24.09	/	/	26.84	/	/	<=33.01	Pass
		Inner_1RB_Left	24.11	/	/	26.86	/	/	<=33.01	Pass
		Inner_1RB_Right	24.14	/	/	26.89	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	23.62	/	/	26.37	/	/	<=33.01	Pass
		Edge_1RB_Right	23.65	/	/	26.40	/	/	<=33.01	Pass
		Outer_Full	23.63	/	/	26.38	/	/	<=33.01	Pass
		Inner_Full	24.13	/	/	26.88	/	/	<=33.01	Pass
		Inner_1RB_Left	24.14	/	/	26.89	/	/	<=33.01	Pass
		Inner_1RB_Right	24.15	/	/	26.90	/	/	<=33.01	Pass
	1912.5	Edge_1RB_Left	23.57	/	/	26.32	/	/	<=33.01	Pass
		Edge_1RB_Right	23.51	/	/	26.26	/	/	<=33.01	Pass
		Outer_Full	23.61	/	/	26.36	/	/	<=33.01	Pass
		Inner_Full	24.09	/	/	26.84	/	/	<=33.01	Pass
		Inner_1RB_Left	24.05	/	/	26.80	/	/	<=33.01	Pass
		Inner_1RB_Right	24.03	/	/	26.78	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	23.11	/	/	25.86	/	/	<=33.01	Pass
		Edge_1RB_Right	23.09	/	/	25.84	/	/	<=33.01	Pass
		Outer_Full	23.13	/	/	25.88	/	/	<=33.01	Pass
		Inner_Full	24.15	/	/	26.90	/	/	<=33.01	Pass
		Inner_1RB_Left	24.03	/	/	26.78	/	/	<=33.01	Pass
		Inner_1RB_Right	24.10	/	/	26.85	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	23.13	/	/	25.88	/	/	<=33.01	Pass
		Edge_1RB_Right	23.15	/	/	25.90	/	/	<=33.01	Pass
		Outer_Full	23.16	/	/	25.91	/	/	<=33.01	Pass
		Inner_Full	24.10	/	/	26.85	/	/	<=33.01	Pass
		Inner_1RB_Left	24.04	/	/	26.79	/	/	<=33.01	Pass
		Inner_1RB_Right	24.05	/	/	26.80	/	/	<=33.01	Pass
	1912.5	Edge_1RB_Left	23.04	/	/	25.79	/	/	<=33.01	Pass
		Edge_1RB_Right	23.02	/	/	25.77	/	/	<=33.01	Pass
		Outer_Full	23.06	/	/	25.81	/	/	<=33.01	Pass
		Inner_Full	24.08	/	/	26.83	/	/	<=33.01	Pass
		Inner_1RB_Left	24.06	/	/	26.81	/	/	<=33.01	Pass
		Inner_1RB_Right	23.99	/	/	26.74	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1852.5	Edge_1RB_Left	22.06	/	/	24.81	/	/	<=33.01	Pass
		Edge_1RB_Right	22.09	/	/	24.84	/	/	<=33.01	Pass
		Outer_Full	22.12	/	/	24.87	/	/	<=33.01	Pass
		Inner_Full	23.14	/	/	25.89	/	/	<=33.01	Pass
		Inner_1RB_Left	23.00	/	/	25.75	/	/	<=33.01	Pass

	1882.5	Inner 1RB Right	23.10	/	/	25.85	/	/	<=33.01	Pass
		Edge 1RB Left	22.06	/	/	24.81	/	/	<=33.01	Pass
		Edge 1RB Right	22.10	/	/	24.85	/	/	<=33.01	Pass
		Outer Full	22.18	/	/	24.93	/	/	<=33.01	Pass
		Inner Full	23.18	/	/	25.93	/	/	<=33.01	Pass
		Inner 1RB Left	23.04	/	/	25.79	/	/	<=33.01	Pass
	1912.5	Inner 1RB Right	23.06	/	/	25.81	/	/	<=33.01	Pass
		Edge 1RB Left	21.97	/	/	24.72	/	/	<=33.01	Pass
		Edge 1RB Right	21.99	/	/	24.74	/	/	<=33.01	Pass
		Outer Full	22.09	/	/	24.84	/	/	<=33.01	Pass
		Inner Full	23.19	/	/	25.94	/	/	<=33.01	Pass
		Inner 1RB Left	22.98	/	/	25.73	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1852.5	Inner 1RB Right	22.93	/	/	25.68	/	/	<=33.01	Pass
		Edge 1RB Left	21.63	/	/	24.38	/	/	<=33.01	Pass
		Edge 1RB Right	21.68	/	/	24.43	/	/	<=33.01	Pass
		Outer Full	21.74	/	/	24.49	/	/	<=33.01	Pass
		Inner Full	21.65	/	/	24.40	/	/	<=33.01	Pass
		Inner 1RB Left	21.62	/	/	24.37	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	21.66	/	/	24.41	/	/	<=33.01	Pass
		Edge 1RB Left	21.60	/	/	24.35	/	/	<=33.01	Pass
		Edge 1RB Right	21.69	/	/	24.44	/	/	<=33.01	Pass
		Outer Full	21.72	/	/	24.47	/	/	<=33.01	Pass
		Inner Full	21.65	/	/	24.40	/	/	<=33.01	Pass
		Inner 1RB Left	21.65	/	/	24.40	/	/	<=33.01	Pass
	1912.5	Inner 1RB Right	21.70	/	/	24.45	/	/	<=33.01	Pass
		Edge 1RB Left	21.61	/	/	24.36	/	/	<=33.01	Pass
		Edge 1RB Right	21.62	/	/	24.37	/	/	<=33.01	Pass
		Outer Full	21.70	/	/	24.45	/	/	<=33.01	Pass
		Inner Full	21.62	/	/	24.37	/	/	<=33.01	Pass
		Inner 1RB Left	21.60	/	/	24.35	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1852.5	Inner 1RB Right	21.63	/	/	24.38	/	/	<=33.01	Pass
		Edge 1RB Left	19.55	/	/	22.30	/	/	<=33.01	Pass
		Edge 1RB Right	19.53	/	/	22.28	/	/	<=33.01	Pass
		Outer Full	19.61	/	/	22.36	/	/	<=33.01	Pass
		Inner Full	19.61	/	/	22.36	/	/	<=33.01	Pass
		Inner 1RB Left	19.47	/	/	22.22	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	19.51	/	/	22.26	/	/	<=33.01	Pass
		Edge 1RB Left	19.53	/	/	22.28	/	/	<=33.01	Pass
		Edge 1RB Right	19.58	/	/	22.33	/	/	<=33.01	Pass
		Outer Full	19.62	/	/	22.37	/	/	<=33.01	Pass
		Inner Full	19.63	/	/	22.38	/	/	<=33.01	Pass
		Inner 1RB Left	19.51	/	/	22.26	/	/	<=33.01	Pass
	1912.5	Inner 1RB Right	19.73	/	/	22.48	/	/	<=33.01	Pass
		Edge 1RB Left	19.50	/	/	22.25	/	/	<=33.01	Pass
		Edge 1RB Right	19.49	/	/	22.24	/	/	<=33.01	Pass
		Outer Full	19.61	/	/	22.36	/	/	<=33.01	Pass
		Inner Full	19.65	/	/	22.40	/	/	<=33.01	Pass
		Inner 1RB Left	19.47	/	/	22.22	/	/	<=33.01	Pass
CP-OFDM QPSK	1852.5	Inner 1RB Right	19.48	/	/	22.23	/	/	<=33.01	Pass
		Edge 1RB Left	21.08	/	/	23.83	/	/	<=33.01	Pass
		Edge 1RB Right	21.02	/	/	23.77	/	/	<=33.01	Pass
		Outer Full	21.08	/	/	23.83	/	/	<=33.01	Pass
		Inner Full	22.63	/	/	25.38	/	/	<=33.01	Pass
		Inner 1RB Left	22.46	/	/	25.21	/	/	<=33.01	Pass
		Inner 1RB Right	22.54	/	/	25.29	/	/	<=33.01	Pass

	1882.5	Edge_1RB_Left	21.36	/	/	24.11	/	/	<=33.01	Pass
		Edge_1RB_Right	21.14	/	/	23.89	/	/	<=33.01	Pass
		Outer_Full	21.10	/	/	23.85	/	/	<=33.01	Pass
		Inner_Full	22.58	/	/	25.33	/	/	<=33.01	Pass
		Inner_1RB_Left	22.43	/	/	25.18	/	/	<=33.01	Pass
		Inner_1RB_Right	22.40	/	/	25.15	/	/	<=33.01	Pass
	1912.5	Edge_1RB_Left	21.13	/	/	23.88	/	/	<=33.01	Pass
		Edge_1RB_Right	21.08	/	/	23.83	/	/	<=33.01	Pass
		Outer_Full	21.14	/	/	23.89	/	/	<=33.01	Pass
		Inner_Full	22.58	/	/	25.33	/	/	<=33.01	Pass
		Inner_1RB_Left	22.43	/	/	25.18	/	/	<=33.01	Pass
		Inner_1RB_Right	22.35	/	/	25.10	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1852.5	Edge_1RB_Left	20.94	/	/	23.69	/	/	<=33.01	Pass
		Edge_1RB_Right	21.00	/	/	23.75	/	/	<=33.01	Pass
		Outer_Full	21.17	/	/	23.92	/	/	<=33.01	Pass
		Inner_Full	22.10	/	/	24.85	/	/	<=33.01	Pass
		Inner_1RB_Left	21.86	/	/	24.61	/	/	<=33.01	Pass
		Inner_1RB_Right	21.89	/	/	24.64	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.98	/	/	23.73	/	/	<=33.01	Pass
		Edge_1RB_Right	20.98	/	/	23.73	/	/	<=33.01	Pass
		Outer_Full	21.22	/	/	23.97	/	/	<=33.01	Pass
		Inner_Full	22.15	/	/	24.90	/	/	<=33.01	Pass
		Inner_1RB_Left	21.98	/	/	24.73	/	/	<=33.01	Pass
		Inner_1RB_Right	21.98	/	/	24.73	/	/	<=33.01	Pass
	1912.5	Edge_1RB_Left	20.95	/	/	23.70	/	/	<=33.01	Pass
		Edge_1RB_Right	20.87	/	/	23.62	/	/	<=33.01	Pass
		Outer_Full	21.17	/	/	23.92	/	/	<=33.01	Pass
		Inner_Full	22.07	/	/	24.82	/	/	<=33.01	Pass
		Inner_1RB_Left	21.85	/	/	24.60	/	/	<=33.01	Pass
		Inner_1RB_Right	21.77	/	/	24.52	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1852.5	Edge_1RB_Left	20.67	/	/	23.42	/	/	<=33.01	Pass
		Edge_1RB_Right	20.67	/	/	23.42	/	/	<=33.01	Pass
		Outer_Full	20.69	/	/	23.44	/	/	<=33.01	Pass
		Inner_Full	20.54	/	/	23.29	/	/	<=33.01	Pass
		Inner_1RB_Left	20.52	/	/	23.27	/	/	<=33.01	Pass
		Inner_1RB_Right	20.65	/	/	23.40	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.72	/	/	23.47	/	/	<=33.01	Pass
		Edge_1RB_Right	20.65	/	/	23.40	/	/	<=33.01	Pass
		Outer_Full	20.74	/	/	23.49	/	/	<=33.01	Pass
		Inner_Full	20.52	/	/	23.27	/	/	<=33.01	Pass
		Inner_1RB_Left	20.60	/	/	23.35	/	/	<=33.01	Pass
		Inner_1RB_Right	20.71	/	/	23.46	/	/	<=33.01	Pass
	1912.5	Edge_1RB_Left	20.60	/	/	23.35	/	/	<=33.01	Pass
		Edge_1RB_Right	20.57	/	/	23.32	/	/	<=33.01	Pass
		Outer_Full	20.67	/	/	23.42	/	/	<=33.01	Pass
		Inner_Full	20.49	/	/	23.24	/	/	<=33.01	Pass
		Inner_1RB_Left	20.57	/	/	23.32	/	/	<=33.01	Pass
		Inner_1RB_Right	20.52	/	/	23.27	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1852.5	Edge_1RB_Left	17.58	/	/	20.33	/	/	<=33.01	Pass
		Edge_1RB_Right	17.60	/	/	20.35	/	/	<=33.01	Pass
		Outer_Full	17.72	/	/	20.47	/	/	<=33.01	Pass
		Inner_Full	17.66	/	/	20.41	/	/	<=33.01	Pass
		Inner_1RB_Left	17.56	/	/	20.31	/	/	<=33.01	Pass
		Inner_1RB_Right	17.60	/	/	20.35	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	17.63	/	/	20.38	/	/	<=33.01	Pass

		Edge_1RB_Right	17.61	/	/	20.36	/	/	<=33.01	Pass
		Outer_Full	17.76	/	/	20.51	/	/	<=33.01	Pass
		Inner_Full	17.64	/	/	20.39	/	/	<=33.01	Pass
		Inner_1RB_Left	17.63	/	/	20.38	/	/	<=33.01	Pass
	1912.5	Inner_1RB_Right	17.57	/	/	20.32	/	/	<=33.01	Pass
		Edge_1RB_Left	17.58	/	/	20.33	/	/	<=33.01	Pass
		Edge_1RB_Right	17.56	/	/	20.31	/	/	<=33.01	Pass
		Outer_Full	17.73	/	/	20.48	/	/	<=33.01	Pass
		Inner_Full	17.59	/	/	20.34	/	/	<=33.01	Pass
		Inner_1RB_Left	17.54	/	/	20.29	/	/	<=33.01	Pass
		Inner_1RB_Right	17.51	/	/	20.26	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15_S_10M_NTNV_EIRP

5G NR n25 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1855	Edge 1RB Left	23.44	/	/	26.19	/	/	<=33.01	Pass
		Edge 1RB Right	23.60	/	/	26.35	/	/	<=33.01	Pass
		Outer Full	23.51	/	/	26.26	/	/	<=33.01	Pass
		Inner Full	24.11	/	/	26.86	/	/	<=33.01	Pass
		Inner 1RB Left	23.89	/	/	26.64	/	/	<=33.01	Pass
		Inner 1RB Right	24.05	/	/	26.80	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	23.46	/	/	26.21	/	/	<=33.01	Pass
		Edge 1RB Right	23.68	/	/	26.43	/	/	<=33.01	Pass
		Outer Full	23.58	/	/	26.33	/	/	<=33.01	Pass
		Inner Full	24.10	/	/	26.85	/	/	<=33.01	Pass
		Inner 1RB Left	23.96	/	/	26.71	/	/	<=33.01	Pass
		Inner 1RB Right	24.15	/	/	26.90	/	/	<=33.01	Pass
	1910	Edge 1RB Left	23.45	/	/	26.20	/	/	<=33.01	Pass
		Edge 1RB Right	23.52	/	/	26.27	/	/	<=33.01	Pass
		Outer Full	23.53	/	/	26.28	/	/	<=33.01	Pass
		Inner Full	24.13	/	/	26.88	/	/	<=33.01	Pass
		Inner 1RB Left	23.95	/	/	26.70	/	/	<=33.01	Pass
		Inner 1RB Right	24.02	/	/	26.77	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1855	Edge 1RB Left	22.91	/	/	25.66	/	/	<=33.01	Pass
		Edge 1RB Right	23.06	/	/	25.81	/	/	<=33.01	Pass
		Outer Full	23.01	/	/	25.76	/	/	<=33.01	Pass
		Inner Full	24.09	/	/	26.84	/	/	<=33.01	Pass
		Inner 1RB Left	23.90	/	/	26.65	/	/	<=33.01	Pass
		Inner 1RB Right	24.04	/	/	26.79	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	22.98	/	/	25.73	/	/	<=33.01	Pass
		Edge 1RB Right	23.19	/	/	25.94	/	/	<=33.01	Pass
		Outer Full	23.11	/	/	25.86	/	/	<=33.01	Pass
		Inner Full	24.13	/	/	26.88	/	/	<=33.01	Pass
		Inner 1RB Left	24.01	/	/	26.76	/	/	<=33.01	Pass
		Inner 1RB Right	24.17	/	/	26.92	/	/	<=33.01	Pass
	1910	Edge 1RB Left	22.95	/	/	25.70	/	/	<=33.01	Pass
		Edge 1RB Right	23.01	/	/	25.76	/	/	<=33.01	Pass
		Outer Full	23.08	/	/	25.83	/	/	<=33.01	Pass
		Inner Full	24.09	/	/	26.84	/	/	<=33.01	Pass

DFT-s-OFDM 16 QAM		Inner_1RB_Left	23.96	/	/	26.71	/	/	<=33.01	Pass
		Inner_1RB_Right	23.99	/	/	26.74	/	/	<=33.01	Pass
	1855	Edge_1RB_Left	21.88	/	/	24.63	/	/	<=33.01	Pass
		Edge_1RB_Right	22.08	/	/	24.83	/	/	<=33.01	Pass
		Outer_Full	22.06	/	/	24.81	/	/	<=33.01	Pass
		Inner_Full	23.13	/	/	25.88	/	/	<=33.01	Pass
		Inner_1RB_Left	22.88	/	/	25.63	/	/	<=33.01	Pass
		Inner_1RB_Right	23.03	/	/	25.78	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	21.86	/	/	24.61	/	/	<=33.01	Pass
		Edge_1RB_Right	22.16	/	/	24.91	/	/	<=33.01	Pass
		Outer_Full	22.11	/	/	24.86	/	/	<=33.01	Pass
		Inner_Full	23.10	/	/	25.85	/	/	<=33.01	Pass
		Inner_1RB_Left	22.93	/	/	25.68	/	/	<=33.01	Pass
		Inner_1RB_Right	23.09	/	/	25.84	/	/	<=33.01	Pass
	1910	Edge_1RB_Left	21.91	/	/	24.66	/	/	<=33.01	Pass
		Edge_1RB_Right	22.05	/	/	24.80	/	/	<=33.01	Pass
		Outer_Full	22.02	/	/	24.77	/	/	<=33.01	Pass
		Inner_Full	23.13	/	/	25.88	/	/	<=33.01	Pass
		Inner_1RB_Left	22.94	/	/	25.69	/	/	<=33.01	Pass
		Inner_1RB_Right	22.85	/	/	25.60	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1855	Edge_1RB_Left	21.47	/	/	24.22	/	/	<=33.01	Pass
		Edge_1RB_Right	21.62	/	/	24.37	/	/	<=33.01	Pass
		Outer_Full	21.55	/	/	24.30	/	/	<=33.01	Pass
		Inner_Full	21.63	/	/	24.38	/	/	<=33.01	Pass
		Inner_1RB_Left	21.45	/	/	24.20	/	/	<=33.01	Pass
		Inner_1RB_Right	21.62	/	/	24.37	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	21.45	/	/	24.20	/	/	<=33.01	Pass
		Edge_1RB_Right	21.72	/	/	24.47	/	/	<=33.01	Pass
		Outer_Full	21.63	/	/	24.38	/	/	<=33.01	Pass
		Inner_Full	21.71	/	/	24.46	/	/	<=33.01	Pass
		Inner_1RB_Left	21.52	/	/	24.27	/	/	<=33.01	Pass
		Inner_1RB_Right	21.68	/	/	24.43	/	/	<=33.01	Pass
	1910	Edge_1RB_Left	21.50	/	/	24.25	/	/	<=33.01	Pass
		Edge_1RB_Right	21.74	/	/	24.49	/	/	<=33.01	Pass
		Outer_Full	21.57	/	/	24.32	/	/	<=33.01	Pass
		Inner_Full	21.71	/	/	24.46	/	/	<=33.01	Pass
		Inner_1RB_Left	21.47	/	/	24.22	/	/	<=33.01	Pass
		Inner_1RB_Right	21.65	/	/	24.40	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1855	Edge_1RB_Left	19.38	/	/	22.13	/	/	<=33.01	Pass
		Edge_1RB_Right	19.49	/	/	22.24	/	/	<=33.01	Pass
		Outer_Full	19.43	/	/	22.18	/	/	<=33.01	Pass
		Inner_Full	19.56	/	/	22.31	/	/	<=33.01	Pass
		Inner_1RB_Left	19.30	/	/	22.05	/	/	<=33.01	Pass
		Inner_1RB_Right	19.66	/	/	22.41	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	19.39	/	/	22.14	/	/	<=33.01	Pass
		Edge_1RB_Right	19.64	/	/	22.39	/	/	<=33.01	Pass
		Outer_Full	19.52	/	/	22.27	/	/	<=33.01	Pass
		Inner_Full	19.62	/	/	22.37	/	/	<=33.01	Pass
		Inner_1RB_Left	19.45	/	/	22.20	/	/	<=33.01	Pass
		Inner_1RB_Right	19.74	/	/	22.49	/	/	<=33.01	Pass
	1910	Edge_1RB_Left	19.47	/	/	22.22	/	/	<=33.01	Pass
		Edge_1RB_Right	19.55	/	/	22.30	/	/	<=33.01	Pass
		Outer_Full	19.52	/	/	22.27	/	/	<=33.01	Pass
		Inner_Full	19.60	/	/	22.35	/	/	<=33.01	Pass
		Inner_1RB_Left	19.39	/	/	22.14	/	/	<=33.01	Pass
		Inner_1RB_Right	19.66	/	/	22.41	/	/	<=33.01	Pass

CP-OFDM QPSK	1855	Inner 1RB Right	19.62	/	/	22.37	/	/	<=33.01	Pass
		Edge 1RB Left	20.99	/	/	23.74	/	/	<=33.01	Pass
		Edge 1RB Right	21.19	/	/	23.94	/	/	<=33.01	Pass
		Outer Full	21.06	/	/	23.81	/	/	<=33.01	Pass
		Inner Full	22.61	/	/	25.36	/	/	<=33.01	Pass
		Inner 1RB Left	22.23	/	/	24.98	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	22.42	/	/	25.17	/	/	<=33.01	Pass
		Edge 1RB Left	21.01	/	/	23.76	/	/	<=33.01	Pass
		Edge 1RB Right	21.26	/	/	24.01	/	/	<=33.01	Pass
		Outer Full	21.09	/	/	23.84	/	/	<=33.01	Pass
		Inner Full	22.64	/	/	25.39	/	/	<=33.01	Pass
		Inner 1RB Left	22.39	/	/	25.14	/	/	<=33.01	Pass
	1910	Inner 1RB Right	22.43	/	/	25.18	/	/	<=33.01	Pass
		Edge 1RB Left	21.02	/	/	23.77	/	/	<=33.01	Pass
		Edge 1RB Right	20.92	/	/	23.67	/	/	<=33.01	Pass
		Outer Full	21.07	/	/	23.82	/	/	<=33.01	Pass
		Inner Full	22.68	/	/	25.43	/	/	<=33.01	Pass
		Inner 1RB Left	22.31	/	/	25.06	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1855	Inner 1RB Right	22.35	/	/	25.10	/	/	<=33.01	Pass
		Edge 1RB Left	20.73	/	/	23.48	/	/	<=33.01	Pass
		Edge 1RB Right	20.98	/	/	23.73	/	/	<=33.01	Pass
		Outer Full	21.05	/	/	23.80	/	/	<=33.01	Pass
		Inner Full	22.10	/	/	24.85	/	/	<=33.01	Pass
		Inner 1RB Left	21.76	/	/	24.51	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	21.93	/	/	24.68	/	/	<=33.01	Pass
		Edge 1RB Left	20.80	/	/	23.55	/	/	<=33.01	Pass
		Edge 1RB Right	20.99	/	/	23.74	/	/	<=33.01	Pass
		Outer Full	21.12	/	/	23.87	/	/	<=33.01	Pass
		Inner Full	22.22	/	/	24.97	/	/	<=33.01	Pass
		Inner 1RB Left	21.85	/	/	24.60	/	/	<=33.01	Pass
	1910	Inner 1RB Right	21.96	/	/	24.71	/	/	<=33.01	Pass
		Edge 1RB Left	20.77	/	/	23.52	/	/	<=33.01	Pass
		Edge 1RB Right	20.98	/	/	23.73	/	/	<=33.01	Pass
		Outer Full	21.07	/	/	23.82	/	/	<=33.01	Pass
		Inner Full	22.15	/	/	24.90	/	/	<=33.01	Pass
		Inner 1RB Left	21.79	/	/	24.54	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1855	Inner 1RB Right	21.85	/	/	24.60	/	/	<=33.01	Pass
		Edge 1RB Left	20.36	/	/	23.11	/	/	<=33.01	Pass
		Edge 1RB Right	20.71	/	/	23.46	/	/	<=33.01	Pass
		Outer Full	20.46	/	/	23.21	/	/	<=33.01	Pass
		Inner Full	20.51	/	/	23.26	/	/	<=33.01	Pass
		Inner 1RB Left	20.52	/	/	23.27	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	20.65	/	/	23.40	/	/	<=33.01	Pass
		Edge 1RB Left	20.52	/	/	23.27	/	/	<=33.01	Pass
		Edge 1RB Right	20.75	/	/	23.50	/	/	<=33.01	Pass
		Outer Full	20.55	/	/	23.30	/	/	<=33.01	Pass
		Inner Full	20.64	/	/	23.39	/	/	<=33.01	Pass
		Inner 1RB Left	20.47	/	/	23.22	/	/	<=33.01	Pass
	1910	Inner 1RB Right	20.70	/	/	23.45	/	/	<=33.01	Pass
		Edge 1RB Left	20.39	/	/	23.14	/	/	<=33.01	Pass
		Edge 1RB Right	20.66	/	/	23.41	/	/	<=33.01	Pass
		Outer Full	20.51	/	/	23.26	/	/	<=33.01	Pass
		Inner Full	20.56	/	/	23.31	/	/	<=33.01	Pass
		Inner 1RB Left	20.48	/	/	23.23	/	/	<=33.01	Pass
		Inner 1RB Right	20.54	/	/	23.29	/	/	<=33.01	Pass

CP-OFDM 256 QAM	1855	Edge_1RB_Left	17.60	/	/	20.35	/	/	<=33.01	Pass
		Edge_1RB_Right	17.66	/	/	20.41	/	/	<=33.01	Pass
		Outer_Full	17.61	/	/	20.36	/	/	<=33.01	Pass
		Inner_Full	17.68	/	/	20.43	/	/	<=33.01	Pass
		Inner_1RB_Left	17.43	/	/	20.18	/	/	<=33.01	Pass
		Inner_1RB_Right	17.62	/	/	20.37	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	17.47	/	/	20.22	/	/	<=33.01	Pass
		Edge_1RB_Right	17.70	/	/	20.45	/	/	<=33.01	Pass
		Outer_Full	17.68	/	/	20.43	/	/	<=33.01	Pass
		Inner_Full	17.79	/	/	20.54	/	/	<=33.01	Pass
		Inner_1RB_Left	17.43	/	/	20.18	/	/	<=33.01	Pass
		Inner_1RB_Right	17.68	/	/	20.43	/	/	<=33.01	Pass
	1910	Edge_1RB_Left	17.43	/	/	20.18	/	/	<=33.01	Pass
		Edge_1RB_Right	17.64	/	/	20.39	/	/	<=33.01	Pass
		Outer_Full	17.65	/	/	20.40	/	/	<=33.01	Pass
		Inner_Full	17.75	/	/	20.50	/	/	<=33.01	Pass
		Inner_1RB_Left	17.44	/	/	20.19	/	/	<=33.01	Pass
		Inner_1RB_Right	17.66	/	/	20.41	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15_S_15M_NTNV_EIRP

5G NR n25 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1857.5	Edge_1RB_Left	23.32	/	/	26.07	/	/	<=33.01	Pass
		Edge_1RB_Right	23.45	/	/	26.20	/	/	<=33.01	Pass
		Outer_Full	23.56	/	/	26.31	/	/	<=33.01	Pass
		Inner_Full	24.10	/	/	26.85	/	/	<=33.01	Pass
		Inner_1RB_Left	23.84	/	/	26.59	/	/	<=33.01	Pass
		Inner_1RB_Right	24.04	/	/	26.79	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	23.48	/	/	26.23	/	/	<=33.01	Pass
		Edge_1RB_Right	23.62	/	/	26.37	/	/	<=33.01	Pass
		Outer_Full	23.56	/	/	26.31	/	/	<=33.01	Pass
		Inner_Full	24.17	/	/	26.92	/	/	<=33.01	Pass
		Inner_1RB_Left	23.99	/	/	26.74	/	/	<=33.01	Pass
		Inner_1RB_Right	24.11	/	/	26.86	/	/	<=33.01	Pass
	1907.5	Edge_1RB_Left	23.35	/	/	26.10	/	/	<=33.01	Pass
		Edge_1RB_Right	23.50	/	/	26.25	/	/	<=33.01	Pass
		Outer_Full	23.61	/	/	26.36	/	/	<=33.01	Pass
		Inner_Full	24.14	/	/	26.89	/	/	<=33.01	Pass
		Inner_1RB_Left	23.92	/	/	26.67	/	/	<=33.01	Pass
		Inner_1RB_Right	23.95	/	/	26.70	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1857.5	Edge_1RB_Left	22.88	/	/	25.63	/	/	<=33.01	Pass
		Edge_1RB_Right	22.99	/	/	25.74	/	/	<=33.01	Pass
		Outer_Full	23.02	/	/	25.77	/	/	<=33.01	Pass
		Inner_Full	24.12	/	/	26.87	/	/	<=33.01	Pass
		Inner_1RB_Left	23.80	/	/	26.55	/	/	<=33.01	Pass
		Inner_1RB_Right	24.02	/	/	26.77	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	23.00	/	/	25.75	/	/	<=33.01	Pass
		Edge_1RB_Right	23.14	/	/	25.89	/	/	<=33.01	Pass
		Outer_Full	23.04	/	/	25.79	/	/	<=33.01	Pass

		Inner Full	24.16	/	/	26.91	/	/	<=33.01	Pass
		Inner 1RB Left	23.97	/	/	26.72	/	/	<=33.01	Pass
		Inner 1RB Right	24.04	/	/	26.79	/	/	<=33.01	Pass
	1907.5	Edge 1RB Left	22.86	/	/	25.61	/	/	<=33.01	Pass
		Edge 1RB Right	22.91	/	/	25.66	/	/	<=33.01	Pass
		Outer Full	23.07	/	/	25.82	/	/	<=33.01	Pass
		Inner Full	24.15	/	/	26.90	/	/	<=33.01	Pass
		Inner 1RB Left	23.92	/	/	26.67	/	/	<=33.01	Pass
		Inner 1RB Right	23.92	/	/	26.67	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1857.5	Edge 1RB Left	21.82	/	/	24.57	/	/	<=33.01	Pass
		Edge 1RB Right	22.01	/	/	24.76	/	/	<=33.01	Pass
		Outer Full	22.05	/	/	24.80	/	/	<=33.01	Pass
		Inner Full	23.09	/	/	25.84	/	/	<=33.01	Pass
		Inner 1RB Left	22.80	/	/	25.55	/	/	<=33.01	Pass
		Inner 1RB Right	23.01	/	/	25.76	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.95	/	/	24.70	/	/	<=33.01	Pass
		Edge 1RB Right	21.99	/	/	24.74	/	/	<=33.01	Pass
		Outer Full	22.09	/	/	24.84	/	/	<=33.01	Pass
		Inner Full	23.12	/	/	25.87	/	/	<=33.01	Pass
		Inner 1RB Left	22.86	/	/	25.61	/	/	<=33.01	Pass
		Inner 1RB Right	23.03	/	/	25.78	/	/	<=33.01	Pass
	1907.5	Edge 1RB Left	21.85	/	/	24.60	/	/	<=33.01	Pass
		Edge 1RB Right	21.97	/	/	24.72	/	/	<=33.01	Pass
		Outer Full	22.09	/	/	24.84	/	/	<=33.01	Pass
		Inner Full	23.12	/	/	25.87	/	/	<=33.01	Pass
		Inner 1RB Left	22.88	/	/	25.63	/	/	<=33.01	Pass
		Inner 1RB Right	22.90	/	/	25.65	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1857.5	Edge 1RB Left	21.37	/	/	24.12	/	/	<=33.01	Pass
		Edge 1RB Right	21.59	/	/	24.34	/	/	<=33.01	Pass
		Outer Full	21.56	/	/	24.31	/	/	<=33.01	Pass
		Inner Full	21.55	/	/	24.30	/	/	<=33.01	Pass
		Inner 1RB Left	21.38	/	/	24.13	/	/	<=33.01	Pass
		Inner 1RB Right	21.46	/	/	24.21	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.49	/	/	24.24	/	/	<=33.01	Pass
		Edge 1RB Right	21.63	/	/	24.38	/	/	<=33.01	Pass
		Outer Full	21.52	/	/	24.27	/	/	<=33.01	Pass
		Inner Full	21.59	/	/	24.34	/	/	<=33.01	Pass
		Inner 1RB Left	21.54	/	/	24.29	/	/	<=33.01	Pass
		Inner 1RB Right	21.59	/	/	24.34	/	/	<=33.01	Pass
	1907.5	Edge 1RB Left	21.47	/	/	24.22	/	/	<=33.01	Pass
		Edge 1RB Right	21.61	/	/	24.36	/	/	<=33.01	Pass
		Outer Full	21.63	/	/	24.38	/	/	<=33.01	Pass
		Inner Full	21.58	/	/	24.33	/	/	<=33.01	Pass
		Inner 1RB Left	21.47	/	/	24.22	/	/	<=33.01	Pass
		Inner 1RB Right	21.58	/	/	24.33	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1857.5	Edge 1RB Left	19.28	/	/	22.03	/	/	<=33.01	Pass
		Edge 1RB Right	19.40	/	/	22.15	/	/	<=33.01	Pass
		Outer Full	19.55	/	/	22.30	/	/	<=33.01	Pass
		Inner Full	19.53	/	/	22.28	/	/	<=33.01	Pass
		Inner 1RB Left	19.31	/	/	22.06	/	/	<=33.01	Pass
		Inner 1RB Right	19.36	/	/	22.11	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	19.36	/	/	22.11	/	/	<=33.01	Pass
		Edge 1RB Right	19.44	/	/	22.19	/	/	<=33.01	Pass
		Outer Full	19.54	/	/	22.29	/	/	<=33.01	Pass
		Inner Full	19.61	/	/	22.36	/	/	<=33.01	Pass

	1907.5	Inner_1RB_Left	19.39	/	/	22.14	/	/	<=33.01	Pass
		Inner_1RB_Right	19.52	/	/	22.27	/	/	<=33.01	Pass
		Edge_1RB_Left	19.31	/	/	22.06	/	/	<=33.01	Pass
		Edge_1RB_Right	19.45	/	/	22.20	/	/	<=33.01	Pass
		Outer_Full	19.58	/	/	22.33	/	/	<=33.01	Pass
		Inner_Full	19.60	/	/	22.35	/	/	<=33.01	Pass
		Inner_1RB_Left	19.31	/	/	22.06	/	/	<=33.01	Pass
		Inner_1RB_Right	19.51	/	/	22.26	/	/	<=33.01	Pass
CP-OFDM QPSK	1857.5	Edge_1RB_Left	20.89	/	/	23.64	/	/	<=33.01	Pass
		Edge_1RB_Right	20.95	/	/	23.70	/	/	<=33.01	Pass
		Outer_Full	21.04	/	/	23.79	/	/	<=33.01	Pass
		Inner_Full	22.55	/	/	25.30	/	/	<=33.01	Pass
		Inner_1RB_Left	22.21	/	/	24.96	/	/	<=33.01	Pass
		Inner_1RB_Right	22.36	/	/	25.11	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	21.08	/	/	23.83	/	/	<=33.01	Pass
		Edge_1RB_Right	21.02	/	/	23.77	/	/	<=33.01	Pass
		Outer_Full	21.08	/	/	23.83	/	/	<=33.01	Pass
		Inner_Full	22.59	/	/	25.34	/	/	<=33.01	Pass
		Inner_1RB_Left	22.30	/	/	25.05	/	/	<=33.01	Pass
		Inner_1RB_Right	22.43	/	/	25.18	/	/	<=33.01	Pass
	1907.5	Edge_1RB_Left	20.99	/	/	23.74	/	/	<=33.01	Pass
		Edge_1RB_Right	20.90	/	/	23.65	/	/	<=33.01	Pass
		Outer_Full	21.08	/	/	23.83	/	/	<=33.01	Pass
		Inner_Full	22.65	/	/	25.40	/	/	<=33.01	Pass
		Inner_1RB_Left	22.19	/	/	24.94	/	/	<=33.01	Pass
		Inner_1RB_Right	22.25	/	/	25.00	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1857.5	Edge_1RB_Left	20.64	/	/	23.39	/	/	<=33.01	Pass
		Edge_1RB_Right	20.82	/	/	23.57	/	/	<=33.01	Pass
		Outer_Full	21.03	/	/	23.78	/	/	<=33.01	Pass
		Inner_Full	22.02	/	/	24.77	/	/	<=33.01	Pass
		Inner_1RB_Left	21.65	/	/	24.40	/	/	<=33.01	Pass
		Inner_1RB_Right	21.79	/	/	24.54	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.83	/	/	23.58	/	/	<=33.01	Pass
		Edge_1RB_Right	20.90	/	/	23.65	/	/	<=33.01	Pass
		Outer_Full	21.07	/	/	23.82	/	/	<=33.01	Pass
		Inner_Full	22.05	/	/	24.80	/	/	<=33.01	Pass
		Inner_1RB_Left	21.81	/	/	24.56	/	/	<=33.01	Pass
		Inner_1RB_Right	21.90	/	/	24.65	/	/	<=33.01	Pass
	1907.5	Edge_1RB_Left	20.73	/	/	23.48	/	/	<=33.01	Pass
		Edge_1RB_Right	20.81	/	/	23.56	/	/	<=33.01	Pass
		Outer_Full	21.06	/	/	23.81	/	/	<=33.01	Pass
		Inner_Full	22.03	/	/	24.78	/	/	<=33.01	Pass
		Inner_1RB_Left	21.68	/	/	24.43	/	/	<=33.01	Pass
		Inner_1RB_Right	21.74	/	/	24.49	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1857.5	Edge_1RB_Left	20.39	/	/	23.14	/	/	<=33.01	Pass
		Edge_1RB_Right	20.52	/	/	23.27	/	/	<=33.01	Pass
		Outer_Full	20.58	/	/	23.33	/	/	<=33.01	Pass
		Inner_Full	20.55	/	/	23.30	/	/	<=33.01	Pass
		Inner_1RB_Left	20.35	/	/	23.10	/	/	<=33.01	Pass
		Inner_1RB_Right	20.57	/	/	23.32	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.55	/	/	23.30	/	/	<=33.01	Pass
		Edge_1RB_Right	20.68	/	/	23.43	/	/	<=33.01	Pass
		Outer_Full	20.62	/	/	23.37	/	/	<=33.01	Pass
		Inner_Full	20.59	/	/	23.34	/	/	<=33.01	Pass
		Inner_1RB_Left	20.49	/	/	23.24	/	/	<=33.01	Pass

CP-OFDM 256 QAM	1907.5	Inner 1RB Right	20.67	/	/	23.42	/	/	<=33.01	Pass
		Edge 1RB Left	20.44	/	/	23.19	/	/	<=33.01	Pass
		Edge 1RB Right	20.51	/	/	23.26	/	/	<=33.01	Pass
		Outer Full	20.61	/	/	23.36	/	/	<=33.01	Pass
		Inner Full	20.57	/	/	23.32	/	/	<=33.01	Pass
		Inner 1RB Left	20.42	/	/	23.17	/	/	<=33.01	Pass
		Inner 1RB Right	20.43	/	/	23.18	/	/	<=33.01	Pass
	1857.5	Edge 1RB Left	17.38	/	/	20.13	/	/	<=33.01	Pass
		Edge 1RB Right	17.58	/	/	20.33	/	/	<=33.01	Pass
		Outer Full	17.63	/	/	20.38	/	/	<=33.01	Pass
		Inner Full	17.68	/	/	20.43	/	/	<=33.01	Pass
		Inner 1RB Left	17.43	/	/	20.18	/	/	<=33.01	Pass
		Inner 1RB Right	17.49	/	/	20.24	/	/	<=33.01	Pass
		Inner 1RB Right	17.49	/	/	20.24	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	17.42	/	/	20.17	/	/	<=33.01	Pass
		Edge 1RB Right	17.72	/	/	20.47	/	/	<=33.01	Pass
		Outer Full	17.71	/	/	20.46	/	/	<=33.01	Pass
		Inner Full	17.71	/	/	20.46	/	/	<=33.01	Pass
		Inner 1RB Left	17.45	/	/	20.20	/	/	<=33.01	Pass
		Inner 1RB Right	17.62	/	/	20.37	/	/	<=33.01	Pass
		Inner 1RB Right	17.62	/	/	20.37	/	/	<=33.01	Pass
	1907.5	Edge 1RB Left	17.42	/	/	20.17	/	/	<=33.01	Pass
		Edge 1RB Right	17.52	/	/	20.27	/	/	<=33.01	Pass
		Outer Full	17.69	/	/	20.44	/	/	<=33.01	Pass
		Inner Full	17.72	/	/	20.47	/	/	<=33.01	Pass
		Inner 1RB Left	17.40	/	/	20.15	/	/	<=33.01	Pass
		Inner 1RB Right	17.52	/	/	20.27	/	/	<=33.01	Pass
		Inner 1RB Right	17.52	/	/	20.27	/	/	<=33.01	Pass

Note1: Antenna Gain: Ant1: 2.75dBi;
Note2: EIRP=Conducted Power+Antenna Gain

1.1.4 15_S_20M_NTNV_EIRP

5G NR n25 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1860	Edge 1RB Left	23.41	/	/	26.16	/	/	<=33.01	Pass
		Edge 1RB Right	23.61	/	/	26.36	/	/	<=33.01	Pass
		Outer Full	23.54	/	/	26.29	/	/	<=33.01	Pass
		Inner Full	24.16	/	/	26.91	/	/	<=33.01	Pass
		Inner 1RB Left	23.89	/	/	26.64	/	/	<=33.01	Pass
		Inner 1RB Right	24.06	/	/	26.81	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	23.49	/	/	26.24	/	/	<=33.01	Pass
		Edge 1RB Right	23.62	/	/	26.37	/	/	<=33.01	Pass
		Outer Full	23.61	/	/	26.36	/	/	<=33.01	Pass
		Inner Full	24.15	/	/	26.90	/	/	<=33.01	Pass
		Inner 1RB Left	24.00	/	/	26.75	/	/	<=33.01	Pass
		Inner 1RB Right	24.16	/	/	26.91	/	/	<=33.01	Pass
	1905	Edge 1RB Left	23.52	/	/	26.27	/	/	<=33.01	Pass
		Edge 1RB Right	23.56	/	/	26.31	/	/	<=33.01	Pass
		Outer Full	23.67	/	/	26.42	/	/	<=33.01	Pass
		Inner Full	24.11	/	/	26.86	/	/	<=33.01	Pass
		Inner 1RB Left	23.94	/	/	26.69	/	/	<=33.01	Pass
		Inner 1RB Right	24.04	/	/	26.79	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1860	Edge 1RB Left	22.95	/	/	25.70	/	/	<=33.01	Pass
		Edge 1RB Right	23.16	/	/	25.91	/	/	<=33.01	Pass

DFT-s-OFDM 16 QAM		Outer Full	23.06	/	/	25.81	/	/	<=33.01	Pass
		Inner Full	24.12	/	/	26.87	/	/	<=33.01	Pass
		Inner 1RB Left	23.93	/	/	26.68	/	/	<=33.01	Pass
		Inner 1RB Right	24.12	/	/	26.87	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	23.03	/	/	25.78	/	/	<=33.01	Pass
		Edge 1RB Right	23.19	/	/	25.94	/	/	<=33.01	Pass
		Outer Full	23.15	/	/	25.90	/	/	<=33.01	Pass
		Inner Full	24.17	/	/	26.92	/	/	<=33.01	Pass
	1905	Inner 1RB Left	23.92	/	/	26.67	/	/	<=33.01	Pass
		Inner 1RB Right	24.13	/	/	26.88	/	/	<=33.01	Pass
		Edge 1RB Left	22.99	/	/	25.74	/	/	<=33.01	Pass
		Edge 1RB Right	23.04	/	/	25.79	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1860	Outer Full	23.19	/	/	25.94	/	/	<=33.01	Pass
		Inner Full	24.14	/	/	26.89	/	/	<=33.01	Pass
		Inner 1RB Left	23.94	/	/	26.69	/	/	<=33.01	Pass
		Inner 1RB Right	23.94	/	/	26.69	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.89	/	/	24.64	/	/	<=33.01	Pass
		Edge 1RB Right	22.10	/	/	24.85	/	/	<=33.01	Pass
		Outer Full	22.08	/	/	24.83	/	/	<=33.01	Pass
		Inner Full	23.07	/	/	25.82	/	/	<=33.01	Pass
	1905	Inner 1RB Left	22.95	/	/	25.70	/	/	<=33.01	Pass
		Inner 1RB Right	23.09	/	/	25.84	/	/	<=33.01	Pass
		Edge 1RB Left	21.91	/	/	24.66	/	/	<=33.01	Pass
		Edge 1RB Right	22.08	/	/	24.83	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1860	Outer Full	22.11	/	/	24.86	/	/	<=33.01	Pass
		Inner Full	23.14	/	/	25.89	/	/	<=33.01	Pass
		Inner 1RB Left	22.94	/	/	25.69	/	/	<=33.01	Pass
		Inner 1RB Right	23.06	/	/	25.81	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.98	/	/	24.73	/	/	<=33.01	Pass
		Edge 1RB Right	22.09	/	/	24.84	/	/	<=33.01	Pass
		Outer Full	22.16	/	/	24.91	/	/	<=33.01	Pass
		Inner Full	23.10	/	/	25.85	/	/	<=33.01	Pass
	1905	Inner 1RB Left	22.98	/	/	25.73	/	/	<=33.01	Pass
		Inner 1RB Right	23.05	/	/	25.80	/	/	<=33.01	Pass
		Edge 1RB Left	21.44	/	/	24.19	/	/	<=33.01	Pass
		Edge 1RB Right	21.68	/	/	24.43	/	/	<=33.01	Pass
	1860	Outer Full	21.55	/	/	24.30	/	/	<=33.01	Pass
		Inner Full	21.64	/	/	24.39	/	/	<=33.01	Pass
		Inner 1RB Left	21.50	/	/	24.25	/	/	<=33.01	Pass
		Inner 1RB Right	21.69	/	/	24.44	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.55	/	/	24.30	/	/	<=33.01	Pass
		Edge 1RB Right	21.72	/	/	24.47	/	/	<=33.01	Pass
		Outer Full	21.55	/	/	24.30	/	/	<=33.01	Pass
		Inner Full	21.67	/	/	24.42	/	/	<=33.01	Pass
	1905	Inner 1RB Left	21.58	/	/	24.33	/	/	<=33.01	Pass
		Inner 1RB Right	21.70	/	/	24.45	/	/	<=33.01	Pass
		Edge 1RB Left	21.47	/	/	24.22	/	/	<=33.01	Pass
		Edge 1RB Right	21.68	/	/	24.43	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1860	Outer Full	21.58	/	/	24.33	/	/	<=33.01	Pass
		Inner Full	21.65	/	/	24.40	/	/	<=33.01	Pass
		Inner 1RB Left	21.57	/	/	24.32	/	/	<=33.01	Pass
		Inner 1RB Right	21.71	/	/	24.46	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1860	Edge 1RB Left	19.36	/	/	22.11	/	/	<=33.01	Pass
		Edge 1RB Right	19.66	/	/	22.41	/	/	<=33.01	Pass
		Outer Full	19.50	/	/	22.25	/	/	<=33.01	Pass

		Inner Full	19.49	/	/	22.24	/	/	<=33.01	Pass
		Inner 1RB Left	19.34	/	/	22.09	/	/	<=33.01	Pass
		Inner 1RB Right	19.64	/	/	22.39	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	19.56	/	/	22.31	/	/	<=33.01	Pass
		Edge 1RB Right	19.64	/	/	22.39	/	/	<=33.01	Pass
		Outer Full	19.58	/	/	22.33	/	/	<=33.01	Pass
		Inner Full	19.57	/	/	22.32	/	/	<=33.01	Pass
		Inner 1RB Left	19.47	/	/	22.22	/	/	<=33.01	Pass
		Inner 1RB Right	19.62	/	/	22.37	/	/	<=33.01	Pass
	1905	Edge 1RB Left	19.47	/	/	22.22	/	/	<=33.01	Pass
		Edge 1RB Right	19.60	/	/	22.35	/	/	<=33.01	Pass
		Outer Full	19.58	/	/	22.33	/	/	<=33.01	Pass
		Inner Full	19.54	/	/	22.29	/	/	<=33.01	Pass
		Inner 1RB Left	19.41	/	/	22.16	/	/	<=33.01	Pass
		Inner 1RB Right	19.70	/	/	22.45	/	/	<=33.01	Pass
CP-OFDM QPSK	1860	Edge 1RB Left	20.97	/	/	23.72	/	/	<=33.01	Pass
		Edge 1RB Right	21.10	/	/	23.85	/	/	<=33.01	Pass
		Outer Full	21.03	/	/	23.78	/	/	<=33.01	Pass
		Inner Full	22.59	/	/	25.34	/	/	<=33.01	Pass
		Inner 1RB Left	22.37	/	/	25.12	/	/	<=33.01	Pass
		Inner 1RB Right	22.56	/	/	25.31	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.03	/	/	23.78	/	/	<=33.01	Pass
		Edge 1RB Right	21.03	/	/	23.78	/	/	<=33.01	Pass
		Outer Full	21.11	/	/	23.86	/	/	<=33.01	Pass
		Inner Full	22.60	/	/	25.35	/	/	<=33.01	Pass
		Inner 1RB Left	22.33	/	/	25.08	/	/	<=33.01	Pass
		Inner 1RB Right	22.49	/	/	25.24	/	/	<=33.01	Pass
	1905	Edge 1RB Left	20.99	/	/	23.74	/	/	<=33.01	Pass
		Edge 1RB Right	20.89	/	/	23.64	/	/	<=33.01	Pass
		Outer Full	21.07	/	/	23.82	/	/	<=33.01	Pass
		Inner Full	22.55	/	/	25.30	/	/	<=33.01	Pass
		Inner 1RB Left	22.42	/	/	25.17	/	/	<=33.01	Pass
		Inner 1RB Right	22.43	/	/	25.18	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1860	Edge 1RB Left	20.80	/	/	23.55	/	/	<=33.01	Pass
		Edge 1RB Right	21.07	/	/	23.82	/	/	<=33.01	Pass
		Outer Full	21.02	/	/	23.77	/	/	<=33.01	Pass
		Inner Full	22.09	/	/	24.84	/	/	<=33.01	Pass
		Inner 1RB Left	21.74	/	/	24.49	/	/	<=33.01	Pass
		Inner 1RB Right	21.89	/	/	24.64	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	20.78	/	/	23.53	/	/	<=33.01	Pass
		Edge 1RB Right	21.01	/	/	23.76	/	/	<=33.01	Pass
		Outer Full	21.13	/	/	23.88	/	/	<=33.01	Pass
		Inner Full	22.12	/	/	24.87	/	/	<=33.01	Pass
		Inner 1RB Left	21.75	/	/	24.50	/	/	<=33.01	Pass
		Inner 1RB Right	21.91	/	/	24.66	/	/	<=33.01	Pass
	1905	Edge 1RB Left	20.82	/	/	23.57	/	/	<=33.01	Pass
		Edge 1RB Right	20.84	/	/	23.59	/	/	<=33.01	Pass
		Outer Full	21.09	/	/	23.84	/	/	<=33.01	Pass
		Inner Full	22.06	/	/	24.81	/	/	<=33.01	Pass
		Inner 1RB Left	21.80	/	/	24.55	/	/	<=33.01	Pass
		Inner 1RB Right	21.89	/	/	24.64	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1860	Edge 1RB Left	20.46	/	/	23.21	/	/	<=33.01	Pass
		Edge 1RB Right	20.64	/	/	23.39	/	/	<=33.01	Pass
		Outer Full	20.47	/	/	23.22	/	/	<=33.01	Pass
		Inner Full	20.48	/	/	23.23	/	/	<=33.01	Pass

	1882.5	Inner_1RB_Left	20.52	/	/	23.27	/	/	<=33.01	Pass	
		Inner_1RB_Right	20.62	/	/	23.37	/	/	<=33.01	Pass	
		Edge_1RB_Left	20.52	/	/	23.27	/	/	<=33.01	Pass	
		Edge_1RB_Right	20.58	/	/	23.33	/	/	<=33.01	Pass	
		Outer_Full	20.58	/	/	23.33	/	/	<=33.01	Pass	
		Inner_Full	20.56	/	/	23.31	/	/	<=33.01	Pass	
		Inner_1RB_Left	20.39	/	/	23.14	/	/	<=33.01	Pass	
		Inner_1RB_Right	20.57	/	/	23.32	/	/	<=33.01	Pass	
	1905	Edge_1RB_Left	20.41	/	/	23.16	/	/	<=33.01	Pass	
		Edge_1RB_Right	20.65	/	/	23.40	/	/	<=33.01	Pass	
		Outer_Full	20.59	/	/	23.34	/	/	<=33.01	Pass	
		Inner_Full	20.54	/	/	23.29	/	/	<=33.01	Pass	
		Inner_1RB_Left	20.59	/	/	23.34	/	/	<=33.01	Pass	
		Inner_1RB_Right	20.61	/	/	23.36	/	/	<=33.01	Pass	
		CP-OFDM 256 QAM	1860	Edge_1RB_Left	17.43	/	/	20.18	/	/	<=33.01
Edge_1RB_Right	17.60			/	/	20.35	/	/	<=33.01	Pass	
Outer_Full	17.59			/	/	20.34	/	/	<=33.01	Pass	
Inner_Full	17.63			/	/	20.38	/	/	<=33.01	Pass	
Inner_1RB_Left	17.44			/	/	20.19	/	/	<=33.01	Pass	
Inner_1RB_Right	17.71			/	/	20.46	/	/	<=33.01	Pass	
1882.5	Edge_1RB_Left		17.47	/	/	20.22	/	/	<=33.01	Pass	
	Edge_1RB_Right		17.67	/	/	20.42	/	/	<=33.01	Pass	
	Outer_Full		17.70	/	/	20.45	/	/	<=33.01	Pass	
	Inner_Full		17.69	/	/	20.44	/	/	<=33.01	Pass	
	Inner_1RB_Left		17.46	/	/	20.21	/	/	<=33.01	Pass	
	Inner_1RB_Right		17.61	/	/	20.36	/	/	<=33.01	Pass	
	1905		Edge_1RB_Left	17.49	/	/	20.24	/	/	<=33.01	Pass
Edge_1RB_Right			17.64	/	/	20.39	/	/	<=33.01	Pass	
Outer_Full			17.73	/	/	20.48	/	/	<=33.01	Pass	
Inner_Full			17.60	/	/	20.35	/	/	<=33.01	Pass	
Inner_1RB_Left			17.47	/	/	20.22	/	/	<=33.01	Pass	
Inner_1RB_Right			17.60	/	/	20.35	/	/	<=33.01	Pass	
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain											

1.1.5 15_S_25M_NTNV_EIRP

5G NR n25 SCS=15kHz SISO 25MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1862.5	Edge_1RB_Left	23.29	/	/	26.04	/	/	<=33.01	Pass
		Edge_1RB_Right	23.53	/	/	26.28	/	/	<=33.01	Pass
		Outer_Full	23.47	/	/	26.22	/	/	<=33.01	Pass
		Inner_Full	24.08	/	/	26.83	/	/	<=33.01	Pass
		Inner_1RB_Left	23.78	/	/	26.53	/	/	<=33.01	Pass
		Inner_1RB_Right	24.01	/	/	26.76	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	23.37	/	/	26.12	/	/	<=33.01	Pass
		Edge_1RB_Right	23.61	/	/	26.36	/	/	<=33.01	Pass
		Outer_Full	23.50	/	/	26.25	/	/	<=33.01	Pass
		Inner_Full	24.12	/	/	26.87	/	/	<=33.01	Pass
		Inner_1RB_Left	23.87	/	/	26.62	/	/	<=33.01	Pass
		Inner_1RB_Right	24.10	/	/	26.85	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	23.42	/	/	26.17	/	/	<=33.01	Pass

DFT-s-OFDM QPSK		Edge 1RB Right	23.48	/	/	26.23	/	/	<=33.01	Pass
		Outer Full	23.50	/	/	26.25	/	/	<=33.01	Pass
		Inner Full	24.11	/	/	26.86	/	/	<=33.01	Pass
		Inner 1RB Left	23.84	/	/	26.59	/	/	<=33.01	Pass
		Inner 1RB Right	23.96	/	/	26.71	/	/	<=33.01	Pass
	1862.5	Edge 1RB Left	22.82	/	/	25.57	/	/	<=33.01	Pass
		Edge 1RB Right	23.05	/	/	25.80	/	/	<=33.01	Pass
		Outer Full	22.98	/	/	25.73	/	/	<=33.01	Pass
		Inner Full	24.12	/	/	26.87	/	/	<=33.01	Pass
		Inner 1RB Left	23.82	/	/	26.57	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	24.01	/	/	26.76	/	/	<=33.01	Pass
		Edge 1RB Left	22.91	/	/	25.66	/	/	<=33.01	Pass
		Edge 1RB Right	23.13	/	/	25.88	/	/	<=33.01	Pass
		Outer Full	23.00	/	/	25.75	/	/	<=33.01	Pass
		Inner Full	24.13	/	/	26.88	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1862.5	Inner 1RB Left	23.82	/	/	26.57	/	/	<=33.01	Pass
		Inner 1RB Right	24.06	/	/	26.81	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	22.87	/	/	25.62	/	/	<=33.01	Pass
		Edge 1RB Right	23.00	/	/	25.75	/	/	<=33.01	Pass
		Outer Full	23.05	/	/	25.80	/	/	<=33.01	Pass
	1882.5	Inner Full	24.13	/	/	26.88	/	/	<=33.01	Pass
		Inner 1RB Left	23.80	/	/	26.55	/	/	<=33.01	Pass
		Inner 1RB Right	23.95	/	/	26.70	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	21.76	/	/	24.51	/	/	<=33.01	Pass
		Edge 1RB Right	21.97	/	/	24.72	/	/	<=33.01	Pass
		Outer Full	22.03	/	/	24.78	/	/	<=33.01	Pass
		Inner Full	23.17	/	/	25.92	/	/	<=33.01	Pass
		Inner 1RB Left	22.78	/	/	25.53	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1862.5	Inner 1RB Right	22.90	/	/	25.65	/	/	<=33.01	Pass
		Edge 1RB Left	21.74	/	/	24.49	/	/	<=33.01	Pass
		Edge 1RB Right	22.06	/	/	24.81	/	/	<=33.01	Pass
		Outer Full	22.02	/	/	24.77	/	/	<=33.01	Pass
		Inner Full	23.14	/	/	25.89	/	/	<=33.01	Pass
	1882.5	Inner 1RB Left	22.80	/	/	25.55	/	/	<=33.01	Pass
		Inner 1RB Right	23.06	/	/	25.81	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	21.81	/	/	24.56	/	/	<=33.01	Pass
		Edge 1RB Right	21.96	/	/	24.71	/	/	<=33.01	Pass
		Outer Full	22.10	/	/	24.85	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1862.5	Inner Full	23.13	/	/	25.88	/	/	<=33.01	Pass
		Inner 1RB Left	22.83	/	/	25.58	/	/	<=33.01	Pass
		Inner 1RB Right	22.99	/	/	25.74	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.33	/	/	24.08	/	/	<=33.01	Pass
		Edge 1RB Right	21.43	/	/	24.18	/	/	<=33.01	Pass
		Outer Full	21.51	/	/	24.26	/	/	<=33.01	Pass
		Inner Full	21.64	/	/	24.39	/	/	<=33.01	Pass
	1902.5	Inner 1RB Left	21.39	/	/	24.14	/	/	<=33.01	Pass
		Inner 1RB Right	21.54	/	/	24.29	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.34	/	/	24.09	/	/	<=33.01	Pass
		Edge 1RB Right	21.68	/	/	24.43	/	/	<=33.01	Pass
		Outer Full	21.59	/	/	24.34	/	/	<=33.01	Pass
	1902.5	Inner Full	21.55	/	/	24.30	/	/	<=33.01	Pass
		Inner 1RB Left	21.42	/	/	24.17	/	/	<=33.01	Pass
		Inner 1RB Right	21.70	/	/	24.45	/	/	<=33.01	Pass
		Edge 1RB Left	21.35	/	/	24.10	/	/	<=33.01	Pass
		Edge 1RB Right	21.52	/	/	24.27	/	/	<=33.01	Pass

		Outer Full	21.58	/	/	24.33	/	/	<=33.01	Pass
		Inner Full	21.63	/	/	24.38	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1862.5	Inner 1RB Left	21.34	/	/	24.09	/	/	<=33.01	Pass
		Inner 1RB Right	21.58	/	/	24.33	/	/	<=33.01	Pass
		Edge 1RB Left	19.24	/	/	21.99	/	/	<=33.01	Pass
		Edge 1RB Right	19.34	/	/	22.09	/	/	<=33.01	Pass
		Outer Full	19.52	/	/	22.27	/	/	<=33.01	Pass
		Inner Full	19.50	/	/	22.25	/	/	<=33.01	Pass
		Inner 1RB Left	19.15	/	/	21.90	/	/	<=33.01	Pass
		Inner 1RB Right	19.36	/	/	22.11	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	19.28	/	/	22.03	/	/	<=33.01	Pass
		Edge 1RB Right	19.52	/	/	22.27	/	/	<=33.01	Pass
		Outer Full	19.49	/	/	22.24	/	/	<=33.01	Pass
		Inner Full	19.58	/	/	22.33	/	/	<=33.01	Pass
		Inner 1RB Left	19.25	/	/	22.00	/	/	<=33.01	Pass
		Inner 1RB Right	19.48	/	/	22.23	/	/	<=33.01	Pass
		Edge 1RB Left	19.39	/	/	22.14	/	/	<=33.01	Pass
		Edge 1RB Right	19.44	/	/	22.19	/	/	<=33.01	Pass
	1902.5	Outer Full	19.52	/	/	22.27	/	/	<=33.01	Pass
		Inner Full	19.57	/	/	22.32	/	/	<=33.01	Pass
		Inner 1RB Left	19.32	/	/	22.07	/	/	<=33.01	Pass
		Inner 1RB Right	19.43	/	/	22.18	/	/	<=33.01	Pass
CP-OFDM QPSK	1862.5	Edge 1RB Left	20.82	/	/	23.57	/	/	<=33.01	Pass
		Edge 1RB Right	21.20	/	/	23.95	/	/	<=33.01	Pass
		Outer Full	21.02	/	/	23.77	/	/	<=33.01	Pass
		Inner Full	22.60	/	/	25.35	/	/	<=33.01	Pass
		Inner 1RB Left	22.23	/	/	24.98	/	/	<=33.01	Pass
		Inner 1RB Right	22.32	/	/	25.07	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	20.85	/	/	23.60	/	/	<=33.01	Pass
		Edge 1RB Right	21.36	/	/	24.11	/	/	<=33.01	Pass
		Outer Full	21.05	/	/	23.80	/	/	<=33.01	Pass
		Inner Full	22.60	/	/	25.35	/	/	<=33.01	Pass
		Inner 1RB Left	22.17	/	/	24.92	/	/	<=33.01	Pass
		Inner 1RB Right	22.39	/	/	25.14	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	20.70	/	/	23.45	/	/	<=33.01	Pass
		Edge 1RB Right	20.83	/	/	23.58	/	/	<=33.01	Pass
		Outer Full	21.06	/	/	23.81	/	/	<=33.01	Pass
		Inner Full	22.60	/	/	25.35	/	/	<=33.01	Pass
		Inner 1RB Left	22.24	/	/	24.99	/	/	<=33.01	Pass
		Inner 1RB Right	22.38	/	/	25.13	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1862.5	Edge 1RB Left	20.75	/	/	23.50	/	/	<=33.01	Pass
		Edge 1RB Right	20.85	/	/	23.60	/	/	<=33.01	Pass
		Outer Full	21.04	/	/	23.79	/	/	<=33.01	Pass
		Inner Full	22.07	/	/	24.82	/	/	<=33.01	Pass
		Inner 1RB Left	21.60	/	/	24.35	/	/	<=33.01	Pass
		Inner 1RB Right	21.74	/	/	24.49	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	20.75	/	/	23.50	/	/	<=33.01	Pass
		Edge 1RB Right	20.94	/	/	23.69	/	/	<=33.01	Pass
		Outer Full	21.00	/	/	23.75	/	/	<=33.01	Pass
		Inner Full	22.10	/	/	24.85	/	/	<=33.01	Pass
		Inner 1RB Left	21.60	/	/	24.35	/	/	<=33.01	Pass
		Inner 1RB Right	21.81	/	/	24.56	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	20.75	/	/	23.50	/	/	<=33.01	Pass
		Edge 1RB Right	20.81	/	/	23.56	/	/	<=33.01	Pass
		Outer Full	21.06	/	/	23.81	/	/	<=33.01	Pass

CP-OFDM 64 QAM		Inner Full	22.06	/	/	24.81	/	/	<=33.01	Pass
		Inner 1RB Left	21.67	/	/	24.42	/	/	<=33.01	Pass
		Inner 1RB Right	21.69	/	/	24.44	/	/	<=33.01	Pass
	1862.5	Edge 1RB Left	20.25	/	/	23.00	/	/	<=33.01	Pass
		Edge 1RB Right	20.59	/	/	23.34	/	/	<=33.01	Pass
		Outer Full	20.48	/	/	23.23	/	/	<=33.01	Pass
		Inner Full	20.52	/	/	23.27	/	/	<=33.01	Pass
		Inner 1RB Left	20.39	/	/	23.14	/	/	<=33.01	Pass
		Inner 1RB Right	20.55	/	/	23.30	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	20.35	/	/	23.10	/	/	<=33.01	Pass
		Edge 1RB Right	20.67	/	/	23.42	/	/	<=33.01	Pass
		Outer Full	20.53	/	/	23.28	/	/	<=33.01	Pass
		Inner Full	20.56	/	/	23.31	/	/	<=33.01	Pass
		Inner 1RB Left	20.44	/	/	23.19	/	/	<=33.01	Pass
		Inner 1RB Right	20.53	/	/	23.28	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	20.40	/	/	23.15	/	/	<=33.01	Pass
		Edge 1RB Right	20.55	/	/	23.30	/	/	<=33.01	Pass
		Outer Full	20.55	/	/	23.30	/	/	<=33.01	Pass
		Inner Full	20.51	/	/	23.26	/	/	<=33.01	Pass
		Inner 1RB Left	20.41	/	/	23.16	/	/	<=33.01	Pass
		Inner 1RB Right	20.52	/	/	23.27	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1862.5	Edge 1RB Left	17.32	/	/	20.07	/	/	<=33.01	Pass
		Edge 1RB Right	17.52	/	/	20.27	/	/	<=33.01	Pass
		Outer Full	17.52	/	/	20.27	/	/	<=33.01	Pass
		Inner Full	17.66	/	/	20.41	/	/	<=33.01	Pass
		Inner 1RB Left	17.39	/	/	20.14	/	/	<=33.01	Pass
		Inner 1RB Right	17.48	/	/	20.23	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	17.40	/	/	20.15	/	/	<=33.01	Pass
		Edge 1RB Right	17.70	/	/	20.45	/	/	<=33.01	Pass
		Outer Full	17.62	/	/	20.37	/	/	<=33.01	Pass
		Inner Full	17.75	/	/	20.50	/	/	<=33.01	Pass
		Inner 1RB Left	17.33	/	/	20.08	/	/	<=33.01	Pass
		Inner 1RB Right	17.60	/	/	20.35	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	17.43	/	/	20.18	/	/	<=33.01	Pass
		Edge 1RB Right	17.56	/	/	20.31	/	/	<=33.01	Pass
		Outer Full	17.60	/	/	20.35	/	/	<=33.01	Pass
		Inner Full	17.70	/	/	20.45	/	/	<=33.01	Pass
		Inner 1RB Left	17.43	/	/	20.18	/	/	<=33.01	Pass
		Inner 1RB Right	17.52	/	/	20.27	/	/	<=33.01	Pass

Note1: Antenna Gain: Ant1: 2.75dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.6 15_S_30M_NTNV_EIRP

5G NR n25 SCS=15kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1865	Edge 1RB Left	23.01	/	/	25.76	/	/	<=33.01	Pass
		Edge 1RB Right	23.31	/	/	26.06	/	/	<=33.01	Pass
		Outer Full	23.44	/	/	26.19	/	/	<=33.01	Pass
		Inner Full	24.05	/	/	26.80	/	/	<=33.01	Pass
		Inner 1RB Left	23.54	/	/	26.29	/	/	<=33.01	Pass
		Inner 1RB Right	23.82	/	/	26.57	/	/	<=33.01	Pass

	1882.5	Edge_1RB_Left	23.15	/	/	25.90	/	/	<=33.01	Pass
		Edge_1RB_Right	23.37	/	/	26.12	/	/	<=33.01	Pass
		Outer_Full	23.51	/	/	26.26	/	/	<=33.01	Pass
		Inner_Full	24.16	/	/	26.91	/	/	<=33.01	Pass
		Inner_1RB_Left	23.64	/	/	26.39	/	/	<=33.01	Pass
		Inner_1RB_Right	23.83	/	/	26.58	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	23.12	/	/	25.87	/	/	<=33.01	Pass
		Edge_1RB_Right	23.31	/	/	26.06	/	/	<=33.01	Pass
		Outer_Full	23.52	/	/	26.27	/	/	<=33.01	Pass
		Inner_Full	24.13	/	/	26.88	/	/	<=33.01	Pass
		Inner_1RB_Left	23.68	/	/	26.43	/	/	<=33.01	Pass
		Inner_1RB_Right	23.81	/	/	26.56	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1865	Edge_1RB_Left	22.56	/	/	25.31	/	/	<=33.01	Pass
		Edge_1RB_Right	22.84	/	/	25.59	/	/	<=33.01	Pass
		Outer_Full	22.91	/	/	25.66	/	/	<=33.01	Pass
		Inner_Full	24.08	/	/	26.83	/	/	<=33.01	Pass
		Inner_1RB_Left	23.57	/	/	26.32	/	/	<=33.01	Pass
		Inner_1RB_Right	23.85	/	/	26.60	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	22.72	/	/	25.47	/	/	<=33.01	Pass
		Edge_1RB_Right	22.91	/	/	25.66	/	/	<=33.01	Pass
		Outer_Full	23.07	/	/	25.82	/	/	<=33.01	Pass
		Inner_Full	24.12	/	/	26.87	/	/	<=33.01	Pass
		Inner_1RB_Left	23.66	/	/	26.41	/	/	<=33.01	Pass
		Inner_1RB_Right	23.82	/	/	26.57	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	22.65	/	/	25.40	/	/	<=33.01	Pass
		Edge_1RB_Right	22.83	/	/	25.58	/	/	<=33.01	Pass
		Outer_Full	23.00	/	/	25.75	/	/	<=33.01	Pass
		Inner_Full	24.15	/	/	26.90	/	/	<=33.01	Pass
		Inner_1RB_Left	23.67	/	/	26.42	/	/	<=33.01	Pass
		Inner_1RB_Right	23.76	/	/	26.51	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1865	Edge_1RB_Left	21.54	/	/	24.29	/	/	<=33.01	Pass
		Edge_1RB_Right	21.75	/	/	24.50	/	/	<=33.01	Pass
		Outer_Full	21.95	/	/	24.70	/	/	<=33.01	Pass
		Inner_Full	23.09	/	/	25.84	/	/	<=33.01	Pass
		Inner_1RB_Left	22.52	/	/	25.27	/	/	<=33.01	Pass
		Inner_1RB_Right	22.73	/	/	25.48	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	21.61	/	/	24.36	/	/	<=33.01	Pass
		Edge_1RB_Right	21.83	/	/	24.58	/	/	<=33.01	Pass
		Outer_Full	22.07	/	/	24.82	/	/	<=33.01	Pass
		Inner_Full	23.14	/	/	25.89	/	/	<=33.01	Pass
		Inner_1RB_Left	22.66	/	/	25.41	/	/	<=33.01	Pass
		Inner_1RB_Right	22.78	/	/	25.53	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	21.68	/	/	24.43	/	/	<=33.01	Pass
		Edge_1RB_Right	21.71	/	/	24.46	/	/	<=33.01	Pass
		Outer_Full	21.98	/	/	24.73	/	/	<=33.01	Pass
		Inner_Full	23.13	/	/	25.88	/	/	<=33.01	Pass
		Inner_1RB_Left	22.66	/	/	25.41	/	/	<=33.01	Pass
		Inner_1RB_Right	22.74	/	/	25.49	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1865	Edge_1RB_Left	21.08	/	/	23.83	/	/	<=33.01	Pass
		Edge_1RB_Right	21.34	/	/	24.09	/	/	<=33.01	Pass
		Outer_Full	21.46	/	/	24.21	/	/	<=33.01	Pass
		Inner_Full	21.62	/	/	24.37	/	/	<=33.01	Pass
		Inner_1RB_Left	21.11	/	/	23.86	/	/	<=33.01	Pass
		Inner_1RB_Right	21.21	/	/	23.96	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	21.21	/	/	23.96	/	/	<=33.01	Pass

		Edge_1RB_Right	21.48	/	/	24.23	/	/	<=33.01	Pass
		Outer_Full	21.60	/	/	24.35	/	/	<=33.01	Pass
		Inner_Full	21.67	/	/	24.42	/	/	<=33.01	Pass
		Inner_1RB_Left	21.15	/	/	23.90	/	/	<=33.01	Pass
		Inner_1RB_Right	21.43	/	/	24.18	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	21.21	/	/	23.96	/	/	<=33.01	Pass
		Edge_1RB_Right	21.39	/	/	24.14	/	/	<=33.01	Pass
		Outer_Full	21.55	/	/	24.30	/	/	<=33.01	Pass
		Inner_Full	21.69	/	/	24.44	/	/	<=33.01	Pass
		Inner_1RB_Left	21.19	/	/	23.94	/	/	<=33.01	Pass
		Inner_1RB_Right	21.38	/	/	24.13	/	/	<=33.01	Pass
		Edge_1RB_Left	18.93	/	/	21.68	/	/	<=33.01	Pass
		Edge_1RB_Right	19.22	/	/	21.97	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1865	Outer_Full	19.40	/	/	22.15	/	/	<=33.01	Pass
		Inner_Full	19.49	/	/	22.24	/	/	<=33.01	Pass
		Inner_1RB_Left	19.00	/	/	21.75	/	/	<=33.01	Pass
		Inner_1RB_Right	19.17	/	/	21.92	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	19.03	/	/	21.78	/	/	<=33.01	Pass
		Edge_1RB_Right	19.35	/	/	22.10	/	/	<=33.01	Pass
		Outer_Full	19.54	/	/	22.29	/	/	<=33.01	Pass
		Inner_Full	19.62	/	/	22.37	/	/	<=33.01	Pass
		Inner_1RB_Left	19.01	/	/	21.76	/	/	<=33.01	Pass
		Inner_1RB_Right	19.27	/	/	22.02	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	19.00	/	/	21.75	/	/	<=33.01	Pass
		Edge_1RB_Right	19.35	/	/	22.10	/	/	<=33.01	Pass
		Outer_Full	19.41	/	/	22.16	/	/	<=33.01	Pass
		Inner_Full	19.57	/	/	22.32	/	/	<=33.01	Pass
		Inner_1RB_Left	19.10	/	/	21.85	/	/	<=33.01	Pass
		Inner_1RB_Right	19.27	/	/	22.02	/	/	<=33.01	Pass
CP-OFDM QPSK	1865	Edge_1RB_Left	20.48	/	/	23.23	/	/	<=33.01	Pass
		Edge_1RB_Right	20.97	/	/	23.72	/	/	<=33.01	Pass
		Outer_Full	20.86	/	/	23.61	/	/	<=33.01	Pass
		Inner_Full	22.54	/	/	25.29	/	/	<=33.01	Pass
		Inner_1RB_Left	22.05	/	/	24.80	/	/	<=33.01	Pass
		Inner_1RB_Right	22.23	/	/	24.98	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.67	/	/	23.42	/	/	<=33.01	Pass
		Edge_1RB_Right	21.05	/	/	23.80	/	/	<=33.01	Pass
		Outer_Full	21.00	/	/	23.75	/	/	<=33.01	Pass
		Inner_Full	22.60	/	/	25.35	/	/	<=33.01	Pass
		Inner_1RB_Left	22.04	/	/	24.79	/	/	<=33.01	Pass
		Inner_1RB_Right	22.26	/	/	25.01	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	20.68	/	/	23.43	/	/	<=33.01	Pass
		Edge_1RB_Right	20.79	/	/	23.54	/	/	<=33.01	Pass
		Outer_Full	20.90	/	/	23.65	/	/	<=33.01	Pass
		Inner_Full	22.57	/	/	25.32	/	/	<=33.01	Pass
		Inner_1RB_Left	22.15	/	/	24.90	/	/	<=33.01	Pass
		Inner_1RB_Right	22.37	/	/	25.12	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1865	Edge_1RB_Left	20.40	/	/	23.15	/	/	<=33.01	Pass
		Edge_1RB_Right	20.63	/	/	23.38	/	/	<=33.01	Pass
		Outer_Full	20.84	/	/	23.59	/	/	<=33.01	Pass
		Inner_Full	22.08	/	/	24.83	/	/	<=33.01	Pass
		Inner_1RB_Left	21.35	/	/	24.10	/	/	<=33.01	Pass
		Inner_1RB_Right	21.64	/	/	24.39	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.53	/	/	23.28	/	/	<=33.01	Pass
		Edge_1RB_Right	20.71	/	/	23.46	/	/	<=33.01	Pass

		Outer_Full	21.07	/	/	23.82	/	/	<=33.01	Pass
		Inner_Full	22.15	/	/	24.90	/	/	<=33.01	Pass
		Inner_1RB_Left	21.44	/	/	24.19	/	/	<=33.01	Pass
		Inner_1RB_Right	21.71	/	/	24.46	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	20.48	/	/	23.23	/	/	<=33.01	Pass
		Edge_1RB_Right	20.61	/	/	23.36	/	/	<=33.01	Pass
		Outer_Full	20.98	/	/	23.73	/	/	<=33.01	Pass
		Inner_Full	22.09	/	/	24.84	/	/	<=33.01	Pass
		Inner_1RB_Left	21.58	/	/	24.33	/	/	<=33.01	Pass
		Inner_1RB_Right	21.65	/	/	24.40	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1865	Edge_1RB_Left	20.12	/	/	22.87	/	/	<=33.01	Pass
		Edge_1RB_Right	20.35	/	/	23.10	/	/	<=33.01	Pass
		Outer_Full	20.40	/	/	23.15	/	/	<=33.01	Pass
		Inner_Full	20.52	/	/	23.27	/	/	<=33.01	Pass
		Inner_1RB_Left	20.02	/	/	22.77	/	/	<=33.01	Pass
		Inner_1RB_Right	20.35	/	/	23.10	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.16	/	/	22.91	/	/	<=33.01	Pass
		Edge_1RB_Right	20.32	/	/	23.07	/	/	<=33.01	Pass
		Outer_Full	20.53	/	/	23.28	/	/	<=33.01	Pass
		Inner_Full	20.65	/	/	23.40	/	/	<=33.01	Pass
		Inner_1RB_Left	20.22	/	/	22.97	/	/	<=33.01	Pass
		Inner_1RB_Right	20.39	/	/	23.14	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	20.23	/	/	22.98	/	/	<=33.01	Pass
		Edge_1RB_Right	20.37	/	/	23.12	/	/	<=33.01	Pass
		Outer_Full	20.46	/	/	23.21	/	/	<=33.01	Pass
		Inner_Full	20.63	/	/	23.38	/	/	<=33.01	Pass
		Inner_1RB_Left	20.23	/	/	22.98	/	/	<=33.01	Pass
		Inner_1RB_Right	20.40	/	/	23.15	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1865	Edge_1RB_Left	17.09	/	/	19.84	/	/	<=33.01	Pass
		Edge_1RB_Right	17.32	/	/	20.07	/	/	<=33.01	Pass
		Outer_Full	17.53	/	/	20.28	/	/	<=33.01	Pass
		Inner_Full	17.56	/	/	20.31	/	/	<=33.01	Pass
		Inner_1RB_Left	17.10	/	/	19.85	/	/	<=33.01	Pass
		Inner_1RB_Right	17.34	/	/	20.09	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	17.18	/	/	19.93	/	/	<=33.01	Pass
		Edge_1RB_Right	17.42	/	/	20.17	/	/	<=33.01	Pass
		Outer_Full	17.59	/	/	20.34	/	/	<=33.01	Pass
		Inner_Full	17.72	/	/	20.47	/	/	<=33.01	Pass
		Inner_1RB_Left	17.15	/	/	19.90	/	/	<=33.01	Pass
		Inner_1RB_Right	17.48	/	/	20.23	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	17.19	/	/	19.94	/	/	<=33.01	Pass
		Edge_1RB_Right	17.37	/	/	20.12	/	/	<=33.01	Pass
		Outer_Full	17.59	/	/	20.34	/	/	<=33.01	Pass
		Inner_Full	17.67	/	/	20.42	/	/	<=33.01	Pass
		Inner_1RB_Left	17.28	/	/	20.03	/	/	<=33.01	Pass
		Inner_1RB_Right	17.45	/	/	20.20	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.7 15_S_35M_NTNV_EIRP

5G NR n25 SCS=15kHz SISO 35MHz NTN					
Modulation	Frequency	RB	Conducted Power(dBm)	EIRP(dBm)	Verdict

	(MHz)	Allocation	Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1867.5	Edge_1RB_Left	22.99	/	/	25.74	/	/	<=33.01	Pass
		Edge_1RB_Right	23.25	/	/	26.00	/	/	<=33.01	Pass
		Outer_Full	23.39	/	/	26.14	/	/	<=33.01	Pass
		Inner_Full	24.09	/	/	26.84	/	/	<=33.01	Pass
		Inner_1RB_Left	23.47	/	/	26.22	/	/	<=33.01	Pass
		Inner_1RB_Right	23.76	/	/	26.51	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	23.04	/	/	25.79	/	/	<=33.01	Pass
		Edge_1RB_Right	23.26	/	/	26.01	/	/	<=33.01	Pass
		Outer_Full	23.45	/	/	26.20	/	/	<=33.01	Pass
		Inner_Full	24.10	/	/	26.85	/	/	<=33.01	Pass
		Inner_1RB_Left	23.55	/	/	26.30	/	/	<=33.01	Pass
		Inner_1RB_Right	23.77	/	/	26.52	/	/	<=33.01	Pass
	1897.5	Edge_1RB_Left	23.09	/	/	25.84	/	/	<=33.01	Pass
		Edge_1RB_Right	23.18	/	/	25.93	/	/	<=33.01	Pass
		Outer_Full	23.40	/	/	26.15	/	/	<=33.01	Pass
		Inner_Full	24.08	/	/	26.83	/	/	<=33.01	Pass
		Inner_1RB_Left	23.58	/	/	26.33	/	/	<=33.01	Pass
		Inner_1RB_Right	23.67	/	/	26.42	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1867.5	Edge_1RB_Left	22.52	/	/	25.27	/	/	<=33.01	Pass
		Edge_1RB_Right	22.74	/	/	25.49	/	/	<=33.01	Pass
		Outer_Full	22.89	/	/	25.64	/	/	<=33.01	Pass
		Inner_Full	24.04	/	/	26.79	/	/	<=33.01	Pass
		Inner_1RB_Left	23.38	/	/	26.13	/	/	<=33.01	Pass
		Inner_1RB_Right	23.72	/	/	26.47	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	22.59	/	/	25.34	/	/	<=33.01	Pass
		Edge_1RB_Right	22.78	/	/	25.53	/	/	<=33.01	Pass
		Outer_Full	22.96	/	/	25.71	/	/	<=33.01	Pass
		Inner_Full	24.09	/	/	26.84	/	/	<=33.01	Pass
		Inner_1RB_Left	23.55	/	/	26.30	/	/	<=33.01	Pass
		Inner_1RB_Right	23.75	/	/	26.50	/	/	<=33.01	Pass
	1897.5	Edge_1RB_Left	22.62	/	/	25.37	/	/	<=33.01	Pass
		Edge_1RB_Right	22.67	/	/	25.42	/	/	<=33.01	Pass
		Outer_Full	22.97	/	/	25.72	/	/	<=33.01	Pass
		Inner_Full	24.10	/	/	26.85	/	/	<=33.01	Pass
		Inner_1RB_Left	23.57	/	/	26.32	/	/	<=33.01	Pass
		Inner_1RB_Right	23.63	/	/	26.38	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1867.5	Edge_1RB_Left	21.46	/	/	24.21	/	/	<=33.01	Pass
		Edge_1RB_Right	21.70	/	/	24.45	/	/	<=33.01	Pass
		Outer_Full	21.96	/	/	24.71	/	/	<=33.01	Pass
		Inner_Full	23.07	/	/	25.82	/	/	<=33.01	Pass
		Inner_1RB_Left	22.44	/	/	25.19	/	/	<=33.01	Pass
		Inner_1RB_Right	22.71	/	/	25.46	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	21.48	/	/	24.23	/	/	<=33.01	Pass
		Edge_1RB_Right	21.71	/	/	24.46	/	/	<=33.01	Pass
		Outer_Full	21.97	/	/	24.72	/	/	<=33.01	Pass
		Inner_Full	23.08	/	/	25.83	/	/	<=33.01	Pass
		Inner_1RB_Left	22.49	/	/	25.24	/	/	<=33.01	Pass
		Inner_1RB_Right	22.70	/	/	25.45	/	/	<=33.01	Pass
	1897.5	Edge_1RB_Left	21.55	/	/	24.30	/	/	<=33.01	Pass
		Edge_1RB_Right	21.63	/	/	24.38	/	/	<=33.01	Pass
		Outer_Full	21.91	/	/	24.66	/	/	<=33.01	Pass
		Inner_Full	23.11	/	/	25.86	/	/	<=33.01	Pass
		Inner_1RB_Left	22.59	/	/	25.34	/	/	<=33.01	Pass
		Inner_1RB_Right	22.63	/	/	25.38	/	/	<=33.01	Pass

DFT-s-OFDM 64 QAM	1867.5	Edge_1RB_Left	21.00	/	/	23.75	/	/	<=33.01	Pass
		Edge_1RB_Right	21.27	/	/	24.02	/	/	<=33.01	Pass
		Outer_Full	21.40	/	/	24.15	/	/	<=33.01	Pass
		Inner_Full	21.50	/	/	24.25	/	/	<=33.01	Pass
		Inner_1RB_Left	21.04	/	/	23.79	/	/	<=33.01	Pass
		Inner_1RB_Right	21.30	/	/	24.05	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	21.09	/	/	23.84	/	/	<=33.01	Pass
		Edge_1RB_Right	21.31	/	/	24.06	/	/	<=33.01	Pass
		Outer_Full	21.58	/	/	24.33	/	/	<=33.01	Pass
		Inner_Full	21.58	/	/	24.33	/	/	<=33.01	Pass
		Inner_1RB_Left	21.12	/	/	23.87	/	/	<=33.01	Pass
		Inner_1RB_Right	21.30	/	/	24.05	/	/	<=33.01	Pass
	1897.5	Edge_1RB_Left	21.14	/	/	23.89	/	/	<=33.01	Pass
		Edge_1RB_Right	21.22	/	/	23.97	/	/	<=33.01	Pass
		Outer_Full	21.45	/	/	24.20	/	/	<=33.01	Pass
		Inner_Full	21.52	/	/	24.27	/	/	<=33.01	Pass
		Inner_1RB_Left	21.07	/	/	23.82	/	/	<=33.01	Pass
		Inner_1RB_Right	21.25	/	/	24.00	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1867.5	Edge_1RB_Left	18.94	/	/	21.69	/	/	<=33.01	Pass
		Edge_1RB_Right	19.26	/	/	22.01	/	/	<=33.01	Pass
		Outer_Full	19.38	/	/	22.13	/	/	<=33.01	Pass
		Inner_Full	19.49	/	/	22.24	/	/	<=33.01	Pass
		Inner_1RB_Left	18.91	/	/	21.66	/	/	<=33.01	Pass
		Inner_1RB_Right	19.18	/	/	21.93	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	18.99	/	/	21.74	/	/	<=33.01	Pass
		Edge_1RB_Right	19.20	/	/	21.95	/	/	<=33.01	Pass
		Outer_Full	19.52	/	/	22.27	/	/	<=33.01	Pass
		Inner_Full	19.57	/	/	22.32	/	/	<=33.01	Pass
		Inner_1RB_Left	18.93	/	/	21.68	/	/	<=33.01	Pass
		Inner_1RB_Right	19.17	/	/	21.92	/	/	<=33.01	Pass
	1897.5	Edge_1RB_Left	18.97	/	/	21.72	/	/	<=33.01	Pass
		Edge_1RB_Right	19.12	/	/	21.87	/	/	<=33.01	Pass
		Outer_Full	19.45	/	/	22.20	/	/	<=33.01	Pass
		Inner_Full	19.60	/	/	22.35	/	/	<=33.01	Pass
		Inner_1RB_Left	19.02	/	/	21.77	/	/	<=33.01	Pass
		Inner_1RB_Right	19.22	/	/	21.97	/	/	<=33.01	Pass
CP-OFDM QPSK	1867.5	Edge_1RB_Left	20.48	/	/	23.23	/	/	<=33.01	Pass
		Edge_1RB_Right	20.76	/	/	23.51	/	/	<=33.01	Pass
		Outer_Full	20.87	/	/	23.62	/	/	<=33.01	Pass
		Inner_Full	22.51	/	/	25.26	/	/	<=33.01	Pass
		Inner_1RB_Left	21.99	/	/	24.74	/	/	<=33.01	Pass
		Inner_1RB_Right	22.30	/	/	25.05	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.66	/	/	23.41	/	/	<=33.01	Pass
		Edge_1RB_Right	20.81	/	/	23.56	/	/	<=33.01	Pass
		Outer_Full	21.01	/	/	23.76	/	/	<=33.01	Pass
		Inner_Full	22.55	/	/	25.30	/	/	<=33.01	Pass
		Inner_1RB_Left	21.93	/	/	24.68	/	/	<=33.01	Pass
		Inner_1RB_Right	22.19	/	/	24.94	/	/	<=33.01	Pass
	1897.5	Edge_1RB_Left	20.61	/	/	23.36	/	/	<=33.01	Pass
		Edge_1RB_Right	20.73	/	/	23.48	/	/	<=33.01	Pass
		Outer_Full	20.89	/	/	23.64	/	/	<=33.01	Pass
		Inner_Full	22.56	/	/	25.31	/	/	<=33.01	Pass
		Inner_1RB_Left	22.05	/	/	24.80	/	/	<=33.01	Pass
		Inner_1RB_Right	22.15	/	/	24.90	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1867.5	Edge_1RB_Left	20.47	/	/	23.22	/	/	<=33.01	Pass

		Edge 1RB Right	20.70	/	/	23.45	/	/	<=33.01	Pass
		Outer Full	20.84	/	/	23.59	/	/	<=33.01	Pass
		Inner Full	21.98	/	/	24.73	/	/	<=33.01	Pass
		Inner 1RB Left	21.31	/	/	24.06	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	21.57	/	/	24.32	/	/	<=33.01	Pass
		Edge 1RB Left	20.41	/	/	23.16	/	/	<=33.01	Pass
		Edge 1RB Right	20.67	/	/	23.42	/	/	<=33.01	Pass
		Outer Full	21.00	/	/	23.75	/	/	<=33.01	Pass
	1897.5	Inner Full	22.06	/	/	24.81	/	/	<=33.01	Pass
		Inner 1RB Left	21.41	/	/	24.16	/	/	<=33.01	Pass
		Inner 1RB Right	21.56	/	/	24.31	/	/	<=33.01	Pass
		Edge 1RB Left	20.45	/	/	23.20	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1867.5	Edge 1RB Right	20.49	/	/	23.24	/	/	<=33.01	Pass
		Outer Full	20.89	/	/	23.64	/	/	<=33.01	Pass
		Inner Full	22.02	/	/	24.77	/	/	<=33.01	Pass
		Inner 1RB Left	21.36	/	/	24.11	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	21.43	/	/	24.18	/	/	<=33.01	Pass
		Edge 1RB Left	20.02	/	/	22.77	/	/	<=33.01	Pass
		Edge 1RB Right	20.15	/	/	22.90	/	/	<=33.01	Pass
		Outer Full	20.32	/	/	23.07	/	/	<=33.01	Pass
	1897.5	Inner Full	20.48	/	/	23.23	/	/	<=33.01	Pass
		Inner 1RB Left	20.00	/	/	22.75	/	/	<=33.01	Pass
		Inner 1RB Right	20.29	/	/	23.04	/	/	<=33.01	Pass
		Edge 1RB Left	19.98	/	/	22.73	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1867.5	Edge 1RB Right	20.28	/	/	23.03	/	/	<=33.01	Pass
		Outer Full	20.43	/	/	23.18	/	/	<=33.01	Pass
		Inner Full	20.57	/	/	23.32	/	/	<=33.01	Pass
		Inner 1RB Left	20.13	/	/	22.88	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	20.31	/	/	23.06	/	/	<=33.01	Pass
		Edge 1RB Left	20.14	/	/	22.89	/	/	<=33.01	Pass
		Edge 1RB Right	20.23	/	/	22.98	/	/	<=33.01	Pass
		Outer Full	20.38	/	/	23.13	/	/	<=33.01	Pass
	1897.5	Inner Full	20.51	/	/	23.26	/	/	<=33.01	Pass
		Inner 1RB Left	20.12	/	/	22.87	/	/	<=33.01	Pass
		Inner 1RB Right	20.25	/	/	23.00	/	/	<=33.01	Pass
		Edge 1RB Left	17.01	/	/	19.76	/	/	<=33.01	Pass
	1867.5	Edge 1RB Right	17.25	/	/	20.00	/	/	<=33.01	Pass
		Outer Full	17.50	/	/	20.25	/	/	<=33.01	Pass
		Inner Full	17.52	/	/	20.27	/	/	<=33.01	Pass
		Inner 1RB Left	17.02	/	/	19.77	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	17.19	/	/	19.94	/	/	<=33.01	Pass
		Edge 1RB Left	17.07	/	/	19.82	/	/	<=33.01	Pass
		Edge 1RB Right	17.44	/	/	20.19	/	/	<=33.01	Pass
		Outer Full	17.60	/	/	20.35	/	/	<=33.01	Pass
	1897.5	Inner Full	17.66	/	/	20.41	/	/	<=33.01	Pass
		Inner 1RB Left	17.07	/	/	19.82	/	/	<=33.01	Pass
		Inner 1RB Right	17.29	/	/	20.04	/	/	<=33.01	Pass
		Edge 1RB Left	17.08	/	/	19.83	/	/	<=33.01	Pass
	1867.5	Edge 1RB Right	17.32	/	/	20.07	/	/	<=33.01	Pass
		Outer Full	17.53	/	/	20.28	/	/	<=33.01	Pass
		Inner Full	17.60	/	/	20.35	/	/	<=33.01	Pass
		Inner 1RB Left	17.12	/	/	19.87	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	17.21	/	/	19.96	/	/	<=33.01	Pass
		Edge 1RB Left	17.01	/	/	19.76	/	/	<=33.01	Pass
		Edge 1RB Right	17.25	/	/	20.00	/	/	<=33.01	Pass
		Outer Full	17.50	/	/	20.25	/	/	<=33.01	Pass
	1897.5	Inner Full	17.52	/	/	20.27	/	/	<=33.01	Pass
		Inner 1RB Left	17.02	/	/	19.77	/	/	<=33.01	Pass
		Inner 1RB Right	17.19	/	/	19.94	/	/	<=33.01	Pass
		Edge 1RB Left	17.07	/	/	19.82	/	/	<=33.01	Pass
	1867.5	Edge 1RB Right	17.44	/	/	20.19	/	/	<=33.01	Pass
		Outer Full	17.60	/	/	20.35	/	/	<=33.01	Pass
		Inner Full	17.66	/	/	20.41	/	/	<=33.01	Pass
		Inner 1RB Left	17.07	/	/	19.82	/	/	<=33.01	Pass
	1882.5	Inner 1RB Right	17.29	/	/	20.04	/	/	<=33.01	Pass
		Edge 1RB Left	17.08	/	/	19.83	/	/	<=33.01	Pass
		Edge 1RB Right	17.32	/	/	20.07	/	/	<=33.01	Pass
		Outer Full	17.53	/	/	20.28	/	/	<=33.01	Pass
	1897.5	Inner Full	17.60	/	/	20.35	/	/	<=33.01	Pass
		Inner 1RB Left	17.12	/	/	19.87	/	/	<=33.01	Pass
		Inner 1RB Right	17.21	/	/	19.96	/	/	<=33.01	Pass
		Edge 1RB Left	17.01	/	/	19.76	/	/	<=33.01	Pass

Note1: Antenna Gain: Ant1: 2.75dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.8 15_S_40M_NTNV_EIRP

5G NR n25 SCS=15kHz SISO 40MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum		
DFT-s-OFDM PI/2 BPSK	1870	Edge_1RB_Left	22.94	/	/	25.69	/	/	<=33.01	Pass
		Edge_1RB_Right	23.27	/	/	26.02	/	/	<=33.01	Pass
		Outer_Full	23.34	/	/	26.09	/	/	<=33.01	Pass
		Inner_Full	23.99	/	/	26.74	/	/	<=33.01	Pass
		Inner_1RB_Left	23.40	/	/	26.15	/	/	<=33.01	Pass
		Inner_1RB_Right	23.75	/	/	26.50	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	22.98	/	/	25.73	/	/	<=33.01	Pass
		Edge_1RB_Right	23.19	/	/	25.94	/	/	<=33.01	Pass
		Outer_Full	23.47	/	/	26.22	/	/	<=33.01	Pass
		Inner_Full	24.13	/	/	26.88	/	/	<=33.01	Pass
		Inner_1RB_Left	23.47	/	/	26.22	/	/	<=33.01	Pass
		Inner_1RB_Right	23.68	/	/	26.43	/	/	<=33.01	Pass
	1895	Edge_1RB_Left	22.98	/	/	25.73	/	/	<=33.01	Pass
		Edge_1RB_Right	23.18	/	/	25.93	/	/	<=33.01	Pass
		Outer_Full	23.31	/	/	26.06	/	/	<=33.01	Pass
		Inner_Full	24.10	/	/	26.85	/	/	<=33.01	Pass
		Inner_1RB_Left	23.44	/	/	26.19	/	/	<=33.01	Pass
		Inner_1RB_Right	23.63	/	/	26.38	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1870	Edge_1RB_Left	22.42	/	/	25.17	/	/	<=33.01	Pass
		Edge_1RB_Right	22.78	/	/	25.53	/	/	<=33.01	Pass
		Outer_Full	22.90	/	/	25.65	/	/	<=33.01	Pass
		Inner_Full	24.07	/	/	26.82	/	/	<=33.01	Pass
		Inner_1RB_Left	23.42	/	/	26.17	/	/	<=33.01	Pass
		Inner_1RB_Right	23.76	/	/	26.51	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	22.50	/	/	25.25	/	/	<=33.01	Pass
		Edge_1RB_Right	22.67	/	/	25.42	/	/	<=33.01	Pass
		Outer_Full	22.92	/	/	25.67	/	/	<=33.01	Pass
		Inner_Full	24.15	/	/	26.90	/	/	<=33.01	Pass
		Inner_1RB_Left	23.43	/	/	26.18	/	/	<=33.01	Pass
		Inner_1RB_Right	23.73	/	/	26.48	/	/	<=33.01	Pass
	1895	Edge_1RB_Left	22.49	/	/	25.24	/	/	<=33.01	Pass
		Edge_1RB_Right	22.65	/	/	25.40	/	/	<=33.01	Pass
		Outer_Full	22.82	/	/	25.57	/	/	<=33.01	Pass
		Inner_Full	24.10	/	/	26.85	/	/	<=33.01	Pass
		Inner_1RB_Left	23.46	/	/	26.21	/	/	<=33.01	Pass
		Inner_1RB_Right	23.63	/	/	26.38	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1870	Edge_1RB_Left	21.37	/	/	24.12	/	/	<=33.01	Pass
		Edge_1RB_Right	21.67	/	/	24.42	/	/	<=33.01	Pass
		Outer_Full	21.91	/	/	24.66	/	/	<=33.01	Pass
		Inner_Full	23.07	/	/	25.82	/	/	<=33.01	Pass
		Inner_1RB_Left	22.40	/	/	25.15	/	/	<=33.01	Pass
		Inner_1RB_Right	22.68	/	/	25.43	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	21.44	/	/	24.19	/	/	<=33.01	Pass
		Edge_1RB_Right	21.62	/	/	24.37	/	/	<=33.01	Pass
		Outer_Full	21.92	/	/	24.67	/	/	<=33.01	Pass
		Inner_Full	23.08	/	/	25.83	/	/	<=33.01	Pass
		Inner_1RB_Left	22.40	/	/	25.15	/	/	<=33.01	Pass

	1895	Inner 1RB Right	22.60	/	/	25.35	/	/	<=33.01	Pass
		Edge 1RB Left	21.40	/	/	24.15	/	/	<=33.01	Pass
		Edge 1RB Right	21.68	/	/	24.43	/	/	<=33.01	Pass
		Outer Full	21.81	/	/	24.56	/	/	<=33.01	Pass
		Inner Full	23.05	/	/	25.80	/	/	<=33.01	Pass
		Inner 1RB Left	22.42	/	/	25.17	/	/	<=33.01	Pass
		Inner 1RB Right	22.63	/	/	25.38	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1870	Edge 1RB Left	20.96	/	/	23.71	/	/	<=33.01	Pass
		Edge 1RB Right	21.29	/	/	24.04	/	/	<=33.01	Pass
		Outer Full	21.40	/	/	24.15	/	/	<=33.01	Pass
		Inner Full	21.53	/	/	24.28	/	/	<=33.01	Pass
		Inner 1RB Left	20.91	/	/	23.66	/	/	<=33.01	Pass
		Inner 1RB Right	21.28	/	/	24.03	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	21.05	/	/	23.80	/	/	<=33.01	Pass
		Edge 1RB Right	21.16	/	/	23.91	/	/	<=33.01	Pass
		Outer Full	21.51	/	/	24.26	/	/	<=33.01	Pass
		Inner Full	21.61	/	/	24.36	/	/	<=33.01	Pass
		Inner 1RB Left	20.94	/	/	23.69	/	/	<=33.01	Pass
		Inner 1RB Right	21.26	/	/	24.01	/	/	<=33.01	Pass
	1895	Edge 1RB Left	20.94	/	/	23.69	/	/	<=33.01	Pass
		Edge 1RB Right	21.28	/	/	24.03	/	/	<=33.01	Pass
		Outer Full	21.39	/	/	24.14	/	/	<=33.01	Pass
		Inner Full	21.51	/	/	24.26	/	/	<=33.01	Pass
		Inner 1RB Left	21.00	/	/	23.75	/	/	<=33.01	Pass
		Inner 1RB Right	21.24	/	/	23.99	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1870	Edge 1RB Left	18.83	/	/	21.58	/	/	<=33.01	Pass
		Edge 1RB Right	19.10	/	/	21.85	/	/	<=33.01	Pass
		Outer Full	19.40	/	/	22.15	/	/	<=33.01	Pass
		Inner Full	19.51	/	/	22.26	/	/	<=33.01	Pass
		Inner 1RB Left	18.82	/	/	21.57	/	/	<=33.01	Pass
		Inner 1RB Right	19.20	/	/	21.95	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	18.97	/	/	21.72	/	/	<=33.01	Pass
		Edge 1RB Right	19.18	/	/	21.93	/	/	<=33.01	Pass
		Outer Full	19.41	/	/	22.16	/	/	<=33.01	Pass
		Inner Full	19.59	/	/	22.34	/	/	<=33.01	Pass
		Inner 1RB Left	18.90	/	/	21.65	/	/	<=33.01	Pass
		Inner 1RB Right	19.22	/	/	21.97	/	/	<=33.01	Pass
	1895	Edge 1RB Left	18.83	/	/	21.58	/	/	<=33.01	Pass
		Edge 1RB Right	19.09	/	/	21.84	/	/	<=33.01	Pass
		Outer Full	19.33	/	/	22.08	/	/	<=33.01	Pass
		Inner Full	19.56	/	/	22.31	/	/	<=33.01	Pass
		Inner 1RB Left	18.97	/	/	21.72	/	/	<=33.01	Pass
		Inner 1RB Right	19.29	/	/	22.04	/	/	<=33.01	Pass
CP-OFDM QPSK	1870	Edge 1RB Left	20.50	/	/	23.25	/	/	<=33.01	Pass
		Edge 1RB Right	21.00	/	/	23.75	/	/	<=33.01	Pass
		Outer Full	20.85	/	/	23.60	/	/	<=33.01	Pass
		Inner Full	22.55	/	/	25.30	/	/	<=33.01	Pass
		Inner 1RB Left	21.96	/	/	24.71	/	/	<=33.01	Pass
		Inner 1RB Right	22.33	/	/	25.08	/	/	<=33.01	Pass
	1882.5	Edge 1RB Left	20.45	/	/	23.20	/	/	<=33.01	Pass
		Edge 1RB Right	20.60	/	/	23.35	/	/	<=33.01	Pass
		Outer Full	20.94	/	/	23.69	/	/	<=33.01	Pass
		Inner Full	22.61	/	/	25.36	/	/	<=33.01	Pass
		Inner 1RB Left	21.90	/	/	24.65	/	/	<=33.01	Pass
		Inner 1RB Right	22.03	/	/	24.78	/	/	<=33.01	Pass

	1895	Edge_1RB_Left	20.52	/	/	23.27	/	/	<=33.01	Pass
		Edge_1RB_Right	20.56	/	/	23.31	/	/	<=33.01	Pass
		Outer_Full	20.81	/	/	23.56	/	/	<=33.01	Pass
		Inner_Full	22.57	/	/	25.32	/	/	<=33.01	Pass
		Inner_1RB_Left	21.75	/	/	24.50	/	/	<=33.01	Pass
		Inner_1RB_Right	21.93	/	/	24.68	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1870	Edge_1RB_Left	20.29	/	/	23.04	/	/	<=33.01	Pass
		Edge_1RB_Right	20.71	/	/	23.46	/	/	<=33.01	Pass
		Outer_Full	20.86	/	/	23.61	/	/	<=33.01	Pass
		Inner_Full	22.04	/	/	24.79	/	/	<=33.01	Pass
		Inner_1RB_Left	21.29	/	/	24.04	/	/	<=33.01	Pass
		Inner_1RB_Right	21.57	/	/	24.32	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.36	/	/	23.11	/	/	<=33.01	Pass
		Edge_1RB_Right	20.59	/	/	23.34	/	/	<=33.01	Pass
		Outer_Full	20.93	/	/	23.68	/	/	<=33.01	Pass
		Inner_Full	22.08	/	/	24.83	/	/	<=33.01	Pass
		Inner_1RB_Left	21.38	/	/	24.13	/	/	<=33.01	Pass
		Inner_1RB_Right	21.53	/	/	24.28	/	/	<=33.01	Pass
	1895	Edge_1RB_Left	20.25	/	/	23.00	/	/	<=33.01	Pass
		Edge_1RB_Right	20.54	/	/	23.29	/	/	<=33.01	Pass
		Outer_Full	20.84	/	/	23.59	/	/	<=33.01	Pass
		Inner_Full	22.04	/	/	24.79	/	/	<=33.01	Pass
		Inner_1RB_Left	21.31	/	/	24.06	/	/	<=33.01	Pass
		Inner_1RB_Right	21.51	/	/	24.26	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1870	Edge_1RB_Left	19.94	/	/	22.69	/	/	<=33.01	Pass
		Edge_1RB_Right	20.23	/	/	22.98	/	/	<=33.01	Pass
		Outer_Full	20.30	/	/	23.05	/	/	<=33.01	Pass
		Inner_Full	20.48	/	/	23.23	/	/	<=33.01	Pass
		Inner_1RB_Left	19.89	/	/	22.64	/	/	<=33.01	Pass
		Inner_1RB_Right	20.30	/	/	23.05	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	20.03	/	/	22.78	/	/	<=33.01	Pass
		Edge_1RB_Right	20.28	/	/	23.03	/	/	<=33.01	Pass
		Outer_Full	20.41	/	/	23.16	/	/	<=33.01	Pass
		Inner_Full	20.52	/	/	23.27	/	/	<=33.01	Pass
		Inner_1RB_Left	20.05	/	/	22.80	/	/	<=33.01	Pass
		Inner_1RB_Right	20.27	/	/	23.02	/	/	<=33.01	Pass
	1895	Edge_1RB_Left	19.98	/	/	22.73	/	/	<=33.01	Pass
		Edge_1RB_Right	20.23	/	/	22.98	/	/	<=33.01	Pass
		Outer_Full	20.34	/	/	23.09	/	/	<=33.01	Pass
		Inner_Full	20.48	/	/	23.23	/	/	<=33.01	Pass
		Inner_1RB_Left	19.99	/	/	22.74	/	/	<=33.01	Pass
		Inner_1RB_Right	20.26	/	/	23.01	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1870	Edge_1RB_Left	16.88	/	/	19.63	/	/	<=33.01	Pass
		Edge_1RB_Right	17.37	/	/	20.12	/	/	<=33.01	Pass
		Outer_Full	17.51	/	/	20.26	/	/	<=33.01	Pass
		Inner_Full	17.64	/	/	20.39	/	/	<=33.01	Pass
		Inner_1RB_Left	16.96	/	/	19.71	/	/	<=33.01	Pass
		Inner_1RB_Right	17.29	/	/	20.04	/	/	<=33.01	Pass
	1882.5	Edge_1RB_Left	17.01	/	/	19.76	/	/	<=33.01	Pass
		Edge_1RB_Right	17.36	/	/	20.11	/	/	<=33.01	Pass
		Outer_Full	17.53	/	/	20.28	/	/	<=33.01	Pass
		Inner_Full	17.72	/	/	20.47	/	/	<=33.01	Pass
		Inner_1RB_Left	16.98	/	/	19.73	/	/	<=33.01	Pass
		Inner_1RB_Right	17.36	/	/	20.11	/	/	<=33.01	Pass
	1895	Edge_1RB_Left	16.96	/	/	19.71	/	/	<=33.01	Pass

		Edge_1RB_Right	17.27	/	/	20.02	/	/	<=33.01	Pass
		Outer_Full	17.47	/	/	20.22	/	/	<=33.01	Pass
		Inner_Full	17.66	/	/	20.41	/	/	<=33.01	Pass
		Inner_1RB_Left	17.02	/	/	19.77	/	/	<=33.01	Pass
		Inner_1RB_Right	17.31	/	/	20.06	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 2.75dBi; Note2: EIRP=Conducted Power+Antenna Gain										

- End of the Appendix -