

Appendix B.33

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1712.5	Edge_1RB_Left	23.88	/	/	27.04	/	/	<=30	Pass
		Edge_1RB_Right	23.87	/	/	27.03	/	/	<=30	Pass
		Outer_Full	23.93	/	/	27.09	/	/	<=30	Pass
		Inner_Full	24.42	/	/	27.58	/	/	<=30	Pass
		Inner_1RB_Left	24.35	/	/	27.51	/	/	<=30	Pass
		Inner_1RB_Right	24.42	/	/	27.58	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.60	/	/	26.76	/	/	<=30	Pass
		Edge_1RB_Right	23.59	/	/	26.75	/	/	<=30	Pass
		Outer_Full	23.66	/	/	26.82	/	/	<=30	Pass
		Inner_Full	24.14	/	/	27.30	/	/	<=30	Pass
		Inner_1RB_Left	24.10	/	/	27.26	/	/	<=30	Pass
		Inner_1RB_Right	24.12	/	/	27.28	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	23.63	/	/	26.79	/	/	<=30	Pass
		Edge_1RB_Right	23.60	/	/	26.76	/	/	<=30	Pass
		Outer_Full	23.75	/	/	26.91	/	/	<=30	Pass
		Inner_Full	24.19	/	/	27.35	/	/	<=30	Pass
		Inner_1RB_Left	24.12	/	/	27.28	/	/	<=30	Pass
		Inner_1RB_Right	24.08	/	/	27.24	/	/	<=30	Pass
DFT-s-OFDM QPSK	1712.5	Edge_1RB_Left	23.41	/	/	26.57	/	/	<=30	Pass
		Edge_1RB_Right	23.42	/	/	26.58	/	/	<=30	Pass
		Outer_Full	23.46	/	/	26.62	/	/	<=30	Pass
		Inner_Full	24.39	/	/	27.55	/	/	<=30	Pass
		Inner_1RB_Left	24.36	/	/	27.52	/	/	<=30	Pass
		Inner_1RB_Right	24.40	/	/	27.56	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.17	/	/	26.33	/	/	<=30	Pass
		Edge_1RB_Right	23.18	/	/	26.34	/	/	<=30	Pass
		Outer_Full	23.11	/	/	26.27	/	/	<=30	Pass
		Inner_Full	24.14	/	/	27.30	/	/	<=30	Pass
		Inner_1RB_Left	24.11	/	/	27.27	/	/	<=30	Pass
		Inner_1RB_Right	24.08	/	/	27.24	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	23.15	/	/	26.31	/	/	<=30	Pass
		Edge_1RB_Right	23.14	/	/	26.30	/	/	<=30	Pass
		Outer_Full	23.16	/	/	26.32	/	/	<=30	Pass
		Inner_Full	24.19	/	/	27.35	/	/	<=30	Pass
		Inner_1RB_Left	24.08	/	/	27.24	/	/	<=30	Pass
		Inner_1RB_Right	24.13	/	/	27.29	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1712.5	Edge_1RB_Left	22.30	/	/	25.46	/	/	<=30	Pass
		Edge_1RB_Right	22.37	/	/	25.53	/	/	<=30	Pass
		Outer_Full	22.39	/	/	25.55	/	/	<=30	Pass
		Inner_Full	23.53	/	/	26.69	/	/	<=30	Pass

		Inner_1RB_Left	23.31	/	/	26.47	/	/	<=30	Pass
		Inner_1RB_Right	23.34	/	/	26.50	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.05	/	/	25.21	/	/	<=30	Pass
		Edge_1RB_Right	22.02	/	/	25.18	/	/	<=30	Pass
		Outer_Full	22.09	/	/	25.25	/	/	<=30	Pass
		Inner_Full	23.20	/	/	26.36	/	/	<=30	Pass
		Inner_1RB_Left	23.02	/	/	26.18	/	/	<=30	Pass
		Inner_1RB_Right	23.04	/	/	26.20	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	22.13	/	/	25.29	/	/	<=30	Pass
		Edge_1RB_Right	22.06	/	/	25.22	/	/	<=30	Pass
		Outer_Full	22.24	/	/	25.40	/	/	<=30	Pass
		Inner_Full	23.33	/	/	26.49	/	/	<=30	Pass
		Inner_1RB_Left	23.04	/	/	26.20	/	/	<=30	Pass
		Inner_1RB_Right	23.10	/	/	26.26	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1712.5	Edge_1RB_Left	21.97	/	/	25.13	/	/	<=30	Pass
		Edge_1RB_Right	21.93	/	/	25.09	/	/	<=30	Pass
		Outer_Full	22.01	/	/	25.17	/	/	<=30	Pass
		Inner_Full	21.94	/	/	25.10	/	/	<=30	Pass
		Inner_1RB_Left	21.93	/	/	25.09	/	/	<=30	Pass
		Inner_1RB_Right	21.88	/	/	25.04	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.71	/	/	24.87	/	/	<=30	Pass
		Edge_1RB_Right	21.67	/	/	24.83	/	/	<=30	Pass
		Outer_Full	21.71	/	/	24.87	/	/	<=30	Pass
		Inner_Full	21.70	/	/	24.86	/	/	<=30	Pass
		Inner_1RB_Left	21.70	/	/	24.86	/	/	<=30	Pass
		Inner_1RB_Right	21.69	/	/	24.85	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	21.66	/	/	24.82	/	/	<=30	Pass
		Edge_1RB_Right	21.71	/	/	24.87	/	/	<=30	Pass
		Outer_Full	21.80	/	/	24.96	/	/	<=30	Pass
		Inner_Full	21.75	/	/	24.91	/	/	<=30	Pass
		Inner_1RB_Left	21.68	/	/	24.84	/	/	<=30	Pass
		Inner_1RB_Right	21.72	/	/	24.88	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1712.5	Edge_1RB_Left	19.96	/	/	23.12	/	/	<=30	Pass
		Edge_1RB_Right	20.01	/	/	23.17	/	/	<=30	Pass
		Outer_Full	19.89	/	/	23.05	/	/	<=30	Pass
		Inner_Full	19.82	/	/	22.98	/	/	<=30	Pass
		Inner_1RB_Left	19.82	/	/	22.98	/	/	<=30	Pass
		Inner_1RB_Right	19.85	/	/	23.01	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.71	/	/	22.87	/	/	<=30	Pass
		Edge_1RB_Right	19.61	/	/	22.77	/	/	<=30	Pass
		Outer_Full	19.58	/	/	22.74	/	/	<=30	Pass
		Inner_Full	19.59	/	/	22.75	/	/	<=30	Pass
		Inner_1RB_Left	19.74	/	/	22.90	/	/	<=30	Pass
		Inner_1RB_Right	19.51	/	/	22.67	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	19.54	/	/	22.70	/	/	<=30	Pass
		Edge_1RB_Right	19.61	/	/	22.77	/	/	<=30	Pass
		Outer_Full	19.64	/	/	22.80	/	/	<=30	Pass
		Inner_Full	19.72	/	/	22.88	/	/	<=30	Pass
		Inner_1RB_Left	19.53	/	/	22.69	/	/	<=30	Pass
		Inner_1RB_Right	19.57	/	/	22.73	/	/	<=30	Pass
CP-OFDM QPSK	1712.5	Edge_1RB_Left	21.45	/	/	24.61	/	/	<=30	Pass
		Edge_1RB_Right	21.42	/	/	24.58	/	/	<=30	Pass
		Outer_Full	21.37	/	/	24.53	/	/	<=30	Pass
		Inner_Full	22.89	/	/	26.05	/	/	<=30	Pass
		Inner_1RB_Left	22.84	/	/	26.00	/	/	<=30	Pass

	1745	Inner 1RB Right	22.86	/	/	26.02	/	/	<=30	Pass
		Edge 1RB Left	21.22	/	/	24.38	/	/	<=30	Pass
		Edge 1RB Right	21.20	/	/	24.36	/	/	<=30	Pass
		Outer Full	21.11	/	/	24.27	/	/	<=30	Pass
		Inner Full	22.54	/	/	25.70	/	/	<=30	Pass
		Inner 1RB Left	22.51	/	/	25.67	/	/	<=30	Pass
		Inner 1RB Right	22.51	/	/	25.67	/	/	<=30	Pass
	1777.5	Edge 1RB Left	21.21	/	/	24.37	/	/	<=30	Pass
		Edge 1RB Right	21.16	/	/	24.32	/	/	<=30	Pass
		Outer Full	21.25	/	/	24.41	/	/	<=30	Pass
		Inner Full	22.69	/	/	25.85	/	/	<=30	Pass
		Inner 1RB Left	22.70	/	/	25.86	/	/	<=30	Pass
		Inner 1RB Right	22.38	/	/	25.54	/	/	<=30	Pass
CP-OFDM 16 QAM	1712.5	Edge 1RB Left	21.23	/	/	24.39	/	/	<=30	Pass
		Edge 1RB Right	21.27	/	/	24.43	/	/	<=30	Pass
		Outer Full	21.44	/	/	24.60	/	/	<=30	Pass
		Inner Full	22.42	/	/	25.58	/	/	<=30	Pass
		Inner 1RB Left	22.16	/	/	25.32	/	/	<=30	Pass
		Inner 1RB Right	22.25	/	/	25.41	/	/	<=30	Pass
	1745	Edge 1RB Left	20.99	/	/	24.15	/	/	<=30	Pass
		Edge 1RB Right	20.99	/	/	24.15	/	/	<=30	Pass
		Outer Full	21.19	/	/	24.35	/	/	<=30	Pass
		Inner Full	22.09	/	/	25.25	/	/	<=30	Pass
		Inner 1RB Left	21.87	/	/	25.03	/	/	<=30	Pass
		Inner 1RB Right	21.94	/	/	25.10	/	/	<=30	Pass
	1777.5	Edge 1RB Left	20.97	/	/	24.13	/	/	<=30	Pass
		Edge 1RB Right	21.07	/	/	24.23	/	/	<=30	Pass
		Outer Full	21.30	/	/	24.46	/	/	<=30	Pass
		Inner Full	22.17	/	/	25.33	/	/	<=30	Pass
		Inner 1RB Left	21.92	/	/	25.08	/	/	<=30	Pass
		Inner 1RB Right	21.86	/	/	25.02	/	/	<=30	Pass
CP-OFDM 64 QAM	1712.5	Edge 1RB Left	20.94	/	/	24.10	/	/	<=30	Pass
		Edge 1RB Right	20.99	/	/	24.15	/	/	<=30	Pass
		Outer Full	20.99	/	/	24.15	/	/	<=30	Pass
		Inner Full	20.78	/	/	23.94	/	/	<=30	Pass
		Inner 1RB Left	20.95	/	/	24.11	/	/	<=30	Pass
		Inner 1RB Right	20.97	/	/	24.13	/	/	<=30	Pass
	1745	Edge 1RB Left	20.73	/	/	23.89	/	/	<=30	Pass
		Edge 1RB Right	20.71	/	/	23.87	/	/	<=30	Pass
		Outer Full	20.66	/	/	23.82	/	/	<=30	Pass
		Inner Full	20.52	/	/	23.68	/	/	<=30	Pass
		Inner 1RB Left	20.71	/	/	23.87	/	/	<=30	Pass
		Inner 1RB Right	20.65	/	/	23.81	/	/	<=30	Pass
	1777.5	Edge 1RB Left	20.71	/	/	23.87	/	/	<=30	Pass
		Edge 1RB Right	20.66	/	/	23.82	/	/	<=30	Pass
		Outer Full	20.75	/	/	23.91	/	/	<=30	Pass
		Inner Full	20.58	/	/	23.74	/	/	<=30	Pass
		Inner 1RB Left	20.71	/	/	23.87	/	/	<=30	Pass
		Inner 1RB Right	20.68	/	/	23.84	/	/	<=30	Pass
CP-OFDM 256 QAM	1712.5	Edge 1RB Left	17.81	/	/	20.97	/	/	<=30	Pass
		Edge 1RB Right	17.94	/	/	21.10	/	/	<=30	Pass
		Outer Full	18.06	/	/	21.22	/	/	<=30	Pass
		Inner Full	17.88	/	/	21.04	/	/	<=30	Pass
		Inner 1RB Left	17.95	/	/	21.11	/	/	<=30	Pass
		Inner 1RB Right	17.98	/	/	21.14	/	/	<=30	Pass

	1745	Edge_1RB_Left	17.76	/	/	20.92	/	/	<=30	Pass
		Edge_1RB_Right	17.61	/	/	20.77	/	/	<=30	Pass
		Outer_Full	17.75	/	/	20.91	/	/	<=30	Pass
		Inner_Full	17.61	/	/	20.77	/	/	<=30	Pass
		Inner_1RB_Left	17.63	/	/	20.79	/	/	<=30	Pass
		Inner_1RB_Right	17.67	/	/	20.83	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	17.65	/	/	20.81	/	/	<=30	Pass
		Edge_1RB_Right	17.70	/	/	20.86	/	/	<=30	Pass
		Outer_Full	17.78	/	/	20.94	/	/	<=30	Pass
		Inner_Full	17.66	/	/	20.82	/	/	<=30	Pass
		Inner_1RB_Left	17.66	/	/	20.82	/	/	<=30	Pass
		Inner_1RB_Right	17.65	/	/	20.81	/	/	<=30	Pass

Note1: Antenna Gain: Ant1: 3.16dBi;
Note2: EIRP=Conducted Power+Antenna Gain

1.1.2 15_S_10M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 10MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1715	Edge_1RB_Left	23.79	/	/	26.95	/	/	<=30	Pass
		Edge_1RB_Right	23.89	/	/	27.05	/	/	<=30	Pass
		Outer_Full	23.94	/	/	27.10	/	/	<=30	Pass
		Inner_Full	24.47	/	/	27.63	/	/	<=30	Pass
		Inner_1RB_Left	24.33	/	/	27.49	/	/	<=30	Pass
		Inner_1RB_Right	24.36	/	/	27.52	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.46	/	/	26.62	/	/	<=30	Pass
		Edge_1RB_Right	23.65	/	/	26.81	/	/	<=30	Pass
		Outer_Full	23.64	/	/	26.80	/	/	<=30	Pass
		Inner_Full	24.19	/	/	27.35	/	/	<=30	Pass
		Inner_1RB_Left	23.97	/	/	27.13	/	/	<=30	Pass
		Inner_1RB_Right	24.06	/	/	27.22	/	/	<=30	Pass
	1775	Edge_1RB_Left	23.50	/	/	26.66	/	/	<=30	Pass
		Edge_1RB_Right	23.71	/	/	26.87	/	/	<=30	Pass
		Outer_Full	23.72	/	/	26.88	/	/	<=30	Pass
		Inner_Full	24.25	/	/	27.41	/	/	<=30	Pass
		Inner_1RB_Left	23.96	/	/	27.12	/	/	<=30	Pass
		Inner_1RB_Right	24.09	/	/	27.25	/	/	<=30	Pass
DFT-s-OFDM QPSK	1715	Edge_1RB_Left	23.31	/	/	26.47	/	/	<=30	Pass
		Edge_1RB_Right	23.38	/	/	26.54	/	/	<=30	Pass
		Outer_Full	23.41	/	/	26.57	/	/	<=30	Pass
		Inner_Full	24.40	/	/	27.56	/	/	<=30	Pass
		Inner_1RB_Left	24.32	/	/	27.48	/	/	<=30	Pass
		Inner_1RB_Right	24.34	/	/	27.50	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.03	/	/	26.19	/	/	<=30	Pass
		Edge_1RB_Right	23.18	/	/	26.34	/	/	<=30	Pass
		Outer_Full	23.11	/	/	26.27	/	/	<=30	Pass
		Inner_Full	24.16	/	/	27.32	/	/	<=30	Pass
		Inner_1RB_Left	24.01	/	/	27.17	/	/	<=30	Pass
		Inner_1RB_Right	24.12	/	/	27.28	/	/	<=30	Pass
	1775	Edge_1RB_Left	23.01	/	/	26.17	/	/	<=30	Pass
		Edge_1RB_Right	23.22	/	/	26.38	/	/	<=30	Pass
		Outer_Full	23.25	/	/	26.41	/	/	<=30	Pass

		Inner Full	24.20	/	/	27.36	/	/	<=30	Pass
		Inner 1RB Left	24.01	/	/	27.17	/	/	<=30	Pass
		Inner 1RB Right	24.14	/	/	27.30	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1715	Edge 1RB Left	22.22	/	/	25.38	/	/	<=30	Pass
		Edge 1RB Right	22.31	/	/	25.47	/	/	<=30	Pass
		Outer Full	22.38	/	/	25.54	/	/	<=30	Pass
		Inner Full	23.42	/	/	26.58	/	/	<=30	Pass
		Inner 1RB Left	23.25	/	/	26.41	/	/	<=30	Pass
		Inner 1RB Right	23.35	/	/	26.51	/	/	<=30	Pass
	1745	Edge 1RB Left	22.06	/	/	25.22	/	/	<=30	Pass
		Edge 1RB Right	22.11	/	/	25.27	/	/	<=30	Pass
		Outer Full	22.14	/	/	25.30	/	/	<=30	Pass
		Inner Full	23.17	/	/	26.33	/	/	<=30	Pass
		Inner 1RB Left	22.96	/	/	26.12	/	/	<=30	Pass
		Inner 1RB Right	23.13	/	/	26.29	/	/	<=30	Pass
	1775	Edge 1RB Left	21.89	/	/	25.05	/	/	<=30	Pass
		Edge 1RB Right	22.30	/	/	25.46	/	/	<=30	Pass
		Outer Full	22.20	/	/	25.36	/	/	<=30	Pass
		Inner Full	23.22	/	/	26.38	/	/	<=30	Pass
		Inner 1RB Left	22.96	/	/	26.12	/	/	<=30	Pass
		Inner 1RB Right	23.14	/	/	26.30	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1715	Edge 1RB Left	21.82	/	/	24.98	/	/	<=30	Pass
		Edge 1RB Right	22.02	/	/	25.18	/	/	<=30	Pass
		Outer Full	21.96	/	/	25.12	/	/	<=30	Pass
		Inner Full	22.01	/	/	25.17	/	/	<=30	Pass
		Inner 1RB Left	21.86	/	/	25.02	/	/	<=30	Pass
		Inner 1RB Right	22.02	/	/	25.18	/	/	<=30	Pass
	1745	Edge 1RB Left	21.59	/	/	24.75	/	/	<=30	Pass
		Edge 1RB Right	21.72	/	/	24.88	/	/	<=30	Pass
		Outer Full	21.67	/	/	24.83	/	/	<=30	Pass
		Inner Full	21.75	/	/	24.91	/	/	<=30	Pass
		Inner 1RB Left	21.61	/	/	24.77	/	/	<=30	Pass
		Inner 1RB Right	21.73	/	/	24.89	/	/	<=30	Pass
	1775	Edge 1RB Left	21.61	/	/	24.77	/	/	<=30	Pass
		Edge 1RB Right	21.89	/	/	25.05	/	/	<=30	Pass
		Outer Full	21.75	/	/	24.91	/	/	<=30	Pass
		Inner Full	21.76	/	/	24.92	/	/	<=30	Pass
		Inner 1RB Left	21.67	/	/	24.83	/	/	<=30	Pass
		Inner 1RB Right	21.79	/	/	24.95	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1715	Edge 1RB Left	19.86	/	/	23.02	/	/	<=30	Pass
		Edge 1RB Right	19.98	/	/	23.14	/	/	<=30	Pass
		Outer Full	19.82	/	/	22.98	/	/	<=30	Pass
		Inner Full	19.90	/	/	23.06	/	/	<=30	Pass
		Inner 1RB Left	19.88	/	/	23.04	/	/	<=30	Pass
		Inner 1RB Right	19.83	/	/	22.99	/	/	<=30	Pass
	1745	Edge 1RB Left	19.54	/	/	22.70	/	/	<=30	Pass
		Edge 1RB Right	19.74	/	/	22.90	/	/	<=30	Pass
		Outer Full	19.61	/	/	22.77	/	/	<=30	Pass
		Inner Full	19.67	/	/	22.83	/	/	<=30	Pass
		Inner 1RB Left	19.52	/	/	22.68	/	/	<=30	Pass
		Inner 1RB Right	19.73	/	/	22.89	/	/	<=30	Pass
	1775	Edge 1RB Left	19.50	/	/	22.66	/	/	<=30	Pass
		Edge 1RB Right	19.74	/	/	22.90	/	/	<=30	Pass
		Outer Full	19.67	/	/	22.83	/	/	<=30	Pass
		Inner Full	19.72	/	/	22.88	/	/	<=30	Pass

CP-OFDM QPSK		Inner_1RB_Left	19.59	/	/	22.75	/	/	<=30	Pass
		Inner_1RB_Right	19.66	/	/	22.82	/	/	<=30	Pass
	1715	Edge_1RB_Left	21.21	/	/	24.37	/	/	<=30	Pass
		Edge_1RB_Right	21.32	/	/	24.48	/	/	<=30	Pass
		Outer_Full	21.40	/	/	24.56	/	/	<=30	Pass
		Inner_Full	22.99	/	/	26.15	/	/	<=30	Pass
		Inner_1RB_Left	22.61	/	/	25.77	/	/	<=30	Pass
		Inner_1RB_Right	22.79	/	/	25.95	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.87	/	/	24.03	/	/	<=30	Pass
		Edge_1RB_Right	21.04	/	/	24.20	/	/	<=30	Pass
		Outer_Full	21.15	/	/	24.31	/	/	<=30	Pass
		Inner_Full	22.73	/	/	25.89	/	/	<=30	Pass
		Inner_1RB_Left	22.37	/	/	25.53	/	/	<=30	Pass
		Inner_1RB_Right	22.42	/	/	25.58	/	/	<=30	Pass
	1775	Edge_1RB_Left	20.91	/	/	24.07	/	/	<=30	Pass
		Edge_1RB_Right	21.05	/	/	24.21	/	/	<=30	Pass
		Outer_Full	21.24	/	/	24.40	/	/	<=30	Pass
		Inner_Full	22.78	/	/	25.94	/	/	<=30	Pass
		Inner_1RB_Left	22.38	/	/	25.54	/	/	<=30	Pass
		Inner_1RB_Right	22.49	/	/	25.65	/	/	<=30	Pass
CP-OFDM 16 QAM	1715	Edge_1RB_Left	21.21	/	/	24.37	/	/	<=30	Pass
		Edge_1RB_Right	21.27	/	/	24.43	/	/	<=30	Pass
		Outer_Full	21.41	/	/	24.57	/	/	<=30	Pass
		Inner_Full	22.49	/	/	25.65	/	/	<=30	Pass
		Inner_1RB_Left	22.14	/	/	25.30	/	/	<=30	Pass
		Inner_1RB_Right	22.14	/	/	25.30	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.86	/	/	24.02	/	/	<=30	Pass
		Edge_1RB_Right	21.08	/	/	24.24	/	/	<=30	Pass
		Outer_Full	21.12	/	/	24.28	/	/	<=30	Pass
		Inner_Full	22.23	/	/	25.39	/	/	<=30	Pass
		Inner_1RB_Left	21.80	/	/	24.96	/	/	<=30	Pass
		Inner_1RB_Right	21.99	/	/	25.15	/	/	<=30	Pass
	1775	Edge_1RB_Left	20.84	/	/	24.00	/	/	<=30	Pass
		Edge_1RB_Right	21.06	/	/	24.22	/	/	<=30	Pass
		Outer_Full	21.19	/	/	24.35	/	/	<=30	Pass
		Inner_Full	22.27	/	/	25.43	/	/	<=30	Pass
		Inner_1RB_Left	21.85	/	/	25.01	/	/	<=30	Pass
		Inner_1RB_Right	21.96	/	/	25.12	/	/	<=30	Pass
CP-OFDM 64 QAM	1715	Edge_1RB_Left	20.79	/	/	23.95	/	/	<=30	Pass
		Edge_1RB_Right	20.97	/	/	24.13	/	/	<=30	Pass
		Outer_Full	20.80	/	/	23.96	/	/	<=30	Pass
		Inner_Full	20.89	/	/	24.05	/	/	<=30	Pass
		Inner_1RB_Left	20.83	/	/	23.99	/	/	<=30	Pass
		Inner_1RB_Right	20.90	/	/	24.06	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.61	/	/	23.77	/	/	<=30	Pass
		Edge_1RB_Right	20.75	/	/	23.91	/	/	<=30	Pass
		Outer_Full	20.54	/	/	23.70	/	/	<=30	Pass
		Inner_Full	20.67	/	/	23.83	/	/	<=30	Pass
		Inner_1RB_Left	20.59	/	/	23.75	/	/	<=30	Pass
		Inner_1RB_Right	20.70	/	/	23.86	/	/	<=30	Pass
	1775	Edge_1RB_Left	20.62	/	/	23.78	/	/	<=30	Pass
		Edge_1RB_Right	20.72	/	/	23.88	/	/	<=30	Pass
		Outer_Full	20.64	/	/	23.80	/	/	<=30	Pass
		Inner_Full	20.70	/	/	23.86	/	/	<=30	Pass
		Inner_1RB_Left	20.55	/	/	23.71	/	/	<=30	Pass

CP-OFDM 256 QAM	1715	Inner 1RB Right	20.74	/	/	23.90	/	/	<=30	Pass
		Edge 1RB Left	17.70	/	/	20.86	/	/	<=30	Pass
		Edge 1RB Right	17.96	/	/	21.12	/	/	<=30	Pass
		Outer Full	18.01	/	/	21.17	/	/	<=30	Pass
		Inner Full	18.09	/	/	21.25	/	/	<=30	Pass
		Inner 1RB Left	17.84	/	/	21.00	/	/	<=30	Pass
	1745	Inner 1RB Right	17.96	/	/	21.12	/	/	<=30	Pass
		Edge 1RB Left	17.52	/	/	20.68	/	/	<=30	Pass
		Edge 1RB Right	17.71	/	/	20.87	/	/	<=30	Pass
		Outer Full	17.74	/	/	20.90	/	/	<=30	Pass
		Inner Full	17.82	/	/	20.98	/	/	<=30	Pass
		Inner 1RB Left	17.53	/	/	20.69	/	/	<=30	Pass
	1775	Inner 1RB Right	17.69	/	/	20.85	/	/	<=30	Pass
		Edge 1RB Left	17.55	/	/	20.71	/	/	<=30	Pass
		Edge 1RB Right	17.75	/	/	20.91	/	/	<=30	Pass
		Outer Full	17.83	/	/	20.99	/	/	<=30	Pass
		Inner Full	17.85	/	/	21.01	/	/	<=30	Pass
		Inner 1RB Left	17.54	/	/	20.70	/	/	<=30	Pass
		Inner 1RB Right	17.73	/	/	20.89	/	/	<=30	Pass

Note1: Antenna Gain: Ant1: 3.16dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.3 15_S_15M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum		
DFT-s-OFDM PI/2 BPSK	1717.5	Edge 1RB Left	23.74	/	/	26.90	/	/	<=30	Pass
		Edge 1RB Right	23.62	/	/	26.78	/	/	<=30	Pass
		Outer Full	23.91	/	/	27.07	/	/	<=30	Pass
		Inner Full	24.40	/	/	27.56	/	/	<=30	Pass
		Inner 1RB Left	24.21	/	/	27.37	/	/	<=30	Pass
		Inner 1RB Right	24.18	/	/	27.34	/	/	<=30	Pass
	1745	Edge 1RB Left	23.42	/	/	26.58	/	/	<=30	Pass
		Edge 1RB Right	23.56	/	/	26.72	/	/	<=30	Pass
		Outer Full	23.69	/	/	26.85	/	/	<=30	Pass
		Inner Full	24.16	/	/	27.32	/	/	<=30	Pass
		Inner 1RB Left	23.91	/	/	27.07	/	/	<=30	Pass
		Inner 1RB Right	24.03	/	/	27.19	/	/	<=30	Pass
	1772.5	Edge 1RB Left	23.45	/	/	26.61	/	/	<=30	Pass
		Edge 1RB Right	23.68	/	/	26.84	/	/	<=30	Pass
		Outer Full	23.72	/	/	26.88	/	/	<=30	Pass
		Inner Full	24.27	/	/	27.43	/	/	<=30	Pass
		Inner 1RB Left	23.87	/	/	27.03	/	/	<=30	Pass
		Inner 1RB Right	24.07	/	/	27.23	/	/	<=30	Pass
DFT-s-OFDM QPSK	1717.5	Edge 1RB Left	23.20	/	/	26.36	/	/	<=30	Pass
		Edge 1RB Right	23.21	/	/	26.37	/	/	<=30	Pass
		Outer Full	23.42	/	/	26.58	/	/	<=30	Pass
		Inner Full	24.43	/	/	27.59	/	/	<=30	Pass
		Inner 1RB Left	24.26	/	/	27.42	/	/	<=30	Pass
		Inner 1RB Right	24.23	/	/	27.39	/	/	<=30	Pass
	1745	Edge 1RB Left	23.02	/	/	26.18	/	/	<=30	Pass
		Edge 1RB Right	23.09	/	/	26.25	/	/	<=30	Pass

DFT-s-OFDM 16 QAM		Outer Full	23.17	/	/	26.33	/	/	<=30	Pass
		Inner Full	24.21	/	/	27.37	/	/	<=30	Pass
		Inner 1RB Left	24.00	/	/	27.16	/	/	<=30	Pass
		Inner 1RB Right	24.08	/	/	27.24	/	/	<=30	Pass
	1772.5	Edge 1RB Left	22.94	/	/	26.10	/	/	<=30	Pass
		Edge 1RB Right	23.14	/	/	26.30	/	/	<=30	Pass
		Outer Full	23.25	/	/	26.41	/	/	<=30	Pass
		Inner Full	24.27	/	/	27.43	/	/	<=30	Pass
		Inner 1RB Left	23.84	/	/	27.00	/	/	<=30	Pass
		Inner 1RB Right	24.11	/	/	27.27	/	/	<=30	Pass
		Edge 1RB Left	22.17	/	/	25.33	/	/	<=30	Pass
		Edge 1RB Right	22.22	/	/	25.38	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1717.5	Outer Full	22.42	/	/	25.58	/	/	<=30	Pass
		Inner Full	23.40	/	/	26.56	/	/	<=30	Pass
		Inner 1RB Left	23.20	/	/	26.36	/	/	<=30	Pass
		Inner 1RB Right	23.14	/	/	26.30	/	/	<=30	Pass
	1745	Edge 1RB Left	21.88	/	/	25.04	/	/	<=30	Pass
		Edge 1RB Right	22.02	/	/	25.18	/	/	<=30	Pass
		Outer Full	22.23	/	/	25.39	/	/	<=30	Pass
		Inner Full	23.21	/	/	26.37	/	/	<=30	Pass
	1772.5	Inner 1RB Left	22.83	/	/	25.99	/	/	<=30	Pass
		Inner 1RB Right	22.97	/	/	26.13	/	/	<=30	Pass
		Edge 1RB Left	22.02	/	/	25.18	/	/	<=30	Pass
		Edge 1RB Right	22.08	/	/	25.24	/	/	<=30	Pass
		Outer Full	22.30	/	/	25.46	/	/	<=30	Pass
		Inner Full	23.31	/	/	26.47	/	/	<=30	Pass
		Inner 1RB Left	22.91	/	/	26.07	/	/	<=30	Pass
		Inner 1RB Right	23.11	/	/	26.27	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1717.5	Edge 1RB Left	21.78	/	/	24.94	/	/	<=30	Pass
		Edge 1RB Right	21.84	/	/	25.00	/	/	<=30	Pass
		Outer Full	21.86	/	/	25.02	/	/	<=30	Pass
		Inner Full	21.86	/	/	25.02	/	/	<=30	Pass
	1745	Inner 1RB Left	21.75	/	/	24.91	/	/	<=30	Pass
		Inner 1RB Right	21.71	/	/	24.87	/	/	<=30	Pass
		Edge 1RB Left	21.52	/	/	24.68	/	/	<=30	Pass
		Edge 1RB Right	21.58	/	/	24.74	/	/	<=30	Pass
	1772.5	Outer Full	21.70	/	/	24.86	/	/	<=30	Pass
		Inner Full	21.62	/	/	24.78	/	/	<=30	Pass
		Inner 1RB Left	21.54	/	/	24.70	/	/	<=30	Pass
		Inner 1RB Right	21.61	/	/	24.77	/	/	<=30	Pass
		Edge 1RB Left	21.57	/	/	24.73	/	/	<=30	Pass
		Edge 1RB Right	21.77	/	/	24.93	/	/	<=30	Pass
		Outer Full	21.77	/	/	24.93	/	/	<=30	Pass
		Inner Full	21.70	/	/	24.86	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1717.5	Inner 1RB Left	21.70	/	/	24.86	/	/	<=30	Pass
		Inner 1RB Right	21.71	/	/	24.87	/	/	<=30	Pass
		Edge 1RB Left	19.71	/	/	22.87	/	/	<=30	Pass
		Edge 1RB Right	19.74	/	/	22.90	/	/	<=30	Pass
	1745	Outer Full	19.81	/	/	22.97	/	/	<=30	Pass
		Inner Full	19.88	/	/	23.04	/	/	<=30	Pass
		Inner 1RB Left	19.67	/	/	22.83	/	/	<=30	Pass
		Inner 1RB Right	19.64	/	/	22.80	/	/	<=30	Pass
		Edge 1RB Left	19.35	/	/	22.51	/	/	<=30	Pass
		Edge 1RB Right	19.48	/	/	22.64	/	/	<=30	Pass
		Outer Full	19.60	/	/	22.76	/	/	<=30	Pass

		Inner Full	19.64	/	/	22.80	/	/	<=30	Pass
		Inner 1RB Left	19.40	/	/	22.56	/	/	<=30	Pass
		Inner 1RB Right	19.61	/	/	22.77	/	/	<=30	Pass
	1772.5	Edge 1RB Left	19.40	/	/	22.56	/	/	<=30	Pass
		Edge 1RB Right	19.64	/	/	22.80	/	/	<=30	Pass
		Outer Full	19.71	/	/	22.87	/	/	<=30	Pass
		Inner Full	19.66	/	/	22.82	/	/	<=30	Pass
		Inner 1RB Left	19.42	/	/	22.58	/	/	<=30	Pass
		Inner 1RB Right	19.63	/	/	22.79	/	/	<=30	Pass
CP-OFDM QPSK	1717.5	Edge 1RB Left	21.16	/	/	24.32	/	/	<=30	Pass
		Edge 1RB Right	21.04	/	/	24.20	/	/	<=30	Pass
		Outer Full	21.36	/	/	24.52	/	/	<=30	Pass
		Inner Full	22.86	/	/	26.02	/	/	<=30	Pass
		Inner 1RB Left	22.61	/	/	25.77	/	/	<=30	Pass
		Inner 1RB Right	22.49	/	/	25.65	/	/	<=30	Pass
	1745	Edge 1RB Left	20.89	/	/	24.05	/	/	<=30	Pass
		Edge 1RB Right	20.96	/	/	24.12	/	/	<=30	Pass
		Outer Full	21.14	/	/	24.30	/	/	<=30	Pass
		Inner Full	22.62	/	/	25.78	/	/	<=30	Pass
		Inner 1RB Left	22.28	/	/	25.44	/	/	<=30	Pass
		Inner 1RB Right	22.38	/	/	25.54	/	/	<=30	Pass
	1772.5	Edge 1RB Left	20.78	/	/	23.94	/	/	<=30	Pass
		Edge 1RB Right	21.00	/	/	24.16	/	/	<=30	Pass
		Outer Full	21.20	/	/	24.36	/	/	<=30	Pass
		Inner Full	22.71	/	/	25.87	/	/	<=30	Pass
		Inner 1RB Left	22.34	/	/	25.50	/	/	<=30	Pass
		Inner 1RB Right	22.52	/	/	25.68	/	/	<=30	Pass
CP-OFDM 16 QAM	1717.5	Edge 1RB Left	21.06	/	/	24.22	/	/	<=30	Pass
		Edge 1RB Right	21.00	/	/	24.16	/	/	<=30	Pass
		Outer Full	21.36	/	/	24.52	/	/	<=30	Pass
		Inner Full	22.35	/	/	25.51	/	/	<=30	Pass
		Inner 1RB Left	22.09	/	/	25.25	/	/	<=30	Pass
		Inner 1RB Right	22.00	/	/	25.16	/	/	<=30	Pass
	1745	Edge 1RB Left	20.80	/	/	23.96	/	/	<=30	Pass
		Edge 1RB Right	20.94	/	/	24.10	/	/	<=30	Pass
		Outer Full	21.11	/	/	24.27	/	/	<=30	Pass
		Inner Full	22.09	/	/	25.25	/	/	<=30	Pass
		Inner 1RB Left	21.72	/	/	24.88	/	/	<=30	Pass
		Inner 1RB Right	21.86	/	/	25.02	/	/	<=30	Pass
	1772.5	Edge 1RB Left	20.74	/	/	23.90	/	/	<=30	Pass
		Edge 1RB Right	20.99	/	/	24.15	/	/	<=30	Pass
		Outer Full	21.12	/	/	24.28	/	/	<=30	Pass
		Inner Full	22.17	/	/	25.33	/	/	<=30	Pass
		Inner 1RB Left	21.70	/	/	24.86	/	/	<=30	Pass
		Inner 1RB Right	21.95	/	/	25.11	/	/	<=30	Pass
CP-OFDM 64 QAM	1717.5	Edge 1RB Left	20.73	/	/	23.89	/	/	<=30	Pass
		Edge 1RB Right	20.78	/	/	23.94	/	/	<=30	Pass
		Outer Full	20.89	/	/	24.05	/	/	<=30	Pass
		Inner Full	20.84	/	/	24.00	/	/	<=30	Pass
		Inner 1RB Left	20.75	/	/	23.91	/	/	<=30	Pass
		Inner 1RB Right	20.73	/	/	23.89	/	/	<=30	Pass
	1745	Edge 1RB Left	20.38	/	/	23.54	/	/	<=30	Pass
		Edge 1RB Right	20.65	/	/	23.81	/	/	<=30	Pass
		Outer Full	20.65	/	/	23.81	/	/	<=30	Pass
		Inner Full	20.63	/	/	23.79	/	/	<=30	Pass

CP-OFDM 256 QAM		Inner_1RB_Left	20.49	/	/	23.65	/	/	<=30	Pass
		Inner_1RB_Right	20.48	/	/	23.64	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	20.49	/	/	23.65	/	/	<=30	Pass
		Edge_1RB_Right	20.68	/	/	23.84	/	/	<=30	Pass
		Outer_Full	20.72	/	/	23.88	/	/	<=30	Pass
		Inner_Full	20.71	/	/	23.87	/	/	<=30	Pass
		Inner_1RB_Left	20.51	/	/	23.67	/	/	<=30	Pass
		Inner_1RB_Right	20.68	/	/	23.84	/	/	<=30	Pass
	1717.5	Edge_1RB_Left	17.77	/	/	20.93	/	/	<=30	Pass
		Edge_1RB_Right	17.76	/	/	20.92	/	/	<=30	Pass
		Outer_Full	18.03	/	/	21.19	/	/	<=30	Pass
		Inner_Full	17.91	/	/	21.07	/	/	<=30	Pass
		Inner_1RB_Left	17.77	/	/	20.93	/	/	<=30	Pass
		Inner_1RB_Right	17.74	/	/	20.90	/	/	<=30	Pass
	1745	Edge_1RB_Left	17.48	/	/	20.64	/	/	<=30	Pass
		Edge_1RB_Right	17.67	/	/	20.83	/	/	<=30	Pass
		Outer_Full	17.69	/	/	20.85	/	/	<=30	Pass
		Inner_Full	17.76	/	/	20.92	/	/	<=30	Pass
		Inner_1RB_Left	17.50	/	/	20.66	/	/	<=30	Pass
		Inner_1RB_Right	17.58	/	/	20.74	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	17.53	/	/	20.69	/	/	<=30	Pass
		Edge_1RB_Right	17.65	/	/	20.81	/	/	<=30	Pass
		Outer_Full	17.77	/	/	20.93	/	/	<=30	Pass
		Inner_Full	17.81	/	/	20.97	/	/	<=30	Pass
		Inner_1RB_Left	17.52	/	/	20.68	/	/	<=30	Pass
		Inner_1RB_Right	17.67	/	/	20.83	/	/	<=30	Pass

Note1: Antenna Gain: Ant1: 3.16dBi;
Note2: EIRP=Conducted Power+Antenna Gain

1.1.4 15_S_20M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1720	Edge_1RB_Left	23.81	/	/	26.97	/	/	<=30	Pass
		Edge_1RB_Right	23.78	/	/	26.94	/	/	<=30	Pass
		Outer_Full	23.87	/	/	27.03	/	/	<=30	Pass
		Inner_Full	24.37	/	/	27.53	/	/	<=30	Pass
		Inner_1RB_Left	24.30	/	/	27.46	/	/	<=30	Pass
		Inner_1RB_Right	24.27	/	/	27.43	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.47	/	/	26.63	/	/	<=30	Pass
		Edge_1RB_Right	23.63	/	/	26.79	/	/	<=30	Pass
		Outer_Full	23.69	/	/	26.85	/	/	<=30	Pass
		Inner_Full	24.16	/	/	27.32	/	/	<=30	Pass
		Inner_1RB_Left	23.96	/	/	27.12	/	/	<=30	Pass
		Inner_1RB_Right	24.11	/	/	27.27	/	/	<=30	Pass
	1770	Edge_1RB_Left	23.47	/	/	26.63	/	/	<=30	Pass
		Edge_1RB_Right	23.71	/	/	26.87	/	/	<=30	Pass
		Outer_Full	23.56	/	/	26.72	/	/	<=30	Pass
		Inner_Full	24.18	/	/	27.34	/	/	<=30	Pass
		Inner_1RB_Left	23.93	/	/	27.09	/	/	<=30	Pass
		Inner_1RB_Right	24.19	/	/	27.35	/	/	<=30	Pass
DFT-s-OFDM QPSK	1720	Edge_1RB_Left	23.33	/	/	26.49	/	/	<=30	Pass

		Edge 1RB Right	23.33	/	/	26.49	/	/	<=30	Pass
		Outer Full	23.37	/	/	26.53	/	/	<=30	Pass
		Inner Full	24.35	/	/	27.51	/	/	<=30	Pass
		Inner 1RB Left	24.30	/	/	27.46	/	/	<=30	Pass
		Inner 1RB Right	24.33	/	/	27.49	/	/	<=30	Pass
	1745	Edge 1RB Left	22.99	/	/	26.15	/	/	<=30	Pass
		Edge 1RB Right	23.18	/	/	26.34	/	/	<=30	Pass
		Outer Full	23.17	/	/	26.33	/	/	<=30	Pass
		Inner Full	24.21	/	/	27.37	/	/	<=30	Pass
		Inner 1RB Left	24.01	/	/	27.17	/	/	<=30	Pass
	1770	Inner 1RB Right	24.18	/	/	27.34	/	/	<=30	Pass
		Edge 1RB Left	22.99	/	/	26.15	/	/	<=30	Pass
		Edge 1RB Right	23.18	/	/	26.34	/	/	<=30	Pass
		Outer Full	23.15	/	/	26.31	/	/	<=30	Pass
		Inner Full	24.18	/	/	27.34	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1720	Inner 1RB Left	23.90	/	/	27.06	/	/	<=30	Pass
		Inner 1RB Right	24.05	/	/	27.21	/	/	<=30	Pass
		Edge 1RB Left	22.27	/	/	25.43	/	/	<=30	Pass
		Edge 1RB Right	22.34	/	/	25.50	/	/	<=30	Pass
		Outer Full	22.42	/	/	25.58	/	/	<=30	Pass
	1745	Inner Full	23.38	/	/	26.54	/	/	<=30	Pass
		Inner 1RB Left	23.29	/	/	26.45	/	/	<=30	Pass
		Inner 1RB Right	23.28	/	/	26.44	/	/	<=30	Pass
		Edge 1RB Left	21.98	/	/	25.14	/	/	<=30	Pass
		Edge 1RB Right	22.11	/	/	25.27	/	/	<=30	Pass
	1770	Outer Full	22.16	/	/	25.32	/	/	<=30	Pass
		Inner Full	23.16	/	/	26.32	/	/	<=30	Pass
		Inner 1RB Left	22.91	/	/	26.07	/	/	<=30	Pass
		Inner 1RB Right	23.15	/	/	26.31	/	/	<=30	Pass
		Edge 1RB Left	21.95	/	/	25.11	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1720	Edge 1RB Right	22.20	/	/	25.36	/	/	<=30	Pass
		Outer Full	22.10	/	/	25.26	/	/	<=30	Pass
		Inner Full	23.21	/	/	26.37	/	/	<=30	Pass
		Inner 1RB Left	22.99	/	/	26.15	/	/	<=30	Pass
		Inner 1RB Right	23.20	/	/	26.36	/	/	<=30	Pass
	1745	Edge 1RB Left	21.86	/	/	25.02	/	/	<=30	Pass
		Edge 1RB Right	22.07	/	/	25.23	/	/	<=30	Pass
		Outer Full	21.80	/	/	24.96	/	/	<=30	Pass
		Inner Full	21.86	/	/	25.02	/	/	<=30	Pass
		Inner 1RB Left	21.87	/	/	25.03	/	/	<=30	Pass
	1770	Inner 1RB Right	22.01	/	/	25.17	/	/	<=30	Pass
		Edge 1RB Left	21.62	/	/	24.78	/	/	<=30	Pass
		Edge 1RB Right	21.76	/	/	24.92	/	/	<=30	Pass
		Outer Full	21.71	/	/	24.87	/	/	<=30	Pass
		Inner Full	21.70	/	/	24.86	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1720	Inner 1RB Left	21.64	/	/	24.80	/	/	<=30	Pass
		Inner 1RB Right	21.72	/	/	24.88	/	/	<=30	Pass
		Edge 1RB Left	21.61	/	/	24.77	/	/	<=30	Pass
		Edge 1RB Right	21.84	/	/	25.00	/	/	<=30	Pass
		Outer Full	21.62	/	/	24.78	/	/	<=30	Pass
	1745	Inner Full	21.76	/	/	24.92	/	/	<=30	Pass
		Inner 1RB Left	21.63	/	/	24.79	/	/	<=30	Pass
		Inner 1RB Right	21.76	/	/	24.92	/	/	<=30	Pass
		Edge 1RB Left	19.83	/	/	22.99	/	/	<=30	Pass
		Edge 1RB Right	19.92	/	/	23.08	/	/	<=30	Pass

		Outer Full	19.80	/	/	22.96	/	/	<=30	Pass
		Inner Full	19.83	/	/	22.99	/	/	<=30	Pass
		Inner 1RB Left	19.78	/	/	22.94	/	/	<=30	Pass
		Inner 1RB Right	19.86	/	/	23.02	/	/	<=30	Pass
	1745	Edge 1RB Left	19.44	/	/	22.60	/	/	<=30	Pass
		Edge 1RB Right	19.73	/	/	22.89	/	/	<=30	Pass
		Outer Full	19.63	/	/	22.79	/	/	<=30	Pass
		Inner Full	19.59	/	/	22.75	/	/	<=30	Pass
	1770	Inner 1RB Left	19.55	/	/	22.71	/	/	<=30	Pass
		Inner 1RB Right	19.68	/	/	22.84	/	/	<=30	Pass
		Edge 1RB Left	19.50	/	/	22.66	/	/	<=30	Pass
		Edge 1RB Right	19.66	/	/	22.82	/	/	<=30	Pass
CP-OFDM QPSK	1720	Outer Full	19.53	/	/	22.69	/	/	<=30	Pass
		Inner Full	19.66	/	/	22.82	/	/	<=30	Pass
		Inner 1RB Left	19.49	/	/	22.65	/	/	<=30	Pass
		Inner 1RB Right	19.64	/	/	22.80	/	/	<=30	Pass
	1745	Edge 1RB Left	21.40	/	/	24.56	/	/	<=30	Pass
		Edge 1RB Right	21.35	/	/	24.51	/	/	<=30	Pass
		Outer Full	21.38	/	/	24.54	/	/	<=30	Pass
		Inner Full	22.82	/	/	25.98	/	/	<=30	Pass
	1770	Inner 1RB Left	22.76	/	/	25.92	/	/	<=30	Pass
		Inner 1RB Right	22.84	/	/	26.00	/	/	<=30	Pass
		Edge 1RB Left	20.80	/	/	23.96	/	/	<=30	Pass
		Edge 1RB Right	21.00	/	/	24.16	/	/	<=30	Pass
CP-OFDM 16 QAM	1720	Outer Full	21.14	/	/	24.30	/	/	<=30	Pass
		Inner Full	22.63	/	/	25.79	/	/	<=30	Pass
		Inner 1RB Left	22.31	/	/	25.47	/	/	<=30	Pass
		Inner 1RB Right	22.48	/	/	25.64	/	/	<=30	Pass
	1745	Edge 1RB Left	21.07	/	/	24.23	/	/	<=30	Pass
		Edge 1RB Right	21.28	/	/	24.44	/	/	<=30	Pass
		Outer Full	21.07	/	/	24.23	/	/	<=30	Pass
		Inner Full	22.70	/	/	25.86	/	/	<=30	Pass
	1770	Inner 1RB Left	22.33	/	/	25.49	/	/	<=30	Pass
		Inner 1RB Right	22.45	/	/	25.61	/	/	<=30	Pass
	1720	Edge 1RB Left	21.16	/	/	24.32	/	/	<=30	Pass
		Edge 1RB Right	21.05	/	/	24.21	/	/	<=30	Pass
		Outer Full	21.39	/	/	24.55	/	/	<=30	Pass
		Inner Full	22.28	/	/	25.44	/	/	<=30	Pass
	1745	Inner 1RB Left	22.13	/	/	25.29	/	/	<=30	Pass
		Inner 1RB Right	21.98	/	/	25.14	/	/	<=30	Pass
		Edge 1RB Left	20.83	/	/	23.99	/	/	<=30	Pass
		Edge 1RB Right	20.95	/	/	24.11	/	/	<=30	Pass
CP-OFDM 64 QAM	1720	Outer Full	21.14	/	/	24.30	/	/	<=30	Pass
		Inner Full	22.16	/	/	25.32	/	/	<=30	Pass
		Inner 1RB Left	21.74	/	/	24.90	/	/	<=30	Pass
		Inner 1RB Right	21.92	/	/	25.08	/	/	<=30	Pass
	1745	Edge 1RB Left	20.76	/	/	23.92	/	/	<=30	Pass
		Edge 1RB Right	21.04	/	/	24.20	/	/	<=30	Pass
		Outer Full	21.06	/	/	24.22	/	/	<=30	Pass
		Inner Full	22.21	/	/	25.37	/	/	<=30	Pass
	1770	Inner 1RB Left	21.77	/	/	24.93	/	/	<=30	Pass
		Inner 1RB Right	22.03	/	/	25.19	/	/	<=30	Pass
	1720	Edge 1RB Left	20.88	/	/	24.04	/	/	<=30	Pass
		Edge 1RB Right	20.84	/	/	24.00	/	/	<=30	Pass
		Outer Full	20.83	/	/	23.99	/	/	<=30	Pass

	1745	Inner_Full	20.70	/	/	23.86	/	/	<=30	Pass
		Inner_1RB_Left	20.84	/	/	24.00	/	/	<=30	Pass
		Inner_1RB_Right	20.85	/	/	24.01	/	/	<=30	Pass
		Edge_1RB_Left	20.60	/	/	23.76	/	/	<=30	Pass
		Edge_1RB_Right	20.59	/	/	23.75	/	/	<=30	Pass
		Outer_Full	20.61	/	/	23.77	/	/	<=30	Pass
		Inner_Full	20.57	/	/	23.73	/	/	<=30	Pass
		Inner_1RB_Left	20.53	/	/	23.69	/	/	<=30	Pass
		Inner_1RB_Right	20.72	/	/	23.88	/	/	<=30	Pass
	1770	Edge_1RB_Left	20.55	/	/	23.71	/	/	<=30	Pass
		Edge_1RB_Right	20.73	/	/	23.89	/	/	<=30	Pass
		Outer_Full	20.53	/	/	23.69	/	/	<=30	Pass
		Inner_Full	20.62	/	/	23.78	/	/	<=30	Pass
		Inner_1RB_Left	20.54	/	/	23.70	/	/	<=30	Pass
		Inner_1RB_Right	20.78	/	/	23.94	/	/	<=30	Pass
CP-OFDM 256 QAM	1720	Edge_1RB_Left	17.82	/	/	20.98	/	/	<=30	Pass
		Edge_1RB_Right	17.84	/	/	21.00	/	/	<=30	Pass
		Outer_Full	17.99	/	/	21.15	/	/	<=30	Pass
		Inner_Full	17.83	/	/	20.99	/	/	<=30	Pass
		Inner_1RB_Left	17.82	/	/	20.98	/	/	<=30	Pass
		Inner_1RB_Right	17.92	/	/	21.08	/	/	<=30	Pass
	1745	Edge_1RB_Left	17.47	/	/	20.63	/	/	<=30	Pass
		Edge_1RB_Right	17.70	/	/	20.86	/	/	<=30	Pass
		Outer_Full	17.71	/	/	20.87	/	/	<=30	Pass
		Inner_Full	17.63	/	/	20.79	/	/	<=30	Pass
		Inner_1RB_Left	17.57	/	/	20.73	/	/	<=30	Pass
		Inner_1RB_Right	17.68	/	/	20.84	/	/	<=30	Pass
	1770	Edge_1RB_Left	17.53	/	/	20.69	/	/	<=30	Pass
		Edge_1RB_Right	17.79	/	/	20.95	/	/	<=30	Pass
		Outer_Full	17.69	/	/	20.85	/	/	<=30	Pass
		Inner_Full	17.75	/	/	20.91	/	/	<=30	Pass
		Inner_1RB_Left	17.50	/	/	20.66	/	/	<=30	Pass
		Inner_1RB_Right	17.72	/	/	20.88	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 3.16dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.5 15_S_25M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 25MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1722.5	Edge 1RB Left	23.76	/	/	26.92	/	/	<=30	Pass
		Edge 1RB Right	23.67	/	/	26.83	/	/	<=30	Pass
		Outer Full	23.87	/	/	27.03	/	/	<=30	Pass
		Inner Full	24.33	/	/	27.49	/	/	<=30	Pass
		Inner 1RB Left	24.26	/	/	27.42	/	/	<=30	Pass
		Inner 1RB Right	24.24	/	/	27.40	/	/	<=30	Pass
	1745	Edge 1RB Left	23.43	/	/	26.59	/	/	<=30	Pass
		Edge 1RB Right	23.55	/	/	26.71	/	/	<=30	Pass
		Outer Full	23.62	/	/	26.78	/	/	<=30	Pass
		Inner Full	24.16	/	/	27.32	/	/	<=30	Pass
		Inner 1RB Left	23.96	/	/	27.12	/	/	<=30	Pass
		Inner 1RB Right	24.07	/	/	27.23	/	/	<=30	Pass

	1767.5	Edge_1RB_Left	23.42	/	/	26.58	/	/	<=30	Pass
		Edge_1RB_Right	23.60	/	/	26.76	/	/	<=30	Pass
		Outer_Full	23.55	/	/	26.71	/	/	<=30	Pass
		Inner_Full	24.20	/	/	27.36	/	/	<=30	Pass
		Inner_1RB_Left	23.95	/	/	27.11	/	/	<=30	Pass
		Inner_1RB_Right	24.10	/	/	27.26	/	/	<=30	Pass
DFT-s-OFDM QPSK	1722.5	Edge_1RB_Left	23.23	/	/	26.39	/	/	<=30	Pass
		Edge_1RB_Right	23.27	/	/	26.43	/	/	<=30	Pass
		Outer_Full	23.33	/	/	26.49	/	/	<=30	Pass
		Inner_Full	24.39	/	/	27.55	/	/	<=30	Pass
		Inner_1RB_Left	24.33	/	/	27.49	/	/	<=30	Pass
		Inner_1RB_Right	24.23	/	/	27.39	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.92	/	/	26.08	/	/	<=30	Pass
		Edge_1RB_Right	23.04	/	/	26.20	/	/	<=30	Pass
		Outer_Full	23.12	/	/	26.28	/	/	<=30	Pass
		Inner_Full	24.20	/	/	27.36	/	/	<=30	Pass
		Inner_1RB_Left	23.89	/	/	27.05	/	/	<=30	Pass
		Inner_1RB_Right	24.02	/	/	27.18	/	/	<=30	Pass
	1767.5	Edge_1RB_Left	22.91	/	/	26.07	/	/	<=30	Pass
		Edge_1RB_Right	23.12	/	/	26.28	/	/	<=30	Pass
		Outer_Full	23.07	/	/	26.23	/	/	<=30	Pass
		Inner_Full	24.28	/	/	27.44	/	/	<=30	Pass
		Inner_1RB_Left	23.87	/	/	27.03	/	/	<=30	Pass
		Inner_1RB_Right	24.18	/	/	27.34	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1722.5	Edge_1RB_Left	22.25	/	/	25.41	/	/	<=30	Pass
		Edge_1RB_Right	22.24	/	/	25.40	/	/	<=30	Pass
		Outer_Full	22.37	/	/	25.53	/	/	<=30	Pass
		Inner_Full	23.40	/	/	26.56	/	/	<=30	Pass
		Inner_1RB_Left	23.24	/	/	26.40	/	/	<=30	Pass
		Inner_1RB_Right	23.20	/	/	26.36	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.02	/	/	25.18	/	/	<=30	Pass
		Edge_1RB_Right	22.06	/	/	25.22	/	/	<=30	Pass
		Outer_Full	22.18	/	/	25.34	/	/	<=30	Pass
		Inner_Full	23.21	/	/	26.37	/	/	<=30	Pass
		Inner_1RB_Left	22.91	/	/	26.07	/	/	<=30	Pass
		Inner_1RB_Right	23.01	/	/	26.17	/	/	<=30	Pass
	1767.5	Edge_1RB_Left	21.88	/	/	25.04	/	/	<=30	Pass
		Edge_1RB_Right	22.13	/	/	25.29	/	/	<=30	Pass
		Outer_Full	22.14	/	/	25.30	/	/	<=30	Pass
		Inner_Full	23.33	/	/	26.49	/	/	<=30	Pass
		Inner_1RB_Left	22.92	/	/	26.08	/	/	<=30	Pass
		Inner_1RB_Right	23.11	/	/	26.27	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1722.5	Edge_1RB_Left	21.71	/	/	24.87	/	/	<=30	Pass
		Edge_1RB_Right	21.78	/	/	24.94	/	/	<=30	Pass
		Outer_Full	21.87	/	/	25.03	/	/	<=30	Pass
		Inner_Full	21.89	/	/	25.05	/	/	<=30	Pass
		Inner_1RB_Left	21.71	/	/	24.87	/	/	<=30	Pass
		Inner_1RB_Right	21.80	/	/	24.96	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.66	/	/	24.82	/	/	<=30	Pass
		Edge_1RB_Right	21.65	/	/	24.81	/	/	<=30	Pass
		Outer_Full	21.63	/	/	24.79	/	/	<=30	Pass
		Inner_Full	21.65	/	/	24.81	/	/	<=30	Pass
		Inner_1RB_Left	21.56	/	/	24.72	/	/	<=30	Pass
		Inner_1RB_Right	21.58	/	/	24.74	/	/	<=30	Pass
	1767.5	Edge_1RB_Left	21.48	/	/	24.64	/	/	<=30	Pass

DFT-s-OFDM 256 QAM		Edge 1RB Right	21.75	/	/	24.91	/	/	<=30	Pass
		Outer Full	21.62	/	/	24.78	/	/	<=30	Pass
		Inner Full	21.76	/	/	24.92	/	/	<=30	Pass
		Inner 1RB Left	21.37	/	/	24.53	/	/	<=30	Pass
		Inner 1RB Right	21.63	/	/	24.79	/	/	<=30	Pass
	1722.5	Edge 1RB Left	19.80	/	/	22.96	/	/	<=30	Pass
		Edge 1RB Right	19.69	/	/	22.85	/	/	<=30	Pass
		Outer Full	19.87	/	/	23.03	/	/	<=30	Pass
		Inner Full	19.84	/	/	23.00	/	/	<=30	Pass
		Inner 1RB Left	19.74	/	/	22.90	/	/	<=30	Pass
	1745	Inner 1RB Right	19.73	/	/	22.89	/	/	<=30	Pass
		Edge 1RB Left	19.54	/	/	22.70	/	/	<=30	Pass
		Edge 1RB Right	19.64	/	/	22.80	/	/	<=30	Pass
		Outer Full	19.61	/	/	22.77	/	/	<=30	Pass
		Inner Full	19.65	/	/	22.81	/	/	<=30	Pass
CP-OFDM QPSK		Inner 1RB Left	19.46	/	/	22.62	/	/	<=30	Pass
		Inner 1RB Right	19.50	/	/	22.66	/	/	<=30	Pass
	1767.5	Edge 1RB Left	19.40	/	/	22.56	/	/	<=30	Pass
		Edge 1RB Right	19.56	/	/	22.72	/	/	<=30	Pass
		Outer Full	19.57	/	/	22.73	/	/	<=30	Pass
		Inner Full	19.71	/	/	22.87	/	/	<=30	Pass
		Inner 1RB Left	19.41	/	/	22.57	/	/	<=30	Pass
		Inner 1RB Right	19.53	/	/	22.69	/	/	<=30	Pass
	1722.5	Edge 1RB Left	21.26	/	/	24.42	/	/	<=30	Pass
		Edge 1RB Right	21.25	/	/	24.41	/	/	<=30	Pass
		Outer Full	21.32	/	/	24.48	/	/	<=30	Pass
		Inner Full	22.86	/	/	26.02	/	/	<=30	Pass
		Inner 1RB Left	22.63	/	/	25.79	/	/	<=30	Pass
	1745	Inner 1RB Right	22.54	/	/	25.70	/	/	<=30	Pass
		Edge 1RB Left	21.07	/	/	24.23	/	/	<=30	Pass
		Edge 1RB Right	20.90	/	/	24.06	/	/	<=30	Pass
		Outer Full	21.16	/	/	24.32	/	/	<=30	Pass
		Inner Full	22.66	/	/	25.82	/	/	<=30	Pass
CP-OFDM 16 QAM		Inner 1RB Left	22.38	/	/	25.54	/	/	<=30	Pass
		Inner 1RB Right	22.40	/	/	25.56	/	/	<=30	Pass
	1767.5	Edge 1RB Left	20.91	/	/	24.07	/	/	<=30	Pass
		Edge 1RB Right	21.06	/	/	24.22	/	/	<=30	Pass
		Outer Full	21.03	/	/	24.19	/	/	<=30	Pass
		Inner Full	22.74	/	/	25.90	/	/	<=30	Pass
		Inner 1RB Left	22.30	/	/	25.46	/	/	<=30	Pass
		Inner 1RB Right	22.39	/	/	25.55	/	/	<=30	Pass
	1722.5	Edge 1RB Left	21.25	/	/	24.41	/	/	<=30	Pass
		Edge 1RB Right	21.06	/	/	24.22	/	/	<=30	Pass
		Outer Full	21.37	/	/	24.53	/	/	<=30	Pass
		Inner Full	22.29	/	/	25.45	/	/	<=30	Pass
		Inner 1RB Left	22.08	/	/	25.24	/	/	<=30	Pass
	1745	Inner 1RB Right	21.97	/	/	25.13	/	/	<=30	Pass
		Edge 1RB Left	20.90	/	/	24.06	/	/	<=30	Pass
		Edge 1RB Right	21.02	/	/	24.18	/	/	<=30	Pass
		Outer Full	21.11	/	/	24.27	/	/	<=30	Pass
		Inner Full	22.10	/	/	25.26	/	/	<=30	Pass
	1767.5	Inner 1RB Left	21.75	/	/	24.91	/	/	<=30	Pass
		Inner 1RB Right	21.80	/	/	24.96	/	/	<=30	Pass
		Edge 1RB Left	20.76	/	/	23.92	/	/	<=30	Pass
		Edge 1RB Right	20.94	/	/	24.10	/	/	<=30	Pass

		Outer_Full	21.06	/	/	24.22	/	/	<=30	Pass		
		Inner_Full	22.19	/	/	25.35	/	/	<=30	Pass		
		Inner_1RB_Left	21.78	/	/	24.94	/	/	<=30	Pass		
		Inner_1RB_Right	21.85	/	/	25.01	/	/	<=30	Pass		
CP-OFDM 64 QAM	1722.5	Edge_1RB_Left	20.83	/	/	23.99	/	/	<=30	Pass		
		Edge_1RB_Right	20.80	/	/	23.96	/	/	<=30	Pass		
		Outer_Full	20.90	/	/	24.06	/	/	<=30	Pass		
		Inner_Full	20.82	/	/	23.98	/	/	<=30	Pass		
		Inner_1RB_Left	20.75	/	/	23.91	/	/	<=30	Pass		
		Inner_1RB_Right	20.75	/	/	23.91	/	/	<=30	Pass		
		Edge_1RB_Left	20.46	/	/	23.62	/	/	<=30	Pass		
		Edge_1RB_Right	20.61	/	/	23.77	/	/	<=30	Pass		
	1745	Outer_Full	20.64	/	/	23.80	/	/	<=30	Pass		
		Inner_Full	20.62	/	/	23.78	/	/	<=30	Pass		
		Inner_1RB_Left	20.56	/	/	23.72	/	/	<=30	Pass		
		Inner_1RB_Right	20.57	/	/	23.73	/	/	<=30	Pass		
		Edge_1RB_Left	20.52	/	/	23.68	/	/	<=30	Pass		
		Edge_1RB_Right	20.67	/	/	23.83	/	/	<=30	Pass		
	1767.5	Outer_Full	20.59	/	/	23.75	/	/	<=30	Pass		
		Inner_Full	20.66	/	/	23.82	/	/	<=30	Pass		
		Inner_1RB_Left	20.51	/	/	23.67	/	/	<=30	Pass		
		Inner_1RB_Right	20.65	/	/	23.81	/	/	<=30	Pass		
		Edge_1RB_Left	17.80	/	/	20.96	/	/	<=30	Pass		
		Edge_1RB_Right	17.93	/	/	21.09	/	/	<=30	Pass		
CP-OFDM 256 QAM	1722.5	Outer_Full	17.97	/	/	21.13	/	/	<=30	Pass		
		Inner_Full	17.99	/	/	21.15	/	/	<=30	Pass		
		Inner_1RB_Left	17.84	/	/	21.00	/	/	<=30	Pass		
		Inner_1RB_Right	17.76	/	/	20.92	/	/	<=30	Pass		
		Edge_1RB_Left	17.59	/	/	20.75	/	/	<=30	Pass		
		Edge_1RB_Right	17.65	/	/	20.81	/	/	<=30	Pass		
	1745	Outer_Full	17.65	/	/	20.81	/	/	<=30	Pass		
		Inner_Full	17.75	/	/	20.91	/	/	<=30	Pass		
		Inner_1RB_Left	17.54	/	/	20.70	/	/	<=30	Pass		
		Inner_1RB_Right	17.61	/	/	20.77	/	/	<=30	Pass		
		Edge_1RB_Left	17.48	/	/	20.64	/	/	<=30	Pass		
		Edge_1RB_Right	17.74	/	/	20.90	/	/	<=30	Pass		
	1767.5	Outer_Full	17.67	/	/	20.83	/	/	<=30	Pass		
		Inner_Full	17.82	/	/	20.98	/	/	<=30	Pass		
		Inner_1RB_Left	17.50	/	/	20.66	/	/	<=30	Pass		
		Inner_1RB_Right	17.66	/	/	20.82	/	/	<=30	Pass		
		Note1: Antenna Gain: Ant1: 3.16dBi;										
		Note2: EIRP=Conducted Power+Antenna Gain										

1.1.6 15_S_30M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1725	Edge 1RB Left	23.53	/	/	26.69	/	/	<=30	Pass
		Edge 1RB Right	23.43	/	/	26.59	/	/	<=30	Pass
		Outer Full	23.79	/	/	26.95	/	/	<=30	Pass
		Inner Full	24.33	/	/	27.49	/	/	<=30	Pass
		Inner 1RB Left	24.05	/	/	27.21	/	/	<=30	Pass
		Inner 1RB Right	23.96	/	/	27.12	/	/	<=30	Pass
	1745	Edge 1RB Left	23.28	/	/	26.44	/	/	<=30	Pass

		Edge 1RB Right	23.40	/	/	26.56	/	/	<=30	Pass
		Outer Full	23.64	/	/	26.80	/	/	<=30	Pass
		Inner Full	24.15	/	/	27.31	/	/	<=30	Pass
		Inner 1RB Left	23.74	/	/	26.90	/	/	<=30	Pass
		Inner 1RB Right	23.87	/	/	27.03	/	/	<=30	Pass
	1765	Edge 1RB Left	23.22	/	/	26.38	/	/	<=30	Pass
		Edge 1RB Right	23.41	/	/	26.57	/	/	<=30	Pass
		Outer Full	23.49	/	/	26.65	/	/	<=30	Pass
		Inner Full	24.21	/	/	27.37	/	/	<=30	Pass
		Inner 1RB Left	23.72	/	/	26.88	/	/	<=30	Pass
		Inner 1RB Right	23.93	/	/	27.09	/	/	<=30	Pass
		Edge 1RB Left	23.04	/	/	26.20	/	/	<=30	Pass
		Edge 1RB Right	22.96	/	/	26.12	/	/	<=30	Pass
DFT-s-OFDM QPSK	1725	Outer Full	23.26	/	/	26.42	/	/	<=30	Pass
		Inner Full	24.37	/	/	27.53	/	/	<=30	Pass
		Inner 1RB Left	24.02	/	/	27.18	/	/	<=30	Pass
		Inner 1RB Right	23.94	/	/	27.10	/	/	<=30	Pass
	1745	Edge 1RB Left	22.78	/	/	25.94	/	/	<=30	Pass
		Edge 1RB Right	22.88	/	/	26.04	/	/	<=30	Pass
		Outer Full	23.12	/	/	26.28	/	/	<=30	Pass
		Inner Full	24.17	/	/	27.33	/	/	<=30	Pass
		Inner 1RB Left	23.69	/	/	26.85	/	/	<=30	Pass
		Inner 1RB Right	23.79	/	/	26.95	/	/	<=30	Pass
	1765	Edge 1RB Left	22.74	/	/	25.90	/	/	<=30	Pass
		Edge 1RB Right	23.00	/	/	26.16	/	/	<=30	Pass
		Outer Full	23.08	/	/	26.24	/	/	<=30	Pass
		Inner Full	24.27	/	/	27.43	/	/	<=30	Pass
		Inner 1RB Left	23.73	/	/	26.89	/	/	<=30	Pass
		Inner 1RB Right	23.91	/	/	27.07	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1725	Edge 1RB Left	21.95	/	/	25.11	/	/	<=30	Pass
		Edge 1RB Right	21.93	/	/	25.09	/	/	<=30	Pass
		Outer Full	22.26	/	/	25.42	/	/	<=30	Pass
		Inner Full	23.40	/	/	26.56	/	/	<=30	Pass
		Inner 1RB Left	22.96	/	/	26.12	/	/	<=30	Pass
		Inner 1RB Right	22.93	/	/	26.09	/	/	<=30	Pass
	1745	Edge 1RB Left	21.73	/	/	24.89	/	/	<=30	Pass
		Edge 1RB Right	21.84	/	/	25.00	/	/	<=30	Pass
		Outer Full	22.18	/	/	25.34	/	/	<=30	Pass
		Inner Full	23.20	/	/	26.36	/	/	<=30	Pass
		Inner 1RB Left	22.76	/	/	25.92	/	/	<=30	Pass
		Inner 1RB Right	22.81	/	/	25.97	/	/	<=30	Pass
	1765	Edge 1RB Left	21.64	/	/	24.80	/	/	<=30	Pass
		Edge 1RB Right	21.85	/	/	25.01	/	/	<=30	Pass
		Outer Full	22.03	/	/	25.19	/	/	<=30	Pass
		Inner Full	23.31	/	/	26.47	/	/	<=30	Pass
		Inner 1RB Left	22.71	/	/	25.87	/	/	<=30	Pass
		Inner 1RB Right	22.92	/	/	26.08	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1725	Edge 1RB Left	21.47	/	/	24.63	/	/	<=30	Pass
		Edge 1RB Right	21.43	/	/	24.59	/	/	<=30	Pass
		Outer Full	21.74	/	/	24.90	/	/	<=30	Pass
		Inner Full	21.88	/	/	25.04	/	/	<=30	Pass
		Inner 1RB Left	21.57	/	/	24.73	/	/	<=30	Pass
		Inner 1RB Right	21.56	/	/	24.72	/	/	<=30	Pass
	1745	Edge 1RB Left	21.42	/	/	24.58	/	/	<=30	Pass
		Edge 1RB Right	21.41	/	/	24.57	/	/	<=30	Pass

		Outer_Full	21.70	/	/	24.86	/	/	<=30	Pass
		Inner_Full	21.70	/	/	24.86	/	/	<=30	Pass
		Inner_1RB_Left	21.34	/	/	24.50	/	/	<=30	Pass
		Inner_1RB_Right	21.58	/	/	24.74	/	/	<=30	Pass
	1765	Edge_1RB_Left	21.21	/	/	24.37	/	/	<=30	Pass
		Edge_1RB_Right	21.56	/	/	24.72	/	/	<=30	Pass
		Outer_Full	21.55	/	/	24.71	/	/	<=30	Pass
		Inner_Full	21.80	/	/	24.96	/	/	<=30	Pass
		Inner_1RB_Left	21.24	/	/	24.40	/	/	<=30	Pass
		Inner_1RB_Right	21.44	/	/	24.60	/	/	<=30	Pass
		Edge_1RB_Left	19.44	/	/	22.60	/	/	<=30	Pass
		Edge_1RB_Right	19.41	/	/	22.57	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1725	Outer_Full	19.69	/	/	22.85	/	/	<=30	Pass
		Inner_Full	19.82	/	/	22.98	/	/	<=30	Pass
		Inner_1RB_Left	19.52	/	/	22.68	/	/	<=30	Pass
		Inner_1RB_Right	19.49	/	/	22.65	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.24	/	/	22.40	/	/	<=30	Pass
		Edge_1RB_Right	19.35	/	/	22.51	/	/	<=30	Pass
		Outer_Full	19.64	/	/	22.80	/	/	<=30	Pass
		Inner_Full	19.62	/	/	22.78	/	/	<=30	Pass
		Inner_1RB_Left	19.35	/	/	22.51	/	/	<=30	Pass
		Inner_1RB_Right	19.40	/	/	22.56	/	/	<=30	Pass
	1765	Edge_1RB_Left	19.22	/	/	22.38	/	/	<=30	Pass
		Edge_1RB_Right	19.40	/	/	22.56	/	/	<=30	Pass
		Outer_Full	19.45	/	/	22.61	/	/	<=30	Pass
		Inner_Full	19.71	/	/	22.87	/	/	<=30	Pass
		Inner_1RB_Left	19.09	/	/	22.25	/	/	<=30	Pass
		Inner_1RB_Right	19.36	/	/	22.52	/	/	<=30	Pass
CP-OFDM QPSK	1725	Edge_1RB_Left	20.96	/	/	24.12	/	/	<=30	Pass
		Edge_1RB_Right	20.80	/	/	23.96	/	/	<=30	Pass
		Outer_Full	21.24	/	/	24.40	/	/	<=30	Pass
		Inner_Full	22.81	/	/	25.97	/	/	<=30	Pass
		Inner_1RB_Left	22.46	/	/	25.62	/	/	<=30	Pass
		Inner_1RB_Right	22.24	/	/	25.40	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.84	/	/	24.00	/	/	<=30	Pass
		Edge_1RB_Right	20.74	/	/	23.90	/	/	<=30	Pass
		Outer_Full	21.12	/	/	24.28	/	/	<=30	Pass
		Inner_Full	22.64	/	/	25.80	/	/	<=30	Pass
		Inner_1RB_Left	22.18	/	/	25.34	/	/	<=30	Pass
		Inner_1RB_Right	22.29	/	/	25.45	/	/	<=30	Pass
	1765	Edge_1RB_Left	20.72	/	/	23.88	/	/	<=30	Pass
		Edge_1RB_Right	21.01	/	/	24.17	/	/	<=30	Pass
		Outer_Full	21.02	/	/	24.18	/	/	<=30	Pass
		Inner_Full	22.62	/	/	25.78	/	/	<=30	Pass
		Inner_1RB_Left	22.28	/	/	25.44	/	/	<=30	Pass
		Inner_1RB_Right	22.34	/	/	25.50	/	/	<=30	Pass
CP-OFDM 16 QAM	1725	Edge_1RB_Left	20.94	/	/	24.10	/	/	<=30	Pass
		Edge_1RB_Right	20.77	/	/	23.93	/	/	<=30	Pass
		Outer_Full	21.21	/	/	24.37	/	/	<=30	Pass
		Inner_Full	22.35	/	/	25.51	/	/	<=30	Pass
		Inner_1RB_Left	21.83	/	/	24.99	/	/	<=30	Pass
		Inner_1RB_Right	21.74	/	/	24.90	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.57	/	/	23.73	/	/	<=30	Pass
		Edge_1RB_Right	20.72	/	/	23.88	/	/	<=30	Pass
		Outer_Full	21.09	/	/	24.25	/	/	<=30	Pass

		Inner_Full	22.18	/	/	25.34	/	/	<=30	Pass
		Inner_1RB_Left	21.61	/	/	24.77	/	/	<=30	Pass
		Inner_1RB_Right	21.70	/	/	24.86	/	/	<=30	Pass
	1765	Edge_1RB_Left	20.52	/	/	23.68	/	/	<=30	Pass
		Edge_1RB_Right	20.88	/	/	24.04	/	/	<=30	Pass
		Outer_Full	20.97	/	/	24.13	/	/	<=30	Pass
		Inner_Full	22.23	/	/	25.39	/	/	<=30	Pass
		Inner_1RB_Left	21.53	/	/	24.69	/	/	<=30	Pass
		Inner_1RB_Right	21.69	/	/	24.85	/	/	<=30	Pass
CP-OFDM 64 QAM	1725	Edge_1RB_Left	20.47	/	/	23.63	/	/	<=30	Pass
		Edge_1RB_Right	20.37	/	/	23.53	/	/	<=30	Pass
		Outer_Full	20.72	/	/	23.88	/	/	<=30	Pass
		Inner_Full	20.82	/	/	23.98	/	/	<=30	Pass
		Inner_1RB_Left	20.50	/	/	23.66	/	/	<=30	Pass
		Inner_1RB_Right	20.52	/	/	23.68	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.33	/	/	23.49	/	/	<=30	Pass
		Edge_1RB_Right	20.41	/	/	23.57	/	/	<=30	Pass
		Outer_Full	20.65	/	/	23.81	/	/	<=30	Pass
		Inner_Full	20.71	/	/	23.87	/	/	<=30	Pass
		Inner_1RB_Left	20.36	/	/	23.52	/	/	<=30	Pass
		Inner_1RB_Right	20.45	/	/	23.61	/	/	<=30	Pass
	1765	Edge_1RB_Left	20.12	/	/	23.28	/	/	<=30	Pass
		Edge_1RB_Right	20.37	/	/	23.53	/	/	<=30	Pass
		Outer_Full	20.52	/	/	23.68	/	/	<=30	Pass
		Inner_Full	20.76	/	/	23.92	/	/	<=30	Pass
		Inner_1RB_Left	20.10	/	/	23.26	/	/	<=30	Pass
		Inner_1RB_Right	20.50	/	/	23.66	/	/	<=30	Pass
CP-OFDM 256 QAM	1725	Edge_1RB_Left	17.57	/	/	20.73	/	/	<=30	Pass
		Edge_1RB_Right	17.56	/	/	20.72	/	/	<=30	Pass
		Outer_Full	17.76	/	/	20.92	/	/	<=30	Pass
		Inner_Full	17.87	/	/	21.03	/	/	<=30	Pass
		Inner_1RB_Left	17.59	/	/	20.75	/	/	<=30	Pass
		Inner_1RB_Right	17.62	/	/	20.78	/	/	<=30	Pass
	1745	Edge_1RB_Left	17.32	/	/	20.48	/	/	<=30	Pass
		Edge_1RB_Right	17.47	/	/	20.63	/	/	<=30	Pass
		Outer_Full	17.71	/	/	20.87	/	/	<=30	Pass
		Inner_Full	17.78	/	/	20.94	/	/	<=30	Pass
		Inner_1RB_Left	17.33	/	/	20.49	/	/	<=30	Pass
		Inner_1RB_Right	17.45	/	/	20.61	/	/	<=30	Pass
	1765	Edge_1RB_Left	17.22	/	/	20.38	/	/	<=30	Pass
		Edge_1RB_Right	17.50	/	/	20.66	/	/	<=30	Pass
		Outer_Full	17.61	/	/	20.77	/	/	<=30	Pass
		Inner_Full	17.72	/	/	20.88	/	/	<=30	Pass
		Inner_1RB_Left	17.27	/	/	20.43	/	/	<=30	Pass
		Inner_1RB_Right	17.51	/	/	20.67	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 3.16dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.7 15_S_40M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 40MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum		
DFT-s-OFDM PI/2 BPSK	1730	Edge_1RB_Left	23.43	/	/	26.59	/	/	<=30	Pass
		Edge_1RB_Right	23.39	/	/	26.55	/	/	<=30	Pass

		Outer Full	23.48	/	/	26.64	/	/	<=30	Pass
		Inner Full	24.26	/	/	27.42	/	/	<=30	Pass
		Inner 1RB Left	23.90	/	/	27.06	/	/	<=30	Pass
		Inner 1RB Right	23.90	/	/	27.06	/	/	<=30	Pass
	1745	Edge 1RB Left	23.06	/	/	26.22	/	/	<=30	Pass
		Edge 1RB Right	23.29	/	/	26.45	/	/	<=30	Pass
		Outer Full	23.62	/	/	26.78	/	/	<=30	Pass
		Inner Full	24.13	/	/	27.29	/	/	<=30	Pass
	1760	Inner 1RB Left	23.54	/	/	26.70	/	/	<=30	Pass
		Inner 1RB Right	23.75	/	/	26.91	/	/	<=30	Pass
		Edge 1RB Left	23.13	/	/	26.29	/	/	<=30	Pass
		Edge 1RB Right	23.35	/	/	26.51	/	/	<=30	Pass
DFT-s-OFDM QPSK	1730	Outer Full	23.44	/	/	26.60	/	/	<=30	Pass
		Inner Full	24.18	/	/	27.34	/	/	<=30	Pass
		Inner 1RB Left	23.55	/	/	26.71	/	/	<=30	Pass
		Inner 1RB Right	23.88	/	/	27.04	/	/	<=30	Pass
	1745	Edge 1RB Left	22.89	/	/	26.05	/	/	<=30	Pass
		Edge 1RB Right	22.89	/	/	26.05	/	/	<=30	Pass
		Outer Full	22.98	/	/	26.14	/	/	<=30	Pass
		Inner Full	24.27	/	/	27.43	/	/	<=30	Pass
	1760	Inner 1RB Left	23.90	/	/	27.06	/	/	<=30	Pass
		Inner 1RB Right	23.88	/	/	27.04	/	/	<=30	Pass
		Edge 1RB Left	22.46	/	/	25.62	/	/	<=30	Pass
		Edge 1RB Right	22.70	/	/	25.86	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1730	Outer Full	23.07	/	/	26.23	/	/	<=30	Pass
		Inner Full	24.18	/	/	27.34	/	/	<=30	Pass
		Inner 1RB Left	23.45	/	/	26.61	/	/	<=30	Pass
		Inner 1RB Right	23.64	/	/	26.80	/	/	<=30	Pass
	1745	Edge 1RB Left	22.57	/	/	25.73	/	/	<=30	Pass
		Edge 1RB Right	22.71	/	/	25.87	/	/	<=30	Pass
		Outer Full	23.00	/	/	26.16	/	/	<=30	Pass
		Inner Full	24.26	/	/	27.42	/	/	<=30	Pass
	1760	Inner 1RB Left	23.46	/	/	26.62	/	/	<=30	Pass
		Inner 1RB Right	23.72	/	/	26.88	/	/	<=30	Pass
	1730	Edge 1RB Left	21.86	/	/	25.02	/	/	<=30	Pass
		Edge 1RB Right	21.82	/	/	24.98	/	/	<=30	Pass
		Outer Full	22.01	/	/	25.17	/	/	<=30	Pass
		Inner Full	23.29	/	/	26.45	/	/	<=30	Pass
	1745	Inner 1RB Left	22.89	/	/	26.05	/	/	<=30	Pass
		Inner 1RB Right	22.78	/	/	25.94	/	/	<=30	Pass
		Edge 1RB Left	21.52	/	/	24.68	/	/	<=30	Pass
		Edge 1RB Right	21.68	/	/	24.84	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1730	Outer Full	22.13	/	/	25.29	/	/	<=30	Pass
		Inner Full	23.12	/	/	26.28	/	/	<=30	Pass
		Inner 1RB Left	22.53	/	/	25.69	/	/	<=30	Pass
		Inner 1RB Right	22.72	/	/	25.88	/	/	<=30	Pass
	1745	Edge 1RB Left	21.52	/	/	24.68	/	/	<=30	Pass
		Edge 1RB Right	21.87	/	/	25.03	/	/	<=30	Pass
		Outer Full	22.00	/	/	25.16	/	/	<=30	Pass
		Inner Full	23.24	/	/	26.40	/	/	<=30	Pass
	1760	Inner 1RB Left	22.42	/	/	25.58	/	/	<=30	Pass
		Inner 1RB Right	22.84	/	/	26.00	/	/	<=30	Pass
	1730	Edge 1RB Left	21.31	/	/	24.47	/	/	<=30	Pass
		Edge 1RB Right	21.43	/	/	24.59	/	/	<=30	Pass
		Outer Full	21.54	/	/	24.70	/	/	<=30	Pass

		Inner Full	21.75	/	/	24.91	/	/	<=30	Pass
		Inner 1RB Left	21.45	/	/	24.61	/	/	<=30	Pass
		Inner 1RB Right	21.43	/	/	24.59	/	/	<=30	Pass
	1745	Edge 1RB Left	21.25	/	/	24.41	/	/	<=30	Pass
		Edge 1RB Right	21.36	/	/	24.52	/	/	<=30	Pass
		Outer Full	21.61	/	/	24.77	/	/	<=30	Pass
		Inner Full	21.65	/	/	24.81	/	/	<=30	Pass
		Inner 1RB Left	21.24	/	/	24.40	/	/	<=30	Pass
		Inner 1RB Right	21.43	/	/	24.59	/	/	<=30	Pass
	1760	Edge 1RB Left	21.03	/	/	24.19	/	/	<=30	Pass
		Edge 1RB Right	21.44	/	/	24.60	/	/	<=30	Pass
		Outer Full	21.55	/	/	24.71	/	/	<=30	Pass
		Inner Full	21.68	/	/	24.84	/	/	<=30	Pass
		Inner 1RB Left	21.09	/	/	24.25	/	/	<=30	Pass
		Inner 1RB Right	21.38	/	/	24.54	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1730	Edge 1RB Left	19.41	/	/	22.57	/	/	<=30	Pass
		Edge 1RB Right	19.31	/	/	22.47	/	/	<=30	Pass
		Outer Full	19.51	/	/	22.67	/	/	<=30	Pass
		Inner Full	19.80	/	/	22.96	/	/	<=30	Pass
		Inner 1RB Left	19.33	/	/	22.49	/	/	<=30	Pass
		Inner 1RB Right	19.19	/	/	22.35	/	/	<=30	Pass
	1745	Edge 1RB Left	19.16	/	/	22.32	/	/	<=30	Pass
		Edge 1RB Right	19.32	/	/	22.48	/	/	<=30	Pass
		Outer Full	19.58	/	/	22.74	/	/	<=30	Pass
		Inner Full	19.61	/	/	22.77	/	/	<=30	Pass
		Inner 1RB Left	19.11	/	/	22.27	/	/	<=30	Pass
		Inner 1RB Right	19.43	/	/	22.59	/	/	<=30	Pass
	1760	Edge 1RB Left	19.00	/	/	22.16	/	/	<=30	Pass
		Edge 1RB Right	19.32	/	/	22.48	/	/	<=30	Pass
		Outer Full	19.45	/	/	22.61	/	/	<=30	Pass
		Inner Full	19.70	/	/	22.86	/	/	<=30	Pass
		Inner 1RB Left	19.12	/	/	22.28	/	/	<=30	Pass
		Inner 1RB Right	19.28	/	/	22.44	/	/	<=30	Pass
CP-OFDM QPSK	1730	Edge 1RB Left	20.93	/	/	24.09	/	/	<=30	Pass
		Edge 1RB Right	20.98	/	/	24.14	/	/	<=30	Pass
		Outer Full	21.01	/	/	24.17	/	/	<=30	Pass
		Inner Full	22.78	/	/	25.94	/	/	<=30	Pass
		Inner 1RB Left	22.45	/	/	25.61	/	/	<=30	Pass
		Inner 1RB Right	22.40	/	/	25.56	/	/	<=30	Pass
	1745	Edge 1RB Left	20.44	/	/	23.60	/	/	<=30	Pass
		Edge 1RB Right	20.65	/	/	23.81	/	/	<=30	Pass
		Outer Full	21.04	/	/	24.20	/	/	<=30	Pass
		Inner Full	22.67	/	/	25.83	/	/	<=30	Pass
		Inner 1RB Left	21.98	/	/	25.14	/	/	<=30	Pass
		Inner 1RB Right	22.22	/	/	25.38	/	/	<=30	Pass
	1760	Edge 1RB Left	20.37	/	/	23.53	/	/	<=30	Pass
		Edge 1RB Right	20.75	/	/	23.91	/	/	<=30	Pass
		Outer Full	20.95	/	/	24.11	/	/	<=30	Pass
		Inner Full	22.77	/	/	25.93	/	/	<=30	Pass
		Inner 1RB Left	21.88	/	/	25.04	/	/	<=30	Pass
		Inner 1RB Right	22.26	/	/	25.42	/	/	<=30	Pass
CP-OFDM 16 QAM	1730	Edge 1RB Left	20.76	/	/	23.92	/	/	<=30	Pass
		Edge 1RB Right	20.79	/	/	23.95	/	/	<=30	Pass
		Outer Full	21.00	/	/	24.16	/	/	<=30	Pass
		Inner Full	22.27	/	/	25.43	/	/	<=30	Pass

		Inner_1RB_Left	21.67	/	/	24.83	/	/	<=30	Pass
		Inner_1RB_Right	21.69	/	/	24.85	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.46	/	/	23.62	/	/	<=30	Pass
		Edge_1RB_Right	20.71	/	/	23.87	/	/	<=30	Pass
		Outer_Full	21.12	/	/	24.28	/	/	<=30	Pass
		Inner_Full	22.15	/	/	25.31	/	/	<=30	Pass
		Inner_1RB_Left	21.38	/	/	24.54	/	/	<=30	Pass
		Inner_1RB_Right	21.57	/	/	24.73	/	/	<=30	Pass
	1760	Edge_1RB_Left	20.52	/	/	23.68	/	/	<=30	Pass
		Edge_1RB_Right	20.82	/	/	23.98	/	/	<=30	Pass
		Outer_Full	21.01	/	/	24.17	/	/	<=30	Pass
		Inner_Full	22.24	/	/	25.40	/	/	<=30	Pass
		Inner_1RB_Left	21.38	/	/	24.54	/	/	<=30	Pass
		Inner_1RB_Right	21.63	/	/	24.79	/	/	<=30	Pass
CP-OFDM 64 QAM	1730	Edge_1RB_Left	20.47	/	/	23.63	/	/	<=30	Pass
		Edge_1RB_Right	20.49	/	/	23.65	/	/	<=30	Pass
		Outer_Full	20.43	/	/	23.59	/	/	<=30	Pass
		Inner_Full	20.73	/	/	23.89	/	/	<=30	Pass
		Inner_1RB_Left	20.44	/	/	23.60	/	/	<=30	Pass
		Inner_1RB_Right	20.47	/	/	23.63	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.10	/	/	23.26	/	/	<=30	Pass
		Edge_1RB_Right	20.27	/	/	23.43	/	/	<=30	Pass
		Outer_Full	20.59	/	/	23.75	/	/	<=30	Pass
		Inner_Full	20.59	/	/	23.75	/	/	<=30	Pass
		Inner_1RB_Left	20.17	/	/	23.33	/	/	<=30	Pass
		Inner_1RB_Right	20.37	/	/	23.53	/	/	<=30	Pass
	1760	Edge_1RB_Left	20.12	/	/	23.28	/	/	<=30	Pass
		Edge_1RB_Right	20.35	/	/	23.51	/	/	<=30	Pass
		Outer_Full	20.46	/	/	23.62	/	/	<=30	Pass
		Inner_Full	20.63	/	/	23.79	/	/	<=30	Pass
		Inner_1RB_Left	20.05	/	/	23.21	/	/	<=30	Pass
		Inner_1RB_Right	20.34	/	/	23.50	/	/	<=30	Pass
CP-OFDM 256 QAM	1730	Edge_1RB_Left	17.47	/	/	20.63	/	/	<=30	Pass
		Edge_1RB_Right	17.50	/	/	20.66	/	/	<=30	Pass
		Outer_Full	17.53	/	/	20.69	/	/	<=30	Pass
		Inner_Full	17.81	/	/	20.97	/	/	<=30	Pass
		Inner_1RB_Left	17.49	/	/	20.65	/	/	<=30	Pass
		Inner_1RB_Right	17.49	/	/	20.65	/	/	<=30	Pass
	1745	Edge_1RB_Left	17.14	/	/	20.30	/	/	<=30	Pass
		Edge_1RB_Right	17.40	/	/	20.56	/	/	<=30	Pass
		Outer_Full	17.69	/	/	20.85	/	/	<=30	Pass
		Inner_Full	17.71	/	/	20.87	/	/	<=30	Pass
		Inner_1RB_Left	17.21	/	/	20.37	/	/	<=30	Pass
		Inner_1RB_Right	17.46	/	/	20.62	/	/	<=30	Pass
	1760	Edge_1RB_Left	17.13	/	/	20.29	/	/	<=30	Pass
		Edge_1RB_Right	17.44	/	/	20.60	/	/	<=30	Pass
		Outer_Full	17.63	/	/	20.79	/	/	<=30	Pass
		Inner_Full	17.78	/	/	20.94	/	/	<=30	Pass
		Inner_1RB_Left	17.15	/	/	20.31	/	/	<=30	Pass
		Inner_1RB_Right	17.51	/	/	20.67	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 3.16dBi; Note2: EIRP=Conducted Power+Antenna Gain										

- End of the Appendix -