

Appendix C.5

Internal Antenna

1.1. Test Band = SA N2_ TM1

1.1.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3600.75	-44.29	29.20	-59.61	-13.00	46.61	Horizontal
2	5329.875	-41.20	32.42	-54.36	-13.00	41.36	Horizontal
3	7050.375	-40.67	35.90	-52.36	-13.00	39.36	Horizontal
4	9144	-40.61	37.39	-52.27	-13.00	39.27	Horizontal
5	11484.75	-40.80	40.52	-49.09	-13.00	36.09	Horizontal
6	14374.5	-40.60	41.90	-48.80	-13.00	35.80	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3762.375	-43.59	29.83	-59.25	-13.00	46.25	Vertical
2	5182.125	-41.39	32.16	-54.96	-13.00	41.96	Vertical
3	7440.375	-40.67	36.48	-51.49	-13.00	38.49	Vertical
4	9720	-40.35	38.54	-51.47	-13.00	38.47	Vertical
5	12041.625	-40.19	39.86	-49.22	-13.00	36.22	Vertical
6	14445.375	-40.69	41.76	-48.67	-13.00	35.67	Vertical

1.2. Test Band = SA N2_ TM1

1.2.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3609.375	-44.23	29.26	-59.07	-13.00	46.07	Horizontal
2	5296.875	-41.23	32.28	-54.77	-13.00	41.77	Horizontal
3	7659.75	-40.35	36.74	-51.86	-13.00	38.86	Horizontal
4	10330.5	-40.43	39.43	-50.25	-13.00	37.25	Horizontal
5	13563.375	-40.35	40.11	-50.23	-13.00	37.23	Horizontal
6	16952.625	-39.10	40.76	-48.21	-13.00	35.21	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3613.5	-44.21	29.28	-58.95	-13.00	45.95	Vertical
2	5520.75	-40.70	32.62	-53.33	-13.00	40.33	Vertical
3	7440	-40.67	36.48	-47.90	-13.00	34.90	Vertical
4	9714.75	-40.35	38.53	-51.40	-13.00	38.40	Vertical
5	12475.125	-40.15	39.35	-49.91	-13.00	36.91	Vertical
6	15379.875	-37.76	39.64	-48.05	-13.00	35.05	Vertical

1.3. Test Band = SA N2_ TM1

1.3.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3606	-44.25	29.24	-59.26	-13.00	46.26	Horizontal
2	5304	-41.23	32.32	-54.47	-13.00	41.47	Horizontal
3	6804.375	-40.06	35.72	-52.04	-13.00	39.04	Horizontal
4	8599.5	-40.10	36.80	-52.74	-13.00	39.74	Horizontal
5	10962	-40.47	40.21	-48.72	-13.00	35.72	Horizontal
6	13851.75	-40.16	40.36	-49.14	-13.00	36.14	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	-43.61	29.83	-58.82	-13.00	45.82	Vertical
2	5298.375	-41.23	32.29	-54.34	-13.00	41.34	Vertical
3	7183.125	-40.29	36.23	-51.55	-13.00	38.55	Vertical
4	9165	-40.72	37.34	-52.34	-13.00	39.34	Vertical
5	11587.5	-40.96	40.59	-48.79	-13.00	35.79	Vertical
6	14606.625	-40.49	41.79	-48.47	-13.00	35.47	Vertical

1.4. Test Band = SA N5_ TM1

1.4.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1143.5556	-47.23	24.67	-59.58	-13.00	46.58	Horizontal
2	1859.1111	-46.45	25.53	-59.93	-13.00	46.93	Horizontal
3	2753.3333	-44.97	28.41	-55.92	-13.00	42.92	Horizontal
4	3766.2222	-43.90	29.80	-53.68	-13.00	40.68	Horizontal
5	4652	-42.33	30.52	-50.87	-13.00	37.87	Horizontal
6	5626.2222	-40.41	32.85	-48.61	-13.00	35.61	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200	-47.26	24.80	-58.82	-13.00	45.82	Vertical
2	1920.4444	-46.43	25.40	-59.19	-13.00	46.19	Vertical
3	2580	-45.27	28.02	-56.81	-13.00	43.81	Vertical
4	3292.4444	-44.62	28.67	-55.49	-13.00	42.49	Vertical
5	4030.6667	-43.25	29.72	-53.85	-13.00	40.85	Vertical
6	4906.2222	-42.08	31.14	-49.60	-13.00	36.60	Vertical

1.5. Test Band = SA N5_ TM1

1.5.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1442.6667	-46.88	25.38	-56.95	-13.00	43.95	Horizontal
2	2355.5556	-45.74	27.29	-56.81	-13.00	43.81	Horizontal
3	3158.2222	-44.54	28.72	-54.03	-13.00	41.03	Horizontal
4	3800.4444	-43.95	29.60	-52.81	-13.00	39.81	Horizontal
5	4773.7778	-42.17	30.63	-50.56	-13.00	37.56	Horizontal
6	5853.3333	-40.01	32.54	-47.23	-13.00	34.23	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1441.3333	-46.88	25.36	-58.96	-13.00	45.96	Vertical
2	2255.1111	-45.90	26.95	-56.45	-13.00	43.45	Vertical
3	3096.8889	-44.89	28.89	-54.91	-13.00	41.91	Vertical
4	3979.1111	-43.32	29.64	-54.73	-13.00	41.73	Vertical
5	4804.4444	-42.11	31.08	-45.20	-13.00	32.20	Vertical
6	5764.4444	-40.03	32.34	-47.12	-13.00	34.12	Vertical

1.6. Test Band = SA N5_ TM1

1.6.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1370.6667	-46.89	24.99	-59.24	-13.00	46.24	Horizontal
2	2259.5556	-45.89	27.00	-58.76	-13.00	45.76	Horizontal
3	2966.6667	-44.83	28.57	-53.41	-13.00	40.41	Horizontal
4	3699.5556	-43.80	29.40	-52.47	-13.00	39.47	Horizontal
5	4913.7778	-42.03	31.06	-50.73	-13.00	37.73	Horizontal
6	6769.7778	-37.95	35.58	-43.01	-13.00	30.01	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1438.2222	-46.87	25.31	-59.81	-13.00	46.81	Vertical
2	2397.7778	-45.72	27.20	-57.39	-13.00	44.39	Vertical
3	3246.2222	-44.45	28.48	-55.11	-13.00	42.11	Vertical
4	4240.4444	-42.84	29.96	-53.45	-13.00	40.45	Vertical
5	5487.5556	-40.79	32.65	-48.85	-13.00	35.85	Vertical
6	6800.4444	-37.80	35.70	-44.15	-13.00	31.15	Vertical

1.7. Test Band = SA N7_ TM1

1.7.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3775.5	-43.57	29.75	-59.29	-25.00	34.29	Horizontal
2	5357	-41.18	32.46	-55.06	-25.00	30.06	Horizontal
3	7116	-40.60	36.17	-52.70	-25.00	27.70	Horizontal
4	9653.5	-40.49	38.41	-52.54	-25.00	27.54	Horizontal
5	12471	-40.15	39.36	-50.11	-25.00	25.11	Horizontal
6	15386	-37.73	39.60	-50.60	-25.00	25.60	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747	-43.61	29.87	-59.11	-25.00	34.11	Vertical
2	5171.5	-41.42	32.14	-55.63	-25.00	30.63	Vertical
3	7066	-40.67	36.00	-53.01	-25.00	28.01	Vertical
4	9185.5	-40.84	37.26	-52.72	-25.00	27.72	Vertical
5	10948.5	-40.50	40.14	-49.83	-25.00	24.83	Vertical
6	13647.5	-40.41	40.45	-50.18	-25.00	25.18	Vertical

1.8. Test Band = SA N7_ TM1

1.8.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-60.59	-25.00	35.59	Horizontal
2	5149	-41.49	32.09	-56.38	-25.00	31.38	Horizontal
3	6768.5	-40.24	35.57	-53.19	-25.00	28.19	Horizontal
4	8205.5	-40.20	36.62	-52.79	-25.00	27.79	Horizontal
5	9634	-40.55	38.30	-51.78	-25.00	26.78	Horizontal
6	11391	-40.32	40.58	-49.24	-25.00	24.24	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-59.43	-25.00	34.43	Vertical
2	5178	-41.40	32.16	-55.35	-25.00	30.35	Vertical
3	6839.5	-40.36	35.86	-52.50	-25.00	27.50	Vertical
4	8239.5	-40.38	36.76	-53.40	-25.00	28.40	Vertical
5	10295.5	-40.28	39.38	-50.89	-25.00	25.89	Vertical
6	12472.5	-40.15	39.36	-50.56	-25.00	25.56	Vertical

1.9. Test Band = SA N7_ TM1

1.9.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3600.5	-44.29	29.20	-60.18	-25.00	35.18	Horizontal
2	5175	-41.41	32.15	-56.10	-25.00	31.10	Horizontal
3	7198.5	-40.22	36.29	-52.48	-25.00	27.48	Horizontal
4	9140.5	-40.59	37.38	-52.92	-25.00	27.92	Horizontal
5	11519.5	-40.91	40.52	-49.63	-25.00	24.63	Horizontal
6	14237.5	-40.69	41.71	-48.96	-25.00	23.96	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-56.86	-25.00	31.86	Vertical
2	4852	-42.00	30.91	-52.74	-25.00	27.74	Vertical
3	7440	-40.67	36.48	-49.38	-25.00	24.38	Vertical
4	9943.5	-40.35	38.65	-51.78	-25.00	26.78	Vertical
5	12802.5	-40.77	39.30	-50.58	-25.00	25.58	Vertical
6	16184	-36.70	38.40	-50.85	-25.00	25.85	Vertical

1.10. Test Band = SA N12_ TM1

1.10.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440.5	-46.88	25.35	-66.07	-13.00	53.07	Horizontal
2	2019.5	-46.26	26.28	-65.32	-13.00	52.32	Horizontal
3	2700.5	-45.07	28.30	-62.81	-13.00	49.81	Horizontal
4	3411.5	-44.41	28.88	-61.65	-13.00	48.65	Horizontal
5	4179.5	-43.19	29.68	-60.92	-13.00	47.92	Horizontal
6	4805.5	-42.11	31.08	-57.52	-13.00	44.52	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-65.88	-13.00	52.88	Vertical
2	2081.5	-46.16	26.53	-65.14	-13.00	52.14	Vertical
3	2772	-44.93	28.44	-62.17	-13.00	49.17	Vertical
4	3486	-44.41	29.16	-61.34	-13.00	48.34	Vertical
5	4375	-42.36	30.00	-58.93	-13.00	45.93	Vertical
6	5336	-41.16	32.44	-55.31	-13.00	42.31	Vertical

1.11. Test Band = SA N12_ TM1

1.11.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440.5	-46.88	25.35	-66.69	-13.00	53.69	Horizontal
2	2185	-46.09	26.98	-64.73	-13.00	51.73	Horizontal
3	3003.5	-44.71	28.89	-61.75	-13.00	48.75	Horizontal
4	3791.5	-43.94	29.65	-60.27	-13.00	47.27	Horizontal
5	4685	-42.34	30.78	-58.40	-13.00	45.40	Horizontal
6	5571	-40.52	32.67	-54.95	-13.00	41.95	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-66.07	-13.00	53.07	Vertical
2	2304	-45.76	27.39	-63.84	-13.00	50.84	Vertical
3	3007	-44.71	28.87	-61.73	-13.00	48.73	Vertical
4	3913	-43.46	29.55	-60.12	-13.00	47.12	Vertical
5	4852	-42.11	30.91	-57.49	-13.00	44.49	Vertical
6	6043.5	-39.60	33.16	-53.79	-13.00	40.79	Vertical

1.12. Test Band = SA N12_ TM1

1.12.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1346.5	-46.97	25.18	-67.39	-13.00	54.39	Horizontal
2	2155.5	-46.10	26.74	-65.09	-13.00	52.09	Horizontal
3	2880	-45.06	28.36	-61.74	-13.00	48.74	Horizontal
4	3618.5	-44.36	29.31	-60.42	-13.00	47.42	Horizontal
5	4627.5	-42.31	30.37	-58.56	-13.00	45.56	Horizontal
6	5497.5	-40.77	32.69	-55.21	-13.00	42.21	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-66.16	-13.00	53.16	Vertical
2	2198.5	-46.08	27.09	-64.68	-13.00	51.68	Vertical
3	3007	-44.71	28.87	-61.95	-13.00	48.95	Vertical
4	3778	-43.92	29.73	-60.45	-13.00	47.45	Vertical
5	4620.5	-42.31	30.32	-58.44	-13.00	45.44	Vertical
6	5332.5	-41.17	32.43	-54.93	-13.00	41.93	Vertical

1.13. Test Band = SA N14 10M_ TM1

1.13.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1429.7778	-46.86	25.18	-66.86	-13.00	53.86	Horizontal
2	2332.4444	-45.75	27.34	-64.05	-13.00	51.05	Horizontal
3	3341.3333	-44.55	28.62	-62.04	-13.00	49.04	Horizontal
4	4633.3333	-42.32	30.40	-58.56	-13.00	45.56	Horizontal
5	6335.1111	-39.46	33.51	-51.29	-13.00	38.29	Horizontal
6	8022.6667	-35.83	36.52	-49.02	-13.00	36.02	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1439.5556	-46.88	25.33	-66.15	-13.00	53.15	Vertical
2	2092.4444	-46.14	26.57	-65.34	-13.00	52.34	Vertical
3	2998.2222	-44.71	28.88	-62.37	-13.00	49.37	Vertical
4	3918.6667	-43.45	29.57	-60.50	-13.00	47.50	Vertical
5	4852	-42.11	30.91	-50.05	-13.00	37.05	Vertical
6	6335.1111	-39.46	33.51	-48.11	-13.00	35.11	Vertical

1.14. Test Band = SA N14_ TM1

1.14.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1442.2222	-46.88	25.38	-66.58	-13.00	53.58	Horizontal
2	2184	-46.09	26.97	-65.03	-13.00	52.03	Horizontal
3	2997.3333	-44.71	28.87	-62.05	-13.00	49.05	Horizontal
4	3920.8889	-43.45	29.58	-60.30	-13.00	47.30	Horizontal
5	4785.3333	-42.15	30.84	-57.79	-13.00	44.79	Horizontal
6	5831.5556	-39.93	32.57	-54.60	-13.00	41.60	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-65.53	-13.00	52.53	Vertical
2	2192.8889	-46.08	27.04	-64.83	-13.00	51.83	Vertical
3	2834.2222	-44.96	28.57	-62.69	-13.00	49.69	Vertical
4	3902.2222	-43.49	29.51	-60.45	-13.00	47.45	Vertical
5	5151.5556	-41.53	32.10	-56.60	-13.00	43.60	Vertical
6	6336	-39.46	33.52	-46.97	-13.00	33.97	Vertical

1.15. Test Band = SA N14_ TM1

1.15.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1460.4444	-46.92	25.44	-66.79	-13.00	53.79	Horizontal
2	2184.8889	-46.09	26.98	-65.02	-13.00	52.02	Horizontal
3	2847.1111	-44.98	28.59	-62.71	-13.00	49.71	Horizontal
4	3800.4444	-43.95	29.60	-60.50	-13.00	47.50	Horizontal
5	4827.5556	-42.11	30.99	-57.71	-13.00	44.71	Horizontal
6	5793.3333	-39.87	32.63	-54.50	-13.00	41.50	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-65.79	-13.00	52.79	Vertical
2	2120.4444	-46.12	26.64	-65.15	-13.00	52.15	Vertical
3	2847.1111	-44.98	28.59	-62.52	-13.00	49.52	Vertical
4	3602.6667	-44.47	29.22	-60.40	-13.00	47.40	Vertical
5	4380.4444	-42.36	29.98	-59.03	-13.00	46.03	Vertical
6	5523.5556	-40.68	32.61	-55.45	-13.00	42.45	Vertical

1.16. Test Band = SA N14_ TM1

1.16.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1441.7778	-46.88	25.37	-66.43	-13.00	53.43	Horizontal
2	2184	-46.09	26.97	-65.18	-13.00	52.18	Horizontal
3	3002.2222	-44.70	28.89	-62.29	-13.00	49.29	Horizontal
4	3773.7778	-43.91	29.76	-60.49	-13.00	47.49	Horizontal
5	4852	-42.11	30.91	-56.68	-13.00	43.68	Horizontal
6	6341.7778	-39.44	33.55	-51.80	-13.00	38.80	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-66.15	-13.00	53.15	Vertical
2	2200.4444	-46.08	27.10	-64.88	-13.00	51.88	Vertical
3	2776.4444	-44.92	28.45	-62.60	-13.00	49.60	Vertical
4	3519.1111	-44.43	29.22	-57.81	-13.00	44.81	Vertical
5	4367.5556	-42.35	30.03	-58.97	-13.00	45.97	Vertical
6	5533.7778	-40.65	32.56	-55.42	-13.00	42.42	Vertical

1.17. Test Band = SA N25_ TM1

1.17.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3603.75	-44.27	29.22	-59.79	-13.00	46.79	Horizontal
2	5344.5	-41.19	32.48	-54.19	-13.00	41.19	Horizontal
3	7154.625	-40.42	36.12	-52.19	-13.00	39.19	Horizontal
4	9173.25	-40.77	37.31	-52.38	-13.00	39.38	Horizontal
5	11648.25	-40.63	40.41	-48.51	-13.00	35.51	Horizontal
6	14265	-40.75	41.80	-48.61	-13.00	35.61	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3623.625	-44.14	29.34	-58.78	-13.00	45.78	Vertical
2	5487	-40.78	32.65	-54.40	-13.00	41.40	Vertical
3	7277.625	-40.53	36.66	-50.88	-13.00	37.88	Vertical
4	8696.25	-40.33	36.89	-51.83	-13.00	38.83	Vertical
5	10820.25	-40.38	39.42	-49.43	-13.00	36.43	Vertical
6	13577.625	-40.39	40.22	-49.50	-13.00	36.50	Vertical

1.18. Test Band = SA N25_ TM1

1.18.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3619.875	-44.17	29.32	-59.23	-13.00	46.23	Horizontal
2	5181.75	-41.39	32.16	-54.91	-13.00	41.91	Horizontal
3	6769.875	-40.23	35.58	-52.47	-13.00	39.47	Horizontal
4	8567.625	-40.16	36.86	-52.99	-13.00	39.99	Horizontal
5	10734.75	-40.29	39.23	-49.25	-13.00	36.25	Horizontal
6	13680	-40.38	40.48	-48.86	-13.00	35.86	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-58.58	-13.00	45.58	Vertical
2	5201.625	-41.33	32.19	-55.62	-13.00	42.62	Vertical
3	7079.25	-40.67	36.08	-52.36	-13.00	39.36	Vertical
4	9121.5	-40.48	37.34	-51.74	-13.00	38.74	Vertical
5	10977	-40.42	40.29	-49.16	-13.00	36.16	Vertical
6	13677.75	-40.38	40.48	-48.83	-13.00	35.83	Vertical

1.19. Test Band = SA N25_ TM1

1.19.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3784.875	-43.56	29.69	-59.09	-13.00	46.09	Horizontal
2	5645.625	-40.46	32.81	-54.02	-13.00	41.02	Horizontal
3	7618.125	-40.50	36.86	-51.98	-13.00	38.98	Horizontal
4	9794.25	-40.30	38.78	-51.14	-13.00	38.14	Horizontal
5	12093.75	-40.08	39.81	-49.04	-13.00	36.04	Horizontal
6	14295.375	-40.81	41.89	-48.22	-13.00	35.22	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3633.375	-44.08	29.40	-59.13	-13.00	46.13	Vertical
2	5457.75	-40.90	32.53	-54.37	-13.00	41.37	Vertical
3	7131.75	-40.52	36.14	-51.86	-13.00	38.86	Vertical
4	9129	-40.52	37.36	-52.01	-13.00	39.01	Vertical
5	11380.5	-40.43	40.56	-48.82	-13.00	35.82	Vertical
6	14236.875	-40.69	41.71	-48.58	-13.00	35.58	Vertical

1.20. Test Band = SA N38_ TM1

1.20.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3764.5	-43.59	29.81	-59.39	-25.00	34.39	Horizontal
2	5669.5	-40.40	32.80	-54.81	-25.00	29.81	Horizontal
3	7636	-40.44	36.83	-52.67	-25.00	27.67	Horizontal
4	9769.5	-40.32	38.68	-52.23	-25.00	27.23	Horizontal
5	11597.5	-40.97	40.60	-49.00	-25.00	24.00	Horizontal
6	14386.5	-40.56	41.90	-49.10	-25.00	24.10	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3780	-43.57	29.72	-59.45	-25.00	34.45	Vertical
2	5339	-41.19	32.46	-54.71	-25.00	29.71	Vertical
3	7206	-40.23	36.34	-51.94	-25.00	26.94	Vertical
4	9224.5	-40.84	37.35	-52.79	-25.00	27.79	Vertical
5	11669.5	-40.48	40.32	-49.55	-25.00	24.55	Vertical
6	14459	-40.74	41.72	-49.06	-25.00	24.06	Vertical

1.21. Test Band = SA N38_ TM1

1.21.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3602	-44.28	29.21	-59.92	-25.00	34.92	Horizontal
2	5429.5	-41.02	32.38	-54.93	-25.00	29.93	Horizontal
3	7176	-40.32	36.20	-52.66	-25.00	27.66	Horizontal
4	9146.5	-40.62	37.39	-52.61	-25.00	27.61	Horizontal
5	11391	-40.32	40.58	-49.36	-25.00	24.36	Horizontal
6	14449	-40.70	41.75	-49.10	-25.00	24.10	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3607	-44.25	29.24	-59.62	-25.00	34.62	Vertical
2	5695	-40.32	32.80	-55.02	-25.00	30.02	Vertical
3	7440.5	-40.67	36.48	-50.08	-25.00	25.08	Vertical
4	9703	-40.36	38.51	-52.09	-25.00	27.09	Vertical
5	12217.5	-40.95	39.83	-50.63	-25.00	25.63	Vertical
6	15571.5	-37.07	38.91	-50.12	-25.00	25.12	Vertical

1.22. Test Band = SA N38_ TM1

1.22.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3605.5	-44.26	29.23	-60.43	-25.00	35.43	Horizontal
2	5357.5	-41.18	32.46	-55.45	-25.00	30.45	Horizontal
3	7043.5	-40.66	35.82	-52.63	-25.00	27.63	Horizontal
4	9655	-40.49	38.41	-52.14	-25.00	27.14	Horizontal
5	11999.5	-40.28	39.90	-49.90	-25.00	24.90	Horizontal
6	14607	-40.49	41.79	-49.24	-25.00	24.24	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3264	-44.03	28.56	-59.87	-25.00	34.87	Vertical
2	4852.5	-42.00	30.92	-52.89	-25.00	27.89	Vertical
3	6570	-40.30	34.80	-53.33	-25.00	28.33	Vertical
4	7864.5	-40.44	36.66	-53.35	-25.00	28.35	Vertical
5	10321.5	-40.38	39.42	-50.68	-25.00	25.68	Vertical
6	13628.5	-40.42	40.43	-50.07	-25.00	25.07	Vertical

1.23. Test Band = SA N41_ TM1

1.23.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3745	-43.61	29.85	-59.30	-25.00	34.30	Horizontal
2	5464.5	-40.88	32.56	-55.89	-25.00	30.89	Horizontal
3	7201	-40.21	36.31	-52.98	-25.00	27.98	Horizontal
4	8978	-40.91	36.82	-54.05	-25.00	29.05	Horizontal
5	10955	-40.49	40.18	-50.29	-25.00	25.29	Horizontal
6	13122.5	-40.47	39.73	-50.61	-25.00	25.61	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3264.5	-44.04	28.56	-60.04	-25.00	35.04	Vertical
2	4852.5	-42.00	30.92	-55.71	-25.00	30.71	Vertical
3	7278	-40.53	36.66	-52.48	-25.00	27.48	Vertical
4	9472	-40.91	37.67	-52.69	-25.00	27.69	Vertical
5	12023.5	-40.23	39.88	-49.18	-25.00	24.18	Vertical
6	15020.5	-39.86	40.92	-50.14	-25.00	25.14	Vertical

1.24. Test Band = SA N41_ TM1

1.24.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3289	-44.21	28.66	-61.79	-25.00	36.79	Horizontal
2	5006	-41.48	30.95	-57.08	-25.00	32.08	Horizontal
3	6560	-40.33	34.80	-53.61	-25.00	28.61	Horizontal
4	8247	-40.42	36.79	-54.16	-25.00	29.16	Horizontal
5	10056	-40.18	38.46	-52.86	-25.00	27.86	Horizontal
6	12114	-40.20	39.81	-50.01	-25.00	25.01	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3300	-44.29	28.70	-61.28	-25.00	36.28	Vertical
2	4804	-42.03	31.08	-55.26	-25.00	30.26	Vertical
3	6198.5	-40.34	33.79	-53.87	-25.00	28.87	Vertical
4	7594	-40.58	36.88	-53.12	-25.00	28.12	Vertical
5	9455.5	-40.86	37.77	-53.08	-25.00	28.08	Vertical
6	11360.5	-40.65	40.52	-49.50	-25.00	24.50	Vertical

1.25. Test Band = SA N41_ TM1

1.25.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3236	-43.84	28.44	-61.34	-25.00	36.34	Horizontal
2	5059	-41.57	31.39	-57.34	-25.00	32.34	Horizontal
3	6813.5	-40.14	35.75	-53.12	-25.00	28.12	Horizontal
4	8579	-40.14	36.84	-53.15	-25.00	28.15	Horizontal
5	10956	-40.48	40.18	-50.43	-25.00	25.43	Horizontal
6	13222.5	-40.26	39.52	-50.41	-25.00	25.41	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3264	-44.03	28.56	-59.88	-25.00	34.88	Vertical
2	4852	-42.00	30.91	-54.04	-25.00	29.04	Vertical
3	7205	-40.23	36.33	-50.33	-25.00	25.33	Vertical
4	9138	-40.57	37.38	-52.47	-25.00	27.47	Vertical
5	10713	-40.28	39.21	-50.15	-25.00	25.15	Vertical
6	12115	-40.21	39.82	-49.51	-25.00	24.51	Vertical

1.26. Test Band = SA N48_ TM1

1.26.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7186.5417	-40.50	36.25	-48.52	-40.00	8.52	Horizontal
2	9117.0417	-40.67	37.33	-53.63	-40.00	13.63	Horizontal
3	10779.4167	-40.49	39.28	-46.52	-40.00	6.52	Horizontal
4	12189.25	-40.35	39.89	-50.63	-40.00	10.63	Horizontal
5	13640.7917	-40.67	40.44	-49.85	-40.00	9.85	Horizontal
6	15778.4583	-36.39	38.49	-50.43	-40.00	10.43	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440	-40.79	36.48	-52.70	-40.00	12.70	Vertical
2	9080.375	-40.63	37.10	-53.83	-40.00	13.83	Vertical
3	10779.4167	-40.49	39.28	-45.72	-40.00	5.72	Vertical
4	12113.625	-40.50	39.81	-49.94	-40.00	9.94	Vertical
5	13444.625	-40.28	39.77	-50.73	-40.00	10.73	Vertical
6	14990.5833	-36.52	41.03	-47.27	-40.00	7.27	Vertical

1.27. Test Band = SA N48_ TM1

1.27.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7232.375	-40.44	36.49	-48.63	-40.00	8.63	Horizontal
2	9194.5	-40.96	37.22	-53.28	-40.00	13.28	Horizontal
3	10848.1667	-40.64	39.59	-48.32	-40.00	8.32	Horizontal
4	13022.0417	-40.25	39.57	-50.44	-40.00	10.44	Horizontal
5	15012.125	-36.44	40.95	-47.11	-40.00	7.11	Horizontal
6	17108.5417	-40.46	41.83	-50.55	-40.00	10.55	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7232.375	-40.44	36.49	-46.05	-40.00	6.05	Vertical
2	10848.1667	-40.64	39.59	-45.86	-40.00	5.86	Vertical
3	12600.375	-40.26	38.60	-51.17	-40.00	11.17	Vertical
4	14240.75	-40.44	41.72	-49.29	-40.00	9.29	Vertical
5	16644.25	-38.74	39.42	-51.40	-40.00	11.40	Vertical
6	17967.9167	-46.01	47.32	-51.18	-40.00	11.18	Vertical

1.28. Test Band = SA N48_ TM1

1.28.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7282.3333	-40.25	36.66	-48.46	-40.00	8.46	Horizontal
2	9120.7083	-40.69	37.34	-53.58	-40.00	13.58	Horizontal
3	10922.875	-40.75	40.01	-48.66	-40.00	8.66	Horizontal
4	12204.375	-40.34	39.88	-50.47	-40.00	10.47	Horizontal
5	13836.5	-40.21	40.28	-49.78	-40.00	9.78	Horizontal
6	15528.6667	-36.52	39.09	-50.28	-40.00	10.28	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7282.3333	-40.25	36.66	-47.63	-40.00	7.63	Vertical
2	10923.3333	-40.75	40.02	-46.47	-40.00	6.47	Vertical
3	12206.6667	-40.35	39.87	-50.20	-40.00	10.20	Vertical
4	14449.2917	-40.45	41.75	-49.37	-40.00	9.37	Vertical
5	16024.125	-36.35	38.25	-50.64	-40.00	10.64	Vertical
6	17756.625	-44.36	45.24	-50.81	-40.00	10.81	Vertical

1.29. Test Band = SA N66_ TM1

1.29.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3608.25	-44.24	29.25	-60.80	-13.00	47.80	Horizontal
2	5136	-41.53	32.02	-56.84	-13.00	43.84	Horizontal
3	6798	-40.03	35.69	-54.17	-13.00	41.17	Horizontal
4	9108.75	-40.41	37.32	-53.43	-13.00	40.43	Horizontal
5	12105	-40.12	39.81	-50.52	-13.00	37.52	Horizontal
6	14383.5	-40.57	41.90	-49.47	-13.00	36.47	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3615.75	-44.19	29.29	-60.58	-13.00	47.58	Vertical
2	5200.5	-41.33	32.20	-56.52	-13.00	43.52	Vertical
3	7440	-40.67	36.48	-52.21	-13.00	39.21	Vertical
4	9474	-40.91	37.66	-53.30	-13.00	40.30	Vertical
5	12104.25	-40.11	39.80	-50.01	-13.00	37.01	Vertical
6	14384.25	-40.57	41.90	-49.89	-13.00	36.89	Vertical

1.30. Test Band = SA N66_ TM1

1.30.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3612.75	-44.21	29.28	-60.99	-13.00	47.99	Horizontal
2	5193.75	-41.35	32.19	-56.16	-13.00	43.16	Horizontal
3	6804.75	-40.06	35.72	-53.76	-13.00	40.76	Horizontal
4	8556.75	-40.18	36.89	-54.10	-13.00	41.10	Horizontal
5	10318.5	-40.36	39.42	-52.32	-13.00	39.32	Horizontal
6	12393.75	-40.20	39.50	-50.93	-13.00	37.93	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3618.75	-44.17	29.31	-60.81	-13.00	47.81	Vertical
2	4803.75	-42.03	31.09	-50.48	-13.00	37.48	Vertical
3	7440.75	-40.67	36.48	-49.75	-13.00	36.75	Vertical
4	9605.25	-40.63	38.13	-53.48	-13.00	40.48	Vertical
5	11994.75	-40.30	39.88	-50.21	-13.00	37.21	Vertical
6	14424	-40.61	41.83	-49.27	-13.00	36.27	Vertical

1.31. Test Band = SA N66_ TM1

1.31.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3629.25	-44.11	29.38	-60.75	-13.00	47.75	Horizontal
2	5193	-41.35	32.19	-56.59	-13.00	43.59	Horizontal
3	6804	-40.05	35.72	-54.34	-13.00	41.34	Horizontal
4	8563.5	-40.17	36.87	-54.20	-13.00	41.20	Horizontal
5	10770.75	-40.30	39.27	-50.91	-13.00	37.91	Horizontal
6	13641	-40.41	40.44	-50.66	-13.00	37.66	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3398.25	-44.07	28.89	-61.79	-13.00	48.79	Vertical
2	4959.75	-41.68	30.74	-54.47	-13.00	41.47	Vertical
3	6540.75	-40.39	34.76	-54.60	-13.00	41.60	Vertical
4	8529	-40.23	36.86	-54.28	-13.00	41.28	Vertical
5	10732.5	-40.29	39.23	-50.55	-13.00	37.55	Vertical
6	13654.5	-40.40	40.45	-50.49	-13.00	37.49	Vertical

1.32. Test Band = SA N71_ TM1

1.32.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1199.5	-47.26	24.80	-68.09	-13.00	55.09	Horizontal
2	1578	-46.92	24.95	-68.13	-13.00	55.13	Horizontal
3	2315	-45.75	27.37	-64.62	-13.00	51.62	Horizontal
4	3466	-44.41	28.96	-62.38	-13.00	49.38	Horizontal
5	5312.5	-41.22	32.35	-53.82	-13.00	40.82	Horizontal
6	7621.5	-36.82	36.86	-49.81	-13.00	36.81	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200	-47.26	24.80	-65.68	-13.00	52.68	Vertical
2	1668.5	-46.79	25.12	-67.61	-13.00	54.61	Vertical
3	2401.5	-45.72	27.21	-61.53	-13.00	48.53	Vertical
4	3615	-44.39	29.29	-61.17	-13.00	48.17	Vertical
5	5313.5	-41.22	32.35	-47.54	-13.00	34.54	Vertical
6	7440.5	-36.77	36.48	-48.76	-13.00	35.76	Vertical

1.33. Test Band = SA N71_ TM1

1.33.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1325.5	-47.04	25.05	-68.20	-13.00	55.20	Horizontal
2	2179	-46.09	26.93	-65.45	-13.00	52.45	Horizontal
3	3001	-44.70	28.90	-62.89	-13.00	49.89	Horizontal
4	3611.5	-44.41	29.27	-61.17	-13.00	48.17	Horizontal
5	4356	-42.34	30.08	-58.54	-13.00	45.54	Horizontal
6	5315.5	-41.21	32.36	-52.87	-13.00	39.87	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197	-47.26	24.79	-66.49	-13.00	53.49	Vertical
2	1920	-46.43	25.40	-64.91	-13.00	51.91	Vertical
3	2609	-45.20	28.10	-63.66	-13.00	50.66	Vertical
4	3264	-44.52	28.56	-60.95	-13.00	47.95	Vertical
5	4164.5	-43.19	29.59	-60.46	-13.00	47.46	Vertical
6	5316	-41.21	32.36	-47.43	-13.00	34.43	Vertical

1.34. Test Band = SA N71_ TM1

1.34.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1347	-46.97	25.18	-68.08	-13.00	55.08	Horizontal
2	1920	-46.43	25.40	-64.68	-13.00	51.68	Horizontal
3	2428	-45.67	27.37	-63.80	-13.00	50.80	Horizontal
4	3125.5	-44.74	28.85	-62.70	-13.00	49.70	Horizontal
5	3853	-43.71	29.41	-60.53	-13.00	47.53	Horizontal
6	4625	-42.31	30.35	-58.67	-13.00	45.67	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1199.5	-47.26	24.80	-67.18	-13.00	54.18	Vertical
2	1920	-46.43	25.40	-63.84	-13.00	50.84	Vertical
3	2718.5	-45.03	28.34	-63.36	-13.00	50.36	Vertical
4	3585.5	-44.48	29.17	-62.07	-13.00	49.07	Vertical
5	4373	-42.36	30.01	-58.99	-13.00	45.99	Vertical
6	5319.5	-41.20	32.38	-47.16	-13.00	34.16	Vertical

1.35. Test Band = SA N77_ TM1

1.35.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7204.4167	-40.54	36.33	-53.13	-13.00	40.13	Horizontal
2	9150.5	-40.80	37.40	-53.43	-13.00	40.43	Horizontal
3	10743.6667	-40.34	39.24	-50.72	-13.00	37.72	Horizontal
4	12918.4583	-40.16	39.17	-50.69	-13.00	37.69	Horizontal
5	15019	-36.46	40.92	-46.76	-13.00	33.76	Horizontal
6	17551.75	-42.18	44.71	-49.24	-13.00	36.24	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7594.4583	-40.04	36.88	-52.78	-13.00	39.78	Vertical
2	9138.5833	-40.75	37.38	-53.38	-13.00	40.38	Vertical
3	10718.4583	-40.23	39.22	-50.68	-13.00	37.68	Vertical
4	12249.2917	-40.45	39.70	-50.82	-13.00	37.82	Vertical
5	14121.125	-40.43	41.52	-49.72	-13.00	36.72	Vertical
6	15782.5833	-36.37	38.47	-50.19	-13.00	37.19	Vertical

1.36. Test Band = SA N77_ TM1

1.36.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7577.0417	-40.17	36.81	-52.75	-13.00	39.75	Horizontal
2	9596.9167	-40.06	38.08	-53.01	-13.00	40.01	Horizontal
3	11438.5	-40.49	40.56	-49.66	-13.00	36.66	Horizontal
4	13433.1667	-40.28	39.80	-50.69	-13.00	37.69	Horizontal
5	15595.125	-36.65	38.82	-50.01	-13.00	37.01	Horizontal
6	17552.6667	-42.18	44.71	-49.70	-13.00	36.70	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440.4583	-40.79	36.48	-49.79	-13.00	36.79	Vertical
2	9275.1667	-40.48	37.35	-53.43	-13.00	40.43	Vertical
3	11345.9167	-40.81	40.49	-50.00	-13.00	37.00	Vertical
4	13460.6667	-40.29	39.72	-50.11	-13.00	37.11	Vertical
5	15594.2083	-36.65	38.82	-50.19	-13.00	37.19	Vertical
6	17639.2917	-42.85	44.90	-50.56	-13.00	37.56	Vertical

1.37. Test Band = SA N77_ TM1

1.37.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7352.9167	-40.51	36.78	-53.63	-13.00	40.63	Horizontal
2	9467.6667	-40.54	37.69	-52.79	-13.00	39.79	Horizontal
3	11378.4583	-40.63	40.56	-49.99	-13.00	36.99	Horizontal
4	13223.7083	-40.23	39.52	-50.61	-13.00	37.61	Horizontal
5	15032.75	-36.49	40.87	-46.98	-13.00	33.98	Horizontal
6	17119.0833	-40.49	41.88	-50.42	-13.00	37.42	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440.4583	-40.79	36.48	-49.44	-13.00	36.44	Vertical
2	9542.375	-40.22	37.75	-53.07	-13.00	40.07	Vertical
3	10951.75	-40.81	40.16	-50.71	-13.00	37.71	Vertical
4	13013.7917	-40.25	39.54	-50.74	-13.00	37.74	Vertical
5	15029.5417	-36.48	40.88	-46.98	-13.00	33.98	Vertical
6	17546.25	-42.18	44.69	-49.22	-13.00	36.22	Vertical

1.38. Test Band = SA N77_ TM1

1.38.1. Test Channel = Mid(3450-3550MHz)

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7339.1667	-40.43	36.78	-52.78	-13.00	39.78	Horizontal
2	9139.0417	-40.75	37.38	-53.51	-13.00	40.51	Horizontal
3	10975.5833	-40.87	40.28	-50.87	-13.00	37.87	Horizontal
4	12906.5417	-40.15	39.13	-50.33	-13.00	37.33	Horizontal
5	14796.25	-38.48	41.31	-49.03	-13.00	36.03	Horizontal
6	16787.7083	-38.68	39.88	-50.74	-13.00	37.74	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7495	-40.75	36.86	-53.25	-13.00	40.25	Vertical
2	9277.9167	-40.46	37.33	-53.33	-13.00	40.33	Vertical
3	11355.0833	-40.76	40.51	-49.68	-13.00	36.68	Vertical
4	13403.375	-40.28	39.89	-50.56	-13.00	37.56	Vertical
5	15015.3333	-36.45	40.94	-46.89	-13.00	33.89	Vertical
6	16797.7917	-38.66	39.90	-49.74	-13.00	36.74	Vertical

1.39. Test Band = SA N78_ TM1

1.39.1. Test Channel = Mid(3450-3550MHz)

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7602.25	-40.02	36.90	-52.74	-13.00	39.74	Horizontal
2	9564.375	-40.15	37.89	-53.35	-13.00	40.35	Horizontal
3	11292.75	-41.12	40.41	-49.70	-13.00	36.70	Horizontal
4	13205.375	-40.12	39.51	-50.40	-13.00	37.40	Horizontal
5	15010.2917	-36.43	40.96	-47.09	-13.00	34.09	Horizontal
6	17551.2917	-42.18	44.71	-49.19	-13.00	36.19	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440	-40.79	36.48	-50.89	-13.00	37.89	Vertical
2	9258.6667	-40.59	37.45	-53.59	-13.00	40.59	Vertical
3	11411.9167	-40.51	40.59	-50.00	-13.00	37.00	Vertical
4	13031.6667	-40.25	39.60	-50.19	-13.00	37.19	Vertical
5	14825.5833	-38.21	41.30	-48.93	-13.00	35.93	Vertical
6	16777.625	-38.71	39.86	-50.45	-13.00	37.45	Vertical

1.40. Test Band = SA N78_ TM1

1.40.1. Test Channel = Mid(3700-3800MHz)

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7340.0833	-40.43	36.78	-53.26	-13.00	40.26	Horizontal
2	9274.25	-40.48	37.35	-53.21	-13.00	40.21	Horizontal
3	10950.375	-40.81	40.15	-50.50	-13.00	37.50	Horizontal
4	12610.9167	-40.31	38.61	-51.02	-13.00	38.02	Horizontal
5	14380.5417	-40.65	41.90	-49.54	-13.00	36.54	Horizontal
6	16260.1667	-36.27	38.28	-49.86	-13.00	36.86	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.2917	-40.27	36.65	-51.87	-13.00	38.87	Vertical
2	9161.9583	-40.84	37.35	-53.49	-13.00	40.49	Vertical
3	10946.25	-40.80	40.13	-50.80	-13.00	37.80	Vertical
4	13221.4167	-40.22	39.52	-50.54	-13.00	37.54	Vertical
5	15543.3333	-36.55	39.03	-49.82	-13.00	36.82	Vertical
6	17544.4167	-42.19	44.68	-49.63	-13.00	36.63	Vertical

External Antenna DX1H

1.41. Test Band = SA N48_ TM1

1.41.1. Test Channel = Low

Final Data List

NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7246.5833	-40.38	36.58	-50.61	-40.00	10.61	Horizontal
2	9266	-40.54	37.40	-53.37	-40.00	13.37	Horizontal
3	10874.75	-40.67	39.75	-49.08	-40.00	9.08	Horizontal
4	13085.2917	-40.26	39.76	-50.08	-40.00	10.08	Horizontal
5	14873.25	-37.81	41.30	-48.28	-40.00	8.28	Horizontal
6	16898.1667	-38.70	40.49	-50.75	-40.00	10.75	Horizontal

Final Data List

NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7250.7083	-40.37	36.60	-49.43	-40.00	9.43	Vertical
2	9189	-40.94	37.24	-53.45	-40.00	13.45	Vertical
3	10874.2917	-40.67	39.75	-49.02	-40.00	9.02	Vertical
4	12881.3333	-40.18	39.14	-51.16	-40.00	11.16	Vertical
5	15016.25	-36.45	40.93	-47.06	-40.00	7.06	Vertical
6	16878.4583	-38.69	40.37	-50.78	-40.00	10.78	Vertical

1.42. Test Band = SA N48_ TM1

1.42.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7248.4167	-40.38	36.59	-50.40	-40.00	10.40	Horizontal
2	9222.4583	-40.83	37.33	-53.77	-40.00	13.77	Horizontal
3	10876.5833	-40.67	39.76	-49.96	-40.00	9.96	Horizontal
4	12505.9583	-40.86	39.26	-51.32	-40.00	11.32	Horizontal
5	14244.4167	-40.47	41.73	-49.13	-40.00	9.13	Horizontal
6	16241.8333	-36.26	38.32	-49.95	-40.00	9.95	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7247.0417	-40.38	36.58	-49.73	-40.00	9.73	Vertical
2	9283.4167	-40.42	37.30	-53.69	-40.00	13.69	Vertical
3	10872	-40.67	39.73	-49.25	-40.00	9.25	Vertical
4	12948.25	-40.19	39.29	-50.68	-40.00	10.68	Vertical
5	14796.7083	-38.48	41.31	-49.59	-40.00	9.59	Vertical
6	16799.625	-38.65	39.90	-50.74	-40.00	10.74	Vertical

1.43. Test Band = SA N48_ TM1

1.43.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7247.9583	-40.38	36.59	-50.31	-40.00	10.31	Horizontal
2	9182.5833	-40.92	37.27	-53.57	-40.00	13.57	Horizontal
3	10877.5	-40.67	39.77	-50.12	-40.00	10.12	Horizontal
4	12926.7083	-40.17	39.21	-50.79	-40.00	10.79	Horizontal
5	14849.4167	-38.01	41.30	-48.93	-40.00	8.93	Horizontal
6	16890.8333	-38.70	40.45	-50.29	-40.00	10.29	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7247.5	-40.38	36.59	-49.15	-40.00	9.15	Vertical
2	9183.9583	-40.92	37.26	-53.64	-40.00	13.64	Vertical
3	10875.2083	-40.67	39.75	-49.47	-40.00	9.47	Vertical
4	12946.875	-40.19	39.29	-50.41	-40.00	10.41	Vertical
5	15549.75	-36.56	39.00	-50.30	-40.00	10.30	Vertical
6	17542.5833	-42.19	44.67	-49.87	-40.00	9.87	Vertical

External Antenna EX1H

1.44. Test Band = SA N48_ TM1

1.44.1. Test Channel = Low

Final Data List

NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7602.25	-40.02	36.90	-52.97	-40.00	12.97	Horizontal
2	8590.4167	-40.20	36.82	-54.63	-40.00	14.63	Horizontal
3	9629	-40.04	38.27	-53.71	-40.00	13.71	Horizontal
4	11325.2917	-40.92	40.45	-50.15	-40.00	10.15	Horizontal
5	15011.6667	-36.44	40.95	-47.20	-40.00	7.20	Horizontal
6	17544.875	-42.19	44.68	-49.13	-40.00	9.13	Horizontal

Final Data List

NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7609.125	-40.07	36.88	-52.96	-40.00	12.96	Vertical
2	9131.7083	-40.73	37.36	-53.50	-40.00	13.50	Vertical
3	10692.7917	-40.15	39.19	-50.37	-40.00	10.37	Vertical
4	12945.0417	-40.19	39.28	-51.06	-40.00	11.06	Vertical
5	15043.2917	-36.51	40.83	-47.36	-40.00	7.36	Vertical
6	17532.9583	-42.20	44.63	-49.61	-40.00	9.61	Vertical

1.45. Test Band = SA N48_ TM1

1.45.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7610.9583	-40.08	36.88	-53.13	-40.00	13.13	Horizontal
2	8545.5	-40.33	36.89	-54.77	-40.00	14.77	Horizontal
3	10371.5	-40.23	39.47	-51.46	-40.00	11.46	Horizontal
4	12939.0833	-40.18	39.26	-50.83	-40.00	10.83	Horizontal
5	15009.375	-36.43	40.96	-47.28	-40.00	7.28	Horizontal
6	17563.6667	-42.17	44.75	-49.82	-40.00	9.82	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7604.5417	-40.03	36.89	-53.03	-40.00	13.03	Vertical
2	8565.2083	-40.27	36.87	-54.62	-40.00	14.62	Vertical
3	10290.375	-40.22	39.36	-51.80	-40.00	11.80	Vertical
4	11970.1667	-40.35	39.81	-50.25	-40.00	10.25	Vertical
5	15006.625	-36.43	40.97	-47.67	-40.00	7.67	Vertical
6	17543.5	-42.19	44.67	-49.86	-40.00	9.86	Vertical

1.46. Test Band = SA N48_ TM1

1.46.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7599.9583	-40.00	36.90	-52.92	-40.00	12.92	Horizontal
2	9114.75	-40.66	37.33	-53.68	-40.00	13.68	Horizontal
3	10740.4583	-40.32	39.24	-50.84	-40.00	10.84	Horizontal
4	12244.7083	-40.44	39.72	-50.70	-40.00	10.70	Horizontal
5	15017.625	-36.45	40.93	-47.27	-40.00	7.27	Horizontal
6	17563.6667	-42.17	44.75	-49.57	-40.00	9.57	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7614.1667	-40.11	36.87	-52.19	-40.00	12.19	Vertical
2	8538.1667	-40.36	36.88	-55.00	-40.00	15.00	Vertical
3	10159.2917	-40.12	38.80	-52.13	-40.00	12.13	Vertical
4	12248.8333	-40.45	39.70	-50.82	-40.00	10.82	Vertical
5	15018.0833	-36.45	40.93	-47.45	-40.00	7.45	Vertical
6	17551.2917	-42.18	44.71	-49.64	-40.00	9.64	Vertical

- End of the Appendix -