

Appendix C.6

Internal Antenna

1.1. Test Band = NSA-71A_n78A_ TM1

1.1.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3291	-44.62	28.66	-62.93	-13.00	49.93	Horizontal
2	4368.5	-42.35	30.03	-58.96	-13.00	45.96	Horizontal
3	5327	-41.18	32.41	-50.88	-13.00	37.88	Horizontal
4	6375	-39.32	33.80	-54.44	-13.00	41.44	Horizontal
5	7535	-36.86	36.76	-49.95	-13.00	36.95	Horizontal
6	8615.5	-34.98	36.77	-49.21	-13.00	36.21	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3264	-44.52	28.56	-60.67	-13.00	47.67	Vertical
2	4851.5	-42.11	30.91	-55.50	-13.00	42.50	Vertical
3	6115	-39.36	33.67	-54.60	-13.00	41.60	Vertical
4	7556	-36.89	36.72	-50.18	-13.00	37.18	Vertical
5	8561	-35.14	36.88	-49.13	-13.00	36.13	Vertical
6	8943	-34.34	36.57	-48.78	-13.00	35.78	Vertical

1.2. Test Band = NSA-71A_n78A_ TM1

1.2.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3119	-44.78	28.86	-62.86	-13.00	49.86	Horizontal
2	4370	-42.36	30.02	-58.86	-13.00	45.86	Horizontal
3	5324	-41.19	32.40	-51.02	-13.00	38.02	Horizontal
4	6170	-39.52	33.68	-54.39	-13.00	41.39	Horizontal
5	7359.5	-37.01	36.72	-50.49	-13.00	37.49	Horizontal
6	8417	-34.96	36.57	-49.22	-13.00	36.22	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3263.5	-44.51	28.55	-60.18	-13.00	47.18	Vertical
2	4316	-42.31	29.83	-59.34	-13.00	46.34	Vertical
3	5319.5	-41.20	32.38	-55.43	-13.00	42.43	Vertical
4	6227	-39.60	33.64	-54.40	-13.00	41.40	Vertical
5	7439	-36.77	36.48	-49.23	-13.00	36.23	Vertical
6	8999	-34.38	36.99	-48.76	-13.00	35.76	Vertical

1.3. Test Band = NSA-71A_n78A_ TM1

1.3.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3614	-44.39	29.28	-60.80	-13.00	47.80	Horizontal
2	4682	-42.34	30.76	-58.49	-13.00	45.49	Horizontal
3	5323	-41.19	32.39	-50.74	-13.00	37.74	Horizontal
4	6504	-39.03	34.62	-53.60	-13.00	40.60	Horizontal
5	7624	-36.80	36.85	-49.96	-13.00	36.96	Horizontal
6	8992.5	-34.37	36.94	-48.88	-13.00	35.88	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3264	-44.52	28.56	-60.42	-13.00	47.42	Vertical
2	4852	-42.11	30.91	-54.27	-13.00	41.27	Vertical
3	5323	-41.19	32.39	-46.42	-13.00	33.42	Vertical
4	6424.5	-39.19	34.05	-53.97	-13.00	40.97	Vertical
5	7206	-37.28	36.34	-49.11	-13.00	36.11	Vertical
6	8561.5	-35.13	36.88	-48.99	-13.00	35.99	Vertical

1.4. Test Band = NSA-4A_n78A_ TM1

1.4.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7580.7083	-40.14	36.82	-53.06	-13.00	40.06	Horizontal
2	9263.7083	-40.55	37.42	-53.43	-13.00	40.43	Horizontal
3	11349.125	-40.79	40.50	-50.06	-13.00	37.06	Horizontal
4	13646.75	-40.62	40.45	-49.90	-13.00	36.90	Horizontal
5	15572.2083	-36.61	38.91	-50.03	-13.00	37.03	Horizontal
6	17551.75	-42.18	44.71	-49.48	-13.00	36.48	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7566.0417	-40.25	36.76	-52.71	-13.00	39.71	Vertical
2	9574.4583	-40.12	37.95	-53.18	-13.00	40.18	Vertical
3	11443.5417	-40.49	40.56	-49.92	-13.00	36.92	Vertical
4	13421.7083	-40.28	39.83	-50.64	-13.00	37.64	Vertical
5	15409.9583	-36.86	39.47	-49.95	-13.00	36.95	Vertical
6	17555.4167	-42.17	44.72	-49.15	-13.00	36.15	Vertical

1.5. Test Band = NSA-4A_n78A_ TM1

1.5.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7597.2083	-40.02	36.89	-52.31	-13.00	39.31	Horizontal
2	9275.625	-40.47	37.35	-53.10	-13.00	40.10	Horizontal
3	10953.5833	-40.82	40.17	-50.88	-13.00	37.88	Horizontal
4	12937.25	-40.18	39.25	-50.96	-13.00	37.96	Horizontal
5	15011.6667	-36.44	40.95	-47.20	-13.00	34.20	Horizontal
6	17552.2083	-42.18	44.71	-49.43	-13.00	36.43	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7206.25	-40.54	36.34	-50.71	-13.00	37.71	Vertical
2	9511.6667	-40.31	37.57	-53.26	-13.00	40.26	Vertical
3	11350.5	-40.78	40.50	-49.84	-13.00	36.84	Vertical
4	13582.5833	-40.85	40.26	-50.26	-13.00	37.26	Vertical
5	15541.0417	-36.55	39.04	-49.66	-13.00	36.66	Vertical
6	17559.0833	-42.17	44.74	-49.53	-13.00	36.53	Vertical

1.6. Test Band = NSA-4A_n78A_ TM1

1.6.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7340.5417	-40.44	36.78	-53.42	-13.00	40.42	Horizontal
2	9278.375	-40.45	37.33	-53.42	-13.00	40.42	Horizontal
3	10950.375	-40.81	40.15	-50.90	-13.00	37.90	Horizontal
4	12804.3333	-40.35	39.29	-50.65	-13.00	37.65	Horizontal
5	14870.5	-37.83	41.30	-48.75	-13.00	35.75	Horizontal
6	16788.625	-38.68	39.88	-50.50	-13.00	37.50	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7609.5833	-40.07	36.88	-52.38	-13.00	39.38	Vertical
2	9604.7083	-40.05	38.13	-52.95	-13.00	39.95	Vertical
3	11353.7083	-40.77	40.51	-49.88	-13.00	36.88	Vertical
4	13083.4583	-40.26	39.75	-50.26	-13.00	37.26	Vertical
5	15199.125	-36.85	40.01	-48.12	-13.00	35.12	Vertical
6	17552.2083	-42.18	44.71	-49.73	-13.00	36.73	Vertical

1.7. Test Band = NSA-5A_n78A_ TM1

1.7.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7613.7083	-40.10	36.87	-52.73	-13.00	39.73	Horizontal
2	9251.3333	-40.64	37.49	-53.21	-13.00	40.21	Horizontal
3	10969.625	-40.85	40.25	-50.67	-13.00	37.67	Horizontal
4	12939.0833	-40.18	39.26	-50.82	-13.00	37.82	Horizontal
5	14450.6667	-40.44	41.75	-49.58	-13.00	36.58	Horizontal
6	16184.5417	-36.31	38.40	-50.65	-13.00	37.65	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440	-40.79	36.48	-48.44	-13.00	35.44	Vertical
2	9253.625	-40.62	37.48	-53.44	-13.00	40.44	Vertical
3	10949	-40.81	40.15	-50.73	-13.00	37.73	Vertical
4	12401.9167	-40.21	39.50	-50.58	-13.00	37.58	Vertical
5	14118.8333	-40.44	41.52	-49.96	-13.00	36.96	Vertical
6	15599.7083	-36.66	38.80	-50.14	-13.00	37.14	Vertical

1.8. Test Band = NSA-5A_n78A_ TM1

1.8.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7342.375	-40.45	36.78	-53.38	-13.00	40.38	Horizontal
2	9249.9583	-40.65	37.50	-53.65	-13.00	40.65	Horizontal
3	11354.625	-40.76	40.51	-49.20	-13.00	36.20	Horizontal
4	13271.8333	-40.51	39.57	-50.59	-13.00	37.59	Horizontal
5	15602	-36.66	38.80	-49.72	-13.00	36.72	Horizontal
6	17543.9583	-42.19	44.68	-49.70	-13.00	36.70	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7409.2917	-40.80	36.42	-53.60	-13.00	40.60	Vertical
2	9535.0417	-40.24	37.71	-53.36	-13.00	40.36	Vertical
3	11504.5	-40.46	40.50	-50.07	-13.00	37.07	Vertical
4	13083	-40.26	39.75	-50.58	-13.00	37.58	Vertical
5	15009.8333	-36.43	40.96	-47.54	-13.00	34.54	Vertical
6	16905.9583	-38.82	40.53	-50.60	-13.00	37.60	Vertical

1.9. Test Band = NSA-5A_n78A_ TM1

1.9.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7221.375	-40.48	36.43	-53.07	-13.00	40.07	Horizontal
2	9256.8333	-40.60	37.46	-53.41	-13.00	40.41	Horizontal
3	11315.6667	-40.97	40.43	-50.16	-13.00	37.16	Horizontal
4	12464.25	-40.65	39.37	-50.95	-13.00	37.95	Horizontal
5	13842	-40.22	40.31	-50.28	-13.00	37.28	Horizontal
6	15187.2083	-36.82	40.08	-48.67	-13.00	35.67	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7097.1667	-40.17	36.18	-53.21	-13.00	40.21	Vertical
2	9268.75	-40.52	37.39	-53.29	-13.00	40.29	Vertical
3	10966.4167	-40.85	40.23	-50.93	-13.00	37.93	Vertical
4	13033.5	-40.25	39.60	-50.57	-13.00	37.57	Vertical
5	14390.1667	-40.63	41.90	-49.11	-13.00	36.11	Vertical
6	16594.2917	-38.60	39.19	-51.02	-13.00	38.02	Vertical

1.10. Test Band = NSA-7A_n78A_ TM1

1.10.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7601.3333	-40.01	36.90	-53.06	-13.00	40.06	Horizontal
2	9460.3333	-40.59	37.74	-53.86	-13.00	40.86	Horizontal
3	11259.2917	-41.47	40.44	-51.15	-13.00	38.15	Horizontal
4	12806.1667	-40.35	39.29	-50.89	-13.00	37.89	Horizontal
5	14453.875	-40.43	41.74	-49.11	-13.00	36.11	Horizontal
6	16179.9583	-36.34	38.40	-50.20	-13.00	37.20	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7205.3333	-40.54	36.33	-51.78	-13.00	38.78	Vertical
2	9270.5833	-40.51	37.38	-52.84	-13.00	39.84	Vertical
3	10949	-40.81	40.15	-50.61	-13.00	37.61	Vertical
4	12920.2917	-40.16	39.18	-50.67	-13.00	37.67	Vertical
5	14795.7917	-38.49	41.31	-48.84	-13.00	35.84	Vertical
6	17535.7083	-42.19	44.64	-48.92	-13.00	35.92	Vertical

1.11. Test Band = NSA-7A_n78A_ TM1

1.11.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7610.5	-40.08	36.88	-52.56	-13.00	39.56	Horizontal
2	9602.4167	-40.05	38.11	-53.20	-13.00	40.20	Horizontal
3	11646.125	-40.57	40.42	-50.14	-13.00	37.14	Horizontal
4	13254.875	-40.41	39.55	-50.56	-13.00	37.56	Horizontal
5	15035.5	-36.50	40.86	-47.33	-13.00	34.33	Horizontal
6	16893.125	-38.70	40.46	-50.99	-13.00	37.99	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7205.3333	-40.54	36.33	-51.27	-13.00	38.27	Vertical
2	9242.1667	-40.70	37.45	-53.42	-13.00	40.42	Vertical
3	10927.4583	-40.76	40.04	-50.76	-13.00	37.76	Vertical
4	12383.5833	-40.26	39.50	-50.69	-13.00	37.69	Vertical
5	13844.75	-40.22	40.32	-49.98	-13.00	36.98	Vertical
6	15201.875	-36.85	40.00	-48.67	-13.00	35.67	Vertical

1.12. Test Band = NSA-7A_n78A_ TM1

1.12.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7352.9167	-40.51	36.78	-53.34	-13.00	40.34	Horizontal
2	9175.25	-40.89	37.30	-53.66	-13.00	40.66	Horizontal
3	10575.9167	-40.34	39.05	-51.60	-13.00	38.60	Horizontal
4	12043.5	-40.43	39.86	-50.23	-13.00	37.23	Horizontal
5	13828.25	-40.19	40.24	-49.88	-13.00	36.88	Horizontal
6	15337.5417	-36.94	39.94	-49.81	-13.00	36.81	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.75	-40.26	36.66	-50.01	-13.00	37.01	Vertical
2	8561.5417	-40.29	36.88	-54.18	-13.00	41.18	Vertical
3	10371.9583	-40.23	39.47	-51.57	-13.00	38.57	Vertical
4	11929.8333	-40.36	39.69	-49.89	-13.00	36.89	Vertical
5	13427.2083	-40.28	39.82	-50.71	-13.00	37.71	Vertical
6	15008.4583	-36.43	40.97	-47.12	-13.00	34.12	Vertical

1.13. Test Band = NSA-2A_n78A_ TM1

1.13.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7091.6667	-40.22	36.15	-53.41	-13.00	40.41	Horizontal
2	9268.2917	-40.52	37.39	-53.80	-13.00	40.80	Horizontal
3	10975.5833	-40.87	40.28	-50.68	-13.00	37.68	Horizontal
4	12947.3333	-40.19	39.29	-50.11	-13.00	37.11	Horizontal
5	15043.75	-36.52	40.82	-46.46	-13.00	33.46	Horizontal
6	16917.875	-39.06	40.59	-50.75	-13.00	37.75	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7439.5417	-40.79	36.48	-51.72	-13.00	38.72	Vertical
2	9602.4167	-40.05	38.11	-52.78	-13.00	39.78	Vertical
3	11392.6667	-40.56	40.59	-49.73	-13.00	36.73	Vertical
4	12877.6667	-40.19	39.14	-50.80	-13.00	37.80	Vertical
5	14423.625	-40.53	41.83	-49.35	-13.00	36.35	Vertical
6	16194.1667	-36.25	38.40	-50.08	-13.00	37.08	Vertical

1.14. Test Band = NSA-2A_n78A_ TM1

1.14.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7096.25	-40.18	36.18	-53.44	-13.00	40.44	Horizontal
2	9459.875	-40.59	37.74	-52.62	-13.00	39.62	Horizontal
3	11433	-40.49	40.57	-49.76	-13.00	36.76	Horizontal
4	13027.0833	-40.25	39.58	-50.09	-13.00	37.09	Horizontal
5	15015.3333	-36.45	40.94	-46.83	-13.00	33.83	Horizontal
6	17148.875	-40.59	42.00	-50.81	-13.00	37.81	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7060.0417	-40.49	35.96	-53.86	-13.00	40.86	Vertical
2	8920.875	-40.85	36.48	-54.81	-13.00	41.81	Vertical
3	10432.4583	-40.42	39.40	-52.09	-13.00	39.09	Vertical
4	11994.9167	-40.35	39.88	-50.21	-13.00	37.21	Vertical
5	13409.7917	-40.28	39.87	-50.66	-13.00	37.66	Vertical
6	15011.2083	-36.44	40.96	-47.12	-13.00	34.12	Vertical

1.15. Test Band = NSA-2A_n78A_ TM1

1.15.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7333.6667	-40.39	36.77	-53.39	-13.00	40.39	Horizontal
2	9509.8333	-40.31	37.56	-53.27	-13.00	40.27	Horizontal
3	11297.3333	-41.08	40.40	-50.68	-13.00	37.68	Horizontal
4	12811.2083	-40.34	39.28	-50.48	-13.00	37.48	Horizontal
5	14452.5	-40.44	41.74	-49.37	-13.00	36.37	Horizontal
6	16168.0417	-36.41	38.40	-50.83	-13.00	37.83	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7278.2083	-40.26	36.66	-51.13	-13.00	38.13	Vertical
2	9250.875	-40.64	37.49	-53.66	-13.00	40.66	Vertical
3	10945.7917	-40.80	40.13	-50.78	-13.00	37.78	Vertical
4	12386.7917	-40.25	39.50	-50.38	-13.00	37.38	Vertical
5	14182.0833	-40.25	41.58	-49.47	-13.00	36.47	Vertical
6	16015.875	-36.30	38.23	-50.88	-13.00	37.88	Vertical

1.16. Test Band = NSA-12A_n78A_ TM1

1.16.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7533.9583	-40.50	36.76	-53.74	-13.00	40.74	Horizontal
2	9557.9583	-40.17	37.85	-52.91	-13.00	39.91	Horizontal
3	11502.2083	-40.45	40.50	-49.78	-13.00	36.78	Horizontal
4	13220.9583	-40.21	39.52	-50.39	-13.00	37.39	Horizontal
5	15348.5417	-36.93	39.86	-50.05	-13.00	37.05	Horizontal
6	16889.4583	-38.69	40.44	-50.71	-13.00	37.71	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440.4583	-40.79	36.48	-49.88	-13.00	36.88	Vertical
2	9114.75	-40.66	37.33	-53.64	-13.00	40.64	Vertical
3	10691.875	-40.15	39.18	-50.88	-13.00	37.88	Vertical
4	11999.9583	-40.35	39.90	-49.78	-13.00	36.78	Vertical
5	14008.8333	-40.05	40.95	-49.30	-13.00	36.30	Vertical
6	15756.9167	-36.50	38.57	-50.33	-13.00	37.33	Vertical

1.17. Test Band = NSA-12A_n78A_ TM1

1.17.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7333.6667	-40.39	36.77	-53.51	-13.00	40.51	Horizontal
2	9472.7083	-40.51	37.66	-53.53	-13.00	40.53	Horizontal
3	11637.4167	-40.63	40.45	-49.36	-13.00	36.36	Horizontal
4	13487.25	-40.29	39.64	-50.20	-13.00	37.20	Horizontal
5	15540.125	-36.55	39.04	-49.74	-13.00	36.74	Horizontal
6	17965.625	-45.99	47.28	-50.94	-13.00	37.94	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7439.0833	-40.79	36.48	-49.63	-13.00	36.63	Vertical
2	9572.1667	-40.13	37.93	-52.76	-13.00	39.76	Vertical
3	11365.625	-40.70	40.53	-50.06	-13.00	37.06	Vertical
4	13215	-40.18	39.52	-50.64	-13.00	37.64	Vertical
5	14843.9167	-38.06	41.30	-48.92	-13.00	35.92	Vertical
6	16873.875	-38.69	40.34	-50.82	-13.00	37.82	Vertical

1.18. Test Band = NSA-12A_n78A_ TM1

1.18.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7102.6667	-40.16	36.19	-52.88	-13.00	39.88	Horizontal
2	9248.5833	-40.65	37.49	-53.16	-13.00	40.16	Horizontal
3	11004.9167	-40.98	40.40	-51.22	-13.00	38.22	Horizontal
4	13020.2083	-40.25	39.56	-50.76	-13.00	37.76	Horizontal
5	14844.375	-38.05	41.30	-48.72	-13.00	35.72	Horizontal
6	16248.7083	-36.26	38.30	-50.52	-13.00	37.52	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.2917	-40.27	36.65	-52.48	-13.00	39.48	Vertical
2	9676.2083	-40.02	38.45	-52.98	-13.00	39.98	Vertical
3	11446.2917	-40.48	40.55	-49.60	-13.00	36.60	Vertical
4	13427.6667	-40.28	39.82	-50.83	-13.00	37.83	Vertical
5	15010.75	-36.44	40.96	-47.23	-13.00	34.23	Vertical
6	17554.0417	-42.18	44.72	-49.65	-13.00	36.65	Vertical

1.19. Test Band = NSA-5A_n77A_ TM1

1.19.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7511.9583	-40.66	36.85	-53.95	-13.00	40.95	Horizontal
2	9539.1667	-40.23	37.74	-53.31	-13.00	40.31	Horizontal
3	11526.9583	-40.56	40.53	-49.73	-13.00	36.73	Horizontal
4	14180.25	-40.26	41.58	-49.39	-13.00	36.39	Horizontal
5	16183.1667	-36.32	38.40	-50.55	-13.00	37.55	Horizontal
6	17994.5	-46.20	47.80	-51.07	-13.00	38.07	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7234.2083	-40.43	36.51	-53.47	-13.00	40.47	Vertical
2	9273.7917	-40.49	37.36	-53.30	-13.00	40.30	Vertical
3	11349.5833	-40.79	40.50	-49.87	-13.00	36.87	Vertical
4	13069.25	-40.26	39.71	-50.09	-13.00	37.09	Vertical
5	15002.0417	-36.41	40.99	-47.17	-13.00	34.17	Vertical
6	16956.375	-39.83	40.78	-50.70	-13.00	37.70	Vertical

1.20. Test Band = NSA-5A_n77A_ TM1

1.20.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7345.5833	-40.47	36.79	-53.37	-13.00	40.37	Horizontal
2	9534.125	-40.24	37.70	-53.45	-13.00	40.45	Horizontal
3	11450.4167	-40.48	40.55	-49.34	-13.00	36.34	Horizontal
4	13069.7083	-40.26	39.71	-50.30	-13.00	37.30	Horizontal
5	14863.1667	-37.89	41.30	-48.94	-13.00	35.94	Horizontal
6	16899.0833	-38.70	40.49	-50.63	-13.00	37.63	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7205.7917	-40.54	36.33	-52.38	-13.00	39.38	Vertical
2	9122.0833	-40.69	37.34	-53.84	-13.00	40.84	Vertical
3	10699.6667	-40.15	39.20	-50.11	-13.00	37.11	Vertical
4	12319.4167	-40.50	39.50	-50.68	-13.00	37.68	Vertical
5	14271	-40.63	41.81	-49.56	-13.00	36.56	Vertical
6	16028.7083	-36.38	38.26	-50.60	-13.00	37.60	Vertical

1.21. Test Band = NSA-5A_n77A_ TM1

1.21.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.75	-40.26	36.66	-53.18	-13.00	40.18	Horizontal
2	9533.6667	-40.24	37.70	-53.03	-13.00	40.03	Horizontal
3	11449.0417	-40.48	40.55	-49.59	-13.00	36.59	Horizontal
4	13222.3333	-40.22	39.52	-50.39	-13.00	37.39	Horizontal
5	15068.0417	-36.57	40.73	-47.79	-13.00	34.79	Horizontal
6	16773.9583	-38.72	39.85	-50.88	-13.00	37.88	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7206.25	-40.54	36.34	-52.48	-13.00	39.48	Vertical
2	9631.75	-40.04	38.29	-52.71	-13.00	39.71	Vertical
3	11355.0833	-40.76	40.51	-49.63	-13.00	36.63	Vertical
4	13836.0417	-40.20	40.28	-49.55	-13.00	36.55	Vertical
5	15681.75	-36.77	38.80	-50.14	-13.00	37.14	Vertical
6	17542.125	-42.19	44.67	-49.49	-13.00	36.49	Vertical

1.22. Test Band = NSA-66A_n77A_ TM1

1.22.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7304.7917	-40.21	36.71	-53.67	-13.00	40.67	Horizontal
2	9208.7083	-40.92	37.25	-53.29	-13.00	40.29	Horizontal
3	11348.6667	-40.79	40.50	-50.10	-13.00	37.10	Horizontal
4	13119.2083	-40.23	39.74	-50.52	-13.00	37.52	Horizontal
5	15013.5	-36.44	40.95	-46.47	-13.00	33.47	Horizontal
6	17555.875	-42.17	44.72	-49.37	-13.00	36.37	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7439.0833	-40.79	36.48	-49.76	-13.00	36.76	Vertical
2	9553.375	-40.19	37.82	-53.22	-13.00	40.22	Vertical
3	11345.9167	-40.81	40.49	-49.68	-13.00	36.68	Vertical
4	13083.4583	-40.26	39.75	-50.42	-13.00	37.42	Vertical
5	14996.0833	-36.46	41.01	-47.15	-13.00	34.15	Vertical
6	16925.2083	-39.20	40.63	-50.34	-13.00	37.34	Vertical

1.23. Test Band = NSA-66A_n77A_ TM1

1.23.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7350.625	-40.50	36.80	-53.53	-13.00	40.53	Horizontal
2	9475.4583	-40.49	37.65	-53.36	-13.00	40.36	Horizontal
3	11294.125	-41.11	40.41	-50.49	-13.00	37.49	Horizontal
4	13013.7917	-40.25	39.54	-50.43	-13.00	37.43	Horizontal
5	15200.5	-36.85	40.00	-48.08	-13.00	35.08	Horizontal
6	17551.2917	-42.18	44.71	-49.65	-13.00	36.65	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7207.1667	-40.53	36.34	-53.18	-13.00	40.18	Vertical
2	9270.125	-40.51	37.38	-53.27	-13.00	40.27	Vertical
3	11515.9583	-40.51	40.52	-49.81	-13.00	36.81	Vertical
4	13817.7083	-40.17	40.19	-50.13	-13.00	37.13	Vertical
5	15538.2917	-36.54	39.05	-50.28	-13.00	37.28	Vertical
6	17329	-41.99	43.35	-50.66	-13.00	37.66	Vertical

1.24. Test Band = NSA-66A_n77A_ TM1

1.24.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7611.875	-40.09	36.88	-52.90	-13.00	39.90	Horizontal
2	9593.25	-40.07	38.06	-52.83	-13.00	39.83	Horizontal
3	11449.9583	-40.48	40.55	-49.90	-13.00	36.90	Horizontal
4	13117.375	-40.23	39.75	-50.26	-13.00	37.26	Horizontal
5	15028.625	-36.48	40.89	-46.93	-13.00	33.93	Horizontal
6	16905.5	-38.81	40.53	-50.78	-13.00	37.78	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7640.75	-40.31	36.82	-52.91	-13.00	39.91	Vertical
2	9658.7917	-40.03	38.42	-53.01	-13.00	40.01	Vertical
3	11427.0417	-40.50	40.57	-49.65	-13.00	36.65	Vertical
4	13023.875	-40.25	39.57	-50.54	-13.00	37.54	Vertical
5	14835.6667	-38.13	41.30	-49.01	-13.00	36.01	Vertical
6	17132.375	-40.53	41.93	-50.37	-13.00	37.37	Vertical

1.25. Test Band = NSA-7A_n77A_ TM1

1.25.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7364.375	-40.59	36.69	-53.11	-13.00	40.11	Horizontal
2	9249.9583	-40.65	37.50	-53.01	-13.00	40.01	Horizontal
3	11266.1667	-41.40	40.43	-50.70	-13.00	37.70	Horizontal
4	12923.5	-40.17	39.19	-50.73	-13.00	37.73	Horizontal
5	14457.0833	-40.42	41.73	-49.08	-13.00	36.08	Horizontal
6	16247.7917	-36.26	38.30	-50.51	-13.00	37.51	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7340.0833	-40.43	36.78	-53.40	-13.00	40.40	Vertical
2	9279.75	-40.45	37.32	-53.49	-13.00	40.49	Vertical
3	11412.375	-40.51	40.59	-49.50	-13.00	36.50	Vertical
4	13146.25	-40.18	39.66	-50.19	-13.00	37.19	Vertical
5	15046.0417	-36.52	40.82	-47.10	-13.00	34.10	Vertical
6	16851.875	-38.68	40.21	-50.44	-13.00	37.44	Vertical

1.26. Test Band = NSA-7A_n77A_ TM1

1.26.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7346.5	-40.47	36.79	-53.56	-13.00	40.56	Horizontal
2	9528.1667	-40.26	37.67	-52.83	-13.00	39.83	Horizontal
3	11441.7083	-40.49	40.56	-49.93	-13.00	36.93	Horizontal
4	13645.8333	-40.63	40.45	-49.72	-13.00	36.72	Horizontal
5	15762.875	-36.47	38.55	-50.82	-13.00	37.82	Horizontal
6	17544.875	-42.19	44.68	-49.74	-13.00	36.74	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440.4583	-40.79	36.48	-51.54	-13.00	38.54	Vertical
2	9491.5	-40.39	37.55	-53.11	-13.00	40.11	Vertical
3	11355.0833	-40.76	40.51	-49.65	-13.00	36.65	Vertical
4	13672.4167	-40.43	40.47	-50.09	-13.00	37.09	Vertical
5	16029.625	-36.38	38.26	-50.70	-13.00	37.70	Vertical
6	17552.2083	-42.18	44.71	-49.62	-13.00	36.62	Vertical

1.27. Test Band = NSA-7A_n77A_ TM1

1.27.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7356.125	-40.53	36.75	-53.55	-13.00	40.55	Horizontal
2	9589.5833	-40.08	38.04	-53.37	-13.00	40.37	Horizontal
3	11404.5833	-40.52	40.60	-50.08	-13.00	37.08	Horizontal
4	13708.625	-40.22	40.47	-50.34	-13.00	37.34	Horizontal
5	15774.3333	-36.41	38.50	-50.42	-13.00	37.42	Horizontal
6	17972.9583	-46.04	47.41	-51.09	-13.00	38.09	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.2917	-40.27	36.65	-50.44	-13.00	37.44	Vertical
2	9532.2917	-40.25	37.69	-53.20	-13.00	40.20	Vertical
3	11376.625	-40.64	40.55	-49.98	-13.00	36.98	Vertical
4	13419.4167	-40.28	39.84	-50.93	-13.00	37.93	Vertical
5	15689.0833	-36.78	38.80	-50.36	-13.00	37.36	Vertical
6	17961.5	-45.96	47.21	-51.10	-13.00	38.10	Vertical

1.28. Test Band = NSA-14A_n77A_ TM1

1.28.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7342.375	-40.45	36.78	-53.69	-13.00	40.69	Horizontal
2	9248.5833	-40.65	37.49	-53.43	-13.00	40.43	Horizontal
3	11358.2917	-40.74	40.52	-49.96	-13.00	36.96	Horizontal
4	12884.0833	-40.18	39.13	-50.90	-13.00	37.90	Horizontal
5	14448.8333	-40.45	41.75	-49.29	-13.00	36.29	Horizontal
6	16245.0417	-36.26	38.31	-51.01	-13.00	38.01	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7439.0833	-40.79	36.48	-49.65	-13.00	36.65	Vertical
2	9461.25	-40.58	37.73	-52.98	-13.00	39.98	Vertical
3	11361.5	-40.72	40.52	-49.80	-13.00	36.80	Vertical
4	13026.1667	-40.25	39.58	-50.47	-13.00	37.47	Vertical
5	14460.2917	-40.41	41.72	-49.38	-13.00	36.38	Vertical
6	16189.125	-36.28	38.40	-50.56	-13.00	37.56	Vertical

1.29. Test Band = NSA-14A_n77A_ TM1

1.29.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7323.125	-40.33	36.75	-53.60	-13.00	40.60	Horizontal
2	9633.5833	-40.04	38.30	-53.22	-13.00	40.22	Horizontal
3	11515.9583	-40.51	40.52	-49.75	-13.00	36.75	Horizontal
4	13405.2083	-40.28	39.88	-50.82	-13.00	37.82	Horizontal
5	15010.2917	-36.43	40.96	-46.89	-13.00	33.89	Horizontal
6	16899.5417	-38.70	40.50	-50.89	-13.00	37.89	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.2917	-40.27	36.65	-50.95	-13.00	37.95	Vertical
2	9535.9583	-40.24	37.72	-53.36	-13.00	40.36	Vertical
3	11360.125	-40.73	40.52	-49.72	-13.00	36.72	Vertical
4	13220.9583	-40.21	39.52	-50.23	-13.00	37.23	Vertical
5	15194.5417	-36.84	40.03	-48.58	-13.00	35.58	Vertical
6	16911	-38.92	40.56	-50.37	-13.00	37.37	Vertical

1.30. Test Band = NSA-14A_n77A_ TM1

1.30.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7129.7083	-40.27	36.14	-53.03	-13.00	40.03	Horizontal
2	9598.2917	-40.05	38.09	-53.07	-13.00	40.07	Horizontal
3	11346.375	-40.80	40.49	-49.91	-13.00	36.91	Horizontal
4	13046.7917	-40.25	39.64	-50.76	-13.00	37.76	Horizontal
5	14844.8333	-38.05	41.30	-49.10	-13.00	36.10	Horizontal
6	16895.4167	-38.70	40.47	-51.08	-13.00	38.08	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7439.5417	-40.79	36.48	-49.17	-13.00	36.17	Vertical
2	9466.75	-40.55	37.70	-53.42	-13.00	40.42	Vertical
3	11652.0833	-40.54	40.39	-49.81	-13.00	36.81	Vertical
4	13822.75	-40.18	40.21	-50.18	-13.00	37.18	Vertical
5	15754.1667	-36.51	38.58	-50.37	-13.00	37.37	Vertical
6	17969.75	-46.02	47.36	-50.96	-13.00	37.96	Vertical

1.31. Test Band = NSA-13A_n77A_ TM1

1.31.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7233.75	-40.43	36.50	-53.57	-13.00	40.57	Horizontal
2	9538.25	-40.23	37.73	-53.24	-13.00	40.24	Horizontal
3	11360.5833	-40.73	40.52	-49.85	-13.00	36.85	Horizontal
4	13058.7083	-40.26	39.68	-50.43	-13.00	37.43	Horizontal
5	15008.9167	-36.43	40.96	-47.04	-13.00	34.04	Horizontal
6	16889	-38.69	40.43	-50.94	-13.00	37.94	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7206.7083	-40.53	36.34	-51.70	-13.00	38.70	Vertical
2	9277.9167	-40.46	37.33	-53.37	-13.00	40.37	Vertical
3	11376.1667	-40.65	40.55	-49.73	-13.00	36.73	Vertical
4	13078.875	-40.26	39.74	-50.56	-13.00	37.56	Vertical
5	15015.7917	-36.45	40.94	-47.19	-13.00	34.19	Vertical
6	16926.5833	-39.23	40.63	-50.80	-13.00	37.80	Vertical

1.32. Test Band = NSA-13A_n77A_ TM1

1.32.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7360.7083	-40.56	36.71	-53.39	-13.00	40.39	Horizontal
2	9272.875	-40.49	37.36	-53.68	-13.00	40.68	Horizontal
3	11493.0417	-40.45	40.51	-49.54	-13.00	36.54	Horizontal
4	13216.8333	-40.19	39.52	-50.38	-13.00	37.38	Horizontal
5	14980.5	-36.64	41.06	-47.23	-13.00	34.23	Horizontal
6	16892.6667	-38.70	40.46	-51.01	-13.00	38.01	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7278.2083	-40.26	36.66	-51.44	-13.00	38.44	Vertical
2	9248.125	-40.66	37.49	-53.42	-13.00	40.42	Vertical
3	11152.0417	-42.08	40.50	-51.09	-13.00	38.09	Vertical
4	13026.625	-40.25	39.58	-50.98	-13.00	37.98	Vertical
5	14459.375	-40.41	41.72	-49.56	-13.00	36.56	Vertical
6	16244.5833	-36.26	38.31	-51.08	-13.00	38.08	Vertical

1.33. Test Band = NSA-13A_n77A_ TM1

1.33.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7596.75	-40.02	36.89	-51.96	-13.00	38.96	Horizontal
2	9540.5417	-40.22	37.74	-52.95	-13.00	39.95	Horizontal
3	11705.25	-40.25	40.18	-49.55	-13.00	36.55	Horizontal
4	13479	-40.29	39.66	-50.63	-13.00	37.63	Horizontal
5	15544.25	-36.55	39.02	-49.50	-13.00	36.50	Horizontal
6	17528.8333	-42.20	44.62	-49.49	-13.00	36.49	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7439.5417	-40.79	36.48	-50.14	-13.00	37.14	Vertical
2	9129.875	-40.72	37.36	-53.03	-13.00	40.03	Vertical
3	10968.7083	-40.85	40.24	-50.90	-13.00	37.90	Vertical
4	13064.2083	-40.26	39.69	-50.29	-13.00	37.29	Vertical
5	14920.9167	-37.34	41.24	-48.69	-13.00	35.69	Vertical
6	16790.4583	-38.67	39.88	-51.01	-13.00	38.01	Vertical

1.34. Test Band = NSA-2A_n77A_ TM1

1.34.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7375.8333	-40.66	36.59	-53.61	-13.00	40.61	Horizontal
2	9568.0417	-40.14	37.91	-53.13	-13.00	40.13	Horizontal
3	11372.0417	-40.67	40.54	-49.58	-13.00	36.58	Horizontal
4	13099.0417	-40.26	39.80	-50.57	-13.00	37.57	Horizontal
5	14445.1667	-40.46	41.76	-48.88	-13.00	35.88	Horizontal
6	16037.875	-36.43	38.28	-50.63	-13.00	37.63	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7205.7917	-40.54	36.33	-51.97	-13.00	38.97	Vertical
2	9221.5417	-40.84	37.33	-53.55	-13.00	40.55	Vertical
3	10989.7917	-40.90	40.35	-50.57	-13.00	37.57	Vertical
4	12400.0833	-40.20	39.50	-50.35	-13.00	37.35	Vertical
5	14035.4167	-40.18	41.11	-49.69	-13.00	36.69	Vertical
6	15778.9167	-36.39	38.48	-50.53	-13.00	37.53	Vertical

1.35. Test Band = NSA-2A_n77A_ TM1

1.35.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7532.125	-40.51	36.77	-53.77	-13.00	40.77	Horizontal
2	9714.7083	-40.15	38.53	-54.01	-13.00	41.01	Horizontal
3	11559.0417	-40.69	40.56	-50.08	-13.00	37.08	Horizontal
4	13641.25	-40.66	40.44	-50.65	-13.00	37.65	Horizontal
5	15763.3333	-36.47	38.55	-49.82	-13.00	36.82	Horizontal
6	17544.4167	-42.19	44.68	-49.29	-13.00	36.29	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.75	-40.26	36.66	-51.36	-13.00	38.36	Vertical
2	9148.2083	-40.79	37.40	-52.81	-13.00	39.81	Vertical
3	10693.25	-40.15	39.19	-50.69	-13.00	37.69	Vertical
4	12122.7917	-40.48	39.82	-50.33	-13.00	37.33	Vertical
5	14120.2083	-40.43	41.52	-49.75	-13.00	36.75	Vertical
6	16229	-36.25	38.34	-50.73	-13.00	37.73	Vertical

1.36. Test Band = NSA-2A_n77A_ TM1

1.36.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7233.75	-40.43	36.50	-53.33	-13.00	40.33	Horizontal
2	9253.625	-40.62	37.48	-53.48	-13.00	40.48	Horizontal
3	10952.2083	-40.81	40.16	-50.79	-13.00	37.79	Horizontal
4	12602.6667	-40.27	38.60	-50.82	-13.00	37.82	Horizontal
5	14469	-40.38	41.69	-49.09	-13.00	36.09	Horizontal
6	16634.625	-38.71	39.37	-51.18	-13.00	38.18	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.2917	-40.27	36.65	-49.96	-13.00	36.96	Vertical
2	9265.5417	-40.54	37.41	-53.76	-13.00	40.76	Vertical
3	11422.9167	-40.50	40.58	-50.17	-13.00	37.17	Vertical
4	13435.9167	-40.28	39.79	-50.70	-13.00	37.70	Vertical
5	15542.4167	-36.55	39.03	-49.81	-13.00	36.81	Vertical
6	17205.25	-40.80	42.24	-50.73	-13.00	37.73	Vertical

1.37. Test Band = NSA-12A_n77A_ TM1

1.37.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7609.125	-40.07	36.88	-52.64	-13.00	39.64	Horizontal
2	9601.5	-40.05	38.11	-53.25	-13.00	40.25	Horizontal
3	11349.5833	-40.79	40.50	-49.99	-13.00	36.99	Horizontal
4	13409.7917	-40.28	39.87	-50.45	-13.00	37.45	Horizontal
5	15413.625	-36.84	39.46	-50.12	-13.00	37.12	Horizontal
6	17549.4583	-42.18	44.70	-49.54	-13.00	36.54	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440.9167	-40.79	36.48	-49.24	-13.00	36.24	Vertical
2	9134.9167	-40.74	37.37	-53.45	-13.00	40.45	Vertical
3	11274.875	-41.31	40.43	-50.87	-13.00	37.87	Vertical
4	13019.75	-40.25	39.56	-49.89	-13.00	36.89	Vertical
5	15013.0417	-36.44	40.95	-47.03	-13.00	34.03	Vertical
6	16954.5417	-39.79	40.77	-50.59	-13.00	37.59	Vertical

1.38. Test Band = NSA-12A_n77A_ TM1

1.38.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7336.4167	-40.41	36.77	-53.43	-13.00	40.43	Horizontal
2	9134	-40.74	37.37	-53.67	-13.00	40.67	Horizontal
3	10699.6667	-40.15	39.20	-50.67	-13.00	37.67	Horizontal
4	12387.25	-40.25	39.50	-50.85	-13.00	37.85	Horizontal
5	14454.3333	-40.43	41.74	-49.30	-13.00	36.30	Horizontal
6	16932.0833	-39.34	40.66	-50.65	-13.00	37.65	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7206.25	-40.54	36.34	-51.92	-13.00	38.92	Vertical
2	9270.125	-40.51	37.38	-53.20	-13.00	40.20	Vertical
3	11364.7083	-40.71	40.53	-49.60	-13.00	36.60	Vertical
4	13681.125	-40.37	40.48	-50.15	-13.00	37.15	Vertical
5	15601.0833	-36.66	38.80	-50.28	-13.00	37.28	Vertical
6	17560.4583	-42.17	44.74	-49.79	-13.00	36.79	Vertical

1.39. Test Band = NSA-12A_n77A_ TM1

1.39.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7609.125	-40.07	36.88	-52.83	-13.00	39.83	Horizontal
2	9537.3333	-40.23	37.72	-53.67	-13.00	40.67	Horizontal
3	11369.75	-40.68	40.54	-49.58	-13.00	36.58	Horizontal
4	13104.5417	-40.25	39.79	-50.62	-13.00	37.62	Horizontal
5	15013.0417	-36.44	40.95	-46.77	-13.00	33.77	Horizontal
6	17157.125	-40.61	42.03	-50.61	-13.00	37.61	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440.4583	-40.79	36.48	-49.37	-13.00	36.37	Vertical
2	9273.3333	-40.49	37.36	-53.25	-13.00	40.25	Vertical
3	11325.75	-40.91	40.45	-50.36	-13.00	37.36	Vertical
4	13011.5	-40.25	39.53	-50.11	-13.00	37.11	Vertical
5	15005.25	-36.42	40.98	-47.09	-13.00	34.09	Vertical
6	16796.4167	-38.66	39.89	-50.65	-13.00	37.65	Vertical

1.40. Test Band = NSA-25A_n77A_ TM1

1.40.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7343.2917	-40.45	36.79	-53.20	-13.00	40.20	Horizontal
2	9447.0417	-40.67	37.79	-53.69	-13.00	40.69	Horizontal
3	11468.2917	-40.47	40.53	-49.86	-13.00	36.86	Horizontal
4	13441.875	-40.28	39.77	-50.22	-13.00	37.22	Horizontal
5	15277.5	-36.94	40.16	-49.41	-13.00	36.41	Horizontal
6	17483	-42.34	44.45	-49.76	-13.00	36.76	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7277.2917	-40.27	36.65	-51.24	-13.00	38.24	Vertical
2	9468.5833	-40.54	37.69	-53.17	-13.00	40.17	Vertical
3	11993.5417	-40.35	39.88	-50.27	-13.00	37.27	Vertical
4	14011.125	-40.06	40.97	-49.65	-13.00	36.65	Vertical
5	16256.9583	-36.27	38.29	-50.83	-13.00	37.83	Vertical
6	17982.5833	-46.11	47.59	-50.94	-13.00	37.94	Vertical

1.41. Test Band = NSA-25A_n77A_ TM1

1.41.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7320.375	-40.31	36.74	-53.54	-13.00	40.54	Horizontal
2	9300.375	-40.31	37.20	-53.51	-13.00	40.51	Horizontal
3	10970.5417	-40.86	40.25	-50.99	-13.00	37.99	Horizontal
4	12865.75	-40.22	39.17	-50.80	-13.00	37.80	Horizontal
5	14847.125	-38.03	41.30	-49.12	-13.00	36.12	Horizontal
6	16888.5417	-38.69	40.43	-50.71	-13.00	37.71	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7329.0833	-40.36	36.76	-53.51	-13.00	40.51	Vertical
2	9397.0833	-40.95	37.57	-53.73	-13.00	40.73	Vertical
3	11373.4167	-40.66	40.55	-49.99	-13.00	36.99	Vertical
4	12939.0833	-40.18	39.26	-50.02	-13.00	37.02	Vertical
5	14460.2917	-40.41	41.72	-49.77	-13.00	36.77	Vertical
6	16168.9583	-36.40	38.40	-50.74	-13.00	37.74	Vertical

1.42. Test Band = NSA-25A_n77A_ TM1

1.42.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7313.0417	-40.26	36.73	-53.53	-13.00	40.53	Horizontal
2	9605.1667	-40.05	38.13	-53.42	-13.00	40.42	Horizontal
3	11550.7917	-40.66	40.55	-49.61	-13.00	36.61	Horizontal
4	13638.5	-40.69	40.44	-50.05	-13.00	37.05	Horizontal
5	16166.2083	-36.42	38.40	-50.78	-13.00	37.78	Horizontal
6	17972.0417	-46.04	47.40	-51.02	-13.00	38.02	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7440	-40.79	36.48	-52.27	-13.00	39.27	Vertical
2	9256.8333	-40.60	37.46	-53.08	-13.00	40.08	Vertical
3	11438.9583	-40.49	40.56	-49.80	-13.00	36.80	Vertical
4	13850.25	-40.23	40.35	-49.88	-13.00	36.88	Vertical
5	16025.0417	-36.35	38.25	-50.41	-13.00	37.41	Vertical
6	17978.9167	-46.09	47.52	-50.87	-13.00	37.87	Vertical

1.43. Test Band = NSA-26A_n77A 10M_ TM1

1.43.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7263.0833	-40.32	36.63	-53.40	-13.00	40.40	Horizontal
2	9510.75	-40.31	37.56	-53.52	-13.00	40.52	Horizontal
3	11419.25	-40.50	40.58	-49.75	-13.00	36.75	Horizontal
4	13116.4583	-40.23	39.75	-50.92	-13.00	37.92	Horizontal
5	14841.625	-38.08	41.30	-48.47	-13.00	35.47	Horizontal
6	16840.875	-38.67	40.15	-50.83	-13.00	37.83	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7328.1667	-40.36	36.76	-53.41	-13.00	40.41	Vertical
2	9476.8333	-40.49	37.64	-53.51	-13.00	40.51	Vertical
3	11405.9583	-40.52	40.59	-49.79	-13.00	36.79	Vertical
4	13217.2917	-40.19	39.52	-50.66	-13.00	37.66	Vertical
5	15075.375	-36.59	40.70	-47.99	-13.00	34.99	Vertical
6	16761.5833	-38.75	39.82	-50.36	-13.00	37.36	Vertical

1.44. Test Band = NSA-26A_n77A_ TM1

1.44.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7362.5417	-40.57	36.70	-53.28	-13.00	40.28	Horizontal
2	9536.4167	-40.23	37.72	-53.55	-13.00	40.55	Horizontal
3	11734.125	-40.36	40.10	-49.96	-13.00	36.96	Horizontal
4	13397.4167	-40.29	39.89	-50.65	-13.00	37.65	Horizontal
5	15541.0417	-36.55	39.04	-49.99	-13.00	36.99	Horizontal
6	17541.2083	-42.19	44.66	-49.57	-13.00	36.57	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7362.0833	-40.57	36.70	-53.93	-13.00	40.93	Vertical
2	9122.5417	-40.69	37.35	-53.41	-13.00	40.41	Vertical
3	10962.75	-40.84	40.21	-50.46	-13.00	37.46	Vertical
4	12933.5833	-40.18	39.23	-50.69	-13.00	37.69	Vertical
5	14847.5833	-38.03	41.30	-48.86	-13.00	35.86	Vertical
6	16938.0417	-39.46	40.69	-50.55	-13.00	37.55	Vertical

1.45. Test Band = NSA-26A_n77A_ TM1

1.45.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7359.7917	-40.56	36.72	-53.62	-13.00	40.62	Horizontal
2	9445.2083	-40.69	37.78	-53.57	-13.00	40.57	Horizontal
3	11645.6667	-40.58	40.42	-49.97	-13.00	36.97	Horizontal
4	13694.4167	-40.27	40.49	-50.02	-13.00	37.02	Horizontal
5	16029.1667	-36.38	38.26	-50.55	-13.00	37.55	Horizontal
6	17973.875	-46.05	47.43	-50.96	-13.00	37.96	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7354.2917	-40.52	36.77	-53.61	-13.00	40.61	Vertical
2	9269.2083	-40.52	37.38	-53.46	-13.00	40.46	Vertical
3	11299.1667	-41.06	40.40	-49.87	-13.00	36.87	Vertical
4	13286.5	-40.60	39.59	-50.69	-13.00	37.69	Vertical
5	15191.3333	-36.83	40.05	-48.66	-13.00	35.66	Vertical
6	17478.875	-42.37	44.44	-50.24	-13.00	37.24	Vertical

1.46. Test Band = NSA-26A_n77A_ TM1

1.46.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7302.5	-40.20	36.71	-53.51	-13.00	40.51	Horizontal
2	10693.7083	-40.15	39.19	-50.84	-13.00	37.84	Horizontal
3	12450.9583	-40.56	39.40	-51.39	-13.00	38.39	Horizontal
4	14411.25	-40.57	41.87	-49.41	-13.00	36.41	Horizontal
5	16168.5	-36.41	38.40	-50.42	-13.00	37.42	Horizontal
6	17550.375	-42.18	44.70	-49.62	-13.00	36.62	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7206.7083	-40.53	36.34	-52.31	-13.00	39.31	Vertical
2	9634.5	-40.04	38.31	-53.57	-13.00	40.57	Vertical
3	11444.9167	-40.48	40.56	-50.31	-13.00	37.31	Vertical
4	13090.7917	-40.26	39.77	-50.27	-13.00	37.27	Vertical
5	14865.9167	-37.87	41.30	-48.57	-13.00	35.57	Vertical
6	16795.0417	-38.66	39.89	-50.72	-13.00	37.72	Vertical

External Antenna DX1H

1.47. Test Band = NSA-71A_n78A_TM1

1.47.1. Test Channel = Low

Final Data List

NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1108	-47.21	24.53	-68.39	-13.00	55.39	Horizontal
2	1468	-46.94	25.39	-67.80	-13.00	54.80	Horizontal
3	2060	-46.19	26.44	-65.91	-13.00	52.91	Horizontal
4	3155	-44.56	28.75	-62.25	-13.00	49.25	Horizontal
5	4708.5	-42.33	30.78	-58.44	-13.00	45.44	Horizontal
6	7336	-37.17	36.77	-50.37	-13.00	37.37	Horizontal

Final Data List

NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1148	-47.23	24.69	-68.04	-13.00	55.04	Vertical
2	1612	-46.87	25.30	-67.79	-13.00	54.79	Vertical
3	2583.5	-45.26	28.03	-63.89	-13.00	50.89	Vertical
4	3848	-43.73	29.41	-60.42	-13.00	47.42	Vertical
5	5365	-41.09	32.41	-56.63	-13.00	43.63	Vertical
6	8011.5	-35.87	36.61	-49.89	-13.00	36.89	Vertical

1.48. Test Band = NSA-71A_n78A_ TM1

1.48.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1135.5	-47.23	24.64	-68.26	-13.00	55.26	Horizontal
2	1792	-46.46	25.44	-66.73	-13.00	53.73	Horizontal
3	2565.5	-45.32	27.96	-63.88	-13.00	50.88	Horizontal
4	3631.5	-44.27	29.39	-61.13	-13.00	48.13	Horizontal
5	6078.5	-39.43	33.49	-54.34	-13.00	41.34	Horizontal
6	8532	-35.20	36.86	-49.94	-13.00	36.94	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1109.5	-47.21	24.54	-67.63	-13.00	54.63	Vertical
2	1644.5	-46.83	25.30	-67.50	-13.00	54.50	Vertical
3	2819.5	-44.92	28.54	-63.06	-13.00	50.06	Vertical
4	3937	-43.41	29.65	-60.57	-13.00	47.57	Vertical
5	6637	-38.51	35.10	-53.19	-13.00	40.19	Vertical
6	8563	-35.13	36.87	-49.24	-13.00	36.24	Vertical

1.49. Test Band = NSA-71A_n78A_ TM1

1.49.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1163	-47.24	24.73	-68.48	-13.00	55.48	Horizontal
2	1644.5	-46.83	25.30	-67.30	-13.00	54.30	Horizontal
3	2568	-45.31	27.97	-63.72	-13.00	50.72	Horizontal
4	3649.5	-44.15	29.50	-61.26	-13.00	48.26	Horizontal
5	5425	-40.94	32.35	-56.49	-13.00	43.49	Horizontal
6	7983.5	-35.91	36.70	-49.72	-13.00	36.72	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1149	-47.23	24.70	-68.20	-13.00	55.20	Vertical
2	1625	-46.86	25.30	-67.64	-13.00	54.64	Vertical
3	2283	-45.81	27.23	-64.94	-13.00	51.94	Vertical
4	3141	-44.65	28.82	-62.63	-13.00	49.63	Vertical
5	4228.5	-42.94	29.91	-59.99	-13.00	46.99	Vertical
6	7360.5	-37.01	36.72	-50.72	-13.00	37.72	Vertical

External Antenna EX1H

1.50. Test Band = NSA-71A_n78A_ TM1

1.50.1. Test Channel = Low

Final Data List

NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1148.5	-47.23	24.69	-68.17	-13.00	55.17	Horizontal
2	1612.5	-46.87	25.30	-67.85	-13.00	54.85	Horizontal
3	2397	-45.72	27.21	-64.63	-13.00	51.63	Horizontal
4	3147.5	-44.61	28.81	-62.45	-13.00	49.45	Horizontal
5	5106.5	-41.70	31.84	-57.66	-13.00	44.66	Horizontal
6	7994.5	-35.90	36.70	-49.63	-13.00	36.63	Horizontal

Final Data List

NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1166	-47.24	24.73	-68.20	-13.00	55.20	Vertical
2	1816	-46.44	25.53	-67.01	-13.00	54.01	Vertical
3	2745	-44.98	28.39	-63.26	-13.00	50.26	Vertical
4	3860	-43.67	29.42	-60.43	-13.00	47.43	Vertical
5	6218.5	-39.61	33.69	-54.59	-13.00	41.59	Vertical
6	8569.5	-35.12	36.86	-49.70	-13.00	36.70	Vertical

1.51. Test Band = NSA-71A_n78A_ TM1

1.51.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1176.5	-47.25	24.75	-68.22	-13.00	55.22	Horizontal
2	1600.5	-46.89	25.30	-67.47	-13.00	54.47	Horizontal
3	2312.5	-45.76	27.38	-64.98	-13.00	51.98	Horizontal
4	3286	-44.60	28.64	-62.59	-13.00	49.59	Horizontal
5	4821	-42.11	31.02	-58.37	-13.00	45.37	Horizontal
6	8023	-35.83	36.52	-50.10	-13.00	37.10	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1228	-47.22	24.69	-68.05	-13.00	55.05	Vertical
2	1776	-46.51	25.31	-67.11	-13.00	54.11	Vertical
3	2593.5	-45.23	28.07	-63.91	-13.00	50.91	Vertical
4	3952.5	-43.38	29.70	-60.70	-13.00	47.70	Vertical
5	6213.5	-39.61	33.72	-54.43	-13.00	41.43	Vertical
6	8969	-34.36	36.75	-49.08	-13.00	36.08	Vertical

1.52. Test Band = NSA-71A_n78A_ TM1

1.52.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1094.5	-47.16	24.48	-67.93	-13.00	54.93	Horizontal
2	1469.5	-46.94	25.38	-67.75	-13.00	54.75	Horizontal
3	2297.5	-45.77	27.38	-64.45	-13.00	51.45	Horizontal
4	3511.5	-44.42	29.25	-62.38	-13.00	49.38	Horizontal
5	6231.5	-39.60	33.61	-54.33	-13.00	41.33	Horizontal
6	8096.5	-35.62	36.39	-49.44	-13.00	36.44	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1147	-47.23	24.69	-67.89	-13.00	54.89	Vertical
2	1610	-46.88	25.30	-67.66	-13.00	54.66	Vertical
3	2489.5	-45.55	27.66	-64.26	-13.00	51.26	Vertical
4	3369.5	-44.48	28.72	-62.49	-13.00	49.49	Vertical
5	5347	-41.13	32.49	-56.85	-13.00	43.85	Vertical
6	8073	-35.69	36.35	-49.81	-13.00	36.81	Vertical

- End of the Appendix -