







11N40SISO\_Ant1\_5230




11N40SISO\_Ant1\_5270



11N40SISO\_Ant1\_5310




11N40SISO\_Ant1\_5510




11N40SISO\_Ant1\_5550




11N40SISO\_Ant1\_5670




11N40SISO\_Ant1\_5755




11N40SISO\_Ant1\_5795




11AC20SISO\_Ant1\_5180




11AC20SISO\_Ant1\_5200




11AC20SISO\_Ant1\_5240




11AC20SISO\_Ant1\_5260




11AC20SISO\_Ant1\_5280




11AC20SISO\_Ant1\_5320




11AC20SISO\_Ant1\_5500




11AC20SISO\_Ant1\_5580




11AC20SISO\_Ant1\_5700




11AC20SISO\_Ant1\_5745




11AC20SISO\_Ant1\_5785




11AC20SISO\_Ant1\_5825




11AC40SISO\_Ant1\_5190




11AC40SISO\_Ant1\_5230




11AC40SISO\_Ant1\_5270




11AC40SISO\_Ant1\_5310




11AC40SISO\_Ant1\_5510




11AC40SISO\_Ant1\_5550




11AC40SISO\_Ant1\_5670




11AC40SISO\_Ant1\_5755




11AC40SISO\_Ant1\_5795




11AX20SISO\_Ant1\_5180




11AX20SISO\_Ant1\_5200




11AX20SISO\_Ant1\_5240




11AX20SISO\_Ant1\_5260




11AX20SISO\_Ant1\_5280




11AX20SISO\_Ant1\_5320




11AX20SISO\_Ant1\_5500




11AX20SISO\_Ant1\_5580




11AX20SISO\_Ant1\_5700




11AX20SISO\_Ant1\_5745




11AX20SISO\_Ant1\_5785




11AX20SISO\_Ant1\_5825



11AX40SISO\_Ant1\_5190




11AX40SISO\_Ant1\_5230




11AX40SISO\_Ant1\_5270




11AX40SISO\_Ant1\_5310




11AX40SISO\_Ant1\_5510




11AX40SISO\_Ant1\_5550




11AX40SISO\_Ant1\_5670



11AX40SISO\_Ant1\_5755



11AX40SISO\_Ant1\_5795




### 3. Min emission bandwidth


#### 3.1. Test Result

| TestMode   | Antenna | Channel | 6db EBW [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|------------|---------|---------|---------------|---------|---------|------------|---------|
| 11A        | Ant1    | 5745    | 16.40         | 5736.84 | 5753.24 | 0.5        | PASS    |
|            |         | 5785    | 16.36         | 5776.84 | 5793.20 | 0.5        | PASS    |
|            |         | 5825    | 16.32         | 5816.84 | 5833.16 | 0.5        | PASS    |
| 11N20SISO  | Ant1    | 5745    | 17.72         | 5736.12 | 5753.84 | 0.5        | PASS    |
|            |         | 5785    | 17.60         | 5776.28 | 5793.88 | 0.5        | PASS    |
|            |         | 5825    | 16.36         | 5816.80 | 5833.16 | 0.5        | PASS    |
| 11N40SISO  | Ant1    | 5755    | 36.40         | 5736.84 | 5773.24 | 0.5        | PASS    |
|            |         | 5795    | 36.56         | 5776.76 | 5813.32 | 0.5        | PASS    |
| 11AC20SISO | Ant1    | 5745    | 17.60         | 5736.28 | 5753.88 | 0.5        | PASS    |
|            |         | 5785    | 17.60         | 5776.24 | 5793.84 | 0.5        | PASS    |
|            |         | 5825    | 17.68         | 5816.28 | 5833.96 | 0.5        | PASS    |
| 11AC40SISO | Ant1    | 5755    | 36.56         | 5736.76 | 5773.32 | 0.5        | PASS    |
|            |         | 5795    | 36.48         | 5776.84 | 5813.32 | 0.5        | PASS    |
| 11AX20SISO | Ant1    | 5745    | 19.04         | 5735.56 | 5754.60 | 0.5        | PASS    |
|            |         | 5785    | 18.96         | 5775.56 | 5794.52 | 0.5        | PASS    |
|            |         | 5825    | 18.68         | 5815.88 | 5834.56 | 0.5        | PASS    |
| 11AX40SISO | Ant1    | 5755    | 38.24         | 5735.88 | 5774.12 | 0.5        | PASS    |
|            |         | 5795    | 38.08         | 5776.04 | 5814.12 | 0.5        | PASS    |


### 3.2. Test Graphs




### 11N20SISO\_Ant1\_5745




### 11N20SISO\_Ant1\_5785




### 11N20SISO\_Ant1\_5825




### 11N40SISO\_Ant1\_5755




11N40SISO\_Ant1\_5795




11AC20SISO\_Ant1\_5745




11AC20SISO\_Ant1\_5785




11AC20SISO\_Ant1\_5825




11AC40SISO\_Ant1\_5755




11AC40SISO\_Ant1\_5795




11AX20SISO\_Ant1\_5745




11AX20SISO\_Ant1\_5785




11AX20SISO\_Ant1\_5825



11AX40SiSO\_Ant1\_5755



11AX40SiSO\_Ant1\_5795



## 4. Maximum conducted output power

### 4.1. Test Result

| TestMode   | Antenna | Channel | Conducted power [dBm] | FCC Limit [dBm] | EIRP [dBm] | IC Limit [dBm] | Verdict |
|------------|---------|---------|-----------------------|-----------------|------------|----------------|---------|
| 11A        | Ant1    | 5180    | 17.04                 | ≤23.98          | 19.74      | ≤23.01         | PASS    |
|            |         | 5200    | 17.27                 | ≤23.98          | 19.97      | ≤23.01         | PASS    |
|            |         | 5240    | 17.44                 | ≤23.98          | 20.14      | ≤23.01         | PASS    |
|            |         | 5260    | 16.90                 | ≤23.98          | 19.96      | ---            | PASS    |
|            |         | 5280    | 16.98                 | ≤23.98          | 20.04      | ---            | PASS    |
|            |         | 5320    | 17.58                 | ≤23.98          | 20.64      | ---            | PASS    |
|            |         | 5500    | 16.57                 | ≤23.98          | 19.33      | ---            | PASS    |
|            |         | 5580    | 16.72                 | ≤23.98          | 19.48      | ---            | PASS    |
|            |         | 5700    | 16.40                 | ≤23.98          | 19.16      | ---            | PASS    |
|            |         | 5745    | 17.14                 | ≤30.00          | 19.76      | ---            | PASS    |
|            |         | 5785    | 18.01                 | ≤30.00          | 20.63      | ---            | PASS    |
|            |         | 5825    | 18.12                 | ≤30.00          | 20.74      | ---            | PASS    |
| 11N20SISO  | Ant1    | 5180    | 17.05                 | ≤23.98          | 19.75      | ≤23.01         | PASS    |
|            |         | 5200    | 17.42                 | ≤23.98          | 20.12      | ≤23.01         | PASS    |
|            |         | 5240    | 17.53                 | ≤23.98          | 20.23      | ≤23.01         | PASS    |
|            |         | 5260    | 17.13                 | ≤23.98          | 20.19      | ---            | PASS    |
|            |         | 5280    | 17.42                 | ≤23.98          | 20.48      | ---            | PASS    |
|            |         | 5320    | 17.84                 | ≤23.98          | 20.9       | ---            | PASS    |
|            |         | 5500    | 16.21                 | ≤23.98          | 18.97      | ---            | PASS    |
|            |         | 5580    | 17.61                 | ≤23.98          | 20.37      | ---            | PASS    |
|            |         | 5700    | 17.02                 | ≤23.98          | 19.78      | ---            | PASS    |
|            |         | 5745    | 17.12                 | ≤30.00          | 19.74      | ---            | PASS    |
|            |         | 5785    | 17.22                 | ≤30.00          | 19.84      | ---            | PASS    |
|            |         | 5825    | 19.14                 | ≤30.00          | 21.76      | ---            | PASS    |
| 11N40SISO  | Ant1    | 5190    | 17.38                 | ≤23.98          | 20.08      | ≤23.01         | PASS    |
|            |         | 5230    | 17.51                 | ≤23.98          | 20.21      | ≤23.01         | PASS    |
|            |         | 5270    | 17.32                 | ≤23.98          | 20.38      | ---            | PASS    |
|            |         | 5310    | 17.87                 | ≤23.98          | 20.93      | ---            | PASS    |
|            |         | 5510    | 16.61                 | ≤23.98          | 19.37      | ---            | PASS    |
|            |         | 5550    | 17.63                 | ≤23.98          | 20.39      | ---            | PASS    |
|            |         | 5670    | 17.59                 | ≤23.98          | 20.35      | ---            | PASS    |
|            |         | 5755    | 17.21                 | ≤30.00          | 19.83      | ---            | PASS    |
|            |         | 5795    | 17.49                 | ≤30.00          | 20.11      | ---            | PASS    |
| 11AC20SISO | Ant1    | 5180    | 17.76                 | ≤23.98          | 20.46      | ≤23.01         | PASS    |
|            |         | 5200    | 17.73                 | ≤23.98          | 20.43      | ≤23.01         | PASS    |
|            |         | 5240    | 17.89                 | ≤23.98          | 20.59      | ≤23.01         | PASS    |
|            |         | 5260    | 17.82                 | ≤23.98          | 20.88      | ---            | PASS    |
|            |         | 5280    | 17.90                 | ≤23.98          | 20.96      | ---            | PASS    |
|            |         | 5320    | 18.14                 | ≤23.98          | 21.2       | ---            | PASS    |

|                |      |      |       |        |       |        |      |
|----------------|------|------|-------|--------|-------|--------|------|
|                |      | 5500 | 16.10 | ≤23.98 | 18.86 | ---    | PASS |
|                |      | 5580 | 17.42 | ≤23.98 | 20.18 | ---    | PASS |
|                |      | 5700 | 16.92 | ≤23.98 | 19.68 | ---    | PASS |
|                |      | 5745 | 18.77 | ≤30.00 | 21.39 | ---    | PASS |
|                |      | 5785 | 18.98 | ≤30.00 | 21.6  | ---    | PASS |
|                |      | 5825 | 19.41 | ≤30.00 | 22.03 | ---    | PASS |
| 11AC40SIS<br>O | Ant1 | 5190 | 18.06 | ≤23.98 | 20.76 | ≤23.01 | PASS |
|                |      | 5230 | 18.36 | ≤23.98 | 21.06 | ≤23.01 | PASS |
|                |      | 5270 | 18.09 | ≤23.98 | 21.15 | ---    | PASS |
|                |      | 5310 | 18.69 | ≤23.98 | 21.75 | ---    | PASS |
|                |      | 5510 | 16.49 | ≤23.98 | 19.25 | ---    | PASS |
|                |      | 5550 | 17.50 | ≤23.98 | 20.26 | ---    | PASS |
|                |      | 5670 | 17.44 | ≤23.98 | 20.2  | ---    | PASS |
|                |      | 5755 | 19.20 | ≤30.00 | 21.82 | ---    | PASS |
|                |      | 5795 | 19.38 | ≤30.00 | 22    | ---    | PASS |
| 11AX20SIS<br>O | Ant1 | 5180 | 16.85 | ≤23.98 | 19.55 | ≤23.01 | PASS |
|                |      | 5200 | 17.24 | ≤23.98 | 19.94 | ≤23.01 | PASS |
|                |      | 5240 | 17.40 | ≤23.98 | 20.1  | ≤23.01 | PASS |
|                |      | 5260 | 16.93 | ≤23.98 | 19.99 | ---    | PASS |
|                |      | 5280 | 17.25 | ≤23.98 | 20.31 | ---    | PASS |
|                |      | 5320 | 17.78 | ≤23.98 | 20.84 | ---    | PASS |
|                |      | 5500 | 16.25 | ≤23.98 | 19.01 | ---    | PASS |
|                |      | 5580 | 17.38 | ≤23.98 | 20.14 | ---    | PASS |
|                |      | 5700 | 16.95 | ≤23.98 | 19.71 | ---    | PASS |
|                |      | 5745 | 16.91 | ≤30.00 | 19.53 | ---    | PASS |
|                |      | 5785 | 17.10 | ≤30.00 | 19.72 | ---    | PASS |
|                |      | 5825 | 17.50 | ≤30.00 | 20.12 | ---    | PASS |
| 11AX40SIS<br>O | Ant1 | 5190 | 16.28 | ≤23.98 | 18.98 | ≤23.01 | PASS |
|                |      | 5230 | 16.55 | ≤23.98 | 19.25 | ≤23.01 | PASS |
|                |      | 5270 | 16.45 | ≤23.98 | 19.51 | ---    | PASS |
|                |      | 5310 | 16.90 | ≤23.98 | 19.96 | ---    | PASS |
|                |      | 5510 | 14.75 | ≤23.98 | 17.51 | ---    | PASS |
|                |      | 5550 | 15.77 | ≤23.98 | 18.53 | ---    | PASS |
|                |      | 5670 | 14.71 | ≤23.98 | 17.47 | ---    | PASS |
|                |      | 5755 | 17.18 | ≤30.00 | 19.8  | ---    | PASS |
|                |      | 5795 | 17.40 | ≤30.00 | 20.02 | ---    | PASS |

Note: The Duty Cycle Factor is compensated in the graph.

## 5. Maximum power spectral density


### 5.1. Test Result

| TestMode   | Antenna | Channel | Power<br>[dBm/MHz] | FCC Limit<br>[dBm/MHz] | EIRP<br>[dBm/MHz] | IC Limit<br>[dBm/MHz] | Verdict |
|------------|---------|---------|--------------------|------------------------|-------------------|-----------------------|---------|
| 11A        | Ant1    | 5180    | 5.78               | ≤11.00                 | 8.48              | ≤10.00                | PASS    |
|            |         | 5200    | 5.34               | ≤11.00                 | 8.04              | ≤10.00                | PASS    |
|            |         | 5240    | 6.30               | ≤11.00                 | 9                 | ≤10.00                | PASS    |
|            |         | 5260    | 5.02               | ≤11.00                 | 8.08              | ---                   | PASS    |
|            |         | 5280    | 5.65               | ≤11.00                 | 8.71              | ---                   | PASS    |
|            |         | 5320    | 6.43               | ≤11.00                 | 9.49              | ---                   | PASS    |
|            |         | 5500    | 5.53               | ≤11.00                 | 8.29              | ---                   | PASS    |
|            |         | 5580    | 5.58               | ≤11.00                 | 8.34              | ---                   | PASS    |
|            |         | 5700    | 4.67               | ≤11.00                 | 7.43              | ---                   | PASS    |
|            |         | 5745    | 3.11               | ≤30.00                 | 5.73              | ---                   | PASS    |
|            |         | 5785    | 3.93               | ≤30.00                 | 6.55              | ---                   | PASS    |
|            |         | 5825    | 3.45               | ≤30.00                 | 6.07              | ---                   | PASS    |
| 11N20SISO  | Ant1    | 5180    | 5.77               | ≤11.00                 | 8.47              | ≤10.00                | PASS    |
|            |         | 5200    | 5.88               | ≤11.00                 | 8.58              | ≤10.00                | PASS    |
|            |         | 5240    | 6.20               | ≤11.00                 | 8.9               | ≤10.00                | PASS    |
|            |         | 5260    | 5.26               | ≤11.00                 | 8.32              | ---                   | PASS    |
|            |         | 5280    | 5.81               | ≤11.00                 | 8.87              | ---                   | PASS    |
|            |         | 5320    | 6.60               | ≤11.00                 | 9.66              | ---                   | PASS    |
|            |         | 5500    | 4.67               | ≤11.00                 | 7.43              | ---                   | PASS    |
|            |         | 5580    | 5.69               | ≤11.00                 | 8.45              | ---                   | PASS    |
|            |         | 5700    | 5.05               | ≤11.00                 | 7.81              | ---                   | PASS    |
|            |         | 5745    | 2.27               | ≤30.00                 | 4.89              | ---                   | PASS    |
|            |         | 5785    | 2.44               | ≤30.00                 | 5.06              | ---                   | PASS    |
|            |         | 5825    | 4.54               | ≤30.00                 | 7.16              | ---                   | PASS    |
| 11N40SISO  | Ant1    | 5190    | 3.42               | ≤11.00                 | 6.12              | ≤10.00                | PASS    |
|            |         | 5230    | 3.18               | ≤11.00                 | 5.88              | ≤10.00                | PASS    |
|            |         | 5270    | 2.98               | ≤11.00                 | 6.04              | ---                   | PASS    |
|            |         | 5310    | 3.40               | ≤11.00                 | 6.46              | ---                   | PASS    |
|            |         | 5510    | 2.44               | ≤11.00                 | 5.2               | ---                   | PASS    |
|            |         | 5550    | 2.50               | ≤11.00                 | 5.26              | ---                   | PASS    |
|            |         | 5670    | 2.48               | ≤11.00                 | 5.24              | ---                   | PASS    |
|            |         | 5755    | -0.73              | ≤30.00                 | 1.89              | ---                   | PASS    |
|            |         | 5795    | -0.02              | ≤30.00                 | 2.6               | ---                   | PASS    |
| 11AC20SISO | Ant1    | 5180    | 6.48               | ≤11.00                 | 9.18              | ≤10.00                | PASS    |
|            |         | 5200    | 6.29               | ≤11.00                 | 8.99              | ≤10.00                | PASS    |
|            |         | 5240    | 6.38               | ≤11.00                 | 9.08              | ≤10.00                | PASS    |
|            |         | 5260    | 6.07               | ≤11.00                 | 9.13              | ---                   | PASS    |
|            |         | 5280    | 5.92               | ≤11.00                 | 8.98              | ---                   | PASS    |
|            |         | 5320    | 6.86               | ≤11.00                 | 9.92              | ---                   | PASS    |
|            |         | 5500    | 4.41               | ≤11.00                 | 7.17              | ---                   | PASS    |


|            |      |      |       |              |      |              |      |
|------------|------|------|-------|--------------|------|--------------|------|
|            |      | 5580 | 5.66  | $\leq 11.00$ | 8.42 | ---          | PASS |
|            |      | 5700 | 4.90  | $\leq 11.00$ | 7.66 | ---          | PASS |
|            |      | 5745 | 4.09  | $\leq 30.00$ | 6.71 | ---          | PASS |
|            |      | 5785 | 4.52  | $\leq 30.00$ | 7.14 | ---          | PASS |
|            |      | 5825 | 4.77  | $\leq 30.00$ | 7.39 | ---          | PASS |
| 11AC40SISO | Ant1 | 5190 | 3.17  | $\leq 11.00$ | 5.87 | $\leq 10.00$ | PASS |
|            |      | 5230 | 3.55  | $\leq 11.00$ | 6.25 | $\leq 10.00$ | PASS |
|            |      | 5270 | 3.18  | $\leq 11.00$ | 6.24 | ---          | PASS |
|            |      | 5310 | 4.15  | $\leq 11.00$ | 7.21 | ---          | PASS |
|            |      | 5510 | 2.13  | $\leq 11.00$ | 4.89 | ---          | PASS |
|            |      | 5550 | 3.02  | $\leq 11.00$ | 5.78 | ---          | PASS |
|            |      | 5670 | 2.37  | $\leq 11.00$ | 5.13 | ---          | PASS |
|            |      | 5755 | 1.61  | $\leq 30.00$ | 4.23 | ---          | PASS |
|            |      | 5795 | 1.92  | $\leq 30.00$ | 4.54 | ---          | PASS |
| 11AX20SISO | Ant1 | 5180 | 5.19  | $\leq 11.00$ | 7.89 | $\leq 10.00$ | PASS |
|            |      | 5200 | 4.90  | $\leq 11.00$ | 7.6  | $\leq 10.00$ | PASS |
|            |      | 5240 | 5.49  | $\leq 11.00$ | 8.19 | $\leq 10.00$ | PASS |
|            |      | 5260 | 4.99  | $\leq 11.00$ | 8.05 | ---          | PASS |
|            |      | 5280 | 5.74  | $\leq 11.00$ | 8.8  | ---          | PASS |
|            |      | 5320 | 5.74  | $\leq 11.00$ | 8.8  | ---          | PASS |
|            |      | 5500 | 4.29  | $\leq 11.00$ | 7.05 | ---          | PASS |
|            |      | 5580 | 5.28  | $\leq 11.00$ | 8.04 | ---          | PASS |
|            |      | 5700 | 4.79  | $\leq 11.00$ | 7.55 | ---          | PASS |
|            |      | 5745 | 2.14  | $\leq 30.00$ | 4.76 | ---          | PASS |
|            |      | 5785 | 2.05  | $\leq 30.00$ | 4.67 | ---          | PASS |
|            |      | 5825 | 2.39  | $\leq 30.00$ | 5.01 | ---          | PASS |
| 11AX40SISO | Ant1 | 5190 | 1.55  | $\leq 11.00$ | 4.25 | $\leq 10.00$ | PASS |
|            |      | 5230 | 1.92  | $\leq 11.00$ | 4.62 | $\leq 10.00$ | PASS |
|            |      | 5270 | 1.71  | $\leq 11.00$ | 4.77 | ---          | PASS |
|            |      | 5310 | 2.14  | $\leq 11.00$ | 5.2  | ---          | PASS |
|            |      | 5510 | 0.13  | $\leq 11.00$ | 2.89 | ---          | PASS |
|            |      | 5550 | 0.83  | $\leq 11.00$ | 3.59 | ---          | PASS |
|            |      | 5670 | -0.82 | $\leq 11.00$ | 1.94 | ---          | PASS |
|            |      | 5755 | -0.59 | $\leq 30.00$ | 2.03 | ---          | PASS |
|            |      | 5795 | -0.33 | $\leq 30.00$ | 2.29 | ---          | PASS |

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


## 5.2. Test Graphs




### 11A\_Ant1\_5260




### 11A\_Ant1\_5280




### 11A\_Ant1\_5320




### 11A\_Ant1\_5500




11A\_Ant1\_5580




11A\_Ant1\_5700



11A\_Ant1\_5745




11A\_Ant1\_5785




11A\_Ant1\_5825



11N20SISO\_Ant1\_5180




11N20SISO\_Ant1\_5200




11N20SISO\_Ant1\_5240




11N20SISO\_Ant1\_5260



11N20SISO\_Ant1\_5280



11N20SISO\_Ant1\_5320



11N20SISO\_Ant1\_5500