

		5580	3.13	≤11.00	PASS
		5700	1.68	≤11.00	PASS
		5745	3.47	≤30.00	PASS
		5785	2.92	≤30.00	PASS
		5825	2.44	≤30.00	PASS
11AC40SISO	Ant1	5190	-0.08	≤11.00	PASS
		5230	2.50	≤11.00	PASS
		5270	2.96	≤11.00	PASS
		5310	0.20	≤11.00	PASS
		5510	-0.06	≤11.00	PASS
		5550	2.87	≤11.00	PASS
		5670	-0.91	≤11.00	PASS
		5755	0.15	≤30.00	PASS
11AX20SISO	Ant1	5795	-0.41	≤30.00	PASS
		5180	2.56	≤11.00	PASS
		5200	5.39	≤11.00	PASS
		5240	4.80	≤11.00	PASS
		5260	5.48	≤11.00	PASS
		5280	5.29	≤11.00	PASS
		5320	2.44	≤11.00	PASS
		5500	2.12	≤11.00	PASS
		5580	2.78	≤11.00	PASS
		5700	5.70	≤11.00	PASS
		5745	2.77	≤30.00	PASS
		5785	2.18	≤30.00	PASS
11AX40SISO	Ant1	5825	1.72	≤30.00	PASS
		5190	-0.03	≤11.00	PASS
		5230	2.31	≤11.00	PASS
		5270	2.77	≤11.00	PASS
		5310	-0.01	≤11.00	PASS
		5510	-0.31	≤11.00	PASS
		5550	2.66	≤11.00	PASS
		5670	-0.97	≤11.00	PASS
		5755	-0.03	≤30.00	PASS
		5795	-0.69	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

5.2.Test Graphs


11A_Ant1_5180



11A_Ant1_5200




11A_Ant1_5240




11A_Ant1_5260



11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825



11N20SISO_Ant1_5180



11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260



11N20SISO_Ant1_5280




11N20SISO_Ant1_5320



11N20SISO_Ant1_5500




11N20SISO_Ant1_5580



11N20SISO_Ant1_5700



11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270



11N40SISO_Ant1_5310



11N40SISO_Ant1_5510



11N40SISO_Ant1_5550




11N40SISO_Ant1_5670



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5200



11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260




11AC20SISO_Ant1_5280




11AC20SISO_Ant1_5320



11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270



11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510



11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AX20SISO_Ant1_5180




11AX20SISO_Ant1_5200




11AX20SISO_Ant1_5240



11AX20SISO_Ant1_5260




11AX20SISO_Ant1_5280




11AX20SISO_Ant1_5320




11AX20SISO_Ant1_5500




11AX20SISO_Ant1_5580



11AX20SISO_Ant1_5700




11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785




11AX20SISO_Ant1_5825




11AX40SISO_Ant1_5190




11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5270



11AX40SISO_Ant1_5310




11AX40SISO_Ant1_5510




11AX40SISO_Ant1_5550




11AX40SISO_Ant1_5670



11AX40SISO_Ant1_5755



11AX40SISO_Ant1_5795



6. Band edge measurements

6.1. Test Result


TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-31.36	≤-27	PASS
		High	5320	-32.84	≤-27	PASS
		Low	5500	-31.19	≤-27	PASS
		High	5700	-31.86	≤-27	PASS
11N20SISO	Ant1	Low	5180	-29.82	≤-27	PASS
		High	5320	-30.96	≤-27	PASS
		Low	5500	-30.17	≤-27	PASS
		High	5700	-29.14	≤-27	PASS
11N40SISO	Ant1	Low	5190	-29.29	≤-27	PASS
		High	5310	-30.49	≤-27	PASS
		Low	5510	-31.6	≤-27	PASS
		High	5670	-33.92	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-31.76	≤-27	PASS
		High	5320	-34.11	≤-27	PASS
		Low	5500	-30.53	≤-27	PASS
		High	5700	-32.03	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-28.36	≤-27	PASS
		High	5310	-30.54	≤-27	PASS
		Low	5510	-29.82	≤-27	PASS
		High	5670	-33.04	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-27.85	≤-27	PASS
		High	5320	-30.68	≤-27	PASS
		Low	5500	-27.91	≤-27	PASS
		High	5700	-31.87	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-30.52	≤-27	PASS
		High	5310	-28.34	≤-27	PASS
		Low	5510	-28.04	≤-27	PASS
		High	5670	-32.48	≤-27	PASS

TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-24.12	≤9.01	PASS
				5700~5720	-14.76	≤15.13	PASS
				5720~5725	-14.16	≤27.00	PASS
				5760~5650	-32.55	≤-27	PASS
		High	5825	5850~5855	-11.82	≤15.80	PASS
				5855~5875	-15.12	≤10.27	PASS
				5875~5925	-21.85	≤-20.68	PASS
				5925~5935	-31.97	≤-27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-21.15	≤10.00	PASS
				5700~5720	-10.5	≤14.62	PASS
				5720~5725	-10.92	≤27.00	PASS
				5760~5650	-31.79	≤-27	PASS
		High	5825	5850~5855	-8.21	≤16.69	PASS
				5855~5875	-11.32	≤10.49	PASS
				5875~5925	-22.54	≤-18.94	PASS
				5925~5935	-36.56	≤-27	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-20.56	≤9.98	PASS
				5700~5720	-13.6	≤13.34	PASS
				5720~5725	-15.62	≤22.14	PASS
				5780~5650	-33.41	≤-27	PASS
		High	5795	5850~5855	-20.79	≤26.75	PASS
				5855~5875	-20.67	≤10.04	PASS
				5875~5925	-29.57	≤-26.48	PASS
				5925~5935	-35.1	≤-27	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-26.6	≤8.89	PASS
				5700~5720	-17.57	≤15.55	PASS
				5720~5725	-12.74	≤27.00	PASS
				5760~5650	-34.45	≤-27	PASS
		High	5825	5850~5855	-13.56	≤15.80	PASS
				5855~5875	-16.03	≤10.76	PASS
				5875~5925	-23.82	≤-21.26	PASS
				5925~5935	-33.34	≤-27	PASS
11AC40SISO	Ant1	Low	5755	5650~5700	-23.16	≤9.69	PASS
				5700~5720	-15.83	≤13.06	PASS
				5720~5725	-13.6	≤23.48	PASS
				5780~5650	-31.89	≤-27	PASS
		High	5795	5850~5855	-16.47	≤16.39	PASS
				5855~5875	-18.82	≤10.17	PASS
				5875~5925	-26.2	≤-24.89	PASS
				5925~5935	-33.92	≤-27	PASS
11AX20SISO	Ant1	Low	5745	5650~5700	-25.14	≤8.77	PASS
				5700~5720	-15.11	≤15.60	PASS


		High	5825	5720~5725	-12.83	≤27.00	PASS
				5760~5650	-33.7	≤-27	PASS
				5850~5855	-13.19	≤21.15	PASS
				5855~5875	-15.98	≤10.05	PASS
				5875~5925	-22.37	≤-19.23	PASS
				5925~5935	-32.44	≤-27	PASS
11AX40SISO	Ant1	Low	5755	5650~5700	-21.85	≤8.10	PASS
				5700~5720	-11.51	≤14.65	PASS
				5720~5725	-9.15	≤25.71	PASS
				5780~5650	-32.78	≤-27	PASS
		High	5795	5850~5855	-17.47	≤15.85	PASS
				5855~5875	-18.55	≤11.24	PASS
				5875~5925	-24.24	≤-22.59	PASS
				5925~5935	-34.62	≤-27	PASS

6.2.Test Graphs


11A_Ant1_Low_5180




11A_Ant1_High_5320




11A_Ant1_Low_5500




11A_Ant1_High_5700




11N20SISO_Ant1_Low_5180




11N20SISO_Ant1_High_5320




11N20SISO_Ant1_Low_5500




11N20SISO_Ant1_High_5700



11N40SISO_Ant1_Low_5190




11N40SISO_Ant1_High_5310




Date: 9.MAY.2024 16:40:51

11N40SISO_Ant1_Low_5510




Date: 14.MAY.2024 10:51:39

11N40SISO_Ant1_High_5670




Date: 14.MAY.2024 10:59:23


11AC20SISO_Ant1_Low_5180




11AC20SISO_Ant1_High_5320




11AC20SISO_Ant1_Low_5500




11AC20SISO_Ant1_High_5700




11AC40SISO_Ant1_Low_5190




11AC40SISO_Ant1_High_5310




11AC40SISO_Ant1_Low_5510




11AC40SISO_Ant1_High_5670




11AX20SISO_Ant1_Low_5180




11AX20SISO_Ant1_High_5320




11AX20SISO_Ant1_Low_5500




11AX20SISO_Ant1_High_5700




11AX40SISO_Ant1_Low_5190




11AX40SISO_Ant1_High_5310




11AX40SISO_Ant1_Low_5510




11AX40SISO_Ant1_High_5670



11A_Ant1_Low_5745



11A_Ant1_High_5825




11N20SISO_Ant1_Low_5745




11N20SISO_Ant1_High_5825




11N40SISO_Ant1_Low_5755



11N40SISO_Ant1_High_5795



11AC20SISO_Ant1_Low_5745




11AC20SISO_Ant1_High_5825




11AC40SISO_Ant1_Low_5755




11AC40SISO_Ant1_High_5795




11AX20SISO_Ant1_Low_5745



11AX20SISO_Ant1_High_5825



11AX40SISO_Ant1_Low_5755



7. Emissions in Restricted Bands

7.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-52.70	≤-41.20	PASS
				AV	5149.275	-45.03	≤-41.20	PASS
				AV	5150.000	-45.64	≤-41.20	PASS
				Peak	4500.000	-35.22	≤-21.20	PASS
				Peak	5149.275	-22.84	≤-21.20	PASS
				Peak	5150.000	-21.82	≤-21.20	PASS
		High	5320	AV	5350.000	-43.52	≤-41.20	PASS
				AV	5350.551	-43.43	≤-41.20	PASS
				AV	5460.000	-49.04	≤-41.20	PASS
				Peak	5350.000	-27.93	≤-21.20	PASS
				Peak	5359.362	-26.69	≤-21.20	PASS
				Peak	5460.000	-34.53	≤-21.20	PASS
		Low	5500	AV	5350.000	-47.66	≤-41.20	PASS
				AV	5457.043	-42.79	≤-41.20	PASS
				AV	5460.000	-42.74	≤-41.20	PASS
				Peak	5350.000	-37.24	≤-21.20	PASS
				Peak	5459.783	-29.73	≤-21.20	PASS
				Peak	5460.000	-29.47	≤-21.20	PASS
			5745	Peak	5650.000	-32.64	≤-27.00	PASS
				Peak	5700.000	-25.2	≤10.00	PASS
				Peak	5720.000	-14.2	≤15.60	PASS
		High	5825	Peak	5725.000	-9.73	≤27.00	PASS
				Peak	5850.000	-12.56	≤27.00	PASS
				Peak	5855.000	-15.22	≤15.60	PASS
				Peak	5875.000	-23.82	≤10.00	PASS
				Peak	5925.000	-33.29	≤-27.00	PASS
11N20SISO	Ant1	Low	5180	AV	4500.000	-52.18	≤-41.20	PASS
				AV	5149.275	-43.84	≤-41.20	PASS
				AV	5150.000	-44.16	≤-41.20	PASS
				Peak	4500.000	-40.38	≤-21.20	PASS
				Peak	5148.261	-26.04	≤-21.20	PASS
				Peak	5150.000	-27.13	≤-21.20	PASS
		High	5320	AV	5350.000	-43.81	≤-41.20	PASS
				AV	5355.420	-43.34	≤-41.20	PASS
				AV	5460.000	-48.77	≤-41.20	PASS
				Peak	5350.000	-29.66	≤-21.20	PASS
				Peak	5353.797	-26.76	≤-21.20	PASS
				Peak	5460.000	-39.67	≤-21.20	PASS
		Low	5500	AV	5350.000	-47.42	≤-41.20	PASS
				AV	5459.174	-42.29	≤-41.20	PASS
				AV	5460.000	-43.03	≤-41.20	PASS
				Peak	5350.000	-34.65	≤-21.20	PASS
				Peak	5458.870	-30.23	≤-21.20	PASS
				Peak	5460.000	-32.71	≤-21.20	PASS
			5745	Peak	5650.000	-30.98	≤-27.00	PASS
				Peak	5700.000	-23.34	≤10.00	PASS
				Peak	5720.000	-13.57	≤15.60	PASS
		High	5825	Peak	5725.000	-9.43	≤27.00	PASS
				Peak	5850.000	-9.8	≤27.00	PASS
				Peak	5855.000	-13.45	≤15.60	PASS
				Peak	5875.000	-18.72	≤10.00	PASS

11N40SISO	Ant1	Low	5190	Peak	5925.000	-32.86	≤-27.00	PASS
				AV	4500.000	-52.38	≤-41.20	PASS
				AV	5145.217	-44.19	≤-41.20	PASS
				AV	5150.000	-43.86	≤-41.20	PASS
				Peak	4500.000	-42.91	≤-21.20	PASS
				Peak	5149.275	-23.58	≤-21.20	PASS
		High	5310	Peak	5150.000	-23.23	≤-21.20	PASS
				AV	5350.000	-42.64	≤-41.20	PASS
				AV	5351.246	-42.59	≤-41.20	PASS
				AV	5460.000	-49.48	≤-41.20	PASS
				Peak	5350.000	-25.27	≤-21.20	PASS
				Peak	5355.652	-21.94	≤-21.20	PASS
		Low	5510	Peak	5460.000	-33.75	≤-21.20	PASS
				AV	5350.000	-48.91	≤-41.20	PASS
				AV	5459.420	-43.08	≤-41.20	PASS
				AV	5460.000	-43.16	≤-41.20	PASS
				Peak	5350.000	-39.5	≤-21.20	PASS
				Peak	5458.783	-26.9	≤-21.20	PASS
			5755	Peak	5460.000	-27.31	≤-21.20	PASS
				Peak	5650.000	-35.76	≤-27.00	PASS
				Peak	5700.000	-21.29	≤10.00	PASS
				Peak	5720.000	-11.36	≤15.60	PASS
		High	5795	Peak	5725.000	-12.74	≤27.00	PASS
				Peak	5850.000	-16.85	≤27.00	PASS
				Peak	5855.000	-19.78	≤15.60	PASS
				Peak	5875.000	-25.73	≤10.00	PASS
				Peak	5925.000	-38.69	≤-27.00	PASS
11AC20SISO	Ant1	Low	5180	AV	4500.000	-54.75	≤-41.20	PASS
				AV	5146.232	-46.05	≤-41.20	PASS
				AV	5150.000	-46.67	≤-41.20	PASS
				Peak	4500.000	-45.74	≤-21.20	PASS
				Peak	5147.246	-24.12	≤-21.20	PASS
				Peak	5150.000	-28.19	≤-21.20	PASS
		High	5320	AV	5350.000	-45.46	≤-41.20	PASS
				AV	5354.493	-44.56	≤-41.20	PASS
				AV	5460.000	-50.72	≤-41.20	PASS
				Peak	5350.000	-24.2	≤-21.20	PASS
				Peak	5350.087	-24.32	≤-21.20	PASS
				Peak	5460.000	-41.07	≤-21.20	PASS
		Low	5500	AV	5350.000	-49.83	≤-41.20	PASS
				AV	5459.783	-43.15	≤-41.20	PASS
				AV	5460.000	-43.18	≤-41.20	PASS
				Peak	5350.000	-40.69	≤-21.20	PASS
				Peak	5459.783	-29.43	≤-21.20	PASS
				Peak	5460.000	-29.58	≤-21.20	PASS
			5745	Peak	5650.000	-37.86	≤-27.00	PASS
				Peak	5700.000	-27.5	≤10.00	PASS
				Peak	5720.000	-17.53	≤15.60	PASS
				Peak	5725.000	-9.64	≤27.00	PASS
		High	5825	Peak	5850.000	-10.58	≤27.00	PASS
				Peak	5855.000	-15.05	≤15.60	PASS
				Peak	5875.000	-23.49	≤10.00	PASS
				Peak	5925.000	-37.6	≤-27.00	PASS
11AC40SISO	Ant1	Low	5190	AV	4500.000	-54.7	≤-41.20	PASS
				AV	5149.275	-46.74	≤-41.20	PASS
				AV	5150.000	-46.58	≤-41.20	PASS
				Peak	4500.000	-44.43	≤-21.20	PASS
				Peak	5141.159	-27.73	≤-21.20	PASS

		High	5310	Peak	5150.000	-28.53	≤-21.20	PASS
				AV	5350.000	-42.56	≤-41.20	PASS
				AV	5350.087	-42.56	≤-41.20	PASS
				AV	5460.000	-50.16	≤-41.20	PASS
				Peak	5350.000	-26.52	≤-21.20	PASS
				Peak	5350.087	-26.57	≤-21.20	PASS
				Peak	5460.000	-40.8	≤-21.20	PASS
		Low	5510	AV	5350.000	-48.81	≤-41.20	PASS
				AV	5456.551	-44.48	≤-41.20	PASS
				AV	5460.000	-44.4	≤-41.20	PASS
				Peak	5350.000	-39.98	≤-21.20	PASS
				Peak	5459.739	-33.94	≤-21.20	PASS
				Peak	5460.000	-34.25	≤-21.20	PASS
			5755	Peak	5650.000	-34.39	≤-27.00	PASS
				Peak	5700.000	-22.12	≤10.00	PASS
				Peak	5720.000	-14.62	≤15.60	PASS
				Peak	5725.000	-11.82	≤27.00	PASS
		High	5795	Peak	5850.000	-17.75	≤27.00	PASS
				Peak	5855.000	-17.75	≤15.60	PASS
				Peak	5875.000	-26.04	≤10.00	PASS
				Peak	5925.000	-38.9	≤-27.00	PASS
11AX20SISO	Ant1	Low	5180	AV	4500.000	-54.85	≤-41.20	PASS
				AV	5148.261	-46.3	≤-41.20	PASS
				AV	5150.000	-46.73	≤-41.20	PASS
				Peak	4500.000	-43.83	≤-21.20	PASS
				Peak	5148.261	-26.36	≤-21.20	PASS
		High	5320	Peak	5150.000	-27.19	≤-21.20	PASS
				AV	5350.000	-44.89	≤-41.20	PASS
				AV	5350.087	-44.87	≤-41.20	PASS
				AV	5460.000	-51.4	≤-41.20	PASS
				Peak	5350.000	-23.98	≤-21.20	PASS
				Peak	5350.087	-24.41	≤-21.20	PASS
				Peak	5460.000	-40.64	≤-21.20	PASS
		Low	5500	AV	5350.000	-49.53	≤-41.20	PASS
				AV	5456.739	-44.77	≤-41.20	PASS
				AV	5460.000	-45.26	≤-41.20	PASS
				Peak	5350.000	-38.62	≤-21.20	PASS
			5745	Peak	5455.826	-31.57	≤-21.20	PASS
				Peak	5460.000	-34.14	≤-21.20	PASS
				Peak	5650.000	-36.74	≤-27.00	PASS
		High	5825	Peak	5700.000	-24.34	≤10.00	PASS
				Peak	5720.000	-14.81	≤15.60	PASS
				Peak	5725.000	-11.97	≤27.00	PASS
				Peak	5850.000	-12.44	≤27.00	PASS
				Peak	5855.000	-15.37	≤15.60	PASS
11AX40SISO	Ant1	Low	5190	Peak	5875.000	-22.6	≤10.00	PASS
				Peak	5925.000	-36.58	≤-27.00	PASS
				AV	4500.000	-54.82	≤-41.20	PASS
				AV	5147.246	-45.5	≤-41.20	PASS
				AV	5150.000	-45.78	≤-41.20	PASS
		High	5310	Peak	4500.000	-45.03	≤-21.20	PASS
				Peak	5145.217	-28.06	≤-21.20	PASS
				Peak	5150.000	-31.59	≤-21.20	PASS
				AV	5350.000	-41.45	≤-41.20	PASS
				AV	5350.087	-41.79	≤-41.20	PASS
				AV	5460.000	-50.99	≤-41.20	PASS
				Peak	5350.000	-28.03	≤-21.20	PASS
				Peak	5350.087	-27.95	≤-21.20	PASS


				Peak	5460.000	-42.19	≤ -21.20	PASS
				AV	5350.000	-49.27	≤ -41.20	PASS
				AV	5459.739	-44.84	≤ -41.20	PASS
				AV	5460.000	-44.59	≤ -41.20	PASS
				Peak	5350.000	-39.62	≤ -21.20	PASS
				Peak	5454.319	-31.89	≤ -21.20	PASS
				Peak	5460.000	-32.14	≤ -21.20	PASS
			5755	Peak	5650.000	-32.94	≤ -27.00	PASS
				Peak	5700.000	-18.86	≤ 10.00	PASS
				Peak	5720.000	-10.96	≤ 15.60	PASS
				Peak	5725.000	-11.84	≤ 27.00	PASS
		High	5795	Peak	5850.000	-16.05	≤ 27.00	PASS
				Peak	5855.000	-18.29	≤ 15.60	PASS
				Peak	5875.000	-25.77	≤ 10.00	PASS
				Peak	5925.000	-36.85	≤ -27.00	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.
3. The Duty Cycle Factor is compensated in the graph.

7.2. Test Graphs


11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant1_High_5320_AV




11A_Ant1_High_5320_Peak




11A_Ant1_Low_5500_AV




11A_Ant1_Low_5500_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO Ant1 Low 5180 AV




11N20SISO Ant1 Low 5180 Peak




11N20SISO_Ant1_High_5320_AV




11N20SISO_Ant1_High_5320_Peak




11N20SISO_Ant1_Low_5500_AV




11N20SISO_Ant1_Low_5500_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5310_AV




11N40SISO_Ant1_High_5310_Peak




11N40SISO_Ant1_Low_5510_AV




11N40SISO_Ant1_Low_5510_Peak




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5180_AV




11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5320_AV




11AC20SISO_Ant1_High_5320_Peak




11AC20SISO_Ant1_Low_5500_AV



11AC20SISO_Ant1_Low_5500_Peak




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV




11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5310_AV




11AC40SISO_Ant1_High_5310_Peak




11AC40SISO_Ant1_Low_5510_AV



11AC40SISO_Ant1_Low_5510_Peak



11AC40SISO_Ant1_Low_5755_Peak



11AC40SISO_Ant1_High_5795_Peak