


Test Mode	UNII-3_TX BE(EHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.090	19.400	0.5	Complies
157	5785	19.100	19.400	0.5	Complies
165	5825	19.150	19.400	0.5	Complies

CH149




Date: 28.MAR.2025 18:53:57

CH157
6 dB Bandwidth




Date: 28.MAR.2025 18:55:06

CH165




Date: 28.MAR.2025 19:30:57


99 % Occupied Bandwidth



Date: 28.MAR.2025 18:53:20



Date: 28.MAR.2025 18:54:29




Date: 28.MAR.2025 19:30:19

Test Mode	UNII-3_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.990	38.600	0.5	Complies
159	5795	37.900	38.600	0.5	Complies

CH151




Date: 8.APR.2025 21:24:16

CH159 6 dB Bandwidth




Date: 8.APR.2025 21:26:19

99 % Occupied Bandwidth



Date: 8.APR.2025 21:23:38



Date: 8.APR.2025 21:25:40

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.15	0.23	22.38	30.00	1.0000	Complies
40	5200	23.55	0.23	23.78	30.00	1.0000	Complies
48	5240	23.61	0.23	23.84	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.10	0.23	22.33	30.00	1.0000	Complies
40	5200	23.51	0.23	23.74	30.00	1.0000	Complies
48	5240	23.59	0.23	23.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.36	30.00	1.0000	Complies
40	5200	26.77	30.00	1.0000	Complies
48	5240	26.84	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.08	0.00	22.08	30.00	1.0000	Complies
40	5200	23.56	0.00	23.56	30.00	1.0000	Complies
48	5240	23.61	0.00	23.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.01	0.00	22.01	30.00	1.0000	Complies
40	5200	23.51	0.00	23.51	30.00	1.0000	Complies
48	5240	23.49	0.00	23.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.06	30.00	1.0000	Complies
40	5200	26.55	30.00	1.0000	Complies
48	5240	26.56	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.16	0.13	19.29	30.00	1.0000	Complies
46	5230	23.58	0.13	23.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.22	0.13	19.35	30.00	1.0000	Complies
46	5230	23.55	0.13	23.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.33	30.00	1.0000	Complies
46	5230	26.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.08	0.32	16.40	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.96	0.32	16.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode _Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.61	0.10	19.71	30.00	1.0000	Complies
40	5200	23.61	0.10	23.71	30.00	1.0000	Complies
48	5240	23.59	0.10	23.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode _Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.72	0.10	19.82	30.00	1.0000	Complies
40	5200	23.51	0.10	23.61	30.00	1.0000	Complies
48	5240	23.53	0.10	23.63	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode _Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.78	30.00	1.0000	Complies
40	5200	26.67	30.00	1.0000	Complies
48	5240	26.67	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.48	0.19	16.67	30.00	1.0000	Complies
46	5230	23.49	0.19	23.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.63	0.19	16.82	30.00	1.0000	Complies
46	5230	23.51	0.19	23.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.76	30.00	1.0000	Complies
46	5230	26.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.38	0.36	16.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.46	0.36	16.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.79	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.39	0.23	18.62	23.98	0.2500	Complies
60	5300	18.51	0.23	18.74	23.98	0.2500	Complies
64	5320	18.28	0.23	18.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.15	0.23	18.38	23.98	0.2500	Complies
60	5300	18.12	0.23	18.35	23.98	0.2500	Complies
64	5320	18.03	0.23	18.26	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.51	23.98	0.2500	Complies
60	5300	21.56	23.98	0.2500	Complies
64	5320	21.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.14	0.00	19.14	23.98	0.2500	Complies
60	5300	18.64	0.00	18.64	23.98	0.2500	Complies
64	5320	18.59	0.00	18.59	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.03	0.00	19.03	23.98	0.2500	Complies
60	5300	18.85	0.00	18.85	23.98	0.2500	Complies
64	5320	18.91	0.00	18.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.10	23.98	0.2500	Complies
60	5300	21.76	23.98	0.2500	Complies
64	5320	21.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.45	0.13	19.58	23.98	0.2500	Complies
62	5310	18.33	0.13	18.46	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.54	0.13	19.67	23.98	0.2500	Complies
62	5310	18.39	0.13	18.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.64	23.98	0.2500	Complies
62	5310	21.50	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.69	0.32	16.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.67	0.32	15.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.05	0.10	19.15	23.98	0.2500	Complies
60	5300	19.01	0.10	19.11	23.98	0.2500	Complies
64	5320	19.11	0.10	19.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.74	0.10	18.84	23.98	0.2500	Complies
60	5300	18.83	0.10	18.93	23.98	0.2500	Complies
64	5320	18.92	0.10	19.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.01	23.98	0.2500	Complies
60	5300	22.03	23.98	0.2500	Complies
64	5320	22.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.51	0.19	19.70	23.98	0.2500	Complies
62	5310	17.21	0.19	17.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.56	0.19	19.75	23.98	0.2500	Complies
62	5310	17.11	0.19	17.30	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.74	23.98	0.2500	Complies
62	5310	20.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.47	0.36	16.83	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.35	0.36	16.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.78	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.46	0.48	16.94	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.45	0.48	16.93	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.95	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.01	0.59	17.60	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.99	0.59	17.58	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	20.60	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.05	0.23	18.28	23.98	0.2500	Complies
116	5580	17.94	0.23	18.17	23.98	0.2500	Complies
140	5700	17.98	0.23	18.21	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.80	0.23	18.03	23.98	0.2500	Complies
116	5580	17.81	0.23	18.04	23.98	0.2500	Complies
140	5700	17.43	0.23	17.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.17	23.98	0.2500	Complies
116	5580	21.11	23.98	0.2500	Complies
140	5700	20.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.06	0.00	18.06	23.98	0.2500	Complies
116	5580	18.14	0.00	18.14	23.98	0.2500	Complies
140	5700	17.45	0.00	17.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.14	0.00	18.14	23.98	0.2500	Complies
116	5580	18.25	0.00	18.25	23.98	0.2500	Complies
140	5700	18.12	0.00	18.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.11	23.98	0.2500	Complies
116	5580	21.21	23.98	0.2500	Complies
140	5700	20.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.41	0.13	19.54	23.98	0.2500	Complies
110	5550	19.45	0.13	19.58	23.98	0.2500	Complies
134	5670	19.49	0.13	19.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.53	0.13	19.66	23.98	0.2500	Complies
110	5550	19.56	0.13	19.69	23.98	0.2500	Complies
134	5670	19.51	0.13	19.64	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.61	23.98	0.2500	Complies
110	5550	22.65	23.98	0.2500	Complies
134	5670	22.64	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.86	0.32	19.18	23.98	0.2500	Complies
122	5610	19.72	0.32	20.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.84	0.32	19.16	23.98	0.2500	Complies
122	5610	19.77	0.32	20.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.18	23.98	0.2500	Complies
122	5610	23.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.65	0.48	17.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.67	0.48	17.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.36	0.10	18.46	23.98	0.2500	Complies
116	5580	18.39	0.10	18.49	23.98	0.2500	Complies
140	5700	17.80	0.10	17.90	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.38	0.10	18.48	23.98	0.2500	Complies
116	5580	18.63	0.10	18.73	23.98	0.2500	Complies
140	5700	18.26	0.10	18.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.48	23.98	0.2500	Complies
116	5580	21.62	23.98	0.2500	Complies
140	5700	21.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.12	0.19	18.31	23.98	0.2500	Complies
110	5550	19.51	0.19	19.70	23.98	0.2500	Complies
134	5670	19.55	0.19	19.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.26	0.19	18.45	23.98	0.2500	Complies
110	5550	19.62	0.19	19.81	23.98	0.2500	Complies
134	5670	19.55	0.19	19.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.39	23.98	0.2500	Complies
110	5550	22.77	23.98	0.2500	Complies
134	5670	22.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.66	0.36	18.02	23.98	0.2500	Complies
122	5610	19.72	0.36	20.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.68	0.36	18.04	23.98	0.2500	Complies
122	5610	19.77	0.36	20.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.04	23.98	0.2500	Complies
122	5610	23.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.54	0.59	20.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.32	0.59	19.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.03	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.56	0.23	23.79	30.00	1.0000	Complies
157	5785	23.61	0.23	23.84	30.00	1.0000	Complies
165	5825	23.62	0.23	23.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.49	0.23	23.72	30.00	1.0000	Complies
157	5785	23.51	0.23	23.74	30.00	1.0000	Complies
165	5825	23.55	0.23	23.78	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.76	30.00	1.0000	Complies
157	5785	26.80	30.00	1.0000	Complies
165	5825	26.82	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.55	0.00	23.55	30.00	1.0000	Complies
157	5785	23.54	0.00	23.54	30.00	1.0000	Complies
165	5825	23.59	0.00	23.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.55	0.00	23.55	30.00	1.0000	Complies
157	5785	23.61	0.00	23.61	30.00	1.0000	Complies
165	5825	23.56	0.00	23.56	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.56	30.00	1.0000	Complies
157	5785	26.59	30.00	1.0000	Complies
165	5825	26.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.62	0.13	23.75	30.00	1.0000	Complies
159	5795	23.55	0.13	23.68	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.49	0.13	23.62	30.00	1.0000	Complies
159	5795	23.51	0.13	23.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.70	30.00	1.0000	Complies
159	5795	26.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.15	0.32	23.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.09	0.32	23.41	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.55	0.10	23.65	30.00	1.0000	Complies
157	5785	23.49	0.10	23.59	30.00	1.0000	Complies
165	5825	23.56	0.10	23.66	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.66	0.10	23.76	30.00	1.0000	Complies
157	5785	23.49	0.10	23.59	30.00	1.0000	Complies
165	5825	23.55	0.10	23.65	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.72	30.00	1.0000	Complies
157	5785	26.60	30.00	1.0000	Complies
165	5825	26.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.61	0.19	23.80	30.00	1.0000	Complies
159	5795	23.62	0.19	23.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.79	0.19	21.98	30.00	1.0000	Complies
159	5795	23.51	0.19	23.70	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.00	30.00	1.0000	Complies
159	5795	26.77	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.21	0.36	23.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.11	0.36	23.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.53	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.27	0.23	10.50	14.52	Complies
40	5200	10.43	0.23	10.66	14.52	Complies
48	5240	10.17	0.23	10.40	14.52	Complies



Date: 28.MAR.2025 05:59:02




Date: 28.MAR.2025 06:04:48




Date: 28.MAR.2025 06:06:55

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.51	0.23	10.74	14.52	Complies
40	5200	10.64	0.23	10.87	14.52	Complies
48	5240	10.38	0.23	10.61	14.52	Complies



Date: 28.MAR.2025 06:00:28



Date: 28.MAR.2025 06:03:54




Date: 28.MAR.2025 06:08:33

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.63	14.52	Complies
40	5200	13.78	14.52	Complies
48	5240	13.52	14.52	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.15	0.00	10.15	14.52	Complies
40	5200	10.15	0.00	10.15	14.52	Complies
48	5240	9.95	0.00	9.95	14.52	Complies



Date: 28.MAR.2025 06:49:07




Date: 28.MAR.2025 06:51:35




Date: 28.MAR.2025 07:02:13

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.31	0.00	10.31	14.52	Complies
40	5200	10.19	0.00	10.19	14.52	Complies
48	5240	10.13	0.00	10.13	14.52	Complies



Date: 28.MAR.2025 06:47:19



Date: 28.MAR.2025 06:52:05



Date: 28.MAR.2025 06:56:38


Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.24	14.52	Complies
40	5200	13.18	14.52	Complies
48	5240	13.05	14.52	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.10	0.13	7.23	14.52	Complies
46	5230	6.88	0.13	7.01	14.52	Complies

CH38



Date: 28.MAR.2025 07:49:39

CH46




Date: 28.MAR.2025 07:53:23

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.33	0.13	7.46	14.52	Complies
46	5230	7.14	0.13	7.27	14.52	Complies

CH38



Date: 28.MAR.2025 07:50:34

CH46




Date: 28.MAR.2025 07:52:13

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.36	14.52	Complies
46	5230	10.16	14.52	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.94	0.32	4.26	14.52	Complies



Date: 28.MAR.2025 08:18:37

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.18	0.32	4.50	14.52	Complies




Date: 28.MAR.2025 08:17:47

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.39	14.52	Complies


Test Mode	UNII-1_TX BE(EHT20) Mode _Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.87	0.10	9.97	14.52	Complies
40	5200	9.77	0.10	9.87	14.52	Complies
48	5240	9.83	0.10	9.93	14.52	Complies



Test Mode	UNII-1_TX BE(EHT20) Mode _Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.06	0.10	10.16	14.52	Complies
40	5200	10.10	0.10	10.20	14.52	Complies
48	5240	9.93	0.10	10.03	14.52	Complies




Test Mode	UNII-1_TX BE(EHT20) Mode _Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.08	14.52	Complies
40	5200	13.05	14.52	Complies
48	5240	12.99	14.52	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.13	0.19	8.32	14.52	Complies
46	5230	8.22	0.19	8.41	14.52	Complies




Date: 28.MAR.2025 15:59:02




Date: 28.MAR.2025 16:09:52

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.30	0.19	8.49	14.52	Complies
46	5230	8.40	0.19	8.59	14.52	Complies



Date: 28.MAR.2025 16:04:27




Date: 28.MAR.2025 16:09:05

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.42	14.52	Complies
46	5230	11.51	14.52	Complies


Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.11	0.36	6.47	14.52	Complies



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.17	0.36	6.53	14.52	Complies




Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.51	14.52	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.30	0.23	5.53	8.52	Complies
60	5300	5.37	0.23	5.60	8.52	Complies
64	5320	5.33	0.23	5.56	8.52	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.10	0.23	5.33	8.52	Complies
60	5300	5.01	0.23	5.24	8.52	Complies
64	5320	5.12	0.23	5.35	8.52	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.44	8.52	Complies
60	5300	8.43	8.52	Complies
64	5320	8.47	8.52	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.35	0.00	5.35	8.52	Complies
60	5300	5.44	0.00	5.44	8.52	Complies
64	5320	5.51	0.00	5.51	8.52	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.24	0.00	5.24	8.52	Complies
60	5300	5.22	0.00	5.22	8.52	Complies
64	5320	5.25	0.00	5.25	8.52	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.31	8.52	Complies
60	5300	8.34	8.52	Complies
64	5320	8.39	8.52	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.47	0.13	3.60	8.52	Complies
62	5310	3.60	0.13	3.73	8.52	Complies

CH54



Date: 28.MAR.2025 07:54:34

CH62




Date: 28.MAR.2025 07:58:39

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.39	0.13	3.52	8.52	Complies
62	5310	3.49	0.13	3.62	8.52	Complies

CH54



Date: 28.MAR.2025 07:55:33

CH62




Date: 28.MAR.2025 07:57:29

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.57	8.52	Complies
62	5310	6.69	8.52	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.40	0.32	0.72	8.52	Complies



Date: 28_MAR_2025 08:20:01

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.25	0.32	0.57	8.52	Complies




Date: 28_MAR_2025 08:20:42

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.65	8.52	Complies


Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.32	0.10	5.42	8.52	Complies
60	5300	5.44	0.10	5.54	8.52	Complies
64	5320	5.55	0.10	5.65	8.52	Complies



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.99	0.10	5.09	8.52	Complies
60	5300	5.19	0.10	5.29	8.52	Complies
64	5320	5.19	0.10	5.29	8.52	Complies




Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.27	8.52	Complies
60	5300	8.43	8.52	Complies
64	5320	8.48	8.52	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.62	0.19	4.81	8.52	Complies
62	5310	4.61	0.19	4.80	8.52	Complies

CH54



Date: 28.MAR.2025 16:11:56

CH62




Date: 28.MAR.2025 16:14:59

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.65	0.19	4.84	8.52	Complies
62	5310	4.66	0.19	4.85	8.52	Complies

CH54



Date: 28.MAR.2025 16:12:39

CH62




Date: 28.MAR.2025 16:13:49

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.84	8.52	Complies
62	5310	7.84	8.52	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.75	0.36	2.11	8.52	Complies



Date: 28_MAR_2025 16:44:47

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.91	0.36	2.27	8.52	Complies




Date: 28_MAR_2025 16:45:38

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.20	8.52	Complies


Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.20	0.48	-1.72	8.52	Complies



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.40	0.48	-1.92	8.52	Complies




Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.19	8.52	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.02	0.59	-0.43	8.52	Complies



Date: 28.MAR.2025 17:01:37

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.01	0.59	-0.42	8.52	Complies




Date: 28.MAR.2025 17:02:33

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.59	8.52	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.23	0.23	5.46	8.52	Complies
116	5580	5.08	0.23	5.31	8.52	Complies
140	5700	5.40	0.23	5.63	8.52	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.28	0.23	5.51	8.52	Complies
116	5580	4.89	0.23	5.12	8.52	Complies
140	5700	4.92	0.23	5.15	8.52	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.49	8.52	Complies
116	5580	8.22	8.52	Complies
140	5700	8.41	8.52	Complies


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.59	0.00	5.59	8.52	Complies
116	5580	5.44	0.00	5.44	8.52	Complies
140	5700	5.64	0.00	5.64	8.52	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.34	0.00	5.34	8.52	Complies
116	5580	5.21	0.00	5.21	8.52	Complies
140	5700	5.11	0.00	5.11	8.52	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.48	8.52	Complies
116	5580	8.34	8.52	Complies
140	5700	8.39	8.52	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.19	0.13	4.32	8.52	Complies
110	5550	4.17	0.13	4.30	8.52	Complies
134	5670	4.13	0.13	4.26	8.52	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.87	0.13	4.00	8.52	Complies
110	5550	3.89	0.13	4.02	8.52	Complies
134	5670	4.22	0.13	4.35	8.52	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.18	8.52	Complies
110	5550	7.18	8.52	Complies
134	5670	7.32	8.52	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.43	0.32	1.75	8.52	Complies
122	5610	0.68	0.32	1.00	8.52	Complies

CH106



Date: 28.MAR.2025 08:23:01

CH122




Date: 28.MAR.2025 08:25:19

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.20	0.32	1.52	8.52	Complies
122	5610	0.59	0.32	0.91	8.52	Complies

CH106



Date: 28.MAR.2025 08:22:06

CH122




Date: 28.MAR.2025 08:25:59

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.65	8.52	Complies
122	5610	3.96	8.52	Complies


Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.75	0.48	-1.27	8.52	Complies



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.85	0.48	-1.37	8.52	Complies




Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	1.69	8.52	Complies


Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.46	0.10	5.56	8.52	Complies
116	5580	5.23	0.10	5.33	8.52	Complies
140	5700	5.45	0.10	5.55	8.52	Complies



Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.24	0.10	5.34	8.52	Complies
116	5580	5.10	0.10	5.20	8.52	Complies
140	5700	5.02	0.10	5.12	8.52	Complies




Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.46	8.52	Complies
116	5580	8.28	8.52	Complies
140	5700	8.35	8.52	Complies


Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.20	0.19	5.39	8.52	Complies
110	5550	5.27	0.19	5.46	8.52	Complies
134	5670	4.73	0.19	4.92	8.52	Complies



Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.89	0.19	5.08	8.52	Complies
110	5550	4.88	0.19	5.07	8.52	Complies
134	5670	4.74	0.19	4.93	8.52	Complies




Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.25	8.52	Complies
110	5550	8.28	8.52	Complies
134	5670	7.94	8.52	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.76	0.36	3.12	8.52	Complies
122	5610	1.96	0.36	2.32	8.52	Complies

CH106



Date: 28.MAR.2025 16:53:17

CH122




Date: 28.MAR.2025 16:54:17

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.64	0.36	3.00	8.52	Complies
122	5610	1.88	0.36	2.24	8.52	Complies

CH106



Date: 28.MAR.2025 16:52:14

CH122




Date: 28.MAR.2025 16:55:08

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.07	8.52	Complies
122	5610	5.29	8.52	Complies


Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.60	0.59	-0.01	8.52	Complies



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.27	0.59	0.32	8.52	Complies




Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.17	8.52	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.02	0.23	9.25	27.52	Complies
157	5785	9.09	0.23	9.32	27.52	Complies
165	5825	8.97	0.23	9.20	27.52	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.07	0.23	9.30	27.52	Complies
157	5785	8.74	0.23	8.97	27.52	Complies
165	5825	8.89	0.23	9.12	27.52	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.28	27.52	Complies
157	5785	12.16	27.52	Complies
165	5825	12.17	27.52	Complies

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.09	0.00	9.09	27.52	Complies
157	5785	8.63	0.00	8.63	27.52	Complies
165	5825	8.57	0.00	8.57	27.52	Complies



Date: 28.MAR.2025 07:40:18




Date: 28.MAR.2025 07:41:54




Date: 28.MAR.2025 07:45:46

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.86	0.00	8.86	27.52	Complies
157	5785	8.41	0.00	8.41	27.52	Complies
165	5825	8.54	0.00	8.54	27.52	Complies



Date: 28.MAR.2025 07:39:35



Date: 28.MAR.2025 07:42:47



Date: 28.MAR.2025 07:44:28


Test Mode UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.99	27.52	Complies
157	5785	11.53	27.52	Complies
165	5825	11.57	27.52	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.33	0.13	5.46	27.52	Complies
159	5795	5.08	0.13	5.21	27.52	Complies

CH151



Date: 28.MAR.2025 08:12:02

CH159




Date: 28.MAR.2025 08:14:05

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.36	0.13	5.49	27.52	Complies
159	5795	5.09	0.13	5.22	27.52	Complies

CH151



Date: 28.MAR.2025 08:11:20

CH159




Date: 28.MAR.2025 08:14:41

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.49	27.52	Complies
159	5795	8.23	27.52	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.56	0.32	2.88	27.52	Complies



Date: 28.MAR.2025 08:29:34

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.71	0.32	3.03	27.52	Complies




Date: 28.MAR.2025 08:28:42

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.96	27.52	Complies

Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.19	0.10	8.29	27.52	Complies
157	5785	7.80	0.10	7.90	27.52	Complies
165	5825	7.71	0.10	7.81	27.52	Complies



Date: 28.MAR.2025 09:19:50




Date: 28.MAR.2025 09:20:46




Date: 28.MAR.2025 09:23:03

Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.07	0.10	8.17	27.52	Complies
157	5785	7.56	0.10	7.66	27.52	Complies
165	5825	7.71	0.10	7.81	27.52	Complies



Date: 28.MAR.2025 09:19:00



Date: 28.MAR.2025 09:21:42



Date: 28.MAR.2025 09:22:35


Test Mode UNII-3_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.24	27.52	Complies
157	5785	10.79	27.52	Complies
165	5825	10.82	27.52	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.46	0.19	5.65	27.52	Complies
159	5795	5.27	0.19	5.46	27.52	Complies

CH151



Date: 28.MAR.2025 16:34:51

CH159




Date: 28.MAR.2025 16:37:33

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.41	0.19	5.60	27.52	Complies
159	5795	5.47	0.19	5.66	27.52	Complies

CH151



Date: 28.MAR.2025 16:33:52

CH159




Date: 28.MAR.2025 16:39:28

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.64	27.52	Complies
159	5795	8.57	27.52	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.81	0.36	4.17	27.52	Complies



Date: 28.MAR.2025 16:59:18

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.85	0.36	4.21	27.52	Complies



Date: 28.MAR.2025 16:57:59

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.20	27.52	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
132	5180.0108
120	5180.0104
108	5180.0100
Maximum Deviation (MHz)	0.0108
Maximum Deviation (ppm)	2.0849

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5180.0096
10	5180.0100
20	5180.0104
30	5180.0112
40	5180.0120
Maximum Deviation (MHz)	0.0120
Maximum Deviation (ppm)	2.3166

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
132	5260.0248
120	5260.0224
108	5260.0200
Maximum Deviation (MHz)	0.0248
Maximum Deviation (ppm)	4.7148

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5260.0180
10	5260.0172
20	5260.0164
30	5260.0164
40	5260.0164
Maximum Deviation (MHz)	0.0188
Maximum Deviation (ppm)	3.5741

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
132	5500.0184
120	5500.0176
108	5500.0168
Maximum Deviation (MHz)	0.0184
Maximum Deviation (ppm)	3.3455

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5500.0148
10	5500.0148
20	5500.0132
30	5500.0132
40	5500.0080
Maximum Deviation (MHz)	0.0164
Maximum Deviation (ppm)	2.9818

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
132	5745.0112
120	5745.0088
108	5745.0092
Maximum Deviation (MHz)	0.0112
Maximum Deviation (ppm)	1.9495

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5745.0132
10	5745.0148
20	5745.0148
30	5745.0148
40	5745.0148
Maximum Deviation (MHz)	0.0148
Maximum Deviation (ppm)	2.5762

End of Test Report