Test Mode	UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	57.600	0.5	Complies
159	5795	36.500	37.600	0.5	Complies

CH151



Date: 25.MAR.2025 01:35:19

CH159

6 dB Bandwidth



Date: 25.MAR.2025 01:36:31



Date: 25.MAR.2025 01:34:31

99 % Occupied Bandwidth



Date: 25.MAR.2025 01:35:41

Test Mode	UNII-3_TX AC(VHT80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.600	86.400	0.5	Complies

CH155

6 dB Bandwidth



99 % Occupied Bandwidth



Test Mode	UNII-3_TX BE(EHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.200	19.500	0.5	Complies
157	5785	19.099	19.400	0.5	Complies
165	5825	19.100	19.400	0.5	Complies

CH149



Date: 25.MAR.2025 00:39:27

CH157

6 dB Bandwidth



Date: 25.MAR.2025 00:41:45

CH165



Date: 25.MAR.2025 00:45:26

99 % Occupied Bandwidth



Date: 24.MAR.2025 20:42:04



Date: 25.MAR.2025 00:41:11



Date: 25.MAR.2025 00:42:11

Test Mode	UNII-3_TX BE(EHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.100	55.200	0.5	Complies
159	5795	37.900	38.600	0.5	Complies

CH151



Date: 25.MAR.2025 01:47:12

CH159

6 dB Bandwidth



Date: 25.MAR.2025 01:48:15



Date: 25.MAR.2025 01:46:25

99 % Occupied Bandwidth



Date: 25.MAR.2025 01:47:25

Test Mode	UNII-3_TX BE(EHT80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.400	79.600	0.5	Complies

CH155

6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.09	0.23	17.32	30.00	1.0000	Complies
40	5200	17.10	0.23	17.33	30.00	1.0000	Complies
48	5240	16.84	0.23	17.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.70	0.23	16.93	30.00	1.0000	Complies
40	5200	16.78	0.23	17.01	30.00	1.0000	Complies
48	5240	16.66	0.23	16.89	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.81	0.23	17.04	30.00	1.0000	Complies
40	5200	16.72	0.23	16.95	30.00	1.0000	Complies
48	5240	16.63	0.23	16.86	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.38	0.23	16.61	30.00	1.0000	Complies
40	5200	16.14	0.23	16.37	30.00	1.0000	Complies
48	5240	16.11	0.23	16.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.00	30.00	1.0000	Complies
40	5200	22.95	30.00	1.0000	Complies
48	5240	22.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.52	0.00	16.52	30.00	1.0000	Complies
40	5200	17.87	0.00	17.87	30.00	1.0000	Complies
48	5240	17.65	0.00	17.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.20	0.00	16.20	30.00	1.0000	Complies
40	5200	17.36	0.00	17.36	30.00	1.0000	Complies
48	5240	17.30	0.00	17.30	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.36	0.00	16.36	30.00	1.0000	Complies
40	5200	17.52	0.00	17.52	30.00	1.0000	Complies
48	5240	17.43	0.00	17.43	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.79	0.00	15.79	30.00	1.0000	Complies
40	5200	17.03	0.00	17.03	30.00	1.0000	Complies
48	5240	16.97	0.00	16.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.25	30.00	1.0000	Complies
40	5200	23.48	30.00	1.0000	Complies
48	5240	23.37	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.06	0.13	14.19	30.00	1.0000	Complies
46	5230	18.96	0.13	19.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.57	0.13	13.70	30.00	1.0000	Complies
46	5230	18.52	0.13	18.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.92	0.13	14.05	30.00	1.0000	Complies
46	5230	18.70	0.13	18.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.07	0.13	13.20	30.00	1.0000	Complies
46	5230	18.20	0.13	18.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.83	30.00	1.0000	Complies
46	5230	24.76	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.82	0.32	13.14	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.42	0.32	12.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.77	0.32	13.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.09	0.32	12.41	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.87	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.47	0.10	16.57	30.00	1.0000	Complies
40	5200	16.67	0.10	16.77	30.00	1.0000	Complies
48	5240	16.84	0.10	16.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.13	0.10	16.23	30.00	1.0000	Complies
40	5200	16.27	0.10	16.37	30.00	1.0000	Complies
48	5240	16.43	0.10	16.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.10	0.10	16.20	30.00	1.0000	Complies
40	5200	16.33	0.10	16.43	30.00	1.0000	Complies
48	5240	16.54	0.10	16.64	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.53	0.10	15.63	30.00	1.0000	Complies
40	5200	15.64	0.10	15.74	30.00	1.0000	Complies
48	5240	15.72	0.10	15.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.19	30.00	1.0000	Complies
40	5200	22.36	30.00	1.0000	Complies
48	5240	22.52	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.77	0.16	13.93	30.00	1.0000	Complies
46	5230	18.93	0.16	19.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.47	0.16	13.63	30.00	1.0000	Complies
46	5230	18.57	0.16	18.73	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.88	0.16	14.04	30.00	1.0000	Complies
46	5230	18.71	0.16	18.87	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.08	0.16	13.24	30.00	1.0000	Complies
46	5230	18.09	0.16	18.25	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.74	30.00	1.0000	Complies
46	5230	24.77	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.15	0.30	13.45	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.67	0.30	12.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.95	0.30	13.25	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.26	0.30	12.56	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.09	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.18	0.23	11.41	23.98	0.2500	Complies
60	5300	11.32	0.23	11.55	23.98	0.2500	Complies
64	5320	11.40	0.23	11.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.56	0.23	10.79	23.98	0.2500	Complies
60	5300	10.91	0.23	11.14	23.98	0.2500	Complies
64	5320	10.81	0.23	11.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.17	0.23	11.40	23.98	0.2500	Complies
60	5300	11.25	0.23	11.48	23.98	0.2500	Complies
64	5320	11.27	0.23	11.50	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.12	0.23	9.35	23.98	0.2500	Complies
60	5300	9.30	0.23	9.53	23.98	0.2500	Complies
64	5320	9.51	0.23	9.74	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.83	23.98	0.2500	Complies
60	5300	17.02	23.98	0.2500	Complies
64	5320	17.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.60	0.00	11.60	23.98	0.2500	Complies
60	5300	11.88	0.00	11.88	23.98	0.2500	Complies
64	5320	11.51	0.00	11.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.03	0.00	11.03	23.98	0.2500	Complies
60	5300	11.34	0.00	11.34	23.98	0.2500	Complies
64	5320	11.04	0.00	11.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.60	0.00	11.60	23.98	0.2500	Complies
60	5300	11.75	0.00	11.75	23.98	0.2500	Complies
64	5320	11.48	0.00	11.48	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.53	0.00	9.53	23.98	0.2500	Complies
60	5300	9.77	0.00	9.77	23.98	0.2500	Complies
64	5320	9.62	0.00	9.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.04	23.98	0.2500	Complies
60	5300	17.28	23.98	0.2500	Complies
64	5320	17.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.86	0.13	13.99	23.98	0.2500	Complies
62	5310	13.49	0.13	13.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.65	0.13	13.78	23.98	0.2500	Complies
62	5310	13.36	0.13	13.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.89	0.13	14.02	23.98	0.2500	Complies
62	5310	13.57	0.13	13.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.16	0.13	13.29	23.98	0.2500	Complies
62	5310	12.93	0.13	13.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.80	23.98	0.2500	Complies
62	5310	19.50	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.85	0.32	14.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.31	0.32	13.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.86	0.32	14.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.20	0.32	12.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.23	0.10	11.33	23.98	0.2500	Complies
60	5300	11.25	0.10	11.35	23.98	0.2500	Complies
64	5320	10.92	0.10	11.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.57	0.10	10.67	23.98	0.2500	Complies
60	5300	10.59	0.10	10.69	23.98	0.2500	Complies
64	5320	10.36	0.10	10.46	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.32	0.10	11.42	23.98	0.2500	Complies
60	5300	11.21	0.10	11.31	23.98	0.2500	Complies
64	5320	10.97	0.10	11.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.04	0.10	9.14	23.98	0.2500	Complies
60	5300	8.75	0.10	8.85	23.98	0.2500	Complies
64	5320	9.05	0.10	9.15	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.75	23.98	0.2500	Complies
60	5300	16.68	23.98	0.2500	Complies
64	5320	16.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.64	0.16	13.80	23.98	0.2500	Complies
62	5310	13.53	0.16	13.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.34	0.16	13.50	23.98	0.2500	Complies
62	5310	13.20	0.16	13.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.63	0.16	13.79	23.98	0.2500	Complies
62	5310	13.50	0.16	13.66	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.02	0.16	13.18	23.98	0.2500	Complies
62	5310	12.65	0.16	12.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.60	23.98	0.2500	Complies
62	5310	19.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.76	0.30	14.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.28	0.30	13.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.76	0.30	14.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.05	0.30	12.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.59	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.34	0.56	13.90	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.63	0.56	13.19	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.02	0.56	13.58	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.87	0.56	13.43	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.55	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.50	0.50	14.00	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.98	0.50	13.48	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.21	0.50	13.71	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.07	0.50	13.57	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.14	0.23	11.37	23.98	0.2500	Complies
116	5580	11.18	0.23	11.41	23.98	0.2500	Complies
140	5700	11.58	0.23	11.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.54	0.23	10.77	23.98	0.2500	Complies
116	5580	10.55	0.23	10.78	23.98	0.2500	Complies
140	5700	11.03	0.23	11.26	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.93	0.23	11.16	23.98	0.2500	Complies
116	5580	10.74	0.23	10.97	23.98	0.2500	Complies
140	5700	11.85	0.23	12.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.44	0.23	10.67	23.98	0.2500	Complies
116	5580	10.22	0.23	10.45	23.98	0.2500	Complies
140	5700	9.60	0.23	9.83	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.02	23.98	0.2500	Complies
116	5580	16.94	23.98	0.2500	Complies
140	5700	17.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.24	0.00	11.24	23.98	0.2500	Complies
116	5580	11.42	0.00	11.42	23.98	0.2500	Complies
140	5700	11.78	0.00	11.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.92	0.00	10.92	23.98	0.2500	Complies
116	5580	10.93	0.00	10.93	23.98	0.2500	Complies
140	5700	11.30	0.00	11.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.45	0.00	11.45	23.98	0.2500	Complies
116	5580	11.24	0.00	11.24	23.98	0.2500	Complies
140	5700	11.98	0.00	11.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.05	0.00	11.05	23.98	0.2500	Complies
116	5580	11.03	0.00	11.03	23.98	0.2500	Complies
140	5700	10.07	0.00	10.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.19	23.98	0.2500	Complies
116	5580	17.18	23.98	0.2500	Complies
140	5700	17.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.52	0.13	13.65	23.98	0.2500	Complies
110	5550	13.33	0.13	13.46	23.98	0.2500	Complies
134	5670	13.69	0.13	13.82	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.91	0.13	13.04	23.98	0.2500	Complies
110	5550	12.90	0.13	13.03	23.98	0.2500	Complies
134	5670	13.21	0.13	13.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.38	0.13	13.51	23.98	0.2500	Complies
110	5550	13.34	0.13	13.47	23.98	0.2500	Complies
134	5670	13.85	0.13	13.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.92	0.13	13.05	23.98	0.2500	Complies
110	5550	12.87	0.13	13.00	23.98	0.2500	Complies
134	5670	12.27	0.13	12.40	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.35	23.98	0.2500	Complies
110	5550	19.27	23.98	0.2500	Complies
134	5670	19.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.31	0.32	15.63	23.98	0.2500	Complies
122	5610	17.99	0.32	18.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.77	0.32	15.09	23.98	0.2500	Complies
122	5610	16.98	0.32	17.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.26	0.32	15.58	23.98	0.2500	Complies
122	5610	18.06	0.32	18.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.71	0.32	15.03	23.98	0.2500	Complies
122	5610	16.95	0.32	17.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.36	23.98	0.2500	Complies
122	5610	23.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.64	0.56	17.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.84	0.56	16.40	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.54	0.56	17.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.71	0.56	16.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.91	0.10	11.01	23.98	0.2500	Complies
116	5580	10.82	0.10	10.92	23.98	0.2500	Complies
140	5700	10.88	0.10	10.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.13	0.10	10.23	23.98	0.2500	Complies
116	5580	10.36	0.10	10.46	23.98	0.2500	Complies
140	5700	10.35	0.10	10.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.57	0.10	10.67	23.98	0.2500	Complies
116	5580	10.65	0.10	10.75	23.98	0.2500	Complies
140	5700	11.20	0.10	11.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.74	0.10	9.84	23.98	0.2500	Complies
116	5580	9.82	0.10	9.92	23.98	0.2500	Complies
140	5700	9.02	0.10	9.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.48	23.98	0.2500	Complies
116	5580	16.55	23.98	0.2500	Complies
140	5700	16.56	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.24	0.16	13.40	23.98	0.2500	Complies
110	5550	13.35	0.16	13.51	23.98	0.2500	Complies
134	5670	13.69	0.16	13.85	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.81	0.16	12.97	23.98	0.2500	Complies
110	5550	12.86	0.16	13.02	23.98	0.2500	Complies
134	5670	13.25	0.16	13.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.26	0.16	13.42	23.98	0.2500	Complies
110	5550	13.08	0.16	13.24	23.98	0.2500	Complies
134	5670	14.06	0.16	14.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.77	0.16	12.93	23.98	0.2500	Complies
110	5550	12.45	0.16	12.61	23.98	0.2500	Complies
134	5670	12.21	0.16	12.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.21	23.98	0.2500	Complies
110	5550	19.13	23.98	0.2500	Complies
134	5670	19.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.43	0.30	15.73	23.98	0.2500	Complies
122	5610	16.09	0.30	16.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.01	0.30	15.31	23.98	0.2500	Complies
122	5610	15.52	0.30	15.82	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.37	0.30	15.67	23.98	0.2500	Complies
122	5610	15.94	0.30	16.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.03	0.30	15.33	23.98	0.2500	Complies
122	5610	14.82	0.30	15.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.54	23.98	0.2500	Complies
122	5610	21.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.98	0.50	17.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.24	0.50	16.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.95	0.50	17.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.04	0.50	16.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.09	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.41	0.23	20.64	30.00	1.0000	Complies
157	5785	18.97	0.23	19.20	30.00	1.0000	Complies
165	5825	18.52	0.23	18.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.02	0.23	20.25	30.00	1.0000	Complies
157	5785	18.79	0.23	19.02	30.00	1.0000	Complies
165	5825	17.92	0.23	18.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.45	0.23	20.68	30.00	1.0000	Complies
157	5785	19.21	0.23	19.44	30.00	1.0000	Complies
165	5825	18.52	0.23	18.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.11	0.23	20.34	30.00	1.0000	Complies
157	5785	18.88	0.23	19.11	30.00	1.0000	Complies
165	5825	18.21	0.23	18.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.50	30.00	1.0000	Complies
157	5785	25.21	30.00	1.0000	Complies
165	5825	24.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.87	0.00	21.87	30.00	1.0000	Complies
157	5785	21.60	0.00	21.60	30.00	1.0000	Complies
165	5825	21.12	0.00	21.12	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.46	0.00	21.46	30.00	1.0000	Complies
157	5785	21.12	0.00	21.12	30.00	1.0000	Complies
165	5825	20.69	0.00	20.69	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.96	0.00	21.96	30.00	1.0000	Complies
157	5785	21.54	0.00	21.54	30.00	1.0000	Complies
165	5825	21.09	0.00	21.09	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.58	0.00	21.58	30.00	1.0000	Complies
157	5785	21.25	0.00	21.25	30.00	1.0000	Complies
165	5825	20.92	0.00	20.92	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.74	30.00	1.0000	Complies
157	5785	27.40	30.00	1.0000	Complies
165	5825	26.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.78	0.13	20.91	30.00	1.0000	Complies
159	5795	23.63	0.13	23.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.33	0.13	20.46	30.00	1.0000	Complies
159	5795	23.02	0.13	23.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.94	0.13	21.07	30.00	1.0000	Complies
159	5795	23.63	0.13	23.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.68	0.13	20.81	30.00	1.0000	Complies
159	5795	23.61	0.13	23.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.84	30.00	1.0000	Complies
159	5795	29.63	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.57	0.32	18.89	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.85	0.32	18.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.67	0.32	18.99	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.28	0.32	18.60	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.69	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.58	0.10	23.68	30.00	1.0000	Complies
157	5785	23.88	0.10	23.98	30.00	1.0000	Complies
165	5825	23.87	0.10	23.97	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.89	0.10	22.99	30.00	1.0000	Complies
157	5785	23.13	0.10	23.23	30.00	1.0000	Complies
165	5825	23.10	0.10	23.20	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.72	0.10	23.82	30.00	1.0000	Complies
157	5785	23.81	0.10	23.91	30.00	1.0000	Complies
165	5825	23.43	0.10	23.53	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.62	0.10	23.72	30.00	1.0000	Complies
157	5785	23.80	0.10	23.90	30.00	1.0000	Complies
165	5825	23.78	0.10	23.88	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.59	30.00	1.0000	Complies
157	5785	29.79	30.00	1.0000	Complies
165	5825	29.68	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.77	0.16	20.93	30.00	1.0000	Complies
159	5795	23.76	0.16	23.92	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.21	0.16	20.37	30.00	1.0000	Complies
159	5795	23.09	0.16	23.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.98	0.16	21.14	30.00	1.0000	Complies
159	5795	23.71	0.16	23.87	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.57	0.16	20.73	30.00	1.0000	Complies
159	5795	23.68	0.16	23.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.83	30.00	1.0000	Complies
159	5795	29.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.86	0.30	19.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.92	0.30	18.22	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.91	0.30	19.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.44	0.30	18.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.87	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.38	0.23	5.61	11.45	Complies
40	5200	5.39	0.23	5.62	11.45	Complies
48	5240	5.25	0.23	5.48	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.70	0.23	4.93	11.45	Complies
40	5200	4.81	0.23	5.04	11.45	Complies
48	5240	4.74	0.23	4.97	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.95	0.23	5.18	11.45	Complies
40	5200	5.19	0.23	5.42	11.45	Complies
48	5240	4.94	0.23	5.17	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.74	0.23	4.97	11.45	Complies
40	5200	4.67	0.23	4.90	11.45	Complies
48	5240	4.52	0.23	4.75	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.20	11.45	Complies
40	5200	11.27	11.45	Complies
48	5240	11.12	11.45	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.64	0.00	5.64	11.45	Complies
40	5200	5.79	0.00	5.79	11.45	Complies
48	5240	5.70	0.00	5.70	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.05	0.00	5.05	11.45	Complies
40	5200	5.15	0.00	5.15	11.45	Complies
48	5240	5.08	0.00	5.08	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.24	0.00	5.24	11.45	Complies
40	5200	5.57	0.00	5.57	11.45	Complies
48	5240	5.46	0.00	5.46	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.86	0.00	4.86	11.45	Complies
40	5200	5.06	0.00	5.06	11.45	Complies
48	5240	4.83	0.00	4.83	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.23	11.45	Complies
40	5200	11.42	11.45	Complies
48	5240	11.30	11.45	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.49	0.13	5.62	11.45	Complies
46	5230	5.69	0.13	5.82	11.45	Complies

CH38

CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.55	0.13	4.68	11.45	Complies
46	5230	4.96	0.13	5.09	11.45	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.93	0.13	5.06	11.45	Complies
46	5230	5.07	0.13	5.20	11.45	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.84	0.13	4.97	11.45	Complies
46	5230	4.77	0.13	4.90	11.45	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.12	11.45	Complies
46	5230	11.29	11.45	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.01	0.32	5.33	11.45	Complies

CH42



Date: 24.MAR.2025 23:42:41

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.07	0.32	4.39	11.45	Complies

CH42



Date: 24.MAR.2025 23:43:16

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.80	0.32	5.12	11.45	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.69	0.32	5.01	11.45	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.00	11.45	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.30	0.10	5.40	11.45	Complies
40	5200	5.35	0.10	5.45	11.45	Complies
48	5240	5.37	0.10	5.47	11.45	Complies

CH36



Date: 24.MAR.2025 00:23:58

CH40



Date: 24.MAR.2025 00:29:12

CH48



Date: 24.MAR.2025 00:36:48

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.65	0.10	4.75	11.45	Complies
40	5200	4.76	0.10	4.86	11.45	Complies
48	5240	4.79	0.10	4.89	11.45	Complies

CH36



Date: 24.MAR.2025 00:24:33

CH40



Date: 24.MAR.2025 00:29:41

CH48



Date: 24.MAR.2025 00:36:18

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.06	0.10	5.16	11.45	Complies
40	5200	4.94	0.10	5.04	11.45	Complies
48	5240	5.07	0.10	5.17	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.53	0.10	4.63	11.45	Complies
40	5200	4.27	0.10	4.37	11.45	Complies
48	5240	4.25	0.10	4.35	11.45	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.02	11.45	Complies
40	5200	10.97	11.45	Complies
48	5240	11.01	11.45	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.59	0.16	5.75	11.45	Complies
46	5230	5.58	0.16	5.74	11.45	Complies

CH38



CH46



Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.94	0.16	5.10	11.45	Complies
46	5230	5.01	0.16	5.17	11.45	Complies

CH38



CH46



Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.11	0.16	5.27	11.45	Complies
46	5230	5.20	0.16	5.36	11.45	Complies

CH38



CH46



Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.62	0.16	4.78	11.45	Complies
46	5230	4.84	0.16	5.00	11.45	Complies

CH38



CH46



Test Mode	UNII-1_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.26	11.45	Complies
46	5230	11.35	11.45	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.48	0.30	5.78	11.45	Complies

CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.56	0.30	4.86	11.45	Complies

CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.05	0.30	5.35	11.45	Complies

CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.05	0.30	5.35	11.45	Complies

CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.37	11.45	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.42	0.23	-0.19	5.45	Complies
60	5300	-0.37	0.23	-0.14	5.45	Complies
64	5320	-0.22	0.23	0.01	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.02	0.23	-0.79	5.45	Complies
60	5300	-0.82	0.23	-0.59	5.45	Complies
64	5320	-0.74	0.23	-0.51	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.34	0.23	-0.11	5.45	Complies
60	5300	-0.17	0.23	0.06	5.45	Complies
64	5320	-0.24	0.23	-0.01	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.82	0.23	-2.59	5.45	Complies
60	5300	-2.63	0.23	-2.40	5.45	Complies
64	5320	-2.39	0.23	-2.16	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.21	5.45	Complies
60	5300	5.35	5.45	Complies
64	5320	5.44	5.45	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.43	0.00	-0.43	5.45	Complies
60	5300	-0.23	0.00	-0.23	5.45	Complies
64	5320	-0.41	0.00	-0.41	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.06	0.00	-1.06	5.45	Complies
60	5300	-0.72	0.00	-0.72	5.45	Complies
64	5320	-0.89	0.00	-0.89	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.22	0.00	-0.22	5.45	Complies
60	5300	-0.11	0.00	-0.11	5.45	Complies
64	5320	-0.34	0.00	-0.34	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.70	0.00	-2.70	5.45	Complies
60	5300	-2.50	0.00	-2.50	5.45	Complies
64	5320	-2.66	0.00	-2.66	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.02	5.45	Complies
60	5300	5.23	5.45	Complies
64	5320	5.04	5.45	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.57	0.13	-0.44	5.45	Complies
62	5310	-0.82	0.13	-0.69	5.45	Complies

CH54



Date: 24.MAR.2025 20:59:15

CH62



Date: 24.MAR.2025 21:13:41

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.09	0.13	-0.96	5.45	Complies
62	5310	-1.24	0.13	-1.11	5.45	Complies

CH54



Date: 24.MAR.2025 20:58:42

CH62



Date: 24.MAR.2025 21:14:17

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.64	0.13	-0.51	5.45	Complies
62	5310	-0.93	0.13	-0.80	5.45	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.18	0.13	-1.05	5.45	Complies
62	5310	-1.31	0.13	-1.18	5.45	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.29	5.45	Complies
62	5310	5.08	5.45	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.34	0.32	-0.02	5.45	Complies

CH58



Date: 24.MAR.2025 23:50:18

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.97	0.32	-0.65	5.45	Complies

CH58

Date: 24.MAR.2025 23:51:02

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.50	0.32	-0.18	5.45	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.24	0.32	-1.92	5.45	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.39	5.45	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.31	0.10	-0.21	5.45	Complies
60	5300	-0.39	0.10	-0.29	5.45	Complies
64	5320	-0.30	0.10	-0.20	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.92	0.10	-0.82	5.45	Complies
60	5300	-0.86	0.10	-0.76	5.45	Complies
64	5320	-0.89	0.10	-0.79	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.10	0.10	0.00	5.45	Complies
60	5300	-0.42	0.10	-0.32	5.45	Complies
64	5320	-0.29	0.10	-0.19	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.90	0.10	-2.80	5.45	Complies
60	5300	-2.95	0.10	-2.85	5.45	Complies
64	5320	-2.81	0.10	-2.71	5.45	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.19	5.45	Complies
60	5300	5.08	5.45	Complies
64	5320	5.16	5.45	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.79	0.16	-0.63	5.45	Complies
62	5310	-0.79	0.16	-0.63	5.45	Complies

CH54



CH62



Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.12	0.16	-0.96	5.45	Complies
62	5310	-1.17	0.16	-1.01	5.45	Complies

CH54



CH62



Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.69	0.16	-0.53	5.45	Complies
62	5310	-0.76	0.16	-0.60	5.45	Complies

CH54



CH62



Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.61	0.16	-1.45	5.45	Complies
62	5310	-1.75	0.16	-1.59	5.45	Complies

CH54



CH62



Test Mode	UNII-2A_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.15	5.45	Complies
62	5310	5.08	5.45	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.34	0.30	-0.04	5.45	Complies

CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.02	0.30	-0.72	5.45	Complies

CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.46	0.30	-0.16	5.45	Complies

CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.87	0.30	-1.57	5.45	Complies

CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.44	5.45	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.56	0.56	-2.00	5.45	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.50	0.56	-2.94	5.45	Complies

CH50