


Test Mode UNII-2A_TX A Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.940	16.874
60	5300	20.880	16.908
64	5320	20.940	16.904


CH52

CH60
26 dB Bandwidth

CH64



99 % Occupied Bandwidth




Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.780	17.808
60	5300	21.120	17.791
64	5320	21.540	17.817


CH52

CH60
26 dB Bandwidth

CH64



99 % Occupied Bandwidth




Test Mode UNII-2A_TX AC(VHT40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	41.200	37.102
62	5310	42.900	37.118

CH54

CH62
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.000	75.650

CH58 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode UNII-2C_TX A Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.060	16.847
116	5580	20.880	16.842
140	5700	20.820	16.897


CH100

CH116
26 dB Bandwidth

CH140



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.700	17.777
116	5580	20.880	17.778
140	5700	20.940	17.787


CH100

CH116
26 dB Bandwidth

CH140



99 % Occupied Bandwidth




Test Mode UNII-2C_TX AC(VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	41.100	36.969
110	5550	41.200	36.988
134	5670	48.400	37.042


CH102

CH110
26 dB Bandwidth

CH134



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.400	75.691
122	5610	81.800	75.613

CH106

CH122
26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode UNII-3_TX A Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.320	16.863	0.5	Pass
157	5785	16.320	16.857	0.5	Pass
165	5825	16.320	16.903	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.920	17.786	0.5	Pass
157	5785	16.560	17.818	0.5	Pass
165	5825	16.920	17.789	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.200	36.994	0.5	Pass
159	5795	35.200	37.005	0.5	Pass



CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	73.800	75.551	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.03	0.75	16.78	23.98	0.2500	Pass
40	5200	16.10	0.75	16.85	23.98	0.2500	Pass
48	5240	16.01	0.75	16.76	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.06	0.34	16.40	23.98	0.2500	Pass
40	5200	16.16	0.34	16.50	23.98	0.2500	Pass
48	5240	16.03	0.34	16.37	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.28	0.67	16.95	23.98	0.2500	Pass
46	5230	16.21	0.67	16.88	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.47	0.89	14.36	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.12	0.75	16.87	23.98	0.2500	Pass
60	5300	15.96	0.75	16.71	23.98	0.2500	Pass
64	5320	16.24	0.75	16.99	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.01	0.34	16.35	23.98	0.2500	Pass
60	5300	16.14	0.34	16.48	23.98	0.2500	Pass
64	5320	16.19	0.34	16.53	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.95	0.67	16.62	23.98	0.2500	Pass
62	5310	15.09	0.67	15.76	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.41	0.89	14.30	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.93	0.75	16.68	23.98	0.2500	Pass
116	5580	15.94	0.75	16.69	23.98	0.2500	Pass
140	5700	16.26	0.75	17.01	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.03	0.34	16.37	23.98	0.2500	Pass
116	5580	16.18	0.34	16.52	23.98	0.2500	Pass
140	5700	16.26	0.34	16.60	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.10	0.67	15.77	23.98	0.2500	Pass
110	5550	16.16	0.67	16.83	23.98	0.2500	Pass
134	5670	16.02	0.67	16.69	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.27	0.89	16.16	23.98	0.2500	Pass
122	5610	16.08	0.89	16.97	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.14	0.75	16.89	30.00	1.0000	Pass
157	5785	16.23	0.75	16.98	30.00	1.0000	Pass
165	5825	16.25	0.75	17.00	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.31	0.34	16.65	30.00	1.0000	Pass
157	5785	16.17	0.34	16.51	30.00	1.0000	Pass
165	5825	16.22	0.34	16.56	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.96	0.67	16.63	30.00	1.0000	Pass
159	5795	15.94	0.67	16.61	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.23	0.89	17.12	30.00	1.0000	Pass


Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.59	0.75	5.34	11.00	Pass
40	5200	4.91	0.75	5.65	11.00	Pass
48	5240	4.60	0.75	5.35	11.00	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.12	0.34	4.46	11.00	Pass
40	5200	4.21	0.34	4.55	11.00	Pass
48	5240	4.26	0.34	4.60	11.00	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.35	0.67	1.03	11.00	Pass
46	5230	-0.11	0.67	0.57	11.00	Pass

CH38




CH46



Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.13	0.89	1.01	11.00	Pass


CH42




Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.96	0.75	5.71	11.00	Pass
60	5300	5.11	0.75	5.86	11.00	Pass
64	5320	4.90	0.75	5.65	11.00	Pass


CH52



CH60




CH64




Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.94	0.34	4.28	11.00	Pass
60	5300	3.57	0.34	3.91	11.00	Pass
64	5320	3.85	0.34	4.19	11.00	Pass


CH52



CH60




CH64




Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.26	0.67	0.41	11.00	Pass
62	5310	-0.03	0.67	0.64	11.00	Pass

CH54




CH62



Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.50	0.89	1.39	11.00	Pass


CH58




Test Mode UNII-2C_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.93	0.75	5.67	11.00	Pass
116	5580	4.91	0.75	5.66	11.00	Pass
140	5700	5.39	0.75	6.13	11.00	Pass


CH100



CH116




CH140




Test Mode UNII-2C_TX AC(VHT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.92	0.34	4.25	11.00	Pass
116	5580	3.60	0.34	3.94	11.00	Pass
140	5700	3.87	0.34	4.21	11.00	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.41	0.67	0.27	11.00	Pass
110	5550	0.19	0.67	0.86	11.00	Pass
134	5670	-0.13	0.67	0.55	11.00	Pass


CH102



CH110




CH134




Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.12	0.89	1.01	11.00	Pass
122	5610	0.41	0.89	1.30	11.00	Pass

CH106



CH122




Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.55	2.44	0.75	3.18	30.00	Pass
157	5785	-3.64	3.35	0.75	4.09	30.00	Pass
165	5825	-3.58	3.41	0.75	4.16	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.60	2.39	0.34	2.73	30.00	Pass
157	5785	-4.93	2.06	0.34	2.40	30.00	Pass
165	5825	-4.93	2.06	0.34	2.40	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX AC(VHT40) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-9.58	-2.59	0.67	-1.91	30.00	Pass
159	5795	-10.09	-3.10	0.67	-2.43	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159




Test Mode UNII-3_TX AC(VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-9.25	-2.26	0.89	-1.37	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155



APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
5.75	5180.0200
5.00	5180.0200
4.25	5180.0300
Maximum Deviation (MHz)	0.0300
Maximum Deviation (ppm)	5.7915

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-10.00	5180.0200
0.00	5180.0300
10.00	5180.0300
20.00	5180.0200
30.00	5180.0200
40.00	5180.0300
Maximum Deviation (MHz)	0.0300
Maximum Deviation (ppm)	5.7915

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
5.75	5260.0200
5.00	5260.0300
4.25	5260.0200
Maximum Deviation (MHz)	0.0300
Maximum Deviation (ppm)	5.7034

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-10.00	5260.0200
0.00	5260.0200
10.00	5260.0300
20.00	5260.0300
30.00	5260.0200
40.00	5260.0200
Maximum Deviation (MHz)	0.0300
Maximum Deviation (ppm)	5.7034

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
5.75	5500.0500
5.00	5500.0300
4.25	5500.0300
Maximum Deviation (MHz)	0.0500
Maximum Deviation (ppm)	9.0909

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-10.00	5500.0300
0.00	5500.0300
10.00	5500.0200
20.00	5500.0300
30.00	5500.0300
40.00	5500.0300
Maximum Deviation (MHz)	0.0300
Maximum Deviation (ppm)	5.4545

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
5.75	5745.0400
5.00	5745.0800
4.25	5745.0300
Maximum Deviation (MHz)	0.0800
Maximum Deviation (ppm)	13.9252

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-10.00	5745.0200
0.00	5745.0900
10.00	5745.0900
20.00	5745.0800
30.00	5745.0800
40.00	5745.0300
Maximum Deviation (MHz)	0.0900
Maximum Deviation (ppm)	15.6658

End of Test Report