




ANT 2

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2403.35	-20.07	8	Pass
Middle Channel	2441.35	-21.63	8	Pass
High Channel	2479.35	-23.38	8	Pass


Low Channel

Middle Channel

High Channel


Test Result of Conducted Spurious Emissions, Tx Mode

ANT 1


Low Channel

Middle Channel




ANT 2


Low Channel



Middle Channel




High Channel




Test Result of Conducted Band Edge, Tx Mode

ANT 1



ANT 2



Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<Penrose X TX>


Band Edges, 2.31GHz ~ 2.9GHz

ANT 1

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.15	53.23	15.99	37.33	74.00	-20.77	192	70	Peak	Horizontal	
2 *	2403.35	93.73	56.35	37.38	74.00	19.73	192	70	Peak	Horizontal	
3	2894.35	54.01	15.72	38.29	74.00	-19.99	192	70	Peak	Horizontal	

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2359.87	53.81	16.60	37.21	74.00	-20.19	274	99	Peak	Vertical	
2 *	2403.35	95.13	57.75	37.38	74.00	21.13	274	99	Peak	Vertical	
3	2798.00	54.47	16.56	37.91	74.00	-19.53	274	99	Peak	Vertical	

ANT 1

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.98	40.94	3.61	37.33	54.00	-13.06	182	70	Average	Horizontal		
2 *	2403.35	89.48	52.10	37.38	54.00	35.48	182	70	Average	Horizontal		
3	2636.63	41.33	3.45	37.88	54.00	-12.67	182	70	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.86	41.28	3.05	37.33	54.00	-12.72	274	99	Average	Vertical		
2 *	2403.35	90.94	53.56	37.38	54.00	36.94	274	99	Average	Vertical		
3	2896.58	41.27	2.96	38.31	54.00	-12.73	274	99	Average	Vertical		

ANT 1

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2372.31	53.22	15.95	37.27	74.00	-20.78	189	67	Peak	Horizontal		
2 *	2479.35	95.58	58.82	37.56	74.00	21.58	189	67	Peak	Horizontal		
3	2483.58	64.38	26.82	37.56	74.00	-9.62	189	67	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2336.83	53.87	16.71	37.16	74.00	-20.13	261	95	Peak	Vertical		
2 *	2479.35	96.68	59.12	37.56	74.00	22.68	261	95	Peak	Vertical		
3	2483.58	66.73	29.17	37.56	74.00	-7.27	261	95	Peak	Vertical		

ANT 1

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2380.67	39.81	2.51	37.30	54.00	-14.19	189	67	Average	Vertical		
2 *	2479.35	91.52	53.96	37.56	54.00	37.52	189	67	Average	Vertical		
3 !	2483.58	52.10	14.54	37.56	54.00	-1.90	189	67	Average	Vertical		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2321.19	39.82	2.71	37.11	54.00	-14.18	261	95	Average	Vertical		
2 *	2479.35	92.58	55.02	37.56	54.00	38.58	261	95	Average	Vertical		
3 !	2483.62	53.10	15.54	37.56	54.00	-0.90	261	95	Average	Vertical		

ANT 2

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.74	54.32	16.99	37.33	74.00	-19.68	135	70	Peak	Horizontal		
2 *	2403.35	97.53	60.15	37.38	74.00	23.53	135	70	Peak	Horizontal		
3	2882.94	54.72	16.80	37.92	74.00	-19.28	135	70	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.98	57.32	19.09	37.33	74.00	-16.68	281	99	Peak	Vertical		
2 *	2403.35	98.96	61.58	37.38	74.00	24.96	281	99	Peak	Vertical		
3	2889.40	55.26	16.99	38.27	74.00	-18.74	281	99	Peak	Vertical		

ANT 2

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.98	43.53	6.20	37.33	54.00	-10.47	135	70	Average	Horizontal		
2 *	2403.35	93.58	56.20	37.38	54.00	39.58	135	70	Average	Horizontal		
3	2899.53	41.58	3.26	38.32	54.00	-12.42	135	70	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.98	45.57	8.24	37.33	54.00	-8.43	281	99	Average	Vertical		
2 *	2403.35	94.97	57.59	37.38	54.00	40.97	281	99	Average	Vertical		
3	2897.17	41.67	3.36	38.31	54.00	-12.33	281	99	Average	Vertical		

ANT 2

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2360.53	52.99	15.75	37.24	74.00	-21.01	154	68	Peak	Horizontal	
2 *	2479.35	95.38	57.62	37.56	74.00	21.38	154	68	Peak	Horizontal	
3	2483.50	63.38	25.62	37.56	74.00	-10.62	154	68	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2331.67	52.95	15.81	37.14	74.00	-21.05	288	102	Peak	Vertical	
2 *	2479.35	96.73	59.17	37.56	74.00	22.73	288	102	Peak	Vertical	
3	2483.50	65.48	27.92	37.56	74.00	-8.52	288	102	Peak	Vertical	

ANT 2

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2386.92	40.07	2.75	37.32	54.00	-13.93	154	68	Average	Horizontal		
2 *	2479.35	91.35	53.79	37.56	54.00	37.35	154	68	Average	Horizontal		
3 !	2483.62	50.62	13.06	37.56	54.00	-3.38	154	68	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2342.63	39.90	2.71	37.19	54.00	-14.10	288	102	Average	Vertical		
2 *	2479.35	92.71	55.15	37.56	54.00	38.71	288	102	Average	Vertical		
3 !	2483.50	52.32	14.76	37.56	54.00	-1.68	288	102	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

ANT 1

High Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT 1

High Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	79.21	3.39	75.82	124.18	-44.97	100	224	QP	Close	
2	0.03	70.52	0.45	70.07	117.45	-46.93	100	209	QP	Close	
3	0.06	64.21	-0.05	64.26	112.69	-48.48	100	69	QP	Close	
4	0.08	58.56	-2.57	61.13	109.38	-50.82	100	82	QP	Close	
5	0.11	56.19	-2.75	58.94	107.14	-50.95	100	282	QP	Close	
6	0.12	56.19	-1.65	57.84	105.70	-49.51	100	19	QP	Close	

High Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.42	60.21	12.14	48.07	95.17	-34.96	100	323	QP	Close	
2	4.41	60.32	21.99	38.33	69.50	-9.18	100	251	QP	Close	
3	8.24	56.61	18.61	38.00	69.50	-12.89	100	0	QP	Close	
4	13.33	57.68	20.20	37.48	69.50	-11.82	100	0	QP	Close	
5	17.82	57.20	20.30	36.90	69.50	-12.30	100	121	QP	Close	
6	22.30	51.57	15.81	35.76	69.50	-17.93	100	242	QP	Close	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

ANT 1

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	218.37	23.66	33.27	-9.61	46.00	-22.34	100	225	QP	Horizontal	
2	732.09	34.88	34.13	0.75	46.00	-11.12	100	198	QP	Horizontal	
3	756.05	36.63	35.39	1.24	46.00	-9.37	100	184	QP	Horizontal	
4	780.10	36.85	35.33	1.52	46.00	-9.15	100	52	QP	Horizontal	
5	804.06	36.54	34.77	1.77	46.00	-9.46	100	61	QP	Horizontal	
6	924.15	36.44	32.61	3.83	46.00	-9.56	100	359	QP	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	56.09	23.68	31.43	-7.75	46.00	-16.32	300	308	QP	Vertical	
2	329.63	25.97	31.79	-5.82	46.00	-20.03	200	321	QP	Vertical	
3	576.01	30.52	32.28	-1.76	46.00	-15.48	100	360	QP	Vertical	
4	756.05	33.46	32.22	1.24	46.00	-12.54	200	69	QP	Vertical	
5	804.06	33.91	32.14	1.77	46.00	-12.09	200	117	QP	Vertical	
6	870.60	32.75	30.03	2.72	46.00	-13.25	200	142	QP	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

ANT 1


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT 1


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT 1

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT 2

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7218.05	46.52	54.28	-7.68	74.00	-27.48	380	335	Peak	Horizontal		
2	9613.40	45.64	58.93	-5.29	74.00	-28.36	480	162	Peak	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7218.05	47.11	54.79	-7.68	74.00	-26.89	180	106	Peak	Vertical		
2	9613.40	46.35	51.64	-5.29	74.00	-27.65	380	236	Peak	Vertical		

ANT 2


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT 2

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7438.05	46.94	54.66	-7.72	74.00	-27.06	280	190	Peak	horizontal		
2	9917.40	43.26	47.95	-4.69	54.00	-10.74	480	116	Average	horizontal		
3	9917.40	50.58	55.27	-4.69	74.00	-23.42	480	116	Peak	horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7438.05	45.85	53.57	-7.72	74.00	-28.15	0	0	Peak	vertical		
2	9917.40	45.99	50.68	-4.69	74.00	-28.01	386	360	Peak	vertical		

<Penrose P TX>
Band Edges, 2.31GHz ~ 2.9GHz


ANT 1

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2327.55	49.37	16.20	33.17	74.00	-24.63	194	310	Peak	Horizontal	
2 *	2403.35	90.10	57.14	32.96	74.00	16.10	194	310	Peak	Horizontal	
3	2836.16	49.78	15.66	34.12	74.00	-24.22	184	310	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.86	50.95	17.96	32.99	74.00	-23.05	267	75	Peak	Vertical	
2 *	2403.35	94.54	61.58	32.96	74.00	20.54	267	75	Peak	Vertical	
3	2831.68	49.87	15.77	34.10	74.00	-24.13	267	75	Peak	Vertical	

ANT 1

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.98	36.65	3.66	32.99	54.00	-17.35	194	310	Average	Horizontal		
2 *	2403.35	86.28	53.24	32.96	54.00	32.28	194	310	Average	Horizontal		
3	2898.35	36.76	2.54	34.22	54.00	-17.24	184	310	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.98	39.81	6.82	32.99	54.00	-14.19	267	75	Average	Vertical		
2 *	2403.35	90.64	57.68	32.96	54.00	36.64	267	75	Average	Vertical		
3	2818.25	36.72	2.68	34.04	54.00	-17.28	267	75	Average	Vertical		

ANT 1

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2323.66	49.25	16.06	33.19	74.00	-24.75		100	303	Peak	Horizontal	
2 *	2479.35	91.99	59.83	32.96	74.00	17.99		100	303	Peak	Horizontal	
3	2483.50	61.94	28.98	32.96	74.00	-12.06		100	303	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2322.96	48.48	15.30	33.18	74.00	-25.52		283	75	Peak	Vertical	
2 *	2479.35	96.39	63.43	32.96	74.00	22.39		283	75	Peak	Vertical	
3	2483.50	66.83	33.87	32.96	74.00	-7.17		283	75	Peak	Vertical	

ANT 1

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2330.02	35.22	2.06	33.16	54.00	-18.78	100	303	Average	Horizontal		
2 *	2479.35	88.00	55.04	32.96	54.00	34.00	100	303	Average	Horizontal		
3 !	2483.50	48.92	15.96	32.96	54.00	-5.08	100	303	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2318.01	35.32	2.12	33.20	54.00	-18.68	283	75	Average	Vertical		
2 *	2479.35	92.48	59.52	32.96	54.00	38.48	283	75	Average	Vertical		
3 !	2483.50	53.45	20.49	32.96	54.00	-0.55	283	75	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

ANT 1

High Channel (Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	80.24	3.25	76.99	125.35	-45.11	100	252	QP	Open		
2	0.03	70.16	0.58	69.58	117.05	-46.89	100	115	QP	Open		
3	0.06	63.08	-0.91	63.99	112.38	-49.30	100	78	QP	Open		
4	0.09	58.00	-2.58	60.58	108.68	-50.68	100	309	QP	Open		
5	0.12	56.11	-2.09	58.20	106.15	-50.04	100	14	QP	Open		
6	0.12	54.42	-3.45	57.87	105.74	-51.32	100	280	QP	Open		

High Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.36	60.98	11.70	49.28	96.57	-35.59	100	102	QP	Open		
2	4.02	50.79	12.46	38.33	69.50	-18.71	100	138	QP	Open		
3	6.56	50.20	11.84	38.36	69.50	-19.30	100	304	QP	Open		
4	12.04	49.08	11.78	37.30	69.50	-20.42	100	301	QP	Open		
5	16.89	49.84	12.65	37.19	69.50	-19.66	100	136	QP	Open		
6	24.07	46.95	12.13	34.82	69.50	-22.55	100	74	QP	Open		

ANT 1

High Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	81.78	3.12	78.66	127.34	-45.56	100	321 QP		Close		
2	0.04	68.19	-0.55	68.74	116.40	-48.21	100	170 QP		Close		
3	0.06	63.44	-0.21	63.65	112.03	-48.59	100	208 QP		Close		
4	0.07	59.72	-2.17	61.89	110.19	-50.47	100	206 QP		Close		
5	0.09	58.46	-2.02	60.48	108.55	-50.09	100	256 QP		Close		
6	0.11	55.56	-2.88	58.44	106.46	-50.90	100	227 QP		Close		

High Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.34	63.01	13.29	49.72	97.10	-34.09	100	3 QP		Close		
2	2.92	57.65	19.40	38.25	69.50	-11.85	100	31 QP		Close		
3	4.43	61.61	23.28	38.33	69.50	-7.89	100	161 QP		Close		
4	6.25	62.12	23.77	38.35	69.50	-7.38	100	314 QP		Close		
5	18.20	56.73	19.96	36.77	69.50	-12.77	100	234 QP		Close		
6	26.25	51.19	16.89	34.30	69.50	-16.31	100	200 QP		Close		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

ANT 1

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	164.54	32.27	39.55	-7.28	43.50	-11.23	200	256	QP	Horizontal	
2	285.28	33.17	43.02	-9.85	43.50	-10.33	100	75	QP	Horizontal	
3	258.34	37.73	45.61	-7.88	46.00	-8.27	100	213	QP	Horizontal	
4	756.05	35.79	34.55	1.24	46.00	-10.21	100	136	QP	Horizontal	
5	780.10	36.32	34.80	1.52	46.00	-9.68	100	147	QP	Horizontal	
6	876.13	37.37	34.57	2.80	46.00	-8.63	100	360	QP	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	116.82	30.21	40.66	-10.45	43.50	-13.29	100	65	QP	Vertical	
2	214.11	35.66	45.39	-9.73	43.50	-7.84	100	0	QP	Vertical	
3	254.94	35.85	43.82	-7.97	46.00	-10.15	100	360	QP	Vertical	
4	732.09	33.13	32.38	0.75	46.00	-12.87	200	85	QP	Vertical	
5	828.12	33.57	31.34	2.23	46.00	-12.43	200	95	QP	Vertical	
6	876.13	33.55	30.75	2.80	46.00	-12.45	100	92	QP	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

ANT 1

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT 1

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.70	40.05	52.98	-12.93	74.00	-33.95	480	330	Peak	Horizontal	
2	7324.05	44.63	51.72	-7.09	74.00	-29.37	180	240	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.70	40.81	53.74	-12.93	74.00	-33.19	280	82	Peak	Vertical	
2	7324.05	44.16	51.25	-7.09	74.00	-29.84	480	330	Peak	Vertical	

ANT 1

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4958.70	38.87	51.64	-12.77	74.00	-35.13	180	343	Peak	Horizontal	
2	7438.05	43.20	50.26	-7.06	74.00	-30.80	300	342	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4958.70	40.66	53.43	-12.77	74.00	-33.34	200	79	Peak	Vertical	
2	7438.05	44.04	51.10	-7.06	74.00	-29.96	300	272	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322

