

## A.7 Band Edge (Restricted-band band-edge)

Note<sup>1</sup>: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note<sup>2</sup>: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note<sup>3</sup>: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note<sup>4</sup>: All antenna were tested, but only the worst case has been reported in this report.

Note<sup>5</sup>: All the configurations were pre tested, only the worst configuration has been reported in this report.

### Test Data and Plots

#### SISO-Main Antenna


##### 802.11b LOW CHANNEL



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2325.950        | 58.12            | 1.58        | 74.0           | 15.88       | Peak     | 165.00         | 200         | Horizontal | Pass    |
| 1** | 2325.950        | 46.35            | 1.58        | 54.0           | 7.65        | AV       | 165.00         | 200         | Horizontal | Pass    |
| 2   | 2389.950        | 55.19            | 1.92        | 74.0           | 18.81       | Peak     | 98.00          | 150         | Horizontal | Pass    |
| 2** | 2389.950        | 45.99            | 1.92        | 54.0           | 8.01        | AV       | 98.00          | 150         | Horizontal | Pass    |


## 802.11b HIGH CHANNEL

Bandedge - ATT\_FCC\_2.4G\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.590        | 57.23            | 2.11        | 74.0           | 16.77       | Peak     | 269.00         | 150         | Horizontal | Pass    |
| 1** | 2483.590        | 46.40            | 2.11        | 54.0           | 7.60        | AV       | 269.00         | 150         | Horizontal | Pass    |
| 2   | 2497.105        | 57.49            | 1.69        | 74.0           | 16.51       | Peak     | 226.00         | 150         | Horizontal | Pass    |
| 2** | 2497.105        | 46.19            | 1.69        | 54.0           | 7.81        | AV       | 226.00         | 150         | Horizontal | Pass    |


## 802.11g LOW CHANNEL



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2383.850        | 58.50            | 2.34        | 74.0           | 15.50       | Peak     | 301.00         | 150         | Horizontal | Pass    |
| 1** | 2383.850        | 46.49            | 2.34        | 54.0           | 7.51        | AV       | 301.00         | 150         | Horizontal | Pass    |
| 2   | 2389.950        | 55.94            | 1.92        | 74.0           | 18.06       | Peak     | 244.00         | 150         | Horizontal | Pass    |
| 2** | 2389.950        | 46.16            | 1.92        | 54.0           | 7.84        | AV       | 244.00         | 150         | Horizontal | Pass    |

## 802.11g HIGH CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.590        | 56.74            | 2.11        | 74.0           | 17.26       | Peak     | 93.00          | 150         | Horizontal | Pass    |
| 1** | 2483.590        | 46.76            | 2.11        | 54.0           | 7.24        | AV       | 93.00          | 150         | Horizontal | Pass    |
| 2   | 2491.000        | 57.70            | 1.83        | 74.0           | 16.30       | Peak     | 157.00         | 200         | Horizontal | Pass    |
| 2** | 2491.000        | 46.28            | 1.83        | 54.0           | 7.72        | AV       | 157.00         | 200         | Horizontal | Pass    |

## 802.11n20 LOW CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2389.250        | 58.21            | 1.91        | 74.0           | 15.79       | Peak     | 207.00         | 150         | Horizontal | Pass    |
| 1** | 2389.250        | 46.23            | 1.91        | 54.0           | 7.77        | AV       | 207.00         | 150         | Horizontal | Pass    |
| 2   | 2389.950        | 55.83            | 1.92        | 74.0           | 18.17       | Peak     | 118.00         | 100         | Horizontal | Pass    |
| 2** | 2389.950        | 46.36            | 1.92        | 54.0           | 7.64        | AV       | 118.00         | 100         | Horizontal | Pass    |

## 802.11n20 HIGH CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.590        | 57.08            | 2.11        | 74.0           | 16.92       | Peak     | 234.00         | 150         | Horizontal | Pass    |
| 1** | 2483.590        | 46.81            | 2.11        | 54.0           | 7.19        | AV       | 234.00         | 150         | Horizontal | Pass    |
| 2   | 2494.885        | 57.81            | 1.74        | 74.0           | 16.19       | Peak     | 16.00          | 150         | Horizontal | Pass    |
| 2** | 2494.885        | 46.20            | 1.74        | 54.0           | 7.80        | AV       | 16.00          | 150         | Horizontal | Pass    |

## 802.11n40 LOW CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2387.950        | 59.51            | 2.08        | 74.0           | 14.49       | Peak     | 211.00         | 200         | Horizontal | Pass    |
| 1** | 2387.950        | 47.52            | 2.08        | 54.0           | 6.48        | AV       | 211.00         | 200         | Horizontal | Pass    |
| 2   | 2389.950        | 57.28            | 1.92        | 74.0           | 16.72       | Peak     | 268.00         | 100         | Horizontal | Pass    |
| 2** | 2389.950        | 47.99            | 1.92        | 54.0           | 6.01        | AV       | 268.00         | 100         | Horizontal | Pass    |

## 802.11n40 HIGH CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.560        | 58.64            | 2.11        | 74.0           | 15.36       | Peak     | 204.00         | 100         | Horizontal | Pass    |
| 1** | 2483.560        | 47.71            | 2.11        | 54.0           | 6.29        | AV       | 204.00         | 100         | Horizontal | Pass    |
| 2   | 2491.960        | 59.87            | 1.88        | 74.0           | 14.13       | Peak     | 218.00         | 200         | Horizontal | Pass    |
| 2** | 2491.960        | 46.59            | 1.88        | 54.0           | 7.41        | AV       | 218.00         | 200         | Horizontal | Pass    |

## 802.11ax20(SU) LOW CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2379.600        | 57.99            | 2.24        | 74.0           | 16.01       | Peak     | 222.00         | 100         | Horizontal | Pass    |
| 1** | 2379.600        | 46.27            | 2.24        | 54.0           | 7.73        | AV       | 222.00         | 100         | Horizontal | Pass    |
| 2   | 2389.950        | 56.98            | 1.92        | 74.0           | 17.02       | Peak     | 116.00         | 150         | Horizontal | Pass    |
| 2** | 2389.950        | 46.43            | 1.92        | 54.0           | 7.57        | AV       | 116.00         | 150         | Horizontal | Pass    |

## 802.11ax20(SU) HIGH CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.530        | 56.37            | 2.11        | 74.0           | 17.63       | Peak     | 338.00         | 100         | Horizontal | Pass    |
| 1** | 2483.530        | 46.50            | 2.11        | 54.0           | 7.50        | AV       | 338.00         | 100         | Horizontal | Pass    |
| 2   | 2485.135        | 58.25            | 2.04        | 74.0           | 15.75       | Peak     | 344.00         | 100         | Horizontal | Pass    |
| 2** | 2485.135        | 46.52            | 2.04        | 54.0           | 7.48        | AV       | 344.00         | 100         | Horizontal | Pass    |

## 802.11ax40(SU) LOW CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2366.800        | 59.14            | 1.74        | 74.0           | 14.86       | Peak     | 240.00         | 150         | Horizontal | Pass    |
| 1** | 2366.800        | 46.74            | 1.74        | 54.0           | 7.26        | AV       | 240.00         | 150         | Horizontal | Pass    |
| 2   | 2389.950        | 58.02            | 1.92        | 74.0           | 15.98       | Peak     | 241.00         | 100         | Horizontal | Pass    |
| 2** | 2389.950        | 47.89            | 1.92        | 54.0           | 6.11        | AV       | 241.00         | 100         | Horizontal | Pass    |

## 802.11ax40(SU) HIGH CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.560        | 58.45            | 2.11        | 74.0           | 15.55       | Peak     | 236.00         | 200         | Horizontal | Pass    |
| 1** | 2483.560        | 48.48            | 2.11        | 54.0           | 5.52        | AV       | 236.00         | 200         | Horizontal | Pass    |
| 2   | 2484.790        | 59.27            | 2.08        | 74.0           | 14.73       | Peak     | 236.00         | 150         | Horizontal | Pass    |
| 2** | 2484.790        | 48.27            | 2.08        | 54.0           | 5.73        | AV       | 236.00         | 150         | Horizontal | Pass    |
| 3   | 2483.605        | 57.58            | 2.11        | 74.0           | 16.42       | Peak     | 243.00         | 150         | Horizontal | Pass    |
| 3** | 2483.605        | 49.35            | 2.11        | 54.0           | 4.65        | AV       | 243.00         | 150         | Horizontal | Pass    |

## 802.11ax20(RU26) LOW CHANNEL


Bandedge - ATT\_FCC\_2.4G\_Left



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2385.800        | 58.21            | 2.41        | 74.0           | 15.79       | Peak     | 32.00          | 100         | Horizontal | Pass    |
| 1** | 2385.800        | 46.88            | 2.41        | 54.0           | 7.12        | AV       | 32.00          | 100         | Horizontal | Pass    |
| 2   | 2389.950        | 55.54            | 1.92        | 74.0           | 18.46       | Peak     | 321.00         | 100         | Horizontal | Pass    |
| 2** | 2389.950        | 46.12            | 1.92        | 54.0           | 7.88        | AV       | 321.00         | 100         | Horizontal | Pass    |


## 802.11ax20(RU26) HIGH CHANNEL

Bandedge - ATT\_FCC\_2.4G\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.560        | 56.31            | 2.11        | 74.0           | 17.69       | Peak     | 123.00         | 100         | Horizontal | Pass    |
| 1** | 2483.560        | 46.17            | 2.11        | 54.0           | 7.83        | AV       | 123.00         | 100         | Horizontal | Pass    |
| 2   | 2484.850        | 58.41            | 2.08        | 74.0           | 15.59       | Peak     | 149.00         | 200         | Horizontal | Pass    |
| 2** | 2484.850        | 46.13            | 2.08        | 54.0           | 7.87        | AV       | 149.00         | 200         | Horizontal | Pass    |


## 802.11ax40(RU26) LOW CHANNEL



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2379.050        | 58.45            | 2.25        | 74.0           | 15.55       | Peak     | 119.00         | 200         | Horizontal | Pass    |
| 1** | 2379.050        | 46.38            | 2.25        | 54.0           | 7.62        | AV       | 119.00         | 200         | Horizontal | Pass    |
| 2   | 2389.950        | 55.68            | 1.92        | 74.0           | 18.32       | Peak     | 38.00          | 150         | Horizontal | Pass    |
| 2** | 2389.950        | 46.35            | 1.92        | 54.0           | 7.65        | AV       | 38.00          | 150         | Horizontal | Pass    |

## 802.11ax40(RU26) HIGH CHANNEL

Bandedge - ATT\_FCC\_2.4G\_Right



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 2483.575        | 57.22            | 2.11        | 74.0           | 16.78       | Peak     | 217.00         | 100         | Horizontal | Pass    |
| 1** | 2483.575        | 46.27            | 2.11        | 54.0           | 7.73        | AV       | 217.00         | 100         | Horizontal | Pass    |
| 2   | 2486.365        | 58.04            | 1.89        | 74.0           | 15.96       | Peak     | 45.00          | 200         | Horizontal | Pass    |
| 2** | 2486.365        | 46.43            | 1.89        | 54.0           | 7.57        | AV       | 45.00          | 200         | Horizontal | Pass    |

## A.8 Power Spectral Density (PSD)

Note 1: All antenna were tested, but only the worst case has been reported in this report.

Note 2: All the configurations were pre tested, only the worst configuration has been reported in this report.

### Test Data

#### SISO-Main Antenna

802.11b Mode:

| Channel | Spectral power density<br>(dBm/3kHz) | Limit (dBm/3kHz) |
|---------|--------------------------------------|------------------|
| Low     | -7.58                                | 8                |
| Middle  | -7.66                                | 8                |
| High    | -7.21                                | 8                |

802.11g Mode:

| Channel | Spectral power density<br>(dBm/3kHz) | Limit (dBm/3kHz) |
|---------|--------------------------------------|------------------|
| Low     | -8.62                                | 8                |
| Middle  | -9.58                                | 8                |
| High    | -8.82                                | 8                |

802.11n-20 MHz Mode:

| Channel | Spectral power density<br>(dBm/3kHz) | Limit (dBm/3kHz) |
|---------|--------------------------------------|------------------|
| Low     | -8.93                                | 8                |
| Middle  | -10.06                               | 8                |
| High    | -9.32                                | 8                |

802.11n-40 MHz Mode:

| Channel | Spectral power density<br>(dBm/3kHz) | Limit (dBm/3kHz) |
|---------|--------------------------------------|------------------|
| Low     | -12.92                               | 8                |
| Middle  | -11.65                               | 8                |
| High    | -12.80                               | 8                |

802.11ax-20 MHz(SU) Mode:

| Channel | Spectral power density<br>(dBm/3kHz) | Limit (dBm/3kHz) |
|---------|--------------------------------------|------------------|
| Low     | -10.61                               | 8                |
| Middle  | -11.26                               | 8                |
| High    | -10.38                               | 8                |

## 802.11ax-40 MHz(SU) Mode:

| Channel | Spectral power density<br>(dBm/3kHz) | Limit (dBm/3kHz) |
|---------|--------------------------------------|------------------|
| Low     | -14.35                               | 8                |
| Middle  | -14.07                               | 8                |
| High    | -12.16                               | 8                |

## 802.11ax-20 MHz(RU26) Mode:

| Channel | Spectral power density<br>(dBm/3kHz) | Limit (dBm/3kHz) |
|---------|--------------------------------------|------------------|
| Low     | -4.04                                | 8                |
| Middle  | -5.68                                | 8                |
| High    | -6.13                                | 8                |

## 802.11ax-40 MHz(RU26) Mode:

| Channel | Spectral power density<br>(dBm/3kHz) | Limit (dBm/3kHz) |
|---------|--------------------------------------|------------------|
| Low     | -6.68                                | 8                |
| Middle  | -5.65                                | 8                |
| High    | -6.83                                | 8                |

## Test Plots

## SISO-Main Antenna

## 802.11b LOW CHANNEL




## 802.11b MIDDLE CHANNEL




## 802.11b HIGH CHANNEL




## 802.11g LOW CHANNEL



## 802.11g MIDDLE CHANNEL



## 802.11g HIGH CHANNEL




## 802.11n-20 MHz LOW CHANNEL



## 802.11n-20 MHz MIDDLE CHANNEL



## 802.11n-20 MHz HIGH CHANNEL




## 802.11n-40 MHz LOW CHANNEL



## 802.11n-40 MHz MIDDLE CHANNEL



## 802.11n-40 MHz HIGH CHANNEL



## 802.11ax-20 MHz(SU) LOW CHANNEL



## 802.11ax-20 MHz(SU) MIDDLE CHANNEL



## 802.11ax-20 MHz(SU) HIGH CHANNEL



## 802.11ax-40 MHz(SU) LOW CHANNEL



## 802.11ax-40 MHz(SU) MIDDLE CHANNEL




## 802.11ax-40 MHz(SU) HIGH CHANNEL



## 802.11ax-20 MHz(RU26) LOW CHANNEL



## 802.11ax-20 MHz(RU26) MIDDLE CHANNEL




## 802.11ax-20 MHz(RU26) HIGH CHANNEL




## 802.11ax-40 MHz(RU26) LOW CHANNEL



## 802.11ax-40 MHz(RU26) MIDDLE CHANNEL



## 802.11ax-40 MHz(RU26) HIGH CHANNEL



## **ANNEX B TEST SETUP PHOTOS**

Please refer the document “BL-SZ2480185-AR.PDF”.

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document “BL-SZ2480185-AW.PDF”.

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document “BL-SZ2480185-AI.PDF”.

## Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--