







































# Appendix E: Band edge measurements

## Test Result B4

| TestMode   | Antenna | ChName | Frequency[MHz] | FreqRange [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|------------|---------|--------|----------------|-----------------|--------------|-------------|---------|
| 11A        | Ant1    | Low    | 5745           | 5720~5725       | -24.57       | ≤24.99      | PASS    |
| 11A        | Ant1    | Low    | 5745           | 5700~5720       | -29.73       | ≤14.21      | PASS    |
| 11A        | Ant1    | Low    | 5745           | 5650~5700       | -38.03       | ≤-3.13      | PASS    |
| 11A        | Ant1    | Low    | 5745           | 5760~5650       | -40.29       | ≤-27        | PASS    |
| 11A        | Ant1    | High   | 5825           | 5850~5855       | -29.52       | ≤16.72      | PASS    |
| 11A        | Ant1    | High   | 5825           | 5855~5875       | -34.41       | ≤10.21      | PASS    |
| 11A        | Ant1    | High   | 5825           | 5875~5925       | -39.6        | ≤-13.77     | PASS    |
| 11A        | Ant1    | High   | 5825           | 5925~5935       | -41.53       | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745           | 5720~5725       | -18.68       | ≤26.83      | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745           | 5700~5720       | -30.79       | ≤15.43      | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745           | 5650~5700       | -37.87       | ≤8.36       | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745           | 5760~5650       | -40.73       | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | High   | 5825           | 5850~5855       | -29.6        | ≤15.79      | PASS    |
| 11N20SISO  | Ant1    | High   | 5825           | 5855~5875       | -30.53       | ≤10.36      | PASS    |
| 11N20SISO  | Ant1    | High   | 5825           | 5875~5925       | -39.19       | ≤-4.78      | PASS    |
| 11N20SISO  | Ant1    | High   | 5825           | 5925~5935       | -41.28       | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755           | 5720~5725       | -16.75       | ≤25.59      | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755           | 5700~5720       | -18.15       | ≤15.43      | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755           | 5650~5700       | -32.72       | ≤4.07       | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755           | 5780~5650       | -38.13       | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | High   | 5795           | 5850~5855       | -35.5        | ≤16.03      | PASS    |
| 11N40SISO  | Ant1    | High   | 5795           | 5855~5875       | -36.26       | ≤12.90      | PASS    |
| 11N40SISO  | Ant1    | High   | 5795           | 5875~5925       | -40.46       | ≤-26.80     | PASS    |
| 11N40SISO  | Ant1    | High   | 5795           | 5925~5935       | -41.87       | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745           | 5720~5725       | -24.78       | ≤20.27      | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745           | 5700~5720       | -25.84       | ≤15.27      | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745           | 5650~5700       | -35.8        | ≤8.96       | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745           | 5760~5650       | -40.75       | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | High   | 5825           | 5850~5855       | -32.9        | ≤18.87      | PASS    |
| 11AC20SISO | Ant1    | High   | 5825           | 5855~5875       | -37.14       | ≤10.36      | PASS    |
| 11AC20SISO | Ant1    | High   | 5825           | 5875~5925       | -39.99       | ≤-19.46     | PASS    |
| 11AC20SISO | Ant1    | High   | 5825           | 5925~5935       | -41.65       | ≤-27        | PASS    |
| 11AC40SISO | Ant1    | Low    | 5755           | 5720~5725       | -22.53       | ≤22.51      | PASS    |
| 11AC40SISO | Ant1    | Low    | 5755           | 5700~5720       | -28          | ≤14.37      | PASS    |
| 11AC40SISO | Ant1    | Low    | 5755           | 5650~5700       | -36.07       | ≤3.87       | PASS    |
| 11AC40SISO | Ant1    | Low    | 5755           | 5780~5650       | -40.58       | ≤-27        | PASS    |
| 11AC40SISO | Ant1    | High   | 5795           | 5850~5855       | -36.57       | ≤16.79      | PASS    |
| 11AC40SISO | Ant1    | High   | 5795           | 5855~5875       | -37.22       | ≤10.22      | PASS    |
| 11AC40SISO | Ant1    | High   | 5795           | 5875~5925       | -40.73       | ≤-5.07      | PASS    |
| 11AC40SISO | Ant1    | High   | 5795           | 5925~5935       | -42.14       | ≤-27        | PASS    |
| 11AC80SISO | Ant1    | Low    | 5775           | 5720~5725       | -23.83       | ≤26.25      | PASS    |
| 11AC80SISO | Ant1    | Low    | 5775           | 5700~5720       | -24.44       | ≤15.52      | PASS    |
| 11AC80SISO | Ant1    | Low    | 5775           | 5650~5700       | -29.29       | ≤5.09       | PASS    |
| 11AC80SISO | Ant1    | Low    | 5775           | 5800~5650       | -40.44       | ≤-27        | PASS    |

## Test Graphs B4

