





Test Graphs


BLE_1M_Ant1_2402



BLE_1M_Ant1_2440




BLE_1M_Ant1_2480







BLE 2M Ant1 2402



BLE 2M Ant1 2440



BLE 2M Ant1 2480





Appendix D: Maximum power spectral density


Test Result

TestMode	Antenna	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-16.10	≤8.00	PASS
		2440	-16.97	≤8.00	PASS
		2480	-17.06	≤8.00	PASS
BLE_2M	Ant1	2402	-19.82	≤8.00	PASS
		2440	-20.66	≤8.00	PASS
		2480	-20.69	≤8.00	PASS




Test Graphs


BLE 1M Ant1 2402



BLE 1M Ant1 2440




BLE 1M Ant1 2480







BLE 2M Ant1 2402



BLE 2M Ant1 2440



BLE 2M Ant1 2480





Appendix E: Band edge measurements


Test Result

TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	-1.54	-47.21	≤-21.54	PASS
		High	2480	-1.63	-47.5	≤-21.63	PASS
BLE_2M	Ant1	Low	2402	-2.86	-33.66	≤-22.86	PASS
		High	2480	-2.63	-47.48	≤-22.63	PASS




Test Graphs


BLE 1M Ant1 Low 2402



BLE 1M Ant1 High 2480




BLE 2M Ant1 Low 2402





BLE_2M_Ant1_High_2480





Appendix F: Conducted Spurious Emission


Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	-2.21	-2.21	---	PASS
			30~1000	-2.21	-59.9	≤ -22.21	PASS
			1000~26500	-2.21	-48.76	≤ -22.21	PASS
		2440	Reference	-2.57	-2.57	---	PASS
			30~1000	-2.57	-58.83	≤ -22.57	PASS
			1000~26500	-2.57	-49.2	≤ -22.57	PASS
		2480	Reference	-1.77	-1.77	---	PASS
			30~1000	-1.77	-59.72	≤ -21.77	PASS
			1000~26500	-1.77	-48.48	≤ -21.77	PASS
BLE_2M	Ant1	2402	Reference	-6.79	-6.79	---	PASS
			30~1000	-6.79	-43.29	≤ -26.79	PASS
			1000~26500	-6.79	-49.71	≤ -26.79	PASS
		2440	Reference	-5.94	-5.94	---	PASS
			30~1000	-5.94	-59.44	≤ -25.94	PASS
			1000~26500	-5.94	-48.62	≤ -25.94	PASS
		2480	Reference	-3.56	-3.56	---	PASS
			30~1000	-3.56	-58.84	≤ -23.56	PASS
			1000~26500	-3.56	-48.83	≤ -23.56	PASS




Test Graphs


BLE 1M Ant1 2402 0~Reference



BLE 1M Ant1 2402 30~1000



BLE 1M Ant1 2402 1000~26500







BLE 1M Ant1 2440 0~Reference



BLE 1M Ant1 2440 30~1000



BLE 1M Ant1 2440 1000~26500







BLE 1M Ant1 2480 0~Reference



BLE 1M Ant1 2480 30~1000




BLE 1M Ant1 2480 1000~26500







BLE 2M Ant1 2402 0~Reference



BLE 2M Ant1 2402 30~1000




BLE 2M Ant1 2402 1000~26500







BLE 2M Ant1 2440 0~Reference



BLE 2M Ant1 2440 30~1000




BLE 2M Ant1 2440 1000~26500







BLE 2M Ant1 2480 0~Reference



BLE 2M Ant1 2480 30~1000



BLE 2M Ant1 2480 1000~26500



The End Report

Dongguan DN Testing Co., Ltd.

Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang 'an Town, Dongguan City, Guangdong P.R.China

Web: www.dn-testing.com

Tel: +86-769-88087383

E-mail: service@dn-testing.com