

承认书

SPECIFICATIONS FOR APPROVAL

供应商名称
CUSTOMER:

Shenzhen ZTX Communication Technology Co., Ltd.

立讯料号
PART NO:

13705-D5C0013R-00

供应商料号
Part Number:

1.28.00026

品 名
CUSTOMER:

MPP Wireless Charging Coil - 8.1uh - Wireless Charging Coil

制作日期
DATE:

2025.8.15

版 本
REVISION:

A1

单 重
PCS WEIGHT:

11g

供应商签核			
核 准 APPROVED BY 邹国华	审 核 CHECKED BY 梁文耀	制 作 PREPARED BY 刘黎平 2025.08.15 研发专用章	
研发签核		零件签核	
审 核 CHECKED BY	确 认 CONFIRMED BY	审 核 CHECKED BY	承 办 PREPARED BY



地址: No. 5, Shuguang Road, West Industrial Park, Ji'an County, Ji'an
City, Jiangxi Province.

联系方式: +86 796 7118988

公司网站: WWW.luxshare-ict.com

SPECIFICATION

SHEET FOR APPROVAL

(Revision: R: A1)

CUSTOMER(客户名称)	Boshuo Technology (Jiangxi) Co., Ltd.
CS P/N(客户机种)	MPP Wireless Charging Coil - 8.1 μ H
PART NAME(品名)	Wireless charging coil
CUS NO.(客户编号)	13705-D5C0013R-00
ZTX NO.(物料编号)	1.28.00026
DATE(日期)	2025/8/15

CUSTOMER			
QA CHECKED	ME CHECKED	RF CHECKED	MANAGER CHECKED

Remark(备注):


Sign(客户确认签字盖章):

Shenzhen ZTX Communication Technology Co., Ltd				
MANAGER CHECKED	MANAGER CHECKED	ME CHECKED	RF CHECKED	LISTER
		刘黎平	梁文耀	





Shenzhen ZTX Communication Technology Co., Ltd

地址: Room 201, Building A, No. 1 Qianwan 1st
Road, Qianhai Shenzhen-Hong Kong Cooperation
Zone, Shenzhen City, Guangdong Province, China
邮编: 518000 电话: 0755-27588320
传真: 0755-27588045 <http://www.chinaztx.com>




ZTX 中天迅 产品规格书Product Specification					编号/Code		/		
					版本/Ver.		A1		
					页数/Page		4/6		
客户编号 Customer Code		13705-D5C0013R-00			品名 Product Name		Wireless charging coil		
产品规格 Specification		20.5*39*0.08*75P*11TS+G42.5			绕线方向Winding Direction		Single-layer tightly wound		
一. 绕线参数 Winding Specification:									
线圈绕线方式 Wdg Type		出线 Wire		线径Wire OD			圈数 Turns	层数 Layer	
单层密绕		S	F	0.08*75P			11	1	
二. 电性规格Electrical Specifications:									
序号/NO.	性能 Properties	测试条件 Test conditions	数值Value	Unit 单位	TOL 公差	测试仪器 Tester			
1	LS	100KHZ/1V	8.1	μH	10%	TH2830			
2	DCR	@25℃	65	mΩ	max	TH2516			
3	Q值	100KHZ/1V	60		Min	TH2830			
三. 物料清单Material list									
NO.	Material			Spec.					
1	Enamel-covered twisted wire			0.08*75P*11圈					
2	Ferrite magnetic container			硬磁片尺寸φ42.5mm , 厚度0.7mm, .中间硬磁凸柱φ20mm,厚度1mm					
3	heat insulation foam			Adhesive + Insulation Foam + Adhesive, diameter 41mm, thickness 0.6mm					
4	Brownish hot adhesive tape			5*28mm					
5	glue			white glues1288P					
6	black film			PET / Single-sided Adhesive Tape					
深圳市中天迅通信技术股份有限公司				产品种类 Product type		无线充线圈 Wireless charging coil			
SHENZHEN ZTX COMMUNICATION TECHNOLOGY CO., LTD				版 本 Ver.		A1			





珍珠棉尺寸为: 38*28*6cm,
每个珍珠棉有45格, 每格装6pcs共270pcs产品。



每箱装3层珍珠棉, 珍珠棉之间用纸板隔开



- 1、每层珍珠棉可装 270pcs 产品;
- 2、每箱可装 3 层珍珠棉, 即可装 810 产品



产品 Product	单层数量 Single layer quantity	层数/箱 Layer/Box	总数/箱 Total/Box	重量 Weigh
MPP无线充线圈--8.1uh 无线充线圈	270pcs	3 层	810pcs	