


Emergency Stop


If an abnormal situation occurs, you can press and hold the  and ATTI buttons on the remote for 3s to make an emergency stop. When this function is activated, the drone's motor and propellers will stop rotating, causing it to fall from the sky and potentially pose risks of damage. Use this function with caution.



Please make an emergency stop when the drone's flight height is below 3m (9.8ft). If the drone's flight height is above 3m (9.8ft), carefully descend it to a height below 3m (9.8ft) before performing the emergency stop. After an emergency stop, if you intend to fly the drone again, please restart both the drone and the remote control.

Note

After an emergency stop, if you intend to fly the drone again, please perform gyroscope calibration.



Gyroscope
Calibration

Arm Indicator Lights

Drone Status	Arm Indicator Lights
Powering on	Alternating red, green and blue
Remote signal lost	Rapid red flashing
Searching GPS signal	Two quick green flashes in a loop
GPS mode	Solid green
Attitude mode	Solid blue
Reset	Alternating blue, red, and green
Emergency stop	Solid red
Low battery	Rapid red flashing
Critical low battery	Slow red flashing
Powered off	Off
Find your drone	Alternating blue and green
Compass calibrating	Horizontal: Alternating red and green Vertical: Alternating red and blue

Top Indicator Light

Drone Status	Top Indicator Light
Battery level $\geq 30\%$	Solid green
Battery level $< 30\%$	Solid red
Charging (battery $< 30\%$)	Slow red flashing
Charging ($30\% \leq \text{battery} \leq 99\%$)	Slow green flashing
Fully charged (100%)	Solid green

Remote Status Indicators

Remote Status	Remote Status Indicators
Powering on	Green
Powered off	Off
Connection lost	Rapid green flashing
Attitude mode	Green breathing
Low battery	Slow red flashing
Return-to-Home active	Rapid blue flashing

Specifications

Drone

Model	DR-STP11G
Weight (with battery installed)	P10: $\approx$ 185g P10+: $\approx$ 187g
Max. Flight Time	P10: 25 minutes P10+: 30 minutes
Operating Temperature	0-40°C (32-104°F)
Dimensions (unfolded)	331*284*51mm (13*11.2*2 inches)
Horizontal Flight Speed (no wind)	Normal: 4m/s (13.1ft/s) Fast: 8m/s (26.2ft/s)
Max. Relative Flight Height	80m(262ft)
Max. Flight Distance	300m (1000ft)
Battery Capacity	P10: 3.7V / 3000mAh Lithium Battery P10+: 3.85V / 3000mAh Lithium Battery
Charging Time	$\approx$ 120 minutes (depending on the power of the charger)
Input Voltage	5V

Camera

FOV	≈90°
Photo Resolution	3840*2160 Pixels
Video Resolution	4K@20fps
Protocol Supported	802.11a/n

Remote

Max. Operating Distance	300m (1000ft)
Battery Capacity	1.5V AAA Battery x 3 (not included)
Applicable Mobile Phone Size	Up to 80 mm (3.15 inches)
Operating Temperature	0-40°C (32-104°F)

FCC Caution:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

For Remote:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

For R/C QUADCOPTER:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment .

This equipment should be installed and operated with minimum distance 20cm between the radiator& your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

ISED Warning

This device complies with Innovation, Science, and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d' Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

For R/C QUADCOPTER:

The device is compliance with RF exposure guidelines, users can obtain Canadian information on RF exposure and compliance. The minimum distance from body to use the device is 20cm.

Le présent appareil est conforme Après examen de ce matériel aux conformité ou aux limites d' intensité de champ RF, les utilisateurs peuvent sur l' exposition aux radiofréquences et la conformité and compliance d' acquérir les informations correspondantes. La distance minimale du corps à utiliser le dispositif est de 20cm.

For REMOTE:

The device is compliance with RF exposure guidelines, users can obtain Canadian information on RF exposure and compliance.

Le présent appareil est conforme Après examen de ce matériel aux conformité ou aux limites d' intensité de champ RF, les utilisateurs peuvent sur l' exposition aux radiofréquences et la conformité and compliance d' acquérir les informations correspondantes.

SNAPTAIN SUPPORT



US support@snaptain.com

TEL (415)991-6646(Mon-Fri)



www.snaptain.com



@snaptainofficial



@snaptain_official

