



BLACK MIRROR Dot
泰摩黑镜Dot咖啡研磨台

使用说明书

V1.1

产品部件及功能介绍

内部结构:

- 1 研磨平台 1个
- 2 研磨粉出口 1个
- 3 研磨仓 1个

外部结构:

- 1 状态指示灯 (蓝色, 指示灯亮起表示)
- 2 TYPE-C充电接口
- 3 开关按钮

开关按钮:

- 1 长按, 进入全灯/待机状态
- 2 长按, 关机
- 3 长按, 关机

研磨平台:

- 1 研磨仓
- 2 研磨仓
- 3 研磨仓

首次使用

请拆封后, 请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

日常使用

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

连接其他手机用户

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

智能APP应用程序

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

首次使用

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

日常使用

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

连接其他手机用户

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

连接其他手机用户

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

状态指示灯说明

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

状态指示灯说明

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

状态指示灯说明

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

状态指示灯说明

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

状态指示灯说明

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

产品参数

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

产品参数

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

产品参数

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

产品参数

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

产品参数

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

售后服务

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

售后服务

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

售后服务

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

售后服务

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

售后服务

请按照以下步骤进行:

- 1 拆封后, 请按照以下步骤进行:
- 2 拆封后, 请按照以下步骤进行:
- 3 拆封后, 请按照以下步骤进行:

TIME MORE

**Timemore BLACK MIRROR Dot
Coffee Weighing Platform**

User Manual

Product Components

Contents:	- Main Body × 1 - Silicone Cover × 1 - Carrying Bag × 1
Components:	- Status Indicator LED - TYPE-C Charging Port - Power/Pair Button - Turn On/Off - On/Off Press - Pair Device - Hold for 5 secs - Reset Factory Settings - Press for 15 secs

Using the TIMEMORE App

Dot uses an App on your phone to relay information. Scan the QR code to install the TIMEMORE App, then connect account to keep track of your brews.

Pairing Your Dot

Bluetooth must be enabled to communicate with Dot.

- Short press the button on the underside of Dot. The LED indicator will flash white slowly, indicating Dot is ready to pair.
- Open the TIMEMORE App. When the pairing screen appears, tap "Connect".
- Once paired, the App will display "Connected" and the LED indicator will glow white.

Connect to your Dot

Bluetooth must be enabled to communicate with Dot.

- Short press the switch on the back of Dot. The LED indicator will blink white while. The App will show "The LED indicator is already connected." and the LED indicator will indicate Dot is ready to connect.
- Open the TIMEMORE App. The App will automatically detect and connect to Dot.
- Once connected, the LED indicator will glow white. The App will display real-time data from your Dot.

Use a Different Phone With Your Dot

Bluetooth must be enabled to communicate with Dot.

- Long press the button on the underside of Dot. The LED indicator will blink white. The App will show "The LED indicator is ready for pairing with a new phone."
- On the new phone, open the TIMEMORE App. Wait for the pairing screen, then tap "Connect".
- Once connected, the App will display "Connected" and the LED indicator will glow white.

LED Status Indicator Guide

The LED light communicates key status updates. Here's what each signal means:

Light	Status
White light blinking fast	Pairing mode for new devices (See Pairing Your Dot)
Solid white light	Pairing successful.
White light blinking slowly	Pairing mode for previously paired devices.
Solid orange light	(Phone on) Battery is below 20%.
Orange light blinking slowly	Charging is progress. The LED indicator will turn off once charging is complete. (Dot cannot be used during charging.)
Power on / battery low	Battery very low. Dot will shut down automatically.
Alternating orange and white flashes	Factory Reset in progress.

Tech Specs

01. Product Name: BLACK MIRROR Dot Coffee Weighing Platform
02. Max Load Weight: 150 g±20 g
03. Accuracy: 0.1 g (≤ 10 g); 0.01 g (≥ 10 g); ±0.001 g (≥ 100g)
04. Storage Temperature: -20°C~40°C
05. Operating Temperature: ~On the product surface: -10°C~30°C
 ~In the kettle/dropper part: -10°C~100°C
06. Power Supply: Recharge 300mAh lithium-ion rechargeable lithium battery
07. Charging Method: 5V 1A DC5V A power input via USB Type-C charging cable
 ~Built-in intelligent charging management system
 ~Charging adapter not included
 ~Adapter requirement: DIN V AC/DC IEC 60330 V AC or 5V DC
08. Water Resistance Rating: IPX3

1-year limited warranty
Shenzhen Timemore Electronic Technology Co., Ltd.
Guangdong, China

Notes

It is our utmost the maximum weight during use.
Do not touch the top and sides of platform.
The unit is included always put protect the surface of Dot and its internal components from heat.
Avoid fully exposing the bottom of Dot to direct sunlight. In sunny outdoor environment, it may increase a temperature change by a couple 100 parts before a standard applied to the user.
Do not use hot water when weighing.
To minimize the risk of water damage, avoid allowing liquid to enter the charging port or any gaps in the scale body.
Do not calibrate at exact specification. Unintentional disassembly may compromise its reliability and usability.
Dot includes limited customer service. Customer warranty. This warranty does not cover damage from wear and tear or alterations to accessories by the user.
Do not use designed to serve great coffee. It is not intended for trade or commercial use.

合格证 CERTIFICATION

品名/Product Name: 黑镜咖啡电子秤平台
品名/Product Name: T-ME001
生产厂/Manufacturer: 上海时摩电子科技有限公司
生产厂/Manufacturer: Shenzhen Timemore Electronic Technology Co., Ltd.
地址/Address: 深圳市宝安区西乡街道铁岗社区铁岗路1号B栋3楼301室
地址/Address: Block B Room 301 Building 3 Iron Gang Road, Xixiang Street, Gongming Suburb, Bao'an District, Shenzhen, Guangdong, China 518103
本产品符合RoHS指令要求
This device meets RoHS directive accordingly
检测日期/Date: [Stamp]

Copyright © Shanghai Timemore Coffee Equipment Co., Ltd.. All rights reserved. Made in China.


Revisions:	Date:	Change:	Project Name:	BLACKMIRROR DT
Rev. 1	20250929	新建	Description:	说明书+保修卡+合格证
Rev. 2	20260316	修改产品参数信息,改善“连接”图示	Part Number:	
		修改保修卡英文内容	Scale:	100%
			Date:	20260316
			Drawn By:	张维慧

TIME MORE


BLACKMIRROR Dot
泰摩黑镜Dot咖啡称重平台
使用说明书

V1.1

产品部件及功能介绍



称重平台



称重平台背面

内容物:

称重平台 × 1个



硅胶隔热垫 × 1个



便携包 × 1个

部件说明:

1 状态指示灯
(请参见: 指示灯提示说明)

2 TYPE-C充电插口

3 开关键/配对键:

开机/关机

- 短按

发起重新配对

- 长按3秒, 进入全域广播状态

恢复出厂设置



- 在开机状态下, 长按15秒

智能APP应用程序

黑镜Dot需要连接APP后再使用，
请扫描二维码，下载安装软件TIMEMORE
打开App，请先完成注册或账号登录



首次使用 请开启手机蓝牙功能



①

短按设备背面的开关键，打开设备，白灯快闪，进入全域广播状态，等待手机连接。

②

打开手机App，进入软件后等待出现配对界面，点击【去连接】，根据手机指引进行配对。

③

配对成功，显示【已连接】，设备白灯常亮。首次连接完成。

日常使用 请开启手机蓝牙功能



①

短按设备背面的开关
键, 打开设备, 白灯慢
闪, 进入白名单广播,
等待手机连接。



②

打开手机App,
软件将自动连
接设备。




③

连接成功, 设备白灯
常亮。App界面出现
相关信息, 即可正常
开始使用设备。


- 请确认设备未与其他手机配对才可以被搜索到。

连接其他手机用户 请开启手机蓝牙功能



①

长按设备背面的配对键，白灯快闪，进入全域广播状态，等待其他手机连接。



②

在其他手机上打开App，进入软件后等待出现配对界面，点击【去连接】。



③

配对成功，显示【已连接】，设备白灯常亮。新的连接完成。

以上APP界面仅作参考，功能、内容将逐步更新完善，请关注应用产品动态。

状态指示灯提示说明

机身上有LED指示灯,对照下表了解灯光含义。

灯光显示	状态说明
白灯快闪 	设备首次使用,或者长按配对键连接新用户时,设备开启蓝牙全域广播,等待连接
白灯常亮 	蓝牙连接成功,设备正常使用
白灯慢闪 	设备开启蓝牙白名单广播,等待连接 已配对手机或者用户可以自动回接
橙灯长亮 	设备开机时,橙灯长亮3秒后熄灭,表示电池电量低于20%,请及时充电
橙灯慢闪 	设备充电中,此时设备不可用 充电完成后灯光熄灭
橙灯快闪 随后熄灭 	电量耗尽,设备自动关机,请充电
橙灯白灯 交替闪烁 	恢复出厂设置

产品参数

01. 产品名称：黑镜Dot咖啡称重平台
02. 测量量程：0.2 g ~ 1200 g
03. 测量性能：d: 0.1 g, e: 0.5 g (0.2 ~ 500 g), 2 g (500 ~ 1200 g)
04. 储运温度：-20°C - 60°C
05. 使用温度：产品表面 -10°C - 65°C
产品正面放上附带的隔热垫后，-10°C - 100°C
06. 供电电源：内置300mAh容量可充电锂电池，电池电压标称值3.7 V
07. 充电方式：设备内置智能充电管理系统，建议使用5 V DC/1A以上充电适配器，
适配器和USB TYPE-C接口充电线需自备，
适配器类型：220 V AC/110 V AC转5 V DC
08. IP等级：IPX3

使用中的注意事项

1. 称重时请勿超出设备最大量程使用。
2. 请放置于水平且平稳的台面上使用。
3. 设备在充电过程中不能使用。
4. 禁止使用快充功能充电适配器，建议使用5 V DC/1 A-2 A适配器进行充电。
5. 本设备长期未使用后可能造成锂电池电量过低，使用适配器充电无反应时，
可将设备连接至电脑USB接口，用低电流充电方式唤起后，再使用适配器充电。
6. 设备面板表面防水，谨防液体进入机身缝隙及充电口内。如有水渍渗入Type-C充电口，
请晾干后再行开机使用。
7. 设备内部结构精密，禁止私自拆卸。
8. 本设备1年保修，私自拆卸或人为损坏不在保修范围。
9. 本设备为咖啡萃取辅助器具，不可用于贸易结算及其它计量场合。

违反以上注意事项导致设备损坏、失准及其他不良后果，我司不负相关责任。

售后保修卡 WARRANTY CARD

感谢您购买 **TIME MORE** 品牌产品, 凭此售后卡,
产品无人为损伤, 可享受七天无理由退换货, 一年免费保修服务。

产品名称或型号 Product Name or SKU _____

购买时间 Order Date _____

购买渠道 Store Name _____

订单编号 Order Number _____

购买地区 Country of Purchase _____

客户姓名 (必填) Customer Name _____

客户联系方式 (必填) Customer Phone Number _____

退货原因 (必填) Reason for Service _____

退换登记 Replace&Refund

☐ 维修 Repair

☐ 换货 Replace

☐ 退货 Refund

售后服务网点 Address

广东省东莞市虎门镇威远南北大道8号
瑞信恒业粤港产业园 四栋2楼
Building 4, 2nd Floor, Ruixin Hengye
Guangdong-Hong Kong Industrial Park, No. 8,
Weiyuan North-South Avenue, Humen Town,
Dongguan City, Guangdong Province, China

售后服务联系 Contact

联系电话 TEL: 400-684-0200
官网信息 www.timemore.cn
微信公众号
Wechat Official Account:
timemore_coffee




请妥善保管此凭证 Please keep this card

TIME MORE


BLACK MIRROR Dot
Timemore BLACK MIRROR Dot
Coffee Weighing Platform
User Manual

V1.1

Product Components



Device




Device Underside

Contents:

Main Body × 1



Silicone Cover × 1



Carrying Case × 1

Components:

1 Status Indicator LED

2 TYPE-C Charging Port

3 Power/Pair Button:

Turn On / Off

- Short press

Pair Device

- Hold for 3 secs

Restore Factory Settings

- Press for 15 secs


Using the TIMEMORE App

Dot uses an App on your phone to relay information. Scan the QR code to install the TIMEMORE App, then create an account to keep track of your brews.




Pairing Your Dot

Bluetooth must be enabled to communicate with Dot.




①

Short press the button on the underside of Dot. The LED indicator will flash white rapidly, indicating Dot is ready for pairing.



②

Open the TIMEMORE App. When the pairing screen appears, tap “Connect”.



③

Once paired, the App will display “Connected” and the LED indicator will glow white.

Connect to your Dot

Bluetooth must be enabled to communicate with Dot.



①

Short press the switch on the back of Dot. The LED indicator will blink white slowly, indicating Dot is ready to connect.



②

Open the TIMEMORE App. The App will automatically detect and connect to DOT.




③

Once connected, the LED indicator will glow white. The App will then display real-time data from your Dot.

- Please ensure Dot is not paired with another phone before attempting to connect.


Use a Different Phone with Your Dot

Bluetooth must be enabled to communicate with Dot.



①

Long press the button on the underside of Dot. The LED indicator will flash white rapidly, indicating Dot is ready for pairing with a new phone.



②

On the new phone, open the TIMEMORE App. Wait for the pairing screen to appear, then tap “Connect”.




③

Once connected, the App will display “Connected” and the LED indicator will glow white.

Note: The App interface shown is for reference only. Features and content are continuously being updated—stay tuned for the latest updates.

LED Status Indicator Guide

The LED light communicates key status updates. Here's what each signal means:

Light	Status
White light blinking fast 	Pairing mode for new devices. (See: Pairing Your Dot)
Solid white light 	Pairing successful.
White light blinking slowly 	Pairing mode for previously paired devices.
Solid orange light 	(Power on) Battery is below 20%.
Orange light blinking slowly 	Charging in progress. The LED Indicator will turn off once charging is complete. (Dot cannot be used during charging.)
Orange light blinking rapidly 	(Power on) Battery very low. Dot will shut down automatically.
Alternating orange and white flashes 	Factory Reset in progress.

Tech Specs

01. Product Name: BLACK MIRROR Dot Coffee Weighing Platform
02. Min & Max Weights: 0.2 g-1200 g
03. Accuracy: d: 0.1 g, e: 0.5 g (0.2 ~ 500 g) , 2 g (500 ~ 1200 g)
04. Storage Temperature: -20°C to 60°C
05. Operating Temperature:
 - On the product surface: -10°C to 65°C
 - With the included silicone pad: -10°C to 100°C
06. Power Supply:
 - Built-in 300mAh high-capacity rechargeable lithium battery
 - Rated voltage: 3.7 V
07. Charging Method:
 - 5 V DC/1 A power input via USB Type-C charging cable
 - Built-in intelligent charging management system
 - Charging adapter not included
 - Adapter requirement: 220 V AC/110 V AC to 5 V DC
08. Water Resistance Rating: IPX3

Notes

1. Do not exceed the maximum weight during use.
2. Use Dot on a flat and stable surface.
3. Use the included silicone pad to protect the surface of Dot and its internal components from heat.
4. Avoid fully depleting the battery. If Dot detects that its battery is fully depleted, it may require a low-current charge via a computer USB port before a standard adapter can be used.
5. Do not use Dot while charging.
6. To minimize the risk of water damage, avoid allowing liquid to enter the charging port or any gaps in the scale body.
7. Dot is calibrated to exact specifications. Unauthorized disassembly may compromise its reliability and usability.
8. Dot includes a limited one-year manufacturer warranty. This warranty does not cover damage from wear and tear or attempts to disassemble the device.
9. Dot was designed to brew great coffee. It is not intended for trade or commercial use.

Failure to follow the above instructions may void your product warranty.



合格证 CERTIFICATION

品名/Product Name: 黑镜Dot咖啡称重平台

BLACK MIRROR Dot Coffee Weighing Platform

品号/Product No.: TES017

内容物/Contents: 称重平台、硅胶隔热垫、便携包、说明书(含保修卡、合格证)

Weighing platform, Silicone pad, Carrying bag

User manual (Warranty Card, Certification)

产品规格/Specification: 80 mm×80 mm×14 mm(不含硅胶隔热垫)

执行标准/Standard: Q/321001NCB 18

质保期限/Warranty: 1年

1 year limited warranty

制造商/Manufacturer: 上海泰摩咖啡器具有限公司

Shanghai Timemore Coffee Equipment Co., Ltd.

生产厂/Factory: 深圳市汇思科电子科技有限公司

Shenzhen Healthcare Electronic Technology Co., Ltd.

地址/Add.: 深圳市光明区玉塘街道长圳社区长兴科技工业园48栋

Block 48, Changxing Industrial Zone, Changzhen, Yutang Street,

Guangming District, Shenzhen, Guangdong, China 518132

本产品经检验符合标准要求

This device meets with standards accordingly

检验员/QA: _____

合格
01



FCC Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.