



Spectrum Plot


DFT-s-OFDM PI/2 BPSK-376000




DFT-s-OFDM QPSK-376000




DFT-s-OFDM 16QAM-376000




DFT-s-OFDM 64QAM-376000




DFT-s-OFDM 256QAM-376000



CP-OFDM QPSK-376000






5G NR n2_10M					
DFT-s-OFDM PI/2 BPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	8.9455	376000	1880	9.749
DFT-s-OFDM QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	8.9761	376000	1880	9.823
DFT-s-OFDM 16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	9.0094	376000	1880	9.834
DFT-s-OFDM 64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	8.9599	376000	1880	9.771
DFT-s-OFDM 256QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	8.9590	376000	1880	9.749


CP-OFDM QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	9.2931	376000	1880	10.21
CP-OFDM 16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	9.2859	376000	1880	10.16
CP-OFDM 64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	9.3096	376000	1880	10.19
CP-OFDM 256QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	9.3006	376000	1880	10.13

Spectrum Plot


DFT-s-OFDM PI/2 BPSK-376000




DFT-s-OFDM QPSK-376000




DFT-s-OFDM 16QAM-376000




DFT-s-OFDM 64QAM-376000




DFT-s-OFDM 256QAM-376000



CP-OFDM QPSK-376000






5G NR n2_15M					
DFT-s-OFDM PI/2 BPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	13.418	376000	1880	14.54
DFT-s-OFDM QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	13.455	376000	1880	14.49
DFT-s-OFDM 16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	13.495	376000	1880	14.47
DFT-s-OFDM 64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	13.503	376000	1880	14.57
DFT-s-OFDM 256QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	13.469	376000	1880	14.49


CP-OFDM QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	14.110	376000	1880	15.22
CP-OFDM 16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	14.092	376000	1880	15.16
CP-OFDM 64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	14.124	376000	1880	15.26
CP-OFDM 256QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	14.099	376000	1880	15.19

Spectrum Plot


DFT-s-OFDM PI/2 BPSK-376000




DFT-s-OFDM QPSK-376000




DFT-s-OFDM 16QAM-376000




DFT-s-OFDM 64QAM-376000




DFT-s-OFDM 256QAM-376000



CP-OFDM QPSK-376000






5G NR n2_20M					
DFT-s-OFDM PI/2 BPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	17.893	376000	1880	19.11
DFT-s-OFDM QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	17.872	376000	1880	19.15
DFT-s-OFDM 16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	17.898	376000	1880	19.15
DFT-s-OFDM 64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	17.861	376000	1880	19.14
DFT-s-OFDM 256QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	17.856	376000	1880	19.14


CP-OFDM QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	18.865	376000	1880	20.18
CP-OFDM 16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	18.940	376000	1880	20.18
CP-OFDM 64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	18.963	376000	1880	20.11
CP-OFDM 256QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
376000	1880	18.900	376000	1880	20.23

Spectrum Plot


DFT-s-OFDM PI/2 BPSK-376000




DFT-s-OFDM QPSK-376000




DFT-s-OFDM 16QAM-376000




DFT-s-OFDM 64QAM-376000




DFT-s-OFDM 256QAM-376000





CP-OFDM QPSK-376000






APPENDIX C CONDUCTED SPURIOUS EMISSION








5G NR n2_5M_DFT-s-OFDM PI/2 BPSK Spectrum Plot

Channel

Frequency (MHz)

376000

1880




5G NR n2_5M_DFT-s-OFDM QPSK Spectrum Plot

Channel

376000

Frequency (MHz)

1880




5G NR n2_5M_CP-OFDM QPSK Spectrum Plot

Channel

Frequency (MHz)

376000

1880




5G NR n2_15M_DFT-s-OFDM PI/2 BPSK Spectrum Plot


Channel

Frequency (MHz)

376000

1880






5G NR n2_15M_CP-OFDM QPSK Spectrum Plot

Channel

Frequency (MHz)

376000

1880




5G NR n2_20M_DFT-s-OFDM PI/2 BPSK Spectrum Plot


Channel

Frequency (MHz)

376000

1880






5G NR n2_20M_CP-OFDM QPSK Spectrum Plot

Channel

Frequency (MHz)


376000

1880



APPENDIX D RADIATED SPURIOUS EMISSIONS

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH19100	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	89.1700	-63.02	-5.55	-68.57	-13.00	-55.57	peak	
2		239.5200	-75.08	-2.42	-77.50	-13.00	-64.50	peak	
3		440.3100	-76.88	-1.49	-78.37	-13.00	-65.37	peak	
4		579.9900	-76.50	3.09	-73.41	-13.00	-60.41	peak	
5		769.1400	-76.13	3.83	-72.30	-13.00	-59.30	peak	
6		906.8800	-75.96	6.70	-69.26	-13.00	-56.26	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH19100	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		52.3100	-70.05	-1.29	-71.34	-13.00	-58.34	peak	
2		223.0300	-72.99	-8.78	-81.77	-13.00	-68.77	peak	
3		367.5600	-76.04	-2.53	-78.57	-13.00	-65.57	peak	
4		445.1600	-75.80	-1.97	-77.77	-13.00	-64.77	peak	
5		810.8500	-76.44	4.05	-72.39	-13.00	-59.39	peak	
6	*	946.6500	-76.19	5.39	-70.80	-13.00	-57.80	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH18900	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3742.667	-52.15	11.57	-40.58	-13.00	-27.58	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH18900	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3742.100	-50.70	11.13	-39.57	-13.00	-26.57	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH19100	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3782.333	-47.81	11.61	-36.20	-13.00	-23.20	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH19100	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3782.333	-48.08	11.43	-36.65	-13.00	-23.65	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH18700	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3702.433	-44.96	11.72	-33.24	-13.00	-20.24	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH18700	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3702.433	-42.52	11.13	-31.39	-13.00	-18.39	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH18900	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	18800.00	-52.72	2.50	-50.22	-13.00	-37.22	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 2	Test Date	2026/1/16
Test Channel	CH18900	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	18800.00	-53.46	1.50	-51.96	-13.00	-38.96	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH376000	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	89.1700	-63.66	-5.55	-69.21	-13.00	-56.21	peak	
2		250.1900	-74.81	-2.92	-77.73	-13.00	-64.73	peak	
3		400.5400	-75.87	-2.30	-78.17	-13.00	-65.17	peak	
4		545.0700	-76.79	2.56	-74.23	-13.00	-61.23	peak	
5		616.8500	-75.40	3.28	-72.12	-13.00	-59.12	peak	
6		844.8000	-77.07	4.96	-72.11	-13.00	-59.11	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH376000	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	52.3100	-63.81	-1.29	-65.10	-13.00	-52.10	peak	
2		155.1300	-73.41	-6.41	-79.82	-13.00	-66.82	peak	
3		307.4200	-75.23	-5.66	-80.89	-13.00	-67.89	peak	
4		512.0900	-75.60	-1.26	-76.86	-13.00	-63.86	peak	
5		764.2900	-76.46	3.67	-72.79	-13.00	-59.79	peak	
6		938.8900	-76.45	5.31	-71.14	-13.00	-58.14	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH372000	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3700.000	-63.57	11.73	-51.84	-13.00	-38.84	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH372000	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3700.000	-62.93	11.13	-51.80	-13.00	-38.80	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH376000	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3740.000	-63.78	11.58	-52.20	-13.00	-39.20	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH376000	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3740.000	-62.65	11.13	-51.52	-13.00	-38.52	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH380000	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3780.000	-63.36	11.61	-51.75	-13.00	-38.75	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH380000	Polarization	Horizontal
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3780.000	-60.85	11.41	-49.44	-13.00	-36.44	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH372000	Polarization	Vertical
Temp	26°C	Hum.	63%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	18800.00	-52.72	2.50	-50.22	-13.00	-37.22	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	5G NR n2	Test Date	2026/1/16
Test Channel	CH372000	Polarization	Horizontal
Temp	26°C	Hum.	63%



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	18800.00	-53.46	1.50	-51.96	-13.00	-38.96	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E BAND EDGE

LTE Band 2_1.4M Spectrum Plot

1RB#0



1RB#5

Channel

18607

Channel

19193





6RB#0

Channel

18607

Channel

19193



LTE Band 2_3M Spectrum Plot

1RB#0



1RB#14

Channel

18615

Channel

19185





15RB#0

Channel

18615

Channel

19185



LTE Band 2_5M Spectrum Plot

1RB#0



1RB#24

Channel

18625

Channel

19175





25RB#0

Channel

18625

Channel

19175



LTE Band 2_10M Spectrum Plot

1RB#0



1RB#49

Channel

18650

Channel

19150





50RB#0

Channel

18650

Channel

19150



LTE Band 2_15M Spectrum Plot

1RB#0


1RB#74

Channel

18675

Channel

19125




75RB#0

Channel

18675

Channel

19125



LTE Band 2_20M Spectrum Plot

1RB#0


1RB#99

Channel

18700

Channel

19100



100RB#0

Channel

18700

Channel

19100

