



## 目录/Catalogue

| 序号<br>No. | 项目<br>Item                             | 页码<br>Page No. |
|-----------|----------------------------------------|----------------|
| 1         | 图纸或实物图片<br>Drawing or Product Image    | 3/5            |
| 2         | 尺寸测量报告<br>Dimensions Test Report       | 4/6            |
| 3         | 射频性能测试报告<br>RF Performance Test Report | 7-10           |
| 4         | 可靠性测试报告<br>Reliability Test Report1    | 11             |
| 5         | 安装事宜或其它<br>Install Wizard or Other     | 12             |
|           |                                        |                |
|           |                                        |                |
|           |                                        |                |
|           |                                        |                |

SHUN DA CHENG TECHNOLOGY CO., LTD

Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town,  
Baoan District, Shenzhen, China


Telephone: +86-755-27211658      Fax: +86-755-29485750



# 深圳市顺达成科技有限公司

## SHUN DA CHENG TECHNOLOGY CO., LTD

产品图纸或实物图片  
Drawing or Product Image



SHUN DA CHENG TECHNOLOGY CO., LTD

Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Baoan District, Shenzhen, China

Telephone: +86-755-27211658 Fax: +86-755-29485750



## 样品尺寸测量报告

### Sample Dimensions Test Report

|                            |                 |                     |                          |                  |         |
|----------------------------|-----------------|---------------------|--------------------------|------------------|---------|
| 测试日期<br>Test Date          | 2024. 5. 29     | 样品数量<br>Sample Qty. | 3                        | 测试人<br>Inspector | 许燕芳     |
| 尺寸编号<br>Dimension No.      | 标准<br>Standard  | 样品 1<br>Sample 1    | 样品 2<br>Sample 2         | 样品 3<br>Sample 3 | Pass/NG |
| ①长度                        | 64±3mm          | 64                  | 64                       | 64               | Pass    |
| ②线长                        | 103±3mm         | 103                 | 104                      | 102              | Pass    |
|                            |                 |                     |                          |                  |         |
|                            |                 |                     |                          |                  |         |
|                            |                 |                     |                          |                  |         |
|                            |                 |                     |                          |                  |         |
|                            |                 |                     |                          |                  |         |
|                            |                 |                     |                          |                  |         |
|                            |                 |                     |                          |                  |         |
| 最终结论<br>Conclusion         |                 |                     |                          |                  | PASS    |
| 测试人&日期<br>Inspector & Date | 许燕芳 2024. 5. 29 |                     | 批准&日期<br>Approval & Date |                  |         |

SHUN DA CHENG TECHNOLOGY CO., LTD

Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town,  
Baoan District, Shenzhen, China

Telephone: +86-755-27211658 Fax: +86-755-29485750



## 射频性能测量报告


### RF Performance Test Report

#### 天线测试设备简介

##### Antenna Test Equipment Introduction

测试天线输入特性使用 **Agilent E5071C and Agilent 5062A** 矢量网络分析仪；辐射特性利用广屏三维近场暗室进行测试，并分别使用 8960 E5515 和 Agilent E4438C 进行了分析。暗房的测试坐标如下：

Test of antenna input characteristics using **Agilent E5071C and Agilent 5062A** vector network analyzer; The radiation pattern of the antenna are tested using the guangping 3D near field Anechoic Chamber, and the instrument is used to agilent8960 E5515 and Agilent E4438C. The test coordinates of the darkroom are as follows:



#### 1. S11 参数测量/**S11 Parameter-VSWR**

使用一根 50  $\Omega$  同轴电缆连接到天线，然后该电缆连接到网络分析仪测量 S11 参数，被测量产品远离金属至少 20 厘米。

Measuring Method is a 50  $\Omega$  coaxial cable is connected to the antenna. Then this cable is connected to a network analyzer to measure the S11 parameter, Keeping this fixture away from metal at least 20cm.




# 深圳市顺达成科技有限公司

## SHUN DA CHENG TECHNOLOGY CO., LTD

### S11 Parameter-VSWR

### S11 SWR /Smith/ Log Mag




| 频率 (MHZ) | 2400 | 2450 | 2500 | 5150 | 5300 | 5500 | 5700 | 5850 |
|----------|------|------|------|------|------|------|------|------|
| 驻波比      | 1.53 | 1.27 | 1.04 | 1.29 | 1.29 | 1.82 | 1.71 | 1.32 |

| 频率 (MHZ) | 2400   | 2450   | 2500   | 5150   | 5300   | 5500   | 5700   | 5850   |
|----------|--------|--------|--------|--------|--------|--------|--------|--------|
| 阻抗       | 32.6 Ω | 39.3 Ω | 48.2 Ω | 64.1 Ω | 52.9 Ω | 24.1 Ω | 31.1 Ω | 40.2 Ω |

| 频率 (MHZ) | 2400  | 2450  | 2500 | 5150  | 5300  | 5500  | 5700  | 5850  |
|----------|-------|-------|------|-------|-------|-------|-------|-------|
| 损耗       | -13.4 | -18.4 | -24  | -17.6 | -17.9 | -9.14 | -11.5 | -17.1 |

## 2. 天线匹配网络/Antenna Matching Network

### Antenna



SHUN DA CHENG TECHNOLOGY CO., LTD

Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Baoan District, Shenzhen, China

Telephone: +86-755-27211658


Fax: +86-755-29485750



# 深圳市顺达成科技有限公司 SHUN DA CHENG TECHNOLOGY CO., LTD

## 3. Gain & Efficiency

| Frequency (MHz) | Efficiency (%) | Peak GAIN (dBi) |
|-----------------|----------------|-----------------|
| 2400            | 43.41          | 0.79            |
| 2450            | 44.3           | 1.55            |
| 2500            | 45.75          | 1.19            |
| 5150            | 56.29          | 1.59            |
| 5350            | 54.9           | 1.57            |
| 5550            | 55.33          | 2.29            |
| 5850            | 60.79          | 2.46            |



## 4. WIFI OTA Data

| 2.4G    | 802.11b, (2.4G) 11M |        |        |
|---------|---------------------|--------|--------|
| Channel | CH1                 | CH6    | CH11   |
| TRP     | 14.26               | 14.31  | 14.27  |
| TIS     | -79.17              | -79.25 | -78.33 |

| 5G      | 802.11a, 54M |        |        |
|---------|--------------|--------|--------|
| Channel | CH36         | CH60   | CH161  |
| TRP     | 11.19        | 11.25  | 10.25  |
| TIS     | -70.18       | -70.67 | -70.37 |

SHUN DA CHENG TECHNOLOGY CO., LTD

Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Baoan District, Shenzhen, China

Telephone: +86-755-27211658 Fax: +86-755-29485750



## 可靠性测试报告

### Reliability Test Report

|                            |                                                                                                                           |                           |                          |                  |                  |               |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------|------------------|------------------|---------------|
| 测试日期<br>Test Date          | 2024. 5. 29                                                                                                               | 样品数量<br>Sample Qty.       | 3                        | 测试人<br>Inspector | 许燕芳              |               |
| 测试项目<br>Test Item          | 要求<br>Requirement                                                                                                         | 试验设备<br>testing equipment | 样品 1<br>Sample 1         | 样品 2<br>Sample 2 | 样品 3<br>Sample 3 | 判定<br>PASS/NG |
| 高温存储                       | 在+85℃条件下暴露<br>24H, 恢复 2H 后进行测试                                                                                            | 恒温恒湿箱                     | OK                       | OK               | OK               | Pass          |
| 低温存储                       | 在-40℃条件下暴露<br>24H, 恢复 2H 后进行测试                                                                                            | 恒温恒湿箱                     | OK                       | OK               | OK               | Pass          |
| 高温工作                       | 在+60℃条件下通电工作 24H                                                                                                          | 恒温恒湿箱                     | OK                       | OK               | OK               | Pass          |
| 低温工作                       | 在-20℃条件下通电工作 24H                                                                                                          | 恒温恒湿箱                     | OK                       | OK               | OK               | Pass          |
| 盐雾试验                       | (5 ± 0. 5)%氯化钠、<br>pH 值为 6. 5~7. 2, 实验箱温度 (35±2)℃<br><input type="checkbox"/> 24H <input checked="" type="checkbox"/> 48H | 盐雾试验机                     | OK                       | OK               | OK               | Pass          |
| 连接器铆压拉拔力                   | 1. 13 线径 ≥10N<br>0. 81 线径 ≥8N<br>RG174 ≥60N<br>RG178 ≥50N                                                                 | 推拉力计                      | ≥8N                      | ≥8N              | ≥8N              | Pass          |
| 最终结论<br>Conclusion         |                                                                                                                           |                           |                          |                  |                  | Pass          |
| 测试人&日期<br>Inspector & Date | 许燕芳 2024. 5. 29                                                                                                           |                           | 批准&日期<br>Approval & Date |                  |                  |               |

SHUN DA CHENG TECHNOLOGY CO., LTD

Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Baoan District, Shenzhen, China

Telephone: +86-755-27211658 Fax: +86-755-29485750




## 包 装 规 范


项目名： 176 外置天线 短款

成品名称： 176 外置天线 短款


外置成品天线 （一）



（二） 每PE袋装1pcs产品（以实际包装为准）



（三） 再将装好的天线小包装袋整齐放入  
（图三）装10小袋（以实际包装为准）



（四） 包装好的天线放入纸箱，可装5大袋，  
每箱可装5000PCS（图四）。（以实际  
包装为准）



|      |  |
|------|--|
| 供应商  |  |
| 采购单号 |  |
| 物料编码 |  |
| 规格型号 |  |
| 数量   |  |
| 日期   |  |

（五） 包装完成后需贴上出货标签（图五）。



# 深圳市顺达成科技有限公司

SHUN DA CHENG TECHNOLOGY CO., LTD

安装事宜或其它

Install Wizard or Other

安装过程:

取 1PCS 产品, 用手撕下 FPC 背面的离型纸, 然后将 FPC 定位孔位置与外壳定位孔位置 (定位筋位或定位线) 对齐, 平整的贴附与外壳上, 具体位置如下图所示:

安装过程注意事项:

- ☐ 粘贴天线后保证 FPC 完整贴附于外壳;
- ☐ 定位孔与外壳定位柱位置对齐;
- ☐ FPC 边缘与外壳边缘对齐;
- ☐ 带端子天线在将端子扣合到主板 PCBA 端时请首先对齐端子, 然后垂直扣合;
- ☐ 拆卸天线端子时需使用工具 (如专用撬棍) 垂直翘起端子, 不可直接拽线拆卸



SHUN DA CHENG TECHNOLOGY CO., LTD

Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Baoan District, Shenzhen, China

Telephone: +86-755-27211658 Fax: +86-755-29485750



深圳市顺达成科技有限公司  
SHUN DA CHENG TECHNOLOGY CO., LTD

产品 ROHS 证书

*Certificate*

Certificate Number: UNIB23083106HC-01



Product: 5G/4G/WIFI/GPS/BT antenna  
Applicant: ShenZhen ShunDaCheng Technology Co., Ltd.  
4th Floor, Building B5, Xinfu Industrial Zone, Fuyong Chongqing Road,  
Baoan District, Shenzhen  
Manufacturer: N/A  
Model No.: N/A  
Trade Name: N/A  
Test Methods: IEC 62321-2:2021, IEC 62321-3-1:2013, IEC 62321-4:2013 +A1:2017,  
IEC 62321-5:2013, IEC 62321-6:2015, IEC 62321-7-1:2015  
IEC 62321-7-2:2017, IEC 62321-8:2017

The laboratory tested the product provided by the applicant according to the above test methods.  
According to the test results, the product conforms to RoHS Directive [(2011/65/EU and Amendment  
(EU) 2015/863)] issued by the European Commission. It is possible to use CE marking to demonstrate  
the compliance with RoHS Directive.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment  
of the whole production. It is only valid in connection with the test report number: UNIB23083106HR-01.

**Note:** According to the requirements of the applicant for testing, details are shown in the test  
report.

**RoHS**

Sep. 06, 2023  
Issue Date

*Hoffer Lau*  
Hoffer Lau



Shenzhen United Testing Technology Co., Ltd.

Shenzhen: D101&D401, No. 107, Kaicheng High-Tech Park, Taoyuan Community, Dalang, Sub-District  
Longhua District, Shenzhen, Guangdong, China/518109  
Guangzhou: No.47-3, Industrial Road, Zhushan, Dalong Street, Panyu District, Guangzhou, Guangdong,  
China/511450;

101/F, Building 2, Tongxin Industrial Park, Xinqiao Village, Dalong Street, Panyu District, Guangzhou,  
Guangdong, China/511450

Tel:+86-755-86180996/+86-020-39277769 Fax:+86-0755-86180156

Web Site: www.uni-lab.hk/ E-mail: hofferlau@uni-lab.hk



Certificate of Compliance

SHUN DA CHENG TECHNOLOGY CO., LTD

Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town,  
Baoan District, Shenzhen, China

Telephone: +86-755-27211658 Fax: +86-755-29485750