HYUNDAI


HYUNDAI

HYUNDAI


HYUNDAI

HYUNDAI
Model:356079AR
Charging Voltage Limited:4.35V
Rechargable Li-ion Batttey:
3.8V/2300mAh 8.74Wh
Operating Standards:GB/T18287-2013
Caution:
• Do not short circuit
• Do not expose the battery to high temperature
• Use specifed charger only
• Refer to the provided user manual
WARNING
MAY EXPLODE IF DAMAGED
OR DISPOSED ORIN FIRE
LI-ION
Made in China
Licensed by Hyundai Corporation,Korea








1720-ANT-BOARD-907-V1_0
CYD-HD907
2018


80 70 60 50 40 30
20 10 mm 0
10 20 30 40


50 40 30 20 10 mm 0
10 20 30 40 50 60 70
ZBX 4-3
T10WX0814753A
1720-LED_FPC-007_V1.0


1808_V1.0
REC
TX 2
40
25
mm
0 10 20 30 40 50


SPREADTRUM
SC7731E
SKhynix
H9TQ64A8GTCC
URKUM 727A
1808_V1.0
REC
TX 2
40
25
mm
0 10 20 30 40 50


ZBX 834 4-3
T10WX0814753A
1720-LED_FPC-007_V10


BT&WIFI&GPS-ANT



------End of report------