



































































































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	4.32	0	4.32	11	Pass
NVNT	a	5200	Ant1	4.26	0.1	4.36	11	Pass
NVNT	a	5240	Ant1	2.56	0.1	2.66	11	Pass
NVNT	a	5260	Ant1	5.17	0	5.17	11	Pass
NVNT	a	5300	Ant1	4.8	0	4.8	11	Pass
NVNT	a	5320	Ant1	4.94	0.1	5.04	11	Pass
NVNT	a	5500	Ant1	6.17	0.1	6.27	11	Pass
NVNT	a	5580	Ant1	5.73	0	5.73	11	Pass
NVNT	a	5700	Ant1	5.98	0.1	6.08	11	Pass
NVNT	a	5180	Ant2	6.48	0	6.48	11	Pass
NVNT	a	5200	Ant2	6.69	0.1	6.79	11	Pass
NVNT	a	5240	Ant2	6.49	0	6.49	11	Pass
NVNT	a	5260	Ant2	6.49	0	6.49	11	Pass
NVNT	a	5300	Ant2	6.37	0.1	6.47	11	Pass
NVNT	a	5320	Ant2	6.15	0	6.15	11	Pass
NVNT	a	5500	Ant2	4.5	0.1	4.6	11	Pass
NVNT	a	5580	Ant2	6.11	0	6.11	11	Pass
NVNT	a	5700	Ant2	6.12	0.1	6.22	11	Pass
NVNT	n20	5180	Ant1	3.48	0	3.48	11	Pass
NVNT	n20	5200	Ant1	3.37	0	3.37	11	Pass
NVNT	n20	5240	Ant1	3.05	0	3.05	11	Pass
NVNT	n20	5260	Ant1	3.12	0	3.12	11	Pass
NVNT	n20	5300	Ant1	2.65	0	2.65	11	Pass
NVNT	n20	5320	Ant1	2.88	0	2.88	11	Pass
NVNT	n20	5500	Ant1	3.97	0	3.97	11	Pass
NVNT	n20	5580	Ant1	3.49	0	3.49	11	Pass
NVNT	n20	5700	Ant1	4.03	0	4.03	11	Pass
NVNT	n20	5180	Ant2	4.02	0	4.02	11	Pass
NVNT	n20	5200	Ant2	3.98	0	3.98	11	Pass
NVNT	n20	5240	Ant2	3.97	0	3.97	11	Pass
NVNT	n20	5260	Ant2	3.58	0	3.58	11	Pass
NVNT	n20	5300	Ant2	3.55	0	3.55	11	Pass
NVNT	n20	5320	Ant2	3.38	0	3.38	11	Pass
NVNT	n20	5500	Ant2	3.24	0	3.24	11	Pass
NVNT	n20	5580	Ant2	3.73	0	3.73	11	Pass
NVNT	n20	5700	Ant2	4.18	0	4.18	11	Pass
NVNT	n20	5180	Ant1	0.17	0	0.17	11	Pass
NVNT	n20	5180	Ant2	1.35	0	1.35	11	Pass
NVNT	n20	5180	MIMO	3.81	0	3.81	11	Pass
NVNT	n20	5200	Ant1	0.01	0	0.01	11	Pass
NVNT	n20	5200	Ant2	0.96	0	0.96	11	Pass
NVNT	n20	5200	MIMO	3.52	0	3.52	11	Pass
NVNT	n20	5240	Ant1	0.37	0	0.37	11	Pass
NVNT	n20	5240	Ant2	0.65	0	0.65	11	Pass
NVNT	n20	5240	MIMO	3.52	0	3.52	11	Pass
NVNT	n20	5260	Ant1	-0.46	0	-0.46	11	Pass
NVNT	n20	5260	Ant2	0.63	0	0.63	11	Pass
NVNT	n20	5260	MIMO	3.13	0	3.13	11	Pass
NVNT	n20	5300	Ant1	-1.11	0	-1.11	11	Pass
NVNT	n20	5300	Ant2	0.69	0	0.69	11	Pass
NVNT	n20	5300	MIMO	2.89	0	2.89	11	Pass
NVNT	n20	5320	Ant1	-0.62	0	-0.62	11	Pass
NVNT	n20	5320	Ant2	0.9	0	0.9	11	Pass
NVNT	n20	5320	MIMO	3.22	0	3.22	11	Pass
NVNT	n20	5500	Ant1	0.16	0	0.16	11	Pass
NVNT	n20	5500	Ant2	0.25	0	0.25	11	Pass



NVNT	n20	5500	MIMO	3.22	0	3.22	11	Pass
NVNT	n20	5580	Ant1	-0.31	0	-0.31	11	Pass
NVNT	n20	5580	Ant2	0.98	0	0.98	11	Pass
NVNT	n20	5580	MIMO	3.39	0	3.39	11	Pass
NVNT	n20	5700	Ant1	0.15	0	0.15	11	Pass
NVNT	n20	5700	Ant2	1.01	0	1.01	11	Pass
NVNT	n20	5700	MIMO	3.61	0	3.61	11	Pass
NVNT	n40	5190	Ant1	0.14	0	0.14	11	Pass
NVNT	n40	5230	Ant1	-0.23	0	-0.23	11	Pass
NVNT	n40	5270	Ant1	-0.45	0	-0.45	11	Pass
NVNT	n40	5310	Ant1	-0.95	0	-0.95	11	Pass
NVNT	n40	5510	Ant1	-0.44	0	-0.44	11	Pass
NVNT	n40	5550	Ant1	-0.98	0	-0.98	11	Pass
NVNT	n40	5670	Ant1	0.17	0	0.17	11	Pass
NVNT	n40	5190	Ant2	1.03	0	1.03	11	Pass
NVNT	n40	5230	Ant2	0.5	0	0.5	11	Pass
NVNT	n40	5270	Ant2	0.18	0	0.18	11	Pass
NVNT	n40	5310	Ant2	0.31	0	0.31	11	Pass
NVNT	n40	5510	Ant2	-1.41	0	-1.41	11	Pass
NVNT	n40	5550	Ant2	-0.8	0	-0.8	11	Pass
NVNT	n40	5670	Ant2	0.45	0	0.45	11	Pass
NVNT	n40	5190	Ant1	-2.3	0	-2.3	11	Pass
NVNT	n40	5190	Ant2	-2.31	0	-2.31	11	Pass
NVNT	n40	5190	MIMO	0.71	0	0.71	11	Pass
NVNT	n40	5230	Ant1	-3.65	0	-3.65	11	Pass
NVNT	n40	5230	Ant2	-2.65	0	-2.65	11	Pass
NVNT	n40	5230	MIMO	-0.11	0	-0.11	11	Pass
NVNT	n40	5270	Ant1	-4.19	0	-4.19	11	Pass
NVNT	n40	5270	Ant2	-2.78	0	-2.78	11	Pass
NVNT	n40	5270	MIMO	-0.42	0	-0.42	11	Pass
NVNT	n40	5310	Ant1	-4.55	0	-4.55	11	Pass
NVNT	n40	5310	Ant2	-2.89	0	-2.89	11	Pass
NVNT	n40	5310	MIMO	-0.63	0	-0.63	11	Pass
NVNT	n40	5510	Ant1	-4.5	0	-4.5	11	Pass
NVNT	n40	5510	Ant2	-4.36	0	-4.36	11	Pass
NVNT	n40	5510	MIMO	-1.42	0	-1.42	11	Pass
NVNT	n40	5550	Ant1	-5.08	0	-5.08	11	Pass
NVNT	n40	5550	Ant2	-4.05	0	-4.05	11	Pass
NVNT	n40	5550	MIMO	-1.52	0	-1.52	11	Pass
NVNT	n40	5670	Ant1	-4.17	0	-4.17	11	Pass
NVNT	n40	5670	Ant2	-2.62	0	-2.62	11	Pass
NVNT	n40	5670	MIMO	-0.32	0	-0.32	11	Pass
NVNT	ac20	5180	Ant1	3.24	0	3.24	11	Pass
NVNT	ac20	5200	Ant1	3.48	0	3.48	11	Pass
NVNT	ac20	5240	Ant1	3.27	0	3.27	11	Pass
NVNT	ac20	5260	Ant1	2.83	0	2.83	11	Pass
NVNT	ac20	5300	Ant1	2.62	0	2.62	11	Pass
NVNT	ac20	5320	Ant1	2.7	0	2.7	11	Pass
NVNT	ac20	5500	Ant1	3.89	0	3.89	11	Pass
NVNT	ac20	5580	Ant1	3.36	0	3.36	11	Pass
NVNT	ac20	5700	Ant1	3.67	0	3.67	11	Pass
NVNT	ac20	5180	Ant2	4.07	0	4.07	11	Pass
NVNT	ac20	5200	Ant2	4	0	4	11	Pass
NVNT	ac20	5240	Ant2	3.65	0	3.65	11	Pass
NVNT	ac20	5260	Ant2	3.62	0	3.62	11	Pass
NVNT	ac20	5300	Ant2	3.9	0	3.9	11	Pass
NVNT	ac20	5320	Ant2	3.84	0	3.84	11	Pass
NVNT	ac20	5500	Ant2	3.37	0	3.37	11	Pass
NVNT	ac20	5580	Ant2	3.95	0	3.95	11	Pass
NVNT	ac20	5700	Ant2	4.23	0	4.23	11	Pass
NVNT	ac20	5180	Ant1	0.38	0	0.38	11	Pass



NVNT	ac20	5180	Ant2	1.27	0	1.27	11	Pass
NVNT	ac20	5180	MIMO	3.86	0	3.86	11	Pass
NVNT	ac20	5200	Ant1	0.31	0	0.31	11	Pass
NVNT	ac20	5200	Ant2	1.4	0	1.4	11	Pass
NVNT	ac20	5200	MIMO	3.9	0	3.9	11	Pass
NVNT	ac20	5240	Ant1	1.02	0	1.02	11	Pass
NVNT	ac20	5240	Ant2	1.23	0	1.23	11	Pass
NVNT	ac20	5240	MIMO	4.14	0	4.14	11	Pass
NVNT	ac20	5260	Ant1	0.68	0	0.68	11	Pass
NVNT	ac20	5260	Ant2	1.06	0	1.06	11	Pass
NVNT	ac20	5260	MIMO	3.88	0	3.88	11	Pass
NVNT	ac20	5300	Ant1	-0.25	0	-0.25	11	Pass
NVNT	ac20	5300	Ant2	1.04	0	1.04	11	Pass
NVNT	ac20	5300	MIMO	3.45	0	3.45	11	Pass
NVNT	ac20	5320	Ant1	-0.23	0	-0.23	11	Pass
NVNT	ac20	5320	Ant2	0.91	0	0.91	11	Pass
NVNT	ac20	5320	MIMO	3.39	0	3.39	11	Pass
NVNT	ac20	5500	Ant1	0.76	0	0.76	11	Pass
NVNT	ac20	5500	Ant2	-0.87	0	-0.87	11	Pass
NVNT	ac20	5500	MIMO	3.03	0	3.03	11	Pass
NVNT	ac20	5580	Ant1	0.27	0	0.27	11	Pass
NVNT	ac20	5580	Ant2	-0.02	0	-0.02	11	Pass
NVNT	ac20	5580	MIMO	3.14	0	3.14	11	Pass
NVNT	ac20	5700	Ant1	0.69	0	0.69	11	Pass
NVNT	ac20	5700	Ant2	0.11	0	0.11	11	Pass
NVNT	ac20	5700	MIMO	3.42	0	3.42	11	Pass
NVNT	ac40	5190	Ant1	0.34	0	0.34	11	Pass
NVNT	ac40	5230	Ant1	-0.04	0	-0.04	11	Pass
NVNT	ac40	5270	Ant1	-0.71	0	-0.71	11	Pass
NVNT	ac40	5310	Ant1	-0.67	0	-0.67	11	Pass
NVNT	ac40	5510	Ant1	-0.64	0	-0.64	11	Pass
NVNT	ac40	5550	Ant1	-0.84	0	-0.84	11	Pass
NVNT	ac40	5670	Ant1	-0.23	0	-0.23	11	Pass
NVNT	ac40	5190	Ant2	0.75	0	0.75	11	Pass
NVNT	ac40	5230	Ant2	0.67	0	0.67	11	Pass
NVNT	ac40	5270	Ant2	0.19	0	0.19	11	Pass
NVNT	ac40	5310	Ant2	0.15	0	0.15	11	Pass
NVNT	ac40	5510	Ant2	-0.98	0	-0.98	11	Pass
NVNT	ac40	5550	Ant2	-0.5	0	-0.5	11	Pass
NVNT	ac40	5670	Ant2	0.5	0	0.5	11	Pass
NVNT	ac40	5190	Ant1	-2.03	0	-2.03	11	Pass
NVNT	ac40	5190	Ant2	-1.69	0	-1.69	11	Pass
NVNT	ac40	5190	MIMO	1.15	0	1.15	11	Pass
NVNT	ac40	5230	Ant1	-3.06	0	-3.06	11	Pass
NVNT	ac40	5230	Ant2	-1.99	0	-1.99	11	Pass
NVNT	ac40	5230	MIMO	0.52	0	0.52	11	Pass
NVNT	ac40	5270	Ant1	-3.49	0	-3.49	11	Pass
NVNT	ac40	5270	Ant2	-2.34	0	-2.34	11	Pass
NVNT	ac40	5270	MIMO	0.13	0	0.13	11	Pass
NVNT	ac40	5310	Ant1	-3.97	0	-3.97	11	Pass
NVNT	ac40	5310	Ant2	-2.67	0	-2.67	11	Pass
NVNT	ac40	5310	MIMO	-0.26	0	-0.26	11	Pass
NVNT	ac40	5510	Ant1	-3.4	0	-3.4	11	Pass
NVNT	ac40	5510	Ant2	-5.02	0	-5.02	11	Pass
NVNT	ac40	5510	MIMO	-1.12	0	-1.12	11	Pass
NVNT	ac40	5550	Ant1	-3.62	0	-3.62	11	Pass
NVNT	ac40	5550	Ant2	-4.64	0	-4.64	11	Pass
NVNT	ac40	5550	MIMO	-1.09	0	-1.09	11	Pass
NVNT	ac40	5670	Ant1	-3.01	0	-3.01	11	Pass
NVNT	ac40	5670	Ant2	-3.14	0	-3.14	11	Pass
NVNT	ac40	5670	MIMO	-0.06	0	-0.06	11	Pass



NVNT	ac80	5210	Ant1	-3.1	0	-3.1	11	Pass
NVNT	ac80	5290	Ant1	-3.75	0	-3.75	11	Pass
NVNT	ac80	5530	Ant1	-3.54	0	-3.54	11	Pass
NVNT	ac80	5610	Ant1	-3.29	0	-3.29	11	Pass
NVNT	ac80	5210	Ant2	-1.9	0	-1.9	11	Pass
NVNT	ac80	5290	Ant2	-2.83	0	-2.83	11	Pass
NVNT	ac80	5530	Ant2	-3.42	0	-3.42	11	Pass
NVNT	ac80	5610	Ant2	-2.42	0	-2.42	11	Pass
NVNT	ac80	5210	Ant1	-7.09	0	-7.09	11	Pass
NVNT	ac80	5210	Ant2	-9.82	0	-9.82	11	Pass
NVNT	ac80	5210	MIMO	-5.23	0	-5.23	11	Pass
NVNT	ac80	5290	Ant1	-8.07	0	-8.07	11	Pass
NVNT	ac80	5290	Ant2	-6.3	0	-6.3	11	Pass
NVNT	ac80	5290	MIMO	-4.09	0	-4.09	11	Pass
NVNT	ac80	5530	Ant1	-7.97	0	-7.97	11	Pass
NVNT	ac80	5530	Ant2	-7.69	0	-7.69	11	Pass
NVNT	ac80	5530	MIMO	-4.82	0	-4.82	11	Pass
NVNT	ac80	5610	Ant1	-8.65	0	-8.65	11	Pass
NVNT	ac80	5610	Ant2	-7.02	0	-7.02	11	Pass
NVNT	ac80	5610	MIMO	-4.75	0	-4.75	11	Pass
NVNT	ac160	5250	Ant1	-6.18	0	-6.18	11	Pass
NVNT	ac160	5570	Ant1	-6.15	0	-6.15	11	Pass
NVNT	ac160	5250	Ant2	-5.51	0	-5.51	11	Pass
NVNT	ac160	5570	Ant2	-5.7	0	-5.7	11	Pass
NVNT	ac160	5250	Ant1	-9.29	0	-9.29	11	Pass
NVNT	ac160	5250	Ant2	-7.89	0	-7.89	11	Pass
NVNT	ac160	5250	MIMO	-5.52	0	-5.52	11	Pass
NVNT	ac160	5570	Ant1	-9.12	0	-9.12	11	Pass
NVNT	ac160	5570	Ant2	-9.77	0	-9.77	11	Pass
NVNT	ac160	5570	MIMO	-6.42	0	-6.42	11	Pass
NVNT	ax20	5180	Ant1	3.32	0	3.32	11	Pass
NVNT	ax20	5200	Ant1	3.16	0	3.16	11	Pass
NVNT	ax20	5240	Ant1	3.05	0	3.05	11	Pass
NVNT	ax20	5260	Ant1	2.68	0	2.68	11	Pass
NVNT	ax20	5300	Ant1	2.4	0	2.4	11	Pass
NVNT	ax20	5320	Ant1	2.8	0	2.8	11	Pass
NVNT	ax20	5500	Ant1	3.73	0	3.73	11	Pass
NVNT	ax20	5580	Ant1	3.14	0	3.14	11	Pass
NVNT	ax20	5700	Ant1	3.49	0	3.49	11	Pass
NVNT	ax20	5180	Ant2	3.93	0	3.93	11	Pass
NVNT	ax20	5200	Ant2	3.91	0	3.91	11	Pass
NVNT	ax20	5240	Ant2	3.44	0	3.44	11	Pass
NVNT	ax20	5260	Ant2	3.28	0	3.28	11	Pass
NVNT	ax20	5300	Ant2	3.47	0	3.47	11	Pass
NVNT	ax20	5320	Ant2	3.47	0	3.47	11	Pass
NVNT	ax20	5500	Ant2	3.24	0	3.24	11	Pass
NVNT	ax20	5580	Ant2	3.8	0	3.8	11	Pass
NVNT	ax20	5700	Ant2	3.86	0	3.86	11	Pass
NVNT	ax20	5180	Ant1	0.28	0	0.28	11	Pass
NVNT	ax20	5180	Ant2	1.03	0	1.03	11	Pass
NVNT	ax20	5180	MIMO	3.68	0	3.68	11	Pass
NVNT	ax20	5200	Ant1	0.18	0	0.18	11	Pass
NVNT	ax20	5200	Ant2	1.29	0	1.29	11	Pass
NVNT	ax20	5200	MIMO	3.78	0	3.78	11	Pass
NVNT	ax20	5240	Ant1	0.55	0	0.55	11	Pass
NVNT	ax20	5240	Ant2	0.99	0	0.99	11	Pass
NVNT	ax20	5240	MIMO	3.79	0	3.79	11	Pass
NVNT	ax20	5260	Ant1	0.42	0	0.42	11	Pass
NVNT	ax20	5260	Ant2	0.74	0	0.74	11	Pass
NVNT	ax20	5260	MIMO	3.59	0	3.59	11	Pass
NVNT	ax20	5300	Ant1	-0.92	0	-0.92	11	Pass