



NVNT	ax20	5300	Ant2	0.6	0	0.6	11	Pass
NVNT	ax20	5300	MIMO	2.92	0	2.92	11	Pass
NVNT	ax20	5320	Ant1	-0.35	0	-0.35	11	Pass
NVNT	ax20	5320	Ant2	0.6	0	0.6	11	Pass
NVNT	ax20	5320	MIMO	3.16	0	3.16	11	Pass
NVNT	ax20	5500	Ant1	0.54	0	0.54	11	Pass
NVNT	ax20	5500	Ant2	-0.21	0	-0.21	11	Pass
NVNT	ax20	5500	MIMO	3.19	0	3.19	11	Pass
NVNT	ax20	5580	Ant1	0.16	0	0.16	11	Pass
NVNT	ax20	5580	Ant2	-0.34	0	-0.34	11	Pass
NVNT	ax20	5580	MIMO	2.93	0	2.93	11	Pass
NVNT	ax20	5700	Ant1	0.41	0	0.41	11	Pass
NVNT	ax20	5700	Ant2	-0.1	0	-0.1	11	Pass
NVNT	ax20	5700	MIMO	3.17	0	3.17	11	Pass
NVNT	ax40	5190	Ant1	0.11	0	0.11	11	Pass
NVNT	ax40	5230	Ant1	-0.26	0	-0.26	11	Pass
NVNT	ax40	5270	Ant1	-0.81	0	-0.81	11	Pass
NVNT	ax40	5310	Ant1	-1	0	-1	11	Pass
NVNT	ax40	5510	Ant1	-0.73	0	-0.73	11	Pass
NVNT	ax40	5550	Ant1	-1.14	0	-1.14	11	Pass
NVNT	ax40	5670	Ant1	-0.19	0	-0.19	11	Pass
NVNT	ax40	5190	Ant2	0.96	0	0.96	11	Pass
NVNT	ax40	5230	Ant2	0.61	0	0.61	11	Pass
NVNT	ax40	5270	Ant2	0.1	0	0.1	11	Pass
NVNT	ax40	5310	Ant2	0.2	0	0.2	11	Pass
NVNT	ax40	5510	Ant2	-1.33	0	-1.33	11	Pass
NVNT	ax40	5550	Ant2	-0.53	0	-0.53	11	Pass
NVNT	ax40	5670	Ant2	0.75	0	0.75	11	Pass
NVNT	ax40	5190	Ant1	-2.29	0	-2.29	11	Pass
NVNT	ax40	5190	Ant2	-1.82	0	-1.82	11	Pass
NVNT	ax40	5190	MIMO	0.96	0	0.96	11	Pass
NVNT	ax40	5230	Ant1	-2.88	0	-2.88	11	Pass
NVNT	ax40	5230	Ant2	-2.18	0	-2.18	11	Pass
NVNT	ax40	5230	MIMO	0.49	0	0.49	11	Pass
NVNT	ax40	5270	Ant1	-3.69	0	-3.69	11	Pass
NVNT	ax40	5270	Ant2	-2.33	0	-2.33	11	Pass
NVNT	ax40	5270	MIMO	0.05	0	0.05	11	Pass
NVNT	ax40	5310	Ant1	-4.22	0	-4.22	11	Pass
NVNT	ax40	5310	Ant2	-2.92	0	-2.92	11	Pass
NVNT	ax40	5310	MIMO	-0.51	0	-0.51	11	Pass
NVNT	ax40	5510	Ant1	-3.74	0	-3.74	11	Pass
NVNT	ax40	5510	Ant2	-5.35	0	-5.35	11	Pass
NVNT	ax40	5510	MIMO	-1.46	0	-1.46	11	Pass
NVNT	ax40	5550	Ant1	-3.8	0	-3.8	11	Pass
NVNT	ax40	5550	Ant2	-4.76	0	-4.76	11	Pass
NVNT	ax40	5550	MIMO	-1.24	0	-1.24	11	Pass
NVNT	ax40	5670	Ant1	-3.33	0	-3.33	11	Pass
NVNT	ax40	5670	Ant2	-3.55	0	-3.55	11	Pass
NVNT	ax40	5670	MIMO	-0.43	0	-0.43	11	Pass
NVNT	ax80	5210	Ant1	-2.82	0	-2.82	11	Pass
NVNT	ax80	5290	Ant1	-3.81	0	-3.81	11	Pass
NVNT	ax80	5530	Ant1	-3.6	0	-3.6	11	Pass
NVNT	ax80	5610	Ant1	-3.15	0	-3.15	11	Pass
NVNT	ax80	5210	Ant2	-2.01	0	-2.01	11	Pass
NVNT	ax80	5290	Ant2	-2.75	0	-2.75	11	Pass
NVNT	ax80	5530	Ant2	-3.52	0	-3.52	11	Pass
NVNT	ax80	5610	Ant2	-2.57	0	-2.57	11	Pass
NVNT	ax80	5210	Ant1	-5.85	0	-5.85	11	Pass
NVNT	ax80	5210	Ant2	-4.77	0	-4.77	11	Pass
NVNT	ax80	5210	MIMO	-2.27	0	-2.27	11	Pass
NVNT	ax80	5290	Ant1	-6.44	0	-6.44	11	Pass



NVNT	ax80	5290	Ant2	-5.59	0	-5.59	11	Pass
NVNT	ax80	5290	MIMO	-2.98	0	-2.98	11	Pass
NVNT	ax80	5530	Ant1	-6.38	0	-6.38	11	Pass
NVNT	ax80	5530	Ant2	-7.65	0	-7.65	11	Pass
NVNT	ax80	5530	MIMO	-3.96	0	-3.96	11	Pass
NVNT	ax80	5610	Ant1	-6.23	0	-6.23	11	Pass
NVNT	ax80	5610	Ant2	-6.58	0	-6.58	11	Pass
NVNT	ax80	5610	MIMO	-3.39	0	-3.39	11	Pass
NVNT	ax160	5250	Ant1	-6.15	0	-6.15	11	Pass
NVNT	ax160	5570	Ant1	-6.17	0	-6.17	11	Pass
NVNT	ax160	5250	Ant2	-5.09	0	-5.09	11	Pass
NVNT	ax160	5570	Ant2	-5.45	0	-5.45	11	Pass
NVNT	ax160	5250	Ant1	-9.17	0	-9.17	11	Pass
NVNT	ax160	5250	Ant2	-8.15	0	-8.15	11	Pass
NVNT	ax160	5250	MIMO	-5.62	0	-5.62	11	Pass
NVNT	ax160	5570	Ant1	-9.1	0.09	-9.01	11	Pass
NVNT	ax160	5570	Ant2	-9.86	0.09	-9.77	11	Pass
NVNT	ax160	5570	MIMO	-6.45	0.09	-6.36	11	Pass
NVNT	be20	5180	Ant1	2.28	0	2.28	11	Pass
NVNT	be20	5200	Ant1	2.1	0	2.1	11	Pass
NVNT	be20	5240	Ant1	0.49	0	0.49	11	Pass
NVNT	be20	5260	Ant1	0.44	0	0.44	11	Pass
NVNT	be20	5300	Ant1	0.59	0	0.59	11	Pass
NVNT	be20	5320	Ant1	0.44	0	0.44	11	Pass
NVNT	be20	5500	Ant1	0.85	0	0.85	11	Pass
NVNT	be20	5580	Ant1	1.26	0	1.26	11	Pass
NVNT	be20	5700	Ant1	1.4	0	1.4	11	Pass
NVNT	be20	5180	Ant2	0.57	0	0.57	11	Pass
NVNT	be20	5200	Ant2	1.13	0	1.13	11	Pass
NVNT	be20	5240	Ant2	1.17	0	1.17	11	Pass
NVNT	be20	5260	Ant2	1.83	0	1.83	11	Pass
NVNT	be20	5300	Ant2	1.69	0	1.69	11	Pass
NVNT	be20	5320	Ant2	1.53	0	1.53	11	Pass
NVNT	be20	5500	Ant2	1	0	1	11	Pass
NVNT	be20	5580	Ant2	1.13	0	1.13	11	Pass
NVNT	be20	5700	Ant2	1.2	0	1.2	11	Pass
NVNT	be20	5180	Ant1	0.62	0	0.62	11	Pass
NVNT	be20	5180	Ant2	0.25	0	0.25	11	Pass
NVNT	be20	5180	MIMO	3.45	0	3.45	11	Pass
NVNT	be20	5200	Ant1	0.04	0	0.04	11	Pass
NVNT	be20	5200	Ant2	0.7	0	0.7	11	Pass
NVNT	be20	5200	MIMO	3.39	0	3.39	11	Pass
NVNT	be20	5240	Ant1	-0.11	0	-0.11	11	Pass
NVNT	be20	5240	Ant2	1.43	0	1.43	11	Pass
NVNT	be20	5240	MIMO	3.74	0	3.74	11	Pass
NVNT	be20	5260	Ant1	1.12	0	1.12	11	Pass
NVNT	be20	5260	Ant2	0.97	0	0.97	11	Pass
NVNT	be20	5260	MIMO	4.06	0	4.06	11	Pass
NVNT	be20	5300	Ant1	0.62	0	0.62	11	Pass
NVNT	be20	5300	Ant2	0.85	0	0.85	11	Pass
NVNT	be20	5300	MIMO	3.75	0	3.75	11	Pass
NVNT	be20	5320	Ant1	0.3	0	0.3	11	Pass
NVNT	be20	5320	Ant2	1.03	0	1.03	11	Pass
NVNT	be20	5320	MIMO	3.69	0	3.69	11	Pass
NVNT	be20	5500	Ant1	0.53	0	0.53	11	Pass
NVNT	be20	5500	Ant2	1.04	0	1.04	11	Pass
NVNT	be20	5500	MIMO	3.8	0	3.8	11	Pass
NVNT	be20	5580	Ant1	0.38	0	0.38	11	Pass
NVNT	be20	5580	Ant2	0.43	0	0.43	11	Pass
NVNT	be20	5580	MIMO	3.42	0	3.42	11	Pass
NVNT	be20	5700	Ant1	0.2	0	0.2	11	Pass



NVNT	be20	5700	Ant2	0.79	0	0.79	11	Pass
NVNT	be20	5700	MIMO	3.52	0	3.52	11	Pass
NVNT	be40	5190	Ant1	0.13	0	0.13	11	Pass
NVNT	be40	5230	Ant1	-0.17	0	-0.17	11	Pass
NVNT	be40	5270	Ant1	0.09	0	0.09	11	Pass
NVNT	be40	5310	Ant1	-0.15	0	-0.15	11	Pass
NVNT	be40	5510	Ant1	-0.35	0	-0.35	11	Pass
NVNT	be40	5550	Ant1	-0.48	0	-0.48	11	Pass
NVNT	be40	5670	Ant1	0.23	0	0.23	11	Pass
NVNT	be40	5190	Ant2	0.6	0	0.6	11	Pass
NVNT	be40	5230	Ant2	0.51	0	0.51	11	Pass
NVNT	be40	5270	Ant2	0.54	0	0.54	11	Pass
NVNT	be40	5310	Ant2	0.45	0	0.45	11	Pass
NVNT	be40	5510	Ant2	-0.74	0	-0.74	11	Pass
NVNT	be40	5550	Ant2	-0.59	0	-0.59	11	Pass
NVNT	be40	5670	Ant2	0.76	0	0.76	11	Pass
NVNT	be40	5190	Ant1	-2.89	0	-2.89	11	Pass
NVNT	be40	5190	Ant2	-2.42	0	-2.42	11	Pass
NVNT	be40	5190	MIMO	0.36	0	0.36	11	Pass
NVNT	be40	5230	Ant1	-3.22	0	-3.22	11	Pass
NVNT	be40	5230	Ant2	-1.49	0	-1.49	11	Pass
NVNT	be40	5230	MIMO	0.74	0	0.74	11	Pass
NVNT	be40	5270	Ant1	-2.15	0	-2.15	11	Pass
NVNT	be40	5270	Ant2	-2.41	0	-2.41	11	Pass
NVNT	be40	5270	MIMO	0.73	0	0.73	11	Pass
NVNT	be40	5310	Ant1	-3.13	0	-3.13	11	Pass
NVNT	be40	5310	Ant2	-2.33	0	-2.33	11	Pass
NVNT	be40	5310	MIMO	0.3	0	0.3	11	Pass
NVNT	be40	5510	Ant1	-3.35	0	-3.35	11	Pass
NVNT	be40	5510	Ant2	-2.46	0	-2.46	11	Pass
NVNT	be40	5510	MIMO	0.13	0	0.13	11	Pass
NVNT	be40	5550	Ant1	-2.81	0	-2.81	11	Pass
NVNT	be40	5550	Ant2	-3.49	0	-3.49	11	Pass
NVNT	be40	5550	MIMO	-0.13	0	-0.13	11	Pass
NVNT	be40	5670	Ant1	-2.58	0	-2.58	11	Pass
NVNT	be40	5670	Ant2	-2.46	0	-2.46	11	Pass
NVNT	be40	5670	MIMO	0.49	0	0.49	11	Pass
NVNT	be80	5210	Ant1	-2.58	0	-2.58	11	Pass
NVNT	be80	5290	Ant1	-2.92	0	-2.92	11	Pass
NVNT	be80	5530	Ant1	-2.99	0	-2.99	11	Pass
NVNT	be80	5610	Ant1	-2.82	0	-2.82	11	Pass
NVNT	be80	5210	Ant2	-2.11	0	-2.11	11	Pass
NVNT	be80	5290	Ant2	-2.25	0	-2.25	11	Pass
NVNT	be80	5530	Ant2	-3.33	0	-3.33	11	Pass
NVNT	be80	5610	Ant2	-2.45	0	-2.45	11	Pass
NVNT	be80	5210	Ant1	-5.53	0	-5.53	11	Pass
NVNT	be80	5210	Ant2	-5.23	0	-5.23	11	Pass
NVNT	be80	5210	MIMO	-2.37	0	-2.37	11	Pass
NVNT	be80	5290	Ant1	-5.45	0	-5.45	11	Pass
NVNT	be80	5290	Ant2	-5.3	0	-5.3	11	Pass
NVNT	be80	5290	MIMO	-2.36	0	-2.36	11	Pass
NVNT	be80	5530	Ant1	-5.5	0	-5.5	11	Pass
NVNT	be80	5530	Ant2	-6.4	0	-6.4	11	Pass
NVNT	be80	5530	MIMO	-2.92	0	-2.92	11	Pass
NVNT	be80	5610	Ant1	-6.45	0	-6.45	11	Pass
NVNT	be80	5610	Ant2	-5.52	0	-5.52	11	Pass
NVNT	be80	5610	MIMO	-2.95	0	-2.95	11	Pass
NVNT	be160	5250	Ant1	-5.74	0	-5.74	11	Pass
NVNT	be160	5570	Ant1	-5.65	0	-5.65	11	Pass
NVNT	be160	5250	Ant2	-4.98	0	-4.98	11	Pass
NVNT	be160	5570	Ant2	-5.99	0	-5.99	11	Pass



NVNT	be160	5250	Ant1	-8.88	0	-8.88	11	Pass
NVNT	be160	5250	Ant2	-8.25	0	-8.25	11	Pass
NVNT	be160	5250	MIMO	-5.54	0	-5.54	11	Pass
NVNT	be160	5570	Ant1	-9.34	0	-9.34	11	Pass
NVNT	be160	5570	Ant2	-8.84	0	-8.84	11	Pass
NVNT	be160	5570	MIMO	-6.07	0	-6.07	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/510 kHz)	Conducted PSD (dBm/500k Hz)	Duty Factor (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdict
NVNT	a	5745	Ant1	3.04	2.95	0.1	3.05	30	Pass
NVNT	a	5785	Ant1	2.48	2.39	0.1	2.49	30	Pass
NVNT	a	5825	Ant1	2.28	2.19	0	2.19	30	Pass
NVNT	a	5745	Ant2	2.95	2.86	0.1	2.96	30	Pass
NVNT	a	5785	Ant2	2.59	2.50	0	2.50	30	Pass
NVNT	a	5825	Ant2	2.57	2.48	0.1	2.58	30	Pass
NVNT	n20	5745	Ant1	0.55	0.46	0	0.46	30	Pass
NVNT	n20	5785	Ant1	0.18	0.09	0	0.09	30	Pass
NVNT	n20	5825	Ant1	0.04	-0.05	0	-0.05	30	Pass
NVNT	n20	5745	Ant2	1.02	0.93	0	0.93	30	Pass
NVNT	n20	5785	Ant2	0.48	0.39	0	0.39	30	Pass
NVNT	n20	5825	Ant2	0.53	0.44	0	0.44	30	Pass
NVNT	n20	5745	Ant1	-3.14	-3.23	0	-3.23	30	Pass
NVNT	n20	5745	Ant2	-2.09	-2.18	0	-2.18	30	Pass
NVNT	n20	5745	MIMO	0.43	0.34	0	0.34	30	Pass
NVNT	n20	5785	Ant1	-3.93	-4.02	0	-4.02	30	Pass
NVNT	n20	5785	Ant2	-2.45	-2.54	0	-2.54	30	Pass
NVNT	n20	5785	MIMO	-0.12	-0.21	0	-0.21	30	Pass
NVNT	n20	5825	Ant1	-4.29	-4.38	0	-4.38	30	Pass
NVNT	n20	5825	Ant2	-2.45	-2.54	0	-2.54	30	Pass
NVNT	n20	5825	MIMO	-0.26	-0.35	0	-0.35	30	Pass
NVNT	n40	5755	Ant1	-2.58	-2.67	0	-2.67	30	Pass
NVNT	n40	5795	Ant1	-2.88	-2.97	0	-2.97	30	Pass
NVNT	n40	5755	Ant2	-2.87	-2.96	0	-2.96	30	Pass
NVNT	n40	5795	Ant2	-2.83	-2.92	0	-2.92	30	Pass
NVNT	n40	5755	Ant1	-7.07	-7.16	0	-7.16	30	Pass
NVNT	n40	5755	Ant2	-5.94	-6.03	0	-6.03	30	Pass
NVNT	n40	5755	MIMO	-3.46	-3.55	0	-3.55	30	Pass
NVNT	n40	5795	Ant1	-7.16	-7.25	0	-7.25	30	Pass
NVNT	n40	5795	Ant2	-5.49	-5.58	0	-5.58	30	Pass
NVNT	n40	5795	MIMO	-3.23	-3.32	0	-3.32	30	Pass
NVNT	ac20	5745	Ant1	0.69	0.60	0	0.60	30	Pass
NVNT	ac20	5785	Ant1	0.4	0.31	0	0.31	30	Pass
NVNT	ac20	5825	Ant1	-0.07	-0.16	0	-0.16	30	Pass
NVNT	ac20	5745	Ant2	0.83	0.74	0	0.74	30	Pass
NVNT	ac20	5785	Ant2	0.63	0.54	0	0.54	30	Pass
NVNT	ac20	5825	Ant2	0.49	0.40	0	0.40	30	Pass
NVNT	ac20	5745	Ant1	-2.75	-2.84	0	-2.84	30	Pass
NVNT	ac20	5745	Ant2	-3.59	-3.68	0	-3.68	30	Pass
NVNT	ac20	5745	MIMO	-0.14	-0.23	0	-0.23	30	Pass
NVNT	ac20	5785	Ant1	-2.43	-2.52	0	-2.52	30	Pass
NVNT	ac20	5785	Ant2	-3.92	-4.01	0	-4.01	30	Pass
NVNT	ac20	5785	MIMO	-0.1	-0.19	0	-0.19	30	Pass
NVNT	ac20	5825	Ant1	-3.18	-3.27	0	-3.27	30	Pass
NVNT	ac20	5825	Ant2	-4	-4.09	0	-4.09	30	Pass
NVNT	ac20	5825	MIMO	-0.56	-0.65	0	-0.65	30	Pass
NVNT	ac40	5755	Ant1	-2.75	-2.84	0	-2.84	30	Pass
NVNT	ac40	5795	Ant1	-3.03	-3.12	0	-3.12	30	Pass
NVNT	ac40	5755	Ant2	-2.78	-2.87	0	-2.87	30	Pass
NVNT	ac40	5795	Ant2	-2.8	-2.89	0	-2.89	30	Pass



NVNT	ac40	5755	Ant1	-5.59	-5.68	0	-5.68	30	Pass
NVNT	ac40	5755	Ant2	-6.89	-6.98	0	-6.98	30	Pass
NVNT	ac40	5755	MIMO	-3.18	-3.27	0	-3.27	30	Pass
NVNT	ac40	5795	Ant1	-5.65	-5.74	0	-5.74	30	Pass
NVNT	ac40	5795	Ant2	-5.99	-6.08	0	-6.08	30	Pass
NVNT	ac40	5795	MIMO	-2.81	-2.90	0	-2.90	30	Pass
NVNT	ac80	5775	Ant1	-5.79	-5.88	0	-5.88	30	Pass
NVNT	ac80	5775	Ant2	-5.52	-5.61	0	-5.61	30	Pass
NVNT	ac80	5775	Ant1	-10.02	-10.11	0	-10.11	30	Pass
NVNT	ac80	5775	Ant2	-10.86	-10.95	0	-10.95	30	Pass
NVNT	ac80	5775	MIMO	-7.41	-7.50	0	-7.50	30	Pass
NVNT	ax20	5745	Ant1	0.63	0.54	0	0.54	30	Pass
NVNT	ax20	5785	Ant1	0.3	0.21	0	0.21	30	Pass
NVNT	ax20	5825	Ant1	-0.01	-0.10	0	-0.10	30	Pass
NVNT	ax20	5745	Ant2	0.6	0.51	0	0.51	30	Pass
NVNT	ax20	5785	Ant2	0.34	0.25	0	0.25	30	Pass
NVNT	ax20	5825	Ant2	0.38	0.29	0	0.29	30	Pass
NVNT	ax20	5745	Ant1	-2.85	-2.94	0	-2.94	30	Pass
NVNT	ax20	5745	Ant2	-3.79	-3.88	0	-3.88	30	Pass
NVNT	ax20	5745	MIMO	-0.28	-0.37	0	-0.37	30	Pass
NVNT	ax20	5785	Ant1	-2.62	-2.71	0	-2.71	30	Pass
NVNT	ax20	5785	Ant2	-4.18	-4.27	0	-4.27	30	Pass
NVNT	ax20	5785	MIMO	-0.32	-0.41	0	-0.41	30	Pass
NVNT	ax20	5825	Ant1	-2.48	-2.57	0	-2.57	30	Pass
NVNT	ax20	5825	Ant2	-2.74	-2.83	0	-2.83	30	Pass
NVNT	ax20	5825	MIMO	0.4	0.31	0	0.31	30	Pass
NVNT	ax40	5755	Ant1	-2.71	-2.80	0	-2.80	30	Pass
NVNT	ax40	5795	Ant1	-2.94	-3.03	0	-3.03	30	Pass
NVNT	ax40	5755	Ant2	-2.58	-2.67	0	-2.67	30	Pass
NVNT	ax40	5795	Ant2	-2.56	-2.65	0	-2.65	30	Pass
NVNT	ax40	5755	Ant1	-5.89	-5.98	0	-5.98	30	Pass
NVNT	ax40	5755	Ant2	-6.81	-6.90	0	-6.90	30	Pass
NVNT	ax40	5755	MIMO	-3.32	-3.41	0	-3.41	30	Pass
NVNT	ax40	5795	Ant1	-5.99	-6.08	0	-6.08	30	Pass
NVNT	ax40	5795	Ant2	-6.23	-6.32	0	-6.32	30	Pass
NVNT	ax40	5795	MIMO	-3.1	-3.19	0	-3.19	30	Pass
NVNT	ax80	5775	Ant1	-5.38	-5.47	0	-5.47	30	Pass
NVNT	ax80	5775	Ant2	-5.52	-5.61	0	-5.61	30	Pass
NVNT	ax80	5775	Ant1	-8.69	-8.78	0	-8.78	30	Pass
NVNT	ax80	5775	Ant2	-9.91	-10.00	0	-10.00	30	Pass
NVNT	ax80	5775	MIMO	-6.25	-6.34	0	-6.34	30	Pass
NVNT	be20	5745	Ant1	-2.01	-2.10	0	-2.10	30	Pass
NVNT	be20	5785	Ant1	-1.56	-1.65	0	-1.65	30	Pass
NVNT	be20	5825	Ant1	-1.64	-1.73	0	-1.73	30	Pass
NVNT	be20	5745	Ant2	-1.72	-1.81	0	-1.81	30	Pass
NVNT	be20	5785	Ant2	-1.82	-1.91	0	-1.91	30	Pass
NVNT	be20	5825	Ant2	-2.03	-2.12	0	-2.12	30	Pass
NVNT	be20	5745	Ant1	-2.68	-2.77	0	-2.77	30	Pass
NVNT	be20	5745	Ant2	-1.79	-1.88	0	-1.88	30	Pass
NVNT	be20	5745	MIMO	0.8	0.71	0	0.71	30	Pass
NVNT	be20	5785	Ant1	-2.32	-2.41	0	-2.41	30	Pass
NVNT	be20	5785	Ant2	-2.45	-2.54	0	-2.54	30	Pass
NVNT	be20	5785	MIMO	0.63	0.54	0	0.54	30	Pass
NVNT	be20	5825	Ant1	-2.33	-2.42	0	-2.42	30	Pass
NVNT	be20	5825	Ant2	-2.43	-2.52	0	-2.52	30	Pass
NVNT	be20	5825	MIMO	0.63	0.54	0	0.54	30	Pass
NVNT	be40	5755	Ant1	-2.46	-2.55	0	-2.55	30	Pass
NVNT	be40	5795	Ant1	-2.4	-2.49	0	-2.49	30	Pass
NVNT	be40	5755	Ant2	-2.54	-2.63	0	-2.63	30	Pass
NVNT	be40	5795	Ant2	-2.38	-2.47	0	-2.47	30	Pass
NVNT	be40	5755	Ant1	-5.37	-5.46	0	-5.46	30	Pass



NVNT	be40	5755	Ant2	-4.62	-4.71	0	-4.71	30	Pass
NVNT	be40	5755	MIMO	-1.97	-2.06	0	-2.06	30	Pass
NVNT	be40	5795	Ant1	-5.37	-5.46	0	-5.46	30	Pass
NVNT	be40	5795	Ant2	-5.58	-5.67	0	-5.67	30	Pass
NVNT	be40	5795	MIMO	-2.46	-2.55	0	-2.55	30	Pass
NVNT	be80	5775	Ant1	-5.45	-5.54	0	-5.54	30	Pass
NVNT	be80	5775	Ant2	-5.31	-5.40	0	-5.40	30	Pass
NVNT	be80	5775	Ant1	-8.05	-8.14	0	-8.14	30	Pass
NVNT	be80	5775	Ant2	-8.49	-8.58	0	-8.58	30	Pass
NVNT	be80	5775	MIMO	-5.25	-5.34	0	-5.34	30	Pass



















































