





1.2.11 Ant1


802.11ax(HEW40)_HCH_6525MHz_SU_ / Ant1_NTNV



802.11ax(HEW80)_HCH_6545MHz_SU_ / Ant1_NTNV




802.11ax(HEW160)_HCH_6505MHz_SU_ / Ant1_NTNV







802.11ax(HEW40)_HCH_6525MHz_SU_ / Ant1_NTNV



802.11ax(HEW80)_HCH_6545MHz_SU_ / Ant1_NTNV




802.11ax(HEW160)_HCH_6505MHz_SU_ / Ant1_NTNV







802.11be(EHT40)_HCH_6525MHz_SU_/_Ant1_NTNV



802.11be(EHT80)_HCH_6545MHz_SU_/_Ant1_NTNV




802.11be(EHT160)_HCH_6505MHz_SU_/_Ant1_NTNV







802.11be(EHT320)_MCH_6585MHz_SU_/_Ant1_NTNV



802.11be(EHT40)_HCH_6525MHz_SU_/_Ant1_NTNV




802.11be(EHT80)_HCH_6545MHz_SU_/_Ant1_NTNV






802.11be(EHT160) HCH_6505MHz_SU / _Ant1_NTNV




802.11be(EHT320) MCH_6585MHz_SU / _Ant1_NTNV






1.2.12 Ant2


802.11ax(HEW40)_HCH_6525MHz_SU_ / Ant2_NTNV



802.11ax(HEW80)_HCH_6545MHz_SU_ / Ant2_NTNV




802.11ax(HEW160)_HCH_6505MHz_SU_ / Ant2_NTNV







802.11ax(HEW40)_HCH_6525MHz_SU_ / Ant2_NTNV



802.11ax(HEW80)_HCH_6545MHz_SU_ / Ant2_NTNV




802.11ax(HEW160)_HCH_6505MHz_SU_ / Ant2_NTNV







802.11be(EHT40) HCH 6525MHz SU / Ant2 NTN



802.11be(EHT80) HCH 6545MHz SU / Ant2 NTN




802.11be(EHT160) HCH 6505MHz SU / Ant2 NTN







802.11be(EHT320)_MCH_6585MHz_SU_/_Ant2_NTNV



802.11be(EHT40)_HCH_6525MHz_SU_/_Ant2_NTNV




802.11be(EHT80)_HCH_6545MHz_SU_/_Ant2_NTNV






802.11be(EHT160) HCH_6505MHz_SU / Ant2_NTNV



802.11be(EHT320) MCH_6585MHz_SU / Ant2_NTNV





2. BANDWIDTH

2.1 Test Result

2.1.1 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	5955	SU	/	1	19.362	<=320	Pass
						2	19.331	<=320	Pass
			6175	SU	/	1	19.317	<=320	Pass
						2	19.326	<=320	Pass
			6415	SU	/	1	19.258	<=320	Pass
						2	19.318	<=320	Pass
	802.11ax (HEW40)	SISO	5965	SU	/	1	38.228	<=320	Pass
						2	38.217	<=320	Pass
			6165	SU	/	1	38.217	<=320	Pass
						2	38.185	<=320	Pass
			6405	SU	/	1	38.163	<=320	Pass
						2	38.265	<=320	Pass
	802.11ax (HEW80)	SISO	5985	SU	/	1	78.109	<=320	Pass
						2	78.024	<=320	Pass
			6145	SU	/	1	78.128	<=320	Pass
						2	78.175	<=320	Pass
			6385	SU	/	1	78.195	<=320	Pass
						2	78.082	<=320	Pass
	802.11ax (HEW160)	SISO	6025	SU	/	1	157.757	<=320	Pass
						2	157.589	<=320	Pass
			6185	SU	/	1	157.437	<=320	Pass
						2	157.663	<=320	Pass
			6345	SU	/	1	157.296	<=320	Pass
						2	157.388	<=320	Pass
	802.11ax (HEW20)	MIMO	5955	SU	/	1	19.342	<=320	Pass
						2	19.315	<=320	Pass
			6175	SU	/	1	19.323	<=320	Pass
						2	19.279	<=320	Pass
			6415	SU	/	1	19.331	<=320	Pass
						2	19.267	<=320	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	1	38.256	<=320	Pass
						2	38.231	<=320	Pass
			6165	SU	/	1	38.298	<=320	Pass
						2	38.222	<=320	Pass



			6405	SU	/	1	38.363	<=320	Pass
						2	38.126	<=320	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	1	78.078	<=320	Pass
						2	78.111	<=320	Pass
			6145	SU	/	1	78.185	<=320	Pass
						2	78.095	<=320	Pass
			6385	SU	/	1	78.062	<=320	Pass
						2	78.048	<=320	Pass
	802.11ax (HEW160)	MIMO	6025	SU	/	1	157.611	<=320	Pass
						2	157.523	<=320	Pass
			6185	SU	/	1	157.756	<=320	Pass
						2	157.576	<=320	Pass
			6345	SU	/	1	157.579	<=320	Pass
						2	157.680	<=320	Pass
	802.11be (EHT20)	SISO	5955	SU	/	1	19.325	<=320	Pass
						2	19.385	<=320	Pass
			6175	SU	/	1	19.399	<=320	Pass
						2	19.264	<=320	Pass
			6415	SU	/	1	19.353	<=320	Pass
						2	19.321	<=320	Pass
	802.11be (EHT40)	SISO	5965	SU	/	1	38.192	<=320	Pass
						2	38.255	<=320	Pass
			6165	SU	/	1	38.173	<=320	Pass
						2	38.362	<=320	Pass
			6405	SU	/	1	38.216	<=320	Pass
						2	38.254	<=320	Pass
	802.11be (EHT80)	SISO	5985	SU	/	1	78.225	<=320	Pass
						2	78.369	<=320	Pass
			6145	SU	/	1	78.249	<=320	Pass
						2	78.242	<=320	Pass
			6385	SU	/	1	78.104	<=320	Pass
						2	78.176	<=320	Pass
	802.11be (EHT160)	SISO	6025	SU	/	1	157.571	<=320	Pass
						2	157.674	<=320	Pass
			6185	SU	/	1	157.652	<=320	Pass
						2	157.726	<=320	Pass
			6345	SU	/	1	157.172	<=320	Pass
						2	157.046	<=320	Pass
	802.11be	SISO	6105	SU	/	1	312.391	<=320	Pass



	(EHT320)		6265	SU	/	2	312.405	<=320	Pass
						1	311.997	<=320	Pass
						2	311.611	<=320	Pass
	802.11be (EHT20)	MIMO	5955	SU	/	1	19.452	<=320	Pass
						2	19.401	<=320	Pass
			6175	SU	/	1	19.355	<=320	Pass
						2	19.343	<=320	Pass
			6415	SU	/	1	19.407	<=320	Pass
						2	19.383	<=320	Pass
	802.11be (EHT40)	MIMO	5965	SU	/	1	38.294	<=320	Pass
						2	38.255	<=320	Pass
			6165	SU	/	1	38.244	<=320	Pass
						2	38.385	<=320	Pass
			6405	SU	/	1	38.269	<=320	Pass
						2	38.275	<=320	Pass
	802.11be (EHT80)	MIMO	5985	SU	/	1	78.108	<=320	Pass
						2	77.901	<=320	Pass
			6145	SU	/	1	78.200	<=320	Pass
						2	78.015	<=320	Pass
			6385	SU	/	1	78.280	<=320	Pass
						2	78.079	<=320	Pass
	802.11be (EHT160)	MIMO	6025	SU	/	1	157.680	<=320	Pass
						2	157.484	<=320	Pass
			6185	SU	/	1	157.576	<=320	Pass
						2	157.566	<=320	Pass
			6345	SU	/	1	157.217	<=320	Pass
						2	157.266	<=320	Pass
	802.11be (EHT320)	MIMO	6105	SU	/	1	312.710	<=320	Pass
						2	312.364	<=320	Pass
			6265	SU	/	1	311.140	<=320	Pass
						2	311.848	<=320	Pass

2.1.2 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	5955	SU	/	1	24.929	/	Pass
						2	24.249	/	Pass
			6175	SU	/	1	24.278	/	Pass
						2	24.649	/	Pass
			6415	SU	/	1	24.505	/	Pass



						2	24.420	/	Pass
	802.11ax (HEW40)	SISO	5965	SU	/	1	43.148	/	Pass
						2	43.181	/	Pass
			6165	SU	/	1	43.648	/	Pass
						2	41.898	/	Pass
			6405	SU	/	1	43.069	/	Pass
						2	42.911	/	Pass
	802.11ax (HEW80)	SISO	5985	SU	/	1	86.148	/	Pass
						2	86.205	/	Pass
			6145	SU	/	1	84.019	/	Pass
						2	86.104	/	Pass
			6385	SU	/	1	85.729	/	Pass
						2	86.183	/	Pass
	802.11ax (HEW160)	SISO	6025	SU	/	1	166.359	/	Pass
						2	165.805	/	Pass
			6185	SU	/	1	167.055	/	Pass
						2	167.395	/	Pass
			6345	SU	/	1	166.390	/	Pass
						2	166.082	/	Pass
	802.11ax (HEW20)	MIMO	5955	SU	/	1	24.760	/	Pass
						2	24.297	/	Pass
			6175	SU	/	1	24.923	/	Pass
						2	23.861	/	Pass
			6415	SU	/	1	24.666	/	Pass
						2	24.728	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	1	41.831	/	Pass
						2	41.957	/	Pass
			6165	SU	/	1	42.475	/	Pass
						2	42.436	/	Pass
			6405	SU	/	1	42.315	/	Pass
						2	42.741	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	1	86.780	/	Pass
						2	86.211	/	Pass
			6145	SU	/	1	85.959	/	Pass
						2	86.576	/	Pass
			6385	SU	/	1	86.308	/	Pass
						2	86.264	/	Pass
	802.11ax (HEW160)	MIMO	6025	SU	/	1	167.268	/	Pass
						2	167.746	/	Pass



			6185	SU	/	1	167.522	/	Pass
						2	167.551	/	Pass
			6345	SU	/	1	165.801	/	Pass
						2	167.836	/	Pass
	802.11be (EHT20)	SISO	5955	SU	/	1	25.255	/	Pass
						2	24.618	/	Pass
			6175	SU	/	1	24.370	/	Pass
						2	24.436	/	Pass
			6415	SU	/	1	25.356	/	Pass
						2	23.728	/	Pass
	802.11be (EHT40)	SISO	5965	SU	/	1	43.097	/	Pass
						2	43.120	/	Pass
			6165	SU	/	1	43.144	/	Pass
						2	43.058	/	Pass
			6405	SU	/	1	42.221	/	Pass
						2	43.472	/	Pass
	802.11be (EHT80)	SISO	5985	SU	/	1	85.629	/	Pass
						2	85.906	/	Pass
			6145	SU	/	1	86.713	/	Pass
						2	85.918	/	Pass
			6385	SU	/	1	85.481	/	Pass
						2	87.375	/	Pass
	802.11be (EHT160)	SISO	6025	SU	/	1	167.157	/	Pass
						2	165.534	/	Pass
			6185	SU	/	1	168.004	/	Pass
						2	166.618	/	Pass
			6345	SU	/	1	166.844	/	Pass
						2	164.768	/	Pass
	802.11be (EHT320)	SISO	6105	SU	/	1	331.653	/	Pass
						2	331.218	/	Pass
			6265	SU	/	1	331.846	/	Pass
						2	331.208	/	Pass
	802.11be (EHT20)	MIMO	5955	SU	/	1	24.764	/	Pass
						2	24.676	/	Pass
			6175	SU	/	1	23.359	/	Pass
						2	24.016	/	Pass
			6415	SU	/	1	24.389	/	Pass
						2	24.847	/	Pass
	802.11be	MIMO	5965	SU	/	1	45.255	/	Pass



	(EHT40)		6165	SU	/	2	43.566	/	Pass
						1	43.469	/	Pass
						2	43.736	/	Pass
			6405	SU	/	1	42.700	/	Pass
						2	42.969	/	Pass
	802.11be (EHT80)	MIMO	5985	SU	/	1	85.773	/	Pass
						2	85.399	/	Pass
			6145	SU	/	1	85.984	/	Pass
						2	84.761	/	Pass
			6385	SU	/	1	84.604	/	Pass
						2	85.582	/	Pass
	802.11be (EHT160)	MIMO	6025	SU	/	1	167.719	/	Pass
						2	167.907	/	Pass
			6185	SU	/	1	166.849	/	Pass
						2	165.614	/	Pass
			6345	SU	/	1	166.601	/	Pass
						2	166.511	/	Pass
	802.11be (EHT320)	MIMO	6105	SU	/	1	330.393	/	Pass
						2	331.482	/	Pass
			6265	SU	/	1	330.522	/	Pass
						2	329.815	/	Pass

2.1.3 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	6435	SU	/	1	19.350	<=320	Pass
						2	19.364	<=320	Pass
			6475	SU	/	1	19.359	<=320	Pass
						2	19.409	<=320	Pass
			6515	SU	/	1	19.303	<=320	Pass
						2	19.337	<=320	Pass
	802.11ax (HEW40)	SISO	6445	SU	/	1	38.252	<=320	Pass
						2	38.296	<=320	Pass
			6485	SU	/	1	38.206	<=320	Pass
						2	38.223	<=320	Pass
	802.11ax (HEW80)	SISO	6465	SU	/	1	77.978	<=320	Pass
						2	77.933	<=320	Pass
	802.11ax (HEW20)	MIMO	6435	SU	/	1	19.348	<=320	Pass
						2	19.272	<=320	Pass



			6475	SU	/	1	19.365	<=320	Pass
						2	19.334	<=320	Pass
			6515	SU	/	1	19.321	<=320	Pass
						2	19.279	<=320	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	1	38.377	<=320	Pass
						2	38.265	<=320	Pass
			6485	SU	/	1	38.236	<=320	Pass
						2	38.206	<=320	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	1	78.060	<=320	Pass
						2	78.088	<=320	Pass
	802.11be (EHT20)	SISO	6435	SU	/	1	19.402	<=320	Pass
						2	19.354	<=320	Pass
			6475	SU	/	1	19.368	<=320	Pass
						2	19.377	<=320	Pass
			6515	SU	/	1	19.430	<=320	Pass
						2	19.330	<=320	Pass
	802.11be (EHT40)	SISO	6445	SU	/	1	38.275	<=320	Pass
						2	38.255	<=320	Pass
			6485	SU	/	1	38.243	<=320	Pass
						2	38.267	<=320	Pass
	802.11be (EHT80)	SISO	6465	SU	/	1	78.464	<=320	Pass
						2	78.086	<=320	Pass
	802.11be (EHT20)	MIMO	6435	SU	/	1	19.330	<=320	Pass
						2	19.443	<=320	Pass
			6475	SU	/	1	19.428	<=320	Pass
						2	19.353	<=320	Pass
			6515	SU	/	1	19.460	<=320	Pass
						2	19.410	<=320	Pass
	802.11be (EHT40)	MIMO	6445	SU	/	1	38.247	<=320	Pass
						2	38.140	<=320	Pass
			6485	SU	/	1	38.320	<=320	Pass
						2	38.355	<=320	Pass
	802.11be (EHT80)	MIMO	6465	SU	/	1	78.240	<=320	Pass
						2	78.042	<=320	Pass

2.1.4 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	6435	SU	/	1	24.861	/	Pass
						2	24.189	/	Pass



			6475	SU	/	1	25.191	/	Pass
						2	24.635	/	Pass
			6515	SU	/	1	24.681	/	Pass
						2	24.426	/	Pass
	802.11ax (HEW40)	SISO	6445	SU	/	1	43.136	/	Pass
						2	42.882	/	Pass
			6485	SU	/	1	43.168	/	Pass
						2	43.459	/	Pass
	802.11ax (HEW80)	SISO	6465	SU	/	1	85.755	/	Pass
						2	86.202	/	Pass
	802.11ax (HEW20)	MIMO	6435	SU	/	1	24.632	/	Pass
						2	24.851	/	Pass
			6475	SU	/	1	24.587	/	Pass
						2	24.663	/	Pass
			6515	SU	/	1	24.438	/	Pass
						2	25.173	/	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	1	43.335	/	Pass
						2	43.728	/	Pass
			6485	SU	/	1	41.956	/	Pass
						2	42.425	/	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	1	86.265	/	Pass
						2	86.044	/	Pass
	802.11be (EHT20)	SISO	6435	SU	/	1	24.079	/	Pass
						2	24.651	/	Pass
			6475	SU	/	1	24.660	/	Pass
						2	24.464	/	Pass
			6515	SU	/	1	24.369	/	Pass
						2	25.278	/	Pass
	802.11be (EHT40)	SISO	6445	SU	/	1	43.868	/	Pass
						2	43.206	/	Pass
			6485	SU	/	1	44.243	/	Pass
						2	44.420	/	Pass
	802.11be (EHT80)	SISO	6465	SU	/	1	86.126	/	Pass
						2	86.394	/	Pass
	802.11be (EHT20)	MIMO	6435	SU	/	1	24.950	/	Pass
						2	24.569	/	Pass
			6475	SU	/	1	24.522	/	Pass
						2	24.268	/	Pass
			6515	SU	/	1	25.544	/	Pass
						1	25.544	/	Pass



						2	24.862	/	Pass
	802.11be (EHT40)	MIMO	6445	SU	/	1	42.387	/	Pass
						2	43.371	/	Pass
			6485	SU	/	1	44.085	/	Pass
						2	44.502	/	Pass
	802.11be (EHT80)	MIMO	6465	SU	/	1	86.652	/	Pass
						2	84.933	/	Pass

2.1.5 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	6535	SU	/	1	19.348	<=320	Pass
						2	19.372	<=320	Pass
			6695	SU	/	1	19.297	<=320	Pass
						2	19.356	<=320	Pass
			6855	SU	/	1	19.390	<=320	Pass
						2	19.341	<=320	Pass
	802.11ax (HEW40)	SISO	6565	SU	/	1	38.262	<=320	Pass
						2	38.251	<=320	Pass
			6685	SU	/	1	38.241	<=320	Pass
						2	38.191	<=320	Pass
			6845	SU	/	1	38.167	<=320	Pass
						2	38.218	<=320	Pass
	802.11ax (HEW80)	SISO	6625	SU	/	1	78.229	<=320	Pass
						2	78.127	<=320	Pass
			6705	SU	/	1	78.155	<=320	Pass
						2	78.204	<=320	Pass
			6785	SU	/	1	78.225	<=320	Pass
						2	78.311	<=320	Pass
	802.11ax (HEW160)	SISO	6665	SU	/	1	157.327	<=320	Pass
						2	157.578	<=320	Pass
	802.11ax (HEW20)	MIMO	6535	SU	/	1	19.343	<=320	Pass
						2	19.336	<=320	Pass
			6695	SU	/	1	19.339	<=320	Pass
						2	19.324	<=320	Pass
			6855	SU	/	1	19.310	<=320	Pass
						2	19.327	<=320	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	1	38.265	<=320	Pass
						2	38.154	<=320	Pass



			6685	SU	/	1	38.248	<=320	Pass
						2	38.216	<=320	Pass
			6845	SU	/	1	38.195	<=320	Pass
						2	38.251	<=320	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	1	78.332	<=320	Pass
						2	78.354	<=320	Pass
			6705	SU	/	1	78.288	<=320	Pass
						2	78.109	<=320	Pass
			6785	SU	/	1	78.146	<=320	Pass
						2	78.184	<=320	Pass
	802.11ax (HEW160)	MIMO	6665	SU	/	1	157.618	<=320	Pass
						2	157.400	<=320	Pass
	802.11be (EHT20)	SISO	6535	SU	/	1	19.393	<=320	Pass
						2	19.353	<=320	Pass
			6695	SU	/	1	19.390	<=320	Pass
						2	19.328	<=320	Pass
			6855	SU	/	1	19.356	<=320	Pass
						2	19.285	<=320	Pass
	802.11be (EHT40)	SISO	6565	SU	/	1	38.166	<=320	Pass
						2	38.203	<=320	Pass
			6685	SU	/	1	38.251	<=320	Pass
						2	38.190	<=320	Pass
			6845	SU	/	1	38.200	<=320	Pass
						2	38.218	<=320	Pass
	802.11be (EHT80)	SISO	6625	SU	/	1	78.195	<=320	Pass
						2	78.304	<=320	Pass
			6705	SU	/	1	78.215	<=320	Pass
						2	78.164	<=320	Pass
			6785	SU	/	1	78.414	<=320	Pass
						2	78.173	<=320	Pass
	802.11be (EHT160)	SISO	6665	SU	/	1	157.426	<=320	Pass
						2	157.521	<=320	Pass
	802.11be (EHT20)	MIMO	6535	SU	/	1	19.400	<=320	Pass
						2	19.489	<=320	Pass
			6695	SU	/	1	19.353	<=320	Pass
						2	19.414	<=320	Pass
			6855	SU	/	1	19.351	<=320	Pass
						2	19.309	<=320	Pass
	802.11be	MIMO	6565	SU	/	1	38.307	<=320	Pass



	(EHT40)		6685	SU	/	2	38.251	<=320	Pass
						1	38.271	<=320	Pass
						2	38.260	<=320	Pass
			6845	SU	/	1	38.317	<=320	Pass
						2	38.266	<=320	Pass
	802.11be (EHT80)	MIMO	6625	SU	/	1	78.336	<=320	Pass
						2	77.998	<=320	Pass
			6705	SU	/	1	78.289	<=320	Pass
						2	78.097	<=320	Pass
			6785	SU	/	1	78.244	<=320	Pass
						2	78.121	<=320	Pass
	802.11be (EHT160)	MIMO	6665	SU	/	1	157.600	<=320	Pass
						2	157.801	<=320	Pass

2.1.6 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	6535	SU	/	1	24.890	/	Pass
						2	24.835	/	Pass
			6695	SU	/	1	24.737	/	Pass
						2	24.534	/	Pass
			6855	SU	/	1	24.879	/	Pass
						2	24.289	/	Pass
	802.11ax (HEW40)	SISO	6565	SU	/	1	43.453	/	Pass
						2	43.246	/	Pass
			6685	SU	/	1	43.240	/	Pass
						2	43.234	/	Pass
			6845	SU	/	1	43.165	/	Pass
						2	43.554	/	Pass
	802.11ax (HEW80)	SISO	6625	SU	/	1	86.716	/	Pass
						2	86.400	/	Pass
			6705	SU	/	1	85.852	/	Pass
						2	86.371	/	Pass
			6785	SU	/	1	86.290	/	Pass
						2	86.163	/	Pass
	802.11ax (HEW160)	SISO	6665	SU	/	1	167.327	/	Pass
						2	165.496	/	Pass
	802.11ax (HEW20)	MIMO	6535	SU	/	1	24.683	/	Pass
						2	24.858	/	Pass
			6695	SU	/	1	24.729	/	Pass



						2	24.381	/	Pass
			6855	SU	/	1	25.238	/	Pass
						2	24.838	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	1	43.485	/	Pass
						2	42.819	/	Pass
			6685	SU	/	1	43.182	/	Pass
						2	43.914	/	Pass
			6845	SU	/	1	43.279	/	Pass
						2	42.137	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	1	86.122	/	Pass
						2	86.431	/	Pass
			6705	SU	/	1	84.430	/	Pass
						2	86.208	/	Pass
			6785	SU	/	1	86.034	/	Pass
						2	86.255	/	Pass
	802.11ax (HEW160)	MIMO	6665	SU	/	1	168.243	/	Pass
						2	168.630	/	Pass
	802.11be (EHT20)	SISO	6535	SU	/	1	24.850	/	Pass
						2	23.784	/	Pass
			6695	SU	/	1	24.399	/	Pass
						2	24.749	/	Pass
			6855	SU	/	1	23.947	/	Pass
						2	24.407	/	Pass
	802.11be (EHT40)	SISO	6565	SU	/	1	43.589	/	Pass
						2	42.270	/	Pass
			6685	SU	/	1	43.702	/	Pass
						2	44.298	/	Pass
			6845	SU	/	1	43.062	/	Pass
						2	43.050	/	Pass
	802.11be (EHT80)	SISO	6625	SU	/	1	86.216	/	Pass
						2	86.153	/	Pass
			6705	SU	/	1	86.140	/	Pass
						2	85.832	/	Pass
			6785	SU	/	1	85.961	/	Pass
						2	85.790	/	Pass
	802.11be (EHT160)	SISO	6665	SU	/	1	166.153	/	Pass
						2	166.740	/	Pass
	802.11be (EHT20)	MIMO	6535	SU	/	1	24.041	/	Pass
						2	24.062	/	Pass



			6695	SU	/	1	23.917	/	Pass
						2	24.300	/	Pass
			6855	SU	/	1	24.927	/	Pass
						2	24.171	/	Pass
	802.11be (EHT40)	MIMO	6565	SU	/	1	42.907	/	Pass
						2	44.068	/	Pass
			6685	SU	/	1	43.007	/	Pass
						2	44.522	/	Pass
			6845	SU	/	1	43.408	/	Pass
						2	42.668	/	Pass
	802.11be (EHT80)	MIMO	6625	SU	/	1	85.888	/	Pass
						2	85.003	/	Pass
			6705	SU	/	1	86.152	/	Pass
						2	84.673	/	Pass
			6785	SU	/	1	85.049	/	Pass
						2	85.804	/	Pass
	802.11be (EHT160)	MIMO	6665	SU	/	1	168.898	/	Pass
						2	167.920	/	Pass

2.1.7 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	6895	SU	/	1	19.377	<=320	Pass
						2	19.354	<=320	Pass
			6995	SU	/	1	19.296	<=320	Pass
						2	19.378	<=320	Pass
			7115	SU	/	1	18.656	<=320	Pass
						2	18.599	<=320	Pass
	802.11ax (HEW40)	SISO	6925	SU	/	1	38.248	<=320	Pass
						2	38.270	<=320	Pass
			7005	SU	/	1	38.276	<=320	Pass
						2	38.191	<=320	Pass
			7085	SU	/	1	38.307	<=320	Pass
						2	38.320	<=320	Pass
			6945	SU	/	1	78.224	<=320	Pass
						2	78.328	<=320	Pass
	802.11ax (HEW80)	SISO	7025	SU	/	1	78.157	<=320	Pass
						2	78.023	<=320	Pass
	802.11ax	SISO	6985	SU	/	1	157.545	<=320	Pass



	(HEW160)					2	157.470	<=320	Pass
	802.11ax (HEW20)	MIMO	6895	SU	/	1	19.320	<=320	Pass
						2	19.365	<=320	Pass
			6995	SU	/	1	19.318	<=320	Pass
						2	19.296	<=320	Pass
			7115	SU	/	1	18.552	<=320	Pass
						2	18.366	<=320	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	1	38.158	<=320	Pass
						2	38.197	<=320	Pass
			7005	SU	/	1	38.230	<=320	Pass
						2	38.207	<=320	Pass
			7085	SU	/	1	38.328	<=320	Pass
						2	38.109	<=320	Pass
	802.11ax (HEW80)	MIMO	6945	SU	/	1	78.267	<=320	Pass
						2	78.247	<=320	Pass
			7025	SU	/	1	78.129	<=320	Pass
						2	78.027	<=320	Pass
	802.11ax (HEW160)	MIMO	6985	SU	/	1	157.332	<=320	Pass
						2	157.503	<=320	Pass
	802.11be (EHT20)	SISO	6895	SU	/	1	19.330	<=320	Pass
						2	19.349	<=320	Pass
			6995	SU	/	1	19.319	<=320	Pass
						2	19.337	<=320	Pass
			7115	SU	/	1	19.321	<=320	Pass
						2	19.405	<=320	Pass
	802.11be (EHT40)	SISO	6925	SU	/	1	38.189	<=320	Pass
						2	38.249	<=320	Pass
			7005	SU	/	1	38.207	<=320	Pass
						2	38.234	<=320	Pass
			7085	SU	/	1	38.302	<=320	Pass
						2	38.196	<=320	Pass
	802.11be (EHT80)	SISO	6945	SU	/	1	78.386	<=320	Pass
						2	78.204	<=320	Pass
			7025	SU	/	1	78.127	<=320	Pass
						2	78.166	<=320	Pass
	802.11be (EHT160)	SISO	6985	SU	/	1	157.392	<=320	Pass
						2	157.359	<=320	Pass
	802.11be (EHT20)	MIMO	6895	SU	/	1	19.409	<=320	Pass
						2	19.431	<=320	Pass



			6995	SU	/	1	19.371	<=320	Pass
						2	19.459	<=320	Pass
			7115	SU	/	1	19.319	<=320	Pass
						2	19.298	<=320	Pass
	802.11be (EHT40)	MIMO	6925	SU	/	1	38.277	<=320	Pass
						2	38.315	<=320	Pass
			7005	SU	/	1	38.322	<=320	Pass
						2	38.283	<=320	Pass
			7085	SU	/	1	38.269	<=320	Pass
						2	38.256	<=320	Pass
	802.11be (EHT80)	MIMO	6945	SU	/	1	78.194	<=320	Pass
						2	78.055	<=320	Pass
			7025	SU	/	1	78.030	<=320	Pass
						2	78.027	<=320	Pass
	802.11be (EHT160)	MIMO	6985	SU	/	1	157.342	<=320	Pass
						2	157.231	<=320	Pass

2.1.8 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	6895	SU	/	1	24.928	/	Pass
						2	24.248	/	Pass
			6995	SU	/	1	24.081	/	Pass
						2	24.557	/	Pass
			7115	SU	/	1	24.323	/	Pass
						2	23.436	/	Pass
	802.11ax (HEW40)	SISO	6925	SU	/	1	43.306	/	Pass
						2	43.890	/	Pass
			7005	SU	/	1	43.437	/	Pass
						2	43.859	/	Pass
			7085	SU	/	1	43.314	/	Pass
						2	43.504	/	Pass
	802.11ax (HEW80)	SISO	6945	SU	/	1	86.383	/	Pass
						2	86.095	/	Pass
			7025	SU	/	1	86.278	/	Pass
						2	86.294	/	Pass
	802.11ax (HEW160)	SISO	6985	SU	/	1	166.934	/	Pass
						2	165.926	/	Pass
	802.11ax (HEW20)	MIMO	6895	SU	/	1	24.816	/	Pass
						2	24.613	/	Pass



			6995	SU	/	1	24.758	/	Pass
						2	24.799	/	Pass
			7115	SU	/	1	23.884	/	Pass
						2	24.707	/	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	1	42.293	/	Pass
						2	42.545	/	Pass
			7005	SU	/	1	42.802	/	Pass
						2	41.994	/	Pass
			7085	SU	/	1	41.869	/	Pass
						2	42.540	/	Pass
	802.11ax (HEW80)	MIMO	6945	SU	/	1	88.327	/	Pass
						2	84.896	/	Pass
			7025	SU	/	1	85.871	/	Pass
						2	86.193	/	Pass
	802.11ax (HEW160)	MIMO	6985	SU	/	1	164.905	/	Pass
						2	168.982	/	Pass
	802.11be (EHT20)	SISO	6895	SU	/	1	24.537	/	Pass
						2	24.529	/	Pass
			6995	SU	/	1	24.366	/	Pass
						2	24.027	/	Pass
			7115	SU	/	1	24.932	/	Pass
						2	24.354	/	Pass
	802.11be (EHT40)	SISO	6925	SU	/	1	43.349	/	Pass
						2	43.877	/	Pass
			7005	SU	/	1	43.659	/	Pass
						2	44.430	/	Pass
			7085	SU	/	1	44.289	/	Pass
						2	43.443	/	Pass
	802.11be (EHT80)	SISO	6945	SU	/	1	86.109	/	Pass
						2	85.561	/	Pass
			7025	SU	/	1	86.046	/	Pass
						2	86.548	/	Pass
	802.11be (EHT160)	SISO	6985	SU	/	1	166.750	/	Pass
						2	165.891	/	Pass
	802.11be (EHT20)	MIMO	6895	SU	/	1	24.617	/	Pass
						2	24.401	/	Pass
			6995	SU	/	1	24.848	/	Pass
						2	24.206	/	Pass
			7115	SU	/	1	24.311	/	Pass
						1	24.311	/	Pass



	802.11be (EHT40)	MIMO	6925	SU	/	2	24.268	/	Pass
						1	43.456	/	Pass
			7005	SU	/	2	42.504	/	Pass
						1	43.892	/	Pass
			7085	SU	/	2	42.893	/	Pass
						1	42.500	/	Pass
	802.11be (EHT80)	MIMO	6945	SU	/	2	43.452	/	Pass
						1	85.491	/	Pass
			7025	SU	/	2	84.601	/	Pass
						1	86.686	/	Pass
	802.11be (EHT160)	MIMO	6985	SU	/	2	86.755	/	Pass
						1	168.737	/	Pass
						2	166.738	/	Pass

2.1.9 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	6875	SU	/	1	19.305	<=320	Pass
						2	19.283	<=320	Pass
	802.11ax (HEW40)	SISO	6885	SU	/	1	38.247	<=320	Pass
						2	38.275	<=320	Pass
	802.11ax (HEW80)	SISO	6865	SU	/	1	78.138	<=320	Pass
						2	78.019	<=320	Pass
	802.11ax (HEW160)	SISO	6825	SU	/	1	157.170	<=320	Pass
						2	157.496	<=320	Pass
	802.11ax (HEW20)	MIMO	6875	SU	/	1	19.355	<=320	Pass
						2	19.302	<=320	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	1	38.238	<=320	Pass
						2	38.206	<=320	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	1	78.181	<=320	Pass
						2	78.029	<=320	Pass
	802.11ax (HEW160)	MIMO	6825	SU	/	1	157.137	<=320	Pass
						2	157.153	<=320	Pass
	802.11be (EHT20)	SISO	6875	SU	/	1	19.399	<=320	Pass
						2	19.374	<=320	Pass
	802.11be (EHT40)	SISO	6885	SU	/	1	38.181	<=320	Pass
						2	38.230	<=320	Pass
	802.11be (EHT80)	SISO	6865	SU	/	1	78.269	<=320	Pass
						2	78.169	<=320	Pass



	802.11be (EHT160)	SISO	6825	SU	/	1	157.377	<=320	Pass
						2	157.604	<=320	Pass
	802.11be (EHT320)	SISO	6745	SU	/	1	312.303	<=320	Pass
						2	311.513	<=320	Pass
			6905	SU	/	1	310.712	<=320	Pass
						2	311.493	<=320	Pass
	802.11be (EHT20)	MIMO	6875	SU	/	1	19.397	<=320	Pass
						2	19.345	<=320	Pass
	802.11be (EHT40)	MIMO	6885	SU	/	1	38.288	<=320	Pass
						2	38.321	<=320	Pass
	802.11be (EHT80)	MIMO	6865	SU	/	1	78.166	<=320	Pass
						2	77.805	<=320	Pass
	802.11be (EHT160)	MIMO	6825	SU	/	1	157.703	<=320	Pass
						2	157.174	<=320	Pass
	802.11be (EHT320)	MIMO	6745	SU	/	1	311.724	<=320	Pass
						2	311.519	<=320	Pass
			6905	SU	/	1	310.606	<=320	Pass
						2	311.683	<=320	Pass

2.1.10 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW20)	SISO	6875	SU	/	1	24.723	/	Pass
						2	24.651	/	Pass
	802.11ax (HEW40)	SISO	6885	SU	/	1	43.443	/	Pass
						2	42.792	/	Pass
	802.11ax (HEW80)	SISO	6865	SU	/	1	86.370	/	Pass
						2	84.578	/	Pass
	802.11ax (HEW160)	SISO	6825	SU	/	1	165.881	/	Pass
						2	165.007	/	Pass
	802.11ax (HEW20)	MIMO	6875	SU	/	1	24.734	/	Pass
						2	24.528	/	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	1	43.428	/	Pass
						2	42.806	/	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	1	86.309	/	Pass
						2	85.461	/	Pass
	802.11ax (HEW160)	MIMO	6825	SU	/	1	164.602	/	Pass
						2	165.313	/	Pass
	802.11be (EHT20)	SISO	6875	SU	/	1	24.402	/	Pass
						2	23.504	/	Pass



	802.11be (EHT40)	SISO	6885	SU	/	1	43.534	/	Pass
						2	42.209	/	Pass
	802.11be (EHT80)	SISO	6865	SU	/	1	85.477	/	Pass
						2	86.209	/	Pass
	802.11be (EHT160)	SISO	6825	SU	/	1	165.975	/	Pass
						2	165.939	/	Pass
	802.11be (EHT320)	SISO	6745	SU	/	1	330.137	/	Pass
						2	328.044	/	Pass
			6905	SU	/	1	331.580	/	Pass
						2	330.575	/	Pass
	802.11be (EHT20)	MIMO	6875	SU	/	1	25.151	/	Pass
						2	24.637	/	Pass
	802.11be (EHT40)	MIMO	6885	SU	/	1	43.191	/	Pass
						2	43.600	/	Pass
	802.11be (EHT80)	MIMO	6865	SU	/	1	86.227	/	Pass
						2	83.558	/	Pass
	802.11be (EHT160)	MIMO	6825	SU	/	1	166.721	/	Pass
						2	165.951	/	Pass
	802.11be (EHT320)	MIMO	6745	SU	/	1	330.566	/	Pass
						2	331.182	/	Pass
			6905	SU	/	1	330.191	/	Pass
						2	331.232	/	Pass

2.1.11 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW40)	SISO	6525	SU	/	1	38.333	<=320	Pass
						2	38.185	<=320	Pass
	802.11ax (HEW80)	SISO	6545	SU	/	1	78.124	<=320	Pass
						2	78.067	<=320	Pass
	802.11ax (HEW160)	SISO	6505	SU	/	1	157.650	<=320	Pass
						2	157.544	<=320	Pass
	802.11ax (HEW40)	MIMO	6525	SU	/	1	38.291	<=320	Pass
						2	38.225	<=320	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	1	78.052	<=320	Pass
						2	78.227	<=320	Pass
	802.11ax (HEW160)	MIMO	6505	SU	/	1	157.477	<=320	Pass
						2	157.681	<=320	Pass
	802.11be	SISO	6525	SU	/	1	38.183	<=320	Pass



	(EHT40)					2	38.164	<=320	Pass
	802.11be (EHT80)	SISO	6545	SU	/	1	78.138	<=320	Pass
						2	78.118	<=320	Pass
	802.11be (EHT160)	SISO	6505	SU	/	1	157.426	<=320	Pass
						2	157.861	<=320	Pass
	802.11be (EHT320)	SISO	6585	SU	/	1	312.439	<=320	Pass
						2	312.505	<=320	Pass
	802.11be (EHT40)	MIMO	6525	SU	/	1	38.339	<=320	Pass
						2	38.346	<=320	Pass
	802.11be (EHT80)	MIMO	6545	SU	/	1	78.132	<=320	Pass
						2	78.258	<=320	Pass
	802.11be (EHT160)	MIMO	6505	SU	/	1	157.371	<=320	Pass
						2	157.379	<=320	Pass
	802.11be (EHT320)	MIMO	6585	SU	/	1	313.388	<=320	Pass
						2	312.312	<=320	Pass

2.1.12 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11ax (HEW40)	SISO	6525	SU	/	1	42.612	/	Pass
						2	42.954	/	Pass
	802.11ax (HEW80)	SISO	6545	SU	/	1	86.409	/	Pass
						2	86.046	/	Pass
	802.11ax (HEW160)	SISO	6505	SU	/	1	166.491	/	Pass
						2	165.937	/	Pass
	802.11ax (HEW40)	MIMO	6525	SU	/	1	43.816	/	Pass
						2	42.398	/	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	1	86.149	/	Pass
						2	86.397	/	Pass
	802.11ax (HEW160)	MIMO	6505	SU	/	1	168.266	/	Pass
						2	168.094	/	Pass
	802.11be (EHT40)	SISO	6525	SU	/	1	43.114	/	Pass
						2	43.432	/	Pass
	802.11be (EHT80)	SISO	6545	SU	/	1	86.337	/	Pass
						2	86.024	/	Pass
	802.11be (EHT160)	SISO	6505	SU	/	1	165.491	/	Pass
						2	166.568	/	Pass
	802.11be (EHT320)	SISO	6585	SU	/	1	331.855	/	Pass
						2	330.980	/	Pass
	802.11be	MIMO	6525	SU	/	1	43.046	/	Pass




	(EHT40)					2	43.461	/	Pass
	802.11be (EHT80)	MIMO	6545	SU	/	1	85.399	/	Pass
						2	85.537	/	Pass
	802.11be (EHT160)	MIMO	6505	SU	/	1	165.954	/	Pass
						2	167.962	/	Pass
	802.11be (EHT320)	MIMO	6585	SU	/	1	333.190	/	Pass
						2	330.856	/	Pass




2.2 Test Graph

2.2.1 OBW


802.11ax(HEW20)_LCH_5955MHz_SU_/_Ant1_NTNV



802.11ax(HEW20)_LCH_5955MHz_SU_/_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_/_Ant1_NTNV







802.11ax(HEW20)_MCH_6175MHz_SU_ / Ant2_NTNV



802.11ax(HEW20)_HCH_6415MHz_SU_ / Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_ / Ant2_NTNV







802.11ax(HEW40) LCH 5965MHz SU / Ant1 NTN



802.11ax(HEW40) LCH 5965MHz SU / Ant2 NTN




802.11ax(HEW40) MCH 6165MHz SU / Ant1 NTN






802.11ax(HEW40)_MCH_6165MHz_SU_ / Ant2_NTNV



802.11ax(HEW40)_HCH_6405MHz_SU_ / Ant1_NTNV



802.11ax(HEW40)_HCH_6405MHz_SU_ / Ant2_NTNV

