





3.2.12 EIRP


802.11ax(HEW40)_HCH_6525MHz_SU_ / Ant1_NTNV



802.11ax(HEW40)_HCH_6525MHz_SU_ / Ant2_NTNV




802.11ax(HEW80)_HCH_6545MHz_SU_ / Ant1_NTNV







802.11ax(HEW80) HCH_6545MHz_SU_ / Ant2_NTNV



802.11ax(HEW160) HCH_6505MHz_SU_ / Ant1_NTNV




802.11ax(HEW160) HCH_6505MHz_SU_ / Ant2_NTNV







802.11ax(HEW40)_HCH_6525MHz_SU_ / Ant1_NTNV



802.11ax(HEW40)_HCH_6525MHz_SU_ / Ant2_NTNV




802.11ax(HEW80)_HCH_6545MHz_SU_ / Ant1_NTNV







802.11ax(HEW80) HCH_6545MHz_SU_ / Ant2_NTNV



802.11ax(HEW160) HCH_6505MHz_SU_ / Ant1_NTNV




802.11ax(HEW160) HCH_6505MHz_SU_ / Ant2_NTNV







802.11be(EHT40)_HCH 6525MHz_SU_/_Ant1_NTNV



802.11be(EHT40)_HCH 6525MHz_SU_/_Ant2_NTNV




802.11be(EHT80)_HCH 6545MHz_SU_/_Ant1_NTNV







802.11be(EHT80) HCH 6545MHz_SU_ / Ant2_NTNV



802.11be(EHT160) HCH 6505MHz_SU_ / Ant1_NTNV




802.11be(EHT160) HCH 6505MHz_SU_ / Ant2_NTNV







802.11be(EHT320)_MCH_6585MHz_SU / _Ant1_NTNV



802.11be(EHT320)_MCH_6585MHz_SU / _Ant2_NTNV




802.11be(EHT40)_HCH_6525MHz_SU / _Ant1_NTNV







802.11be(EHT40)_HCH 6525MHz_SU_/_Ant2_NTNV



802.11be(EHT80)_HCH 6545MHz_SU_/_Ant1_NTNV




802.11be(EHT80)_HCH 6545MHz_SU_/_Ant2_NTNV







802.11be(EHT160) HCH_6505MHz_SU / Ant1 NTN



802.11be(EHT160) HCH_6505MHz_SU / Ant2 NTN




802.11be(EHT320) MCH_6585MHz_SU / Ant1 NTN





802.11be(EHT320)_MCH_6585MHz_SU / _Ant2_NTNV





4. MAXIMUM POWER SPECTRAL DENSITY

4.1 Test Result

4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	5955	SU	/	-5.59	-5.56	/	/	Pass
			6175	SU	/	-6.05	-5.24	/	/	Pass
			6415	SU	/	-5.68	-4.53	/	/	Pass
	802.11ax (HEW40)	SISO	5965	SU	/	-5.63	-5.88	/	/	Pass
			6165	SU	/	-6.11	-5.71	/	/	Pass
			6405	SU	/	-5.98	-5.62	/	/	Pass
	802.11ax (HEW80)	SISO	5985	SU	/	-6.17	-6.55	/	/	Pass
			6145	SU	/	-6.70	-6.24	/	/	Pass
			6385	SU	/	-6.42	-5.72	/	/	Pass
	802.11ax (HEW160)	SISO	6025	SU	/	-6.61	-6.51	/	/	Pass
			6185	SU	/	-7.01	-6.32	/	/	Pass
			6345	SU	/	-6.81	-5.79	/	/	Pass
	802.11ax (HEW20)	MIMO	5955	SU	/	-9.54	-9.58	-6.99	/	Pass
			6175	SU	/	-10.14	-9.43	-6.90	/	Pass
			6415	SU	/	-9.73	-9.38	-6.91	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	-9.41	-8.98	-6.56	/	Pass
			6165	SU	/	-10.19	-10.03	-7.43	/	Pass
			6405	SU	/	-9.87	-9.88	-7.24	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	-10.32	-10.49	-7.67	/	Pass
			6145	SU	/	-10.78	-10.54	-7.81	/	Pass
			6385	SU	/	-10.24	-10.61	-7.85	/	Pass
	802.11ax (HEW160)	MIMO	6025	SU	/	-10.25	-10.93	-7.75	/	Pass
			6185	SU	/	-10.95	-10.68	-8.19	/	Pass
			6345	SU	/	-10.21	-10.53	-7.61	/	Pass
	802.11be (EHT20)	SISO	5955	SU	/	-5.50	-5.46	/	/	Pass
			6175	SU	/	-5.76	-5.40	/	/	Pass
			6415	SU	/	-5.32	-5.36	/	/	Pass
	802.11be (EHT40)	SISO	5965	SU	/	-5.76	-5.96	/	/	Pass
			6165	SU	/	-6.00	-5.95	/	/	Pass
			6405	SU	/	-5.88	-5.77	/	/	Pass
	802.11be (EHT80)	SISO	5985	SU	/	-6.09	-6.37	/	/	Pass
			6145	SU	/	-6.47	-6.46	/	/	Pass
			6385	SU	/	-6.06	-6.08	/	/	Pass
	802.11be (EHT160)	SISO	6025	SU	/	-6.56	-6.59	/	/	Pass
			6185	SU	/	-6.84	-6.46	/	/	Pass



			6345	SU	/	-6.48	-6.24	/	/	Pass
	802.11be (EHT320)	SISO	6105	SU	/	-10.07	-10.16	/	/	Pass
			6265	SU	/	-9.98	-9.68	/	/	Pass
	802.11be (EHT20)	MIMO	5955	SU	/	-9.82	-13.32	-8.41	/	Pass
			6175	SU	/	-10.48	-11.38	-8.06	/	Pass
			6415	SU	/	-9.95	-11.07	-7.69	/	Pass
	802.11be (EHT40)	MIMO	5965	SU	/	-10.29	-10.29	-7.42	/	Pass
			6165	SU	/	-10.62	-10.48	-7.55	/	Pass
			6405	SU	/	-9.96	-10.14	-7.37	/	Pass
	802.11be (EHT80)	MIMO	5985	SU	/	-10.40	-10.75	-7.75	/	Pass
			6145	SU	/	-10.85	-10.83	-8.19	/	Pass
			6385	SU	/	-10.80	-10.55	-7.85	/	Pass
	802.11be (EHT160)	MIMO	6025	SU	/	-9.49	-10.37	-7.23	/	Pass
			6185	SU	/	-10.44	-10.35	-7.59	/	Pass
			6345	SU	/	-9.89	-9.80	-7.23	/	Pass
	802.11be (EHT320)	MIMO	6105	SU	/	-10.41	-10.47	-7.64	/	Pass
			6265	SU	/	-10.11	-9.53	-7.00	/	Pass

Note1: Antenna Gain:

- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 5 Ant1: 2.22dBi;
- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;

4.1.2 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	5955	SU	/	-3.37	-3.34	/	<=-1	Pass
			6175	SU	/	-3.83	-3.02	/	<=-1	Pass
			6415	SU	/	-3.46	-2.31	/	<=-1	Pass
	802.11ax (HEW40)	SISO	5965	SU	/	-3.41	-3.66	/	<=-1	Pass
			6165	SU	/	-3.89	-3.49	/	<=-1	Pass
			6405	SU	/	-3.76	-3.40	/	<=-1	Pass



	802.11ax (HEW80)	SISO	5985	SU	/	-3.95	-4.33	/	<=-1	Pass
			6145	SU	/	-4.48	-4.02	/	<=-1	Pass
			6385	SU	/	-4.20	-3.50	/	<=-1	Pass
	802.11ax (HEW160)	SISO	6025	SU	/	-4.39	-4.29	/	<=-1	Pass
			6185	SU	/	-4.79	-4.10	/	<=-1	Pass
			6345	SU	/	-4.59	-3.57	/	<=-1	Pass
	802.11ax (HEW20)	MIMO	5955	SU	/	-7.32	-7.36	-1.76	<=-1	Pass
			6175	SU	/	-7.92	-7.21	-1.67	<=-1	Pass
			6415	SU	/	-7.51	-7.16	-1.68	<=-1	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	-7.19	-6.76	-1.33	<=-1	Pass
			6165	SU	/	-7.97	-7.81	-2.20	<=-1	Pass
			6405	SU	/	-7.65	-7.66	-2.01	<=-1	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	-8.10	-8.27	-2.44	<=-1	Pass
			6145	SU	/	-8.56	-8.32	-2.58	<=-1	Pass
			6385	SU	/	-8.02	-8.39	-2.62	<=-1	Pass
	802.11ax (HEW160)	MIMO	6025	SU	/	-8.03	-8.71	-2.52	<=-1	Pass
			6185	SU	/	-8.73	-8.46	-2.96	<=-1	Pass
			6345	SU	/	-7.99	-8.31	-2.38	<=-1	Pass
	802.11be (EHT20)	SISO	5955	SU	/	-3.28	-3.24	/	<=-1	Pass
			6175	SU	/	-3.54	-3.18	/	<=-1	Pass
			6415	SU	/	-3.10	-3.14	/	<=-1	Pass
	802.11be (EHT40)	SISO	5965	SU	/	-3.54	-3.74	/	<=-1	Pass
			6165	SU	/	-3.78	-3.73	/	<=-1	Pass
			6405	SU	/	-3.66	-3.55	/	<=-1	Pass
	802.11be (EHT80)	SISO	5985	SU	/	-3.87	-4.15	/	<=-1	Pass
			6145	SU	/	-4.25	-4.24	/	<=-1	Pass
			6385	SU	/	-3.84	-3.86	/	<=-1	Pass
	802.11be (EHT160)	SISO	6025	SU	/	-4.34	-4.37	/	<=-1	Pass
			6185	SU	/	-4.62	-4.24	/	<=-1	Pass
			6345	SU	/	-4.26	-4.02	/	<=-1	Pass
	802.11be (EHT320)	SISO	6105	SU	/	-7.85	-7.94	/	<=-1	Pass
			6265	SU	/	-7.76	-7.46	/	<=-1	Pass
	802.11be (EHT20)	MIMO	5955	SU	/	-7.60	-11.10	-3.18	<=-1	Pass
			6175	SU	/	-8.26	-9.16	-2.83	<=-1	Pass
			6415	SU	/	-7.73	-8.85	-2.46	<=-1	Pass
	802.11be (EHT40)	MIMO	5965	SU	/	-8.07	-8.07	-2.19	<=-1	Pass
			6165	SU	/	-8.40	-8.26	-2.32	<=-1	Pass
			6405	SU	/	-7.74	-7.92	-2.14	<=-1	Pass
	802.11be	MIMO	5985	SU	/	-8.18	-8.53	-2.52	<=-1	Pass



	(EHT80)		6145	SU	/	-8.63	-8.61	-2.96	<=-1	Pass
			6385	SU	/	-8.58	-8.33	-2.62	<=-1	Pass
	802.11be (EHT160)	MIMO	6025	SU	/	-7.27	-8.15	-2.00	<=-1	Pass
			6185	SU	/	-8.22	-8.13	-2.36	<=-1	Pass
			6345	SU	/	-7.67	-7.58	-2.00	<=-1	Pass
	802.11be (EHT320)	MIMO	6105	SU	/	-8.19	-8.25	-2.41	<=-1	Pass
			6265	SU	/	-7.89	-7.31	-1.77	<=-1	Pass

Note1: Antenna Gain:

- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 5 Ant1: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;

Note2: E.I.R.PSD = Measured PSD + Antenna Gain

4.1.3 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	6435	SU	/	-6.22	-5.71	/	/	Pass
			6475	SU	/	-5.96	-5.55	/	/	Pass
			6515	SU	/	-6.21	-5.72	/	/	Pass
	802.11ax (HEW40)	SISO	6445	SU	/	-6.45	-5.97	/	/	Pass
			6485	SU	/	-6.69	-5.84	/	/	Pass
	802.11ax (HEW80)	SISO	6465	SU	/	-6.86	-6.52	/	/	Pass
	802.11ax (HEW20)	MIMO	6435	SU	/	-10.02	-9.60	-7.08	/	Pass
			6475	SU	/	-10.04	-10.05	-7.18	/	Pass
			6515	SU	/	-10.39	-10.06	-7.60	/	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	-10.37	-10.43	-7.47	/	Pass
			6485	SU	/	-10.31	-10.04	-7.64	/	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	-11.25	-10.54	-8.24	/	Pass
NTNV	802.11be	SISO	6435	SU	/	-5.78	-5.94	/	/	Pass



	(EHT20)		6475	SU	/	-5.86	-5.63	/	/	Pass
			6515	SU	/	-6.25	-5.88	/	/	Pass
	802.11be (EHT40)	SISO	6445	SU	/	-6.24	-6.32	/	/	Pass
			6485	SU	/	-6.39	-6.39	/	/	Pass
	802.11be (EHT80)	SISO	6465	SU	/	-6.79	-6.27	/	/	Pass
	802.11be (EHT20)	MIMO	6435	SU	/	-10.51	-11.65	-8.33	/	Pass
			6475	SU	/	-10.66	-11.56	-8.30	/	Pass
			6515	SU	/	-11.06	-11.62	-8.44	/	Pass
	802.11be (EHT40)	MIMO	6445	SU	/	-10.49	-10.38	-7.51	/	Pass
			6485	SU	/	-10.79	-10.44	-7.68	/	Pass
	802.11be (EHT80)	MIMO	6465	SU	/	-11.36	-11.01	-8.42	/	Pass

Note1: Antenna Gain:

- Band: 5 Ant1: 2.22dBi;
- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;

4.1.4 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	6435	SU	/	-4.00	-3.49	/	<=-1	Pass
			6475	SU	/	-3.74	-3.33	/	<=-1	Pass
			6515	SU	/	-3.99	-3.50	/	<=-1	Pass
	802.11ax (HEW40)	SISO	6445	SU	/	-4.23	-3.75	/	<=-1	Pass
			6485	SU	/	-4.47	-3.62	/	<=-1	Pass
	802.11ax (HEW80)	SISO	6465	SU	/	-4.64	-4.30	/	<=-1	Pass
	802.11ax (HEW20)	MIMO	6435	SU	/	-7.80	-7.38	-1.85	<=-1	Pass
			6475	SU	/	-7.82	-7.83	-1.95	<=-1	Pass
			6515	SU	/	-8.17	-7.84	-2.37	<=-1	Pass



	802.11ax (HEW40)	MIMO	6445	SU	/	-8.15	-8.21	-2.24	<=-1	Pass
			6485	SU	/	-8.09	-7.82	-2.41	<=-1	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	-9.03	-8.32	-3.01	<=-1	Pass
NTNV	802.11be (EHT20)	SISO	6435	SU	/	-3.56	-3.72	/	<=-1	Pass
			6475	SU	/	-3.64	-3.41	/	<=-1	Pass
			6515	SU	/	-4.03	-3.66	/	<=-1	Pass
	802.11be (EHT40)	SISO	6445	SU	/	-4.02	-4.10	/	<=-1	Pass
			6485	SU	/	-4.17	-4.17	/	<=-1	Pass
	802.11be (EHT80)	SISO	6465	SU	/	-4.57	-4.05	/	<=-1	Pass
	802.11be (EHT20)	MIMO	6435	SU	/	-8.29	-9.43	-3.10	<=-1	Pass
			6475	SU	/	-8.44	-9.34	-3.07	<=-1	Pass
			6515	SU	/	-8.84	-9.40	-3.21	<=-1	Pass
	802.11be (EHT40)	MIMO	6445	SU	/	-8.27	-8.16	-2.28	<=-1	Pass
			6485	SU	/	-8.57	-8.22	-2.45	<=-1	Pass
	802.11be (EHT80)	MIMO	6465	SU	/	-9.14	-8.79	-3.19	<=-1	Pass

Note1: Antenna Gain:

- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 5 Ant1: 2.22dBi;
- Band: 6 Ant1: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;

Note2: E.I.R.PSD = Measured PSD + Antenna Gain

4.1.5 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	6535	SU	/	-6.45	-5.76	/	/	Pass
			6695	SU	/	-5.66	-5.24	/	/	Pass
			6855	SU	/	-5.18	-4.96	/	/	Pass
	802.11ax	SISO	6565	SU	/	-6.34	-5.97	/	/	Pass



	(HEW40)		6685	SU	/	-6.14	-5.69	/	/	Pass
			6845	SU	/	-5.58	-5.53	/	/	Pass
	802.11ax (HEW80)	SISO	6625	SU	/	-7.26	-6.69	/	/	Pass
			6705	SU	/	-6.50	-6.20	/	/	Pass
			6785	SU	/	-6.56	-6.60	/	/	Pass
	802.11ax (HEW160)	SISO	6665	SU	/	-7.84	-7.42	/	/	Pass
	802.11ax (HEW20)	MIMO	6535	SU	/	-10.21	-10.07	-7.52	/	Pass
			6695	SU	/	-9.97	-9.72	-7.13	/	Pass
			6855	SU	/	-8.95	-9.25	-6.47	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	-10.68	-10.25	-7.59	/	Pass
			6685	SU	/	-10.18	-10.03	-7.46	/	Pass
			6845	SU	/	-9.23	-9.82	-6.84	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	-11.53	-10.59	-8.24	/	Pass
			6705	SU	/	-11.21	-10.73	-8.19	/	Pass
			6785	SU	/	-11.07	-10.89	-8.08	/	Pass
	802.11ax (HEW160)	MIMO	6665	SU	/	-11.24	-10.95	-8.34	/	Pass
NTNV	802.11be (EHT20)	SISO	6535	SU	/	-6.16	-5.83	/	/	Pass
			6695	SU	/	-5.37	-5.59	/	/	Pass
			6855	SU	/	-4.68	-5.30	/	/	Pass
	802.11be (EHT40)	SISO	6565	SU	/	-6.49	-6.13	/	/	Pass
			6685	SU	/	-6.07	-6.12	/	/	Pass
			6845	SU	/	-5.13	-5.62	/	/	Pass
	802.11be (EHT80)	SISO	6625	SU	/	-6.85	-6.48	/	/	Pass
			6705	SU	/	-6.65	-6.43	/	/	Pass
			6785	SU	/	-6.54	-6.56	/	/	Pass
	802.11be (EHT160)	SISO	6665	SU	/	-8.19	-7.86	/	/	Pass
	802.11be (EHT20)	MIMO	6535	SU	/	-10.89	-11.46	-8.46	/	Pass
			6695	SU	/	-10.70	-10.30	-7.69	/	Pass
			6855	SU	/	-9.65	-10.12	-7.19	/	Pass
	802.11be (EHT40)	MIMO	6565	SU	/	-11.10	-10.56	-8.05	/	Pass
			6685	SU	/	-10.65	-10.34	-7.81	/	Pass
			6845	SU	/	-9.86	-10.19	-7.15	/	Pass
	802.11be (EHT80)	MIMO	6625	SU	/	-12.07	-10.84	-8.61	/	Pass
			6705	SU	/	-11.26	-10.88	-8.48	/	Pass
			6785	SU	/	-11.22	-10.93	-8.45	/	Pass
	802.11be	MIMO	6665	SU	/	-11.03	-10.57	-8.05	/	Pass



	(EHT160)									
Note1: Antenna Gain: - Band: 6+7 Ant1: 2.22dBi; - Band: 7+8 Ant1: 2.22dBi; - Band: 5 Ant1: 2.22dBi; - Band: 6 Ant1: 2.22dBi; - Band: 7 Ant1: 2.22dBi; - Band: 8 Ant1: 2.22dBi; - Band: 8 Ant2: 2.22dBi; - Band: 6+7 Ant2: 2.22dBi; - Band: 7+8 Ant2: 2.22dBi; - Band: 5 Ant2: 2.22dBi; - Band: 6 Ant2: 2.22dBi; - Band: 7 Ant2: 2.22dBi;										

4.1.6 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	6535	SU	/	-4.23	-3.54	/	<=-1	Pass
			6695	SU	/	-3.44	-3.02	/	<=-1	Pass
			6855	SU	/	-2.96	-2.74	/	<=-1	Pass
	802.11ax (HEW40)	SISO	6565	SU	/	-4.12	-3.75	/	<=-1	Pass
			6685	SU	/	-3.92	-3.47	/	<=-1	Pass
			6845	SU	/	-3.36	-3.31	/	<=-1	Pass
	802.11ax (HEW80)	SISO	6625	SU	/	-5.04	-4.47	/	<=-1	Pass
			6705	SU	/	-4.28	-3.98	/	<=-1	Pass
			6785	SU	/	-4.34	-4.38	/	<=-1	Pass
	802.11ax (HEW160)	SISO	6665	SU	/	-5.62	-5.20	/	<=-1	Pass
	802.11ax (HEW20)	MIMO	6535	SU	/	-7.99	-7.85	-2.29	<=-1	Pass
			6695	SU	/	-7.75	-7.50	-1.90	<=-1	Pass
			6855	SU	/	-6.73	-7.03	-1.24	<=-1	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	-8.46	-8.03	-2.36	<=-1	Pass
			6685	SU	/	-7.96	-7.81	-2.23	<=-1	Pass
			6845	SU	/	-7.01	-7.60	-1.61	<=-1	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	-9.31	-8.37	-3.01	<=-1	Pass
			6705	SU	/	-8.99	-8.51	-2.96	<=-1	Pass
			6785	SU	/	-8.85	-8.67	-2.85	<=-1	Pass
	802.11ax (HEW160)	MIMO	6665	SU	/	-9.02	-8.73	-3.11	<=-1	Pass



	802.11be (EHT20)	SISO	6535	SU	/	-3.94	-3.61	/	<=-1	Pass
			6695	SU	/	-3.15	-3.37	/	<=-1	Pass
			6855	SU	/	-2.46	-3.08	/	<=-1	Pass
	802.11be (EHT40)	SISO	6565	SU	/	-4.27	-3.91	/	<=-1	Pass
			6685	SU	/	-3.85	-3.90	/	<=-1	Pass
			6845	SU	/	-2.91	-3.40	/	<=-1	Pass
	802.11be (EHT80)	SISO	6625	SU	/	-4.63	-4.26	/	<=-1	Pass
			6705	SU	/	-4.43	-4.21	/	<=-1	Pass
			6785	SU	/	-4.32	-4.34	/	<=-1	Pass
	802.11be (EHT160)	SISO	6665	SU	/	-5.97	-5.64	/	<=-1	Pass
	802.11be (EHT20)	MIMO	6535	SU	/	-8.67	-9.24	-3.23	<=-1	Pass
			6695	SU	/	-8.48	-8.08	-2.46	<=-1	Pass
			6855	SU	/	-7.43	-7.90	-1.96	<=-1	Pass
	802.11be (EHT40)	MIMO	6565	SU	/	-8.88	-8.34	-2.82	<=-1	Pass
			6685	SU	/	-8.43	-8.12	-2.58	<=-1	Pass
			6845	SU	/	-7.64	-7.97	-1.92	<=-1	Pass
	802.11be (EHT80)	MIMO	6625	SU	/	-9.85	-8.62	-3.38	<=-1	Pass
			6705	SU	/	-9.04	-8.66	-3.25	<=-1	Pass
			6785	SU	/	-9.00	-8.71	-3.22	<=-1	Pass
	802.11be (EHT160)	MIMO	6665	SU	/	-8.81	-8.35	-2.82	<=-1	Pass

Note1: Antenna Gain:

- Band: 5 Ant1: 2.22dBi;
- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;

Note2: E.I.R.PSD = Measured PSD + Antenna Gain

4.1.7 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	



NTNV	802.11ax (HEW20)	SISO	6895	SU	/	-4.96	-5.38	/	/	Pass
			6995	SU	/	-5.29	-4.95	/	/	Pass
			7115	SU	/	-24.28	-24.04	/	/	Pass
	802.11ax (HEW40)	SISO	6925	SU	/	-5.78	-5.94	/	/	Pass
			7005	SU	/	-5.98	-5.54	/	/	Pass
			7085	SU	/	-6.98	-7.04	/	/	Pass
	802.11ax (HEW80)	SISO	6945	SU	/	-7.10	-7.13	/	/	Pass
			7025	SU	/	-6.77	-6.49	/	/	Pass
	802.11ax (HEW160)	SISO	6985	SU	/	-6.72	-6.32	/	/	Pass
	802.11ax (HEW20)	MIMO	6895	SU	/	-9.50	-9.47	-6.82	/	Pass
			6995	SU	/	-9.63	-9.43	-6.79	/	Pass
			7115	SU	/	-24.42	-24.05	-21.37	/	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	-10.02	-10.24	-7.38	/	Pass
			7005	SU	/	-10.01	-9.86	-7.16	/	Pass
			7085	SU	/	-10.97	-10.62	-8.16	/	Pass
	802.11ax (HEW80)	MIMO	6945	SU	/	-10.25	-10.24	-7.42	/	Pass
			7025	SU	/	-9.74	-9.42	-7.10	/	Pass
	802.11ax (HEW160)	MIMO	6985	SU	/	-9.56	-9.48	-6.64	/	Pass
	802.11be (EHT20)	SISO	6895	SU	/	-4.80	-5.06	/	/	Pass
			6995	SU	/	-5.03	-5.02	/	/	Pass
			7115	SU	/	-25.01	-24.95	/	/	Pass
	802.11be (EHT40)	SISO	6925	SU	/	-5.88	-6.11	/	/	Pass
			7005	SU	/	-6.30	-6.02	/	/	Pass
			7085	SU	/	-7.45	-7.29	/	/	Pass
	802.11be (EHT80)	SISO	6945	SU	/	-6.82	-6.61	/	/	Pass
			7025	SU	/	-6.32	-6.14	/	/	Pass
	802.11be (EHT160)	SISO	6985	SU	/	-6.42	-5.74	/	/	Pass
	802.11be (EHT20)	MIMO	6895	SU	/	-9.82	-10.78	-7.47	/	Pass
			6995	SU	/	-10.23	-10.39	-7.50	/	Pass
			7115	SU	/	-25.21	-24.70	-22.30	/	Pass
	802.11be (EHT40)	MIMO	6925	SU	/	-10.01	-10.32	-7.33	/	Pass
			7005	SU	/	-10.40	-9.92	-7.46	/	Pass
			7085	SU	/	-11.41	-10.90	-8.25	/	Pass
	802.11be (EHT80)	MIMO	6945	SU	/	-9.80	-9.83	-6.98	/	Pass
			7025	SU	/	-9.50	-9.65	-6.88	/	Pass
	802.11be	MIMO	6985	SU	/	-9.33	-9.49	-6.62	/	Pass



(EHT160)										
Note1: Antenna Gain: - Band: 7+8 Ant1: 2.22dBi; - Band: 5 Ant1: 2.22dBi; - Band: 6 Ant1: 2.22dBi; - Band: 7 Ant1: 2.22dBi; - Band: 8 Ant1: 2.22dBi; - Band: 6+7 Ant1: 2.22dBi; - Band: 6+7 Ant2: 2.22dBi; - Band: 7+8 Ant2: 2.22dBi; - Band: 5 Ant2: 2.22dBi; - Band: 6 Ant2: 2.22dBi; - Band: 7 Ant2: 2.22dBi; - Band: 8 Ant2: 2.22dBi;										

4.1.8 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	6895	SU	/	-2.74	-3.16	/	<=-1	Pass
			6995	SU	/	-3.07	-2.73	/	<=-1	Pass
			7115	SU	/	-22.06	-21.82	/	<=-1	Pass
	802.11ax (HEW40)	SISO	6925	SU	/	-3.56	-3.72	/	<=-1	Pass
			7005	SU	/	-3.76	-3.32	/	<=-1	Pass
			7085	SU	/	-4.76	-4.82	/	<=-1	Pass
	802.11ax (HEW80)	SISO	6945	SU	/	-4.88	-4.91	/	<=-1	Pass
			7025	SU	/	-4.55	-4.27	/	<=-1	Pass
	802.11ax (HEW160)	SISO	6985	SU	/	-4.50	-4.10	/	<=-1	Pass
	802.11ax (HEW20)	MIMO	6895	SU	/	-7.28	-7.25	-1.59	<=-1	Pass
			6995	SU	/	-7.41	-7.21	-1.56	<=-1	Pass
			7115	SU	/	-22.20	-21.83	-16.14	<=-1	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	-7.80	-8.02	-2.15	<=-1	Pass
			7005	SU	/	-7.79	-7.64	-1.93	<=-1	Pass
			7085	SU	/	-8.75	-8.40	-2.93	<=-1	Pass
	802.11ax (HEW80)	MIMO	6945	SU	/	-8.03	-8.02	-2.19	<=-1	Pass
			7025	SU	/	-7.52	-7.20	-1.87	<=-1	Pass
	802.11ax (HEW160)	MIMO	6985	SU	/	-7.34	-7.26	-1.41	<=-1	Pass
	802.11be (EHT20)	SISO	6895	SU	/	-2.58	-2.84	/	<=-1	Pass
			6995	SU	/	-2.81	-2.80	/	<=-1	Pass



			7115	SU	/	-22.79	-22.73	/	<=-1	Pass
	802.11be (EHT40)	SISO	6925	SU	/	-3.66	-3.89	/	<=-1	Pass
			7005	SU	/	-4.08	-3.80	/	<=-1	Pass
			7085	SU	/	-5.23	-5.07	/	<=-1	Pass
	802.11be (EHT80)	SISO	6945	SU	/	-4.60	-4.39	/	<=-1	Pass
			7025	SU	/	-4.10	-3.92	/	<=-1	Pass
	802.11be (EHT160)	SISO	6985	SU	/	-4.20	-3.52	/	<=-1	Pass
	802.11be (EHT20)	MIMO	6895	SU	/	-7.60	-8.56	-2.24	<=-1	Pass
			6995	SU	/	-8.01	-8.17	-2.27	<=-1	Pass
			7115	SU	/	-22.99	-22.48	-17.07	<=-1	Pass
	802.11be (EHT40)	MIMO	6925	SU	/	-7.79	-8.10	-2.10	<=-1	Pass
			7005	SU	/	-8.18	-7.70	-2.23	<=-1	Pass
			7085	SU	/	-9.19	-8.68	-3.02	<=-1	Pass
	802.11be (EHT80)	MIMO	6945	SU	/	-7.58	-7.61	-1.75	<=-1	Pass
			7025	SU	/	-7.28	-7.43	-1.65	<=-1	Pass
	802.11be (EHT160)	MIMO	6985	SU	/	-7.11	-7.27	-1.39	<=-1	Pass

Note1: Antenna Gain:

- Band: 5 Ant1: 2.22dBi;
- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;

Note2: E.I.R.PSD = Measured PSD + Antenna Gain

4.1.9 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	6875	SU	/	-4.72	-5.35	/	/	Pass
	802.11ax (HEW40)	SISO	6885	SU	/	-5.42	-5.64	/	/	Pass



802.11ax (HEW80)	SISO	6865	SU	/	-6.07	-6.06	/	/	Pass
802.11ax (HEW160)	SISO	6825	SU	/	-6.28	-6.47	/	/	Pass
802.11ax (HEW20)	MIMO	6875	SU	/	-9.27	-9.34	-6.57	/	Pass
802.11ax (HEW40)	MIMO	6885	SU	/	-9.76	-10.02	-7.06	/	Pass
802.11ax (HEW80)	MIMO	6865	SU	/	-9.06	-9.46	-6.39	/	Pass
802.11ax (HEW160)	MIMO	6825	SU	/	-9.19	-9.53	-6.68	/	Pass
802.11be (EHT20)	SISO	6875	SU	/	-8.07	-5.40	/	/	Pass
802.11be (EHT40)	SISO	6885	SU	/	-5.50	-5.95	/	/	Pass
802.11be (EHT80)	SISO	6865	SU	/	-6.18	-6.36	/	/	Pass
802.11be (EHT160)	SISO	6825	SU	/	-6.18	-6.33	/	/	Pass
802.11be (EHT320)	SISO	6745	SU	/	-10.10	-9.97	/	/	Pass
		6905	SU	/	-9.58	-9.63	/	/	Pass
802.11be (EHT20)	MIMO	6875	SU	/	-9.64	-10.58	-7.20	/	Pass
802.11be (EHT40)	MIMO	6885	SU	/	-10.24	-10.46	-7.61	/	Pass
802.11be (EHT80)	MIMO	6865	SU	/	-9.09	-9.54	-6.52	/	Pass
802.11be (EHT160)	MIMO	6825	SU	/	-9.22	-9.57	-6.49	/	Pass
802.11be (EHT320)	MIMO	6745	SU	/	-10.17	-10.38	-7.86	/	Pass
		6905	SU	/	-9.93	-10.03	-7.20	/	Pass

Note1: Antenna Gain:

- Band: 8 Ant1: 2.22dBi;
- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 5 Ant1: 2.22dBi; d
- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;



- Band: 7 Ant2: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;

4.1.10 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW20)	SISO	6875	SU	/	-2.50	-3.13	/	<=-1	Pass
	802.11ax (HEW40)	SISO	6885	SU	/	-3.20	-3.42	/	<=-1	Pass
	802.11ax (HEW80)	SISO	6865	SU	/	-3.85	-3.84	/	<=-1	Pass
	802.11ax (HEW160)	SISO	6825	SU	/	-4.06	-4.25	/	<=-1	Pass
	802.11ax (HEW20)	MIMO	6875	SU	/	-7.05	-7.12	-1.34	<=-1	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	-7.54	-7.80	-1.83	<=-1	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	-6.84	-7.24	-1.16	<=-1	Pass
	802.11ax (HEW160)	MIMO	6825	SU	/	-6.97	-7.31	-1.45	<=-1	Pass
	802.11be (EHT20)	SISO	6875	SU	/	-5.85	-3.18	/	<=-1	Pass
	802.11be (EHT40)	SISO	6885	SU	/	-3.28	-3.73	/	<=-1	Pass
	802.11be (EHT80)	SISO	6865	SU	/	-3.96	-4.14	/	<=-1	Pass
	802.11be (EHT160)	SISO	6825	SU	/	-3.96	-4.11	/	<=-1	Pass
	802.11be (EHT320)	SISO	6745	SU	/	-7.88	-7.75	/	<=-1	Pass
			6905	SU	/	-7.36	-7.41	/	<=-1	Pass
	802.11be (EHT20)	MIMO	6875	SU	/	-7.42	-8.36	-1.97	<=-1	Pass
	802.11be (EHT40)	MIMO	6885	SU	/	-8.02	-8.24	-2.38	<=-1	Pass



	802.11be (EHT80)	MIMO	6865	SU	/	-6.87	-7.32	-1.29	<=-1	Pass
	802.11be (EHT160)	MIMO	6825	SU	/	-7.00	-7.35	-1.26	<=-1	Pass
	802.11be (EHT320)	MIMO	6745	SU	/	-7.95	-8.16	-2.63	<=-1	Pass
			6905	SU	/	-7.71	-7.81	-1.97	<=-1	Pass

Note1: Antenna Gain:

- Band: 5 Ant1: 2.22dBi;
- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;

Note2: E.I.R.PSD = Measured PSD + Antenna Gain

4.1.11 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW40)	SISO	6525	SU	/	-6.17	-6.25	/	/	Pass
	802.11ax (HEW80)	SISO	6545	SU	/	-7.05	-6.65	/	/	Pass
	802.11ax (HEW160)	SISO	6505	SU	/	-7.05	-6.95	/	/	Pass
	802.11ax (HEW40)	MIMO	6525	SU	/	-10.67	-10.53	-7.77	/	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	-11.60	-11.19	-8.55	/	Pass
	802.11ax (HEW160)	MIMO	6505	SU	/	-10.92	-11.07	-8.32	/	Pass
	802.11be (EHT40)	SISO	6525	SU	/	-6.51	-6.59	/	/	Pass
	802.11be (EHT80)	SISO	6545	SU	/	-7.08	-6.65	/	/	Pass



	802.11be (EHT160)	SISO	6505	SU	/	-6.64	-7.17	/	/	Pass
	802.11be (EHT320)	SISO	6585	SU	/	-10.76	-10.36	/	/	Pass
	802.11be (EHT40)	MIMO	6525	SU	/	-11.07	-10.61	-7.98	/	Pass
	802.11be (EHT80)	MIMO	6545	SU	/	-11.66	-11.11	-8.83	/	Pass
	802.11be (EHT160)	MIMO	6505	SU	/	-10.83	-10.68	-7.98	/	Pass
	802.11be (EHT320)	MIMO	6585	SU	/	-11.16	-10.79	-8.12	/	Pass

Note1: Antenna Gain:

- Band: 5 Ant1: 2.22dBi;
- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;

4.1.12 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)				Verdict
						ANT1	ANT2	MIMO	Limit	
NTNV	802.11ax (HEW40)	SISO	6525	SU	/	-3.95	-4.03	/	<=-1	Pass
	802.11ax (HEW80)	SISO	6545	SU	/	-4.83	-4.43	/	<=-1	Pass
	802.11ax (HEW160)	SISO	6505	SU	/	-4.83	-4.73	/	<=-1	Pass
	802.11ax (HEW40)	MIMO	6525	SU	/	-8.45	-8.31	-2.54	<=-1	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	-9.38	-8.97	-3.32	<=-1	Pass
	802.11ax	MIMO	6505	SU	/	-8.70	-8.85	-3.09	<=-1	Pass



(HEW160)										
802.11be (EHT40)	SISO	6525	SU	/	-4.29	-4.37	/	<=-1	Pass	
802.11be (EHT80)	SISO	6545	SU	/	-4.86	-4.43	/	<=-1	Pass	
802.11be (EHT160)	SISO	6505	SU	/	-4.42	-4.95	/	<=-1	Pass	
802.11be (EHT320)	SISO	6585	SU	/	-8.54	-8.14	/	<=-1	Pass	
802.11be (EHT40)	MIMO	6525	SU	/	-8.85	-8.39	-2.75	<=-1	Pass	
802.11be (EHT80)	MIMO	6545	SU	/	-9.44	-8.89	-3.60	<=-1	Pass	
802.11be (EHT160)	MIMO	6505	SU	/	-8.61	-8.46	-2.75	<=-1	Pass	
802.11be (EHT320)	MIMO	6585	SU	/	-8.94	-8.57	-2.89	<=-1	Pass	

Note1: Antenna Gain:

- Band: 6+7 Ant1: 2.22dBi;
- Band: 7+8 Ant1: 2.22dBi;
- Band: 5 Ant1: 2.22dBi;
- Band: 6 Ant1: 2.22dBi;
- Band: 7 Ant1: 2.22dBi;
- Band: 8 Ant1: 2.22dBi;
- Band: 6 Ant2: 2.22dBi;
- Band: 7 Ant2: 2.22dBi;
- Band: 8 Ant2: 2.22dBi;
- Band: 6+7 Ant2: 2.22dBi;
- Band: 7+8 Ant2: 2.22dBi;
- Band: 5 Ant2: 2.22dBi;


Note2: E.I.R.PSD = Measured PSD + Antenna Gain




4.2 Test Graph

4.2.1 PSD


802.11ax(HEW20)_LCH_5955MHz_SU_/_Ant1_NTNV



802.11ax(HEW20)_LCH_5955MHz_SU_/_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_/_Ant1_NTNV







802.11ax(HEW20)_MCH_6175MHz_SU_ / Ant2_NTNV



802.11ax(HEW20)_HCH_6415MHz_SU_ / Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_ / Ant2_NTNV







802.11ax(HEW40) LCH 5965MHz_SU_ / Ant1_NTNV



802.11ax(HEW40) LCH 5965MHz_SU_ / Ant2_NTNV




802.11ax(HEW40) MCH 6165MHz_SU_ / Ant1_NTNV







802.11ax(HEW40)_MCH_6165MHz_SU_ / Ant2_NTNV



802.11ax(HEW40)_HCH_6405MHz_SU_ / Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_ / Ant2_NTNV







802.11ax(HEW80)_LCH_5985MHz_SU_ / Ant1_NTNV



802.11ax(HEW80)_LCH_5985MHz_SU_ / Ant2_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_ / Ant1_NTNV







802.11ax(HEW80)_MCH_6145MHz_SU_ / Ant2_NTNV



802.11ax(HEW80)_HCH_6385MHz_SU_ / Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_ / Ant2_NTNV







802.11ax(HEW160)_LCH_6025MHz_SU / _Ant1_NTNV



802.11ax(HEW160)_LCH_6025MHz_SU / _Ant2_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU / _Ant1_NTNV







802.11ax(HEW160) MCH_6185MHz_SU_/_Ant2_NTNV



802.11ax(HEW160) HCH_6345MHz_SU_/_Ant1_NTNV




802.11ax(HEW160) HCH_6345MHz_SU_/_Ant2_NTNV






802.11ax(HEW20) LCH 5955MHz_SU / Ant1_NTNV



802.11ax(HEW20) LCH 5955MHz_SU / Ant2_NTNV



802.11ax(HEW20) LCH 5955MHz_SU / MIMO_NTNV

