








Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-3.51	0.11	-3.4	30	Pass
NVNT	a	5785	Ant1	-4.67	0.11	-4.56	30	Pass
NVNT	a	5825	Ant1	-4.01	0.03	-3.98	30	Pass
NVNT	n20	5745	Ant1	-3.68	0.11	-3.57	30	Pass
NVNT	n20	5785	Ant1	-4.29	0.11	-4.18	30	Pass
NVNT	n20	5825	Ant1	-3.99	0.11	-3.88	30	Pass
NVNT	n40	5755	Ant1	-7.84	0.22	-7.62	30	Pass
NVNT	n40	5795	Ant1	-7.76	0.07	-7.69	30	Pass
NVNT	ac20	5745	Ant1	-3.94	0.11	-3.83	30	Pass
NVNT	ac20	5785	Ant1	-4.65	0.11	-4.54	30	Pass
NVNT	ac20	5825	Ant1	-4.45	0.11	-4.34	30	Pass
NVNT	ac40	5755	Ant1	-8.08	0.22	-7.86	30	Pass
NVNT	ac40	5795	Ant1	-8.4	0.22	-8.18	30	Pass
NVNT	ac80	5775	Ant1	-13.07	0.43	-12.64	30	Pass


Test Graphs


PSD NVNT a 5745MHz Ant1





PSD NVNT a 5785MHz Ant1



















DFS

Calibration



5310MHz DFS_FCC_T0


Radar Calibration




Non-Occupancy

Test Graphs

a 5320MHz Non-Occupancy




ac80 5290MHz Non-Occupancy



n40 5310MHz Non-Occupancy

Non-Occupancy period




Shutdown Time

Mode	Frequency (MHz)	Channel Move Time (s)	Limit Channel Move Time (s)	Close Transmission Time (s)	Limit Close Transmission Time (s)	Close Transmission Time after 200ms(s)	Limit Close Transmission Time after 200ms (s)	Verdict
a	5320	0.0129	10	0.0108	0.26	0	0.06	Pass
n40	5310	0.2641	10	0.206	0.26	0.0396	0.06	Pass
ac80	5290	0.1689	10	0.1308	0.26	0	0.06	Pass

Test Graphs


a 5320MHz Shutdown

Channel Shutdown



n40 5310MHz Shutdown

Channel Shutdown



ac80 5290MHz Shutdown

Channel Shutdown

