





























Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-16.52	0.95	-15.57	11	Pass
NVNT	a	5280	Ant1	-15.2	0.93	-14.27	11	Pass
NVNT	a	5320	Ant1	-16.08	0.94	-15.14	11	Pass
NVNT	a	5260	Ant2	-8.46	0.92	-7.54	11	Pass
NVNT	a	5280	Ant2	-10.53	0.93	-9.6	11	Pass
NVNT	a	5320	Ant2	-9.57	0.93	-8.64	11	Pass
NVNT	n20	5260	Ant1	-13.92	0.81	-13.11	11	Pass
NVNT	n20	5280	Ant1	-14.35	0.81	-13.54	11	Pass
NVNT	n20	5320	Ant1	-13.88	0.81	-13.07	11	Pass
NVNT	n20	5260	Ant2	-8.55	0.81	-7.74	11	Pass
NVNT	n20	5280	Ant2	-8.32	0.81	-7.51	11	Pass
NVNT	n20	5320	Ant2	-7.72	0.81	-6.91	11	Pass
NVNT	n40	5270	Ant1	-17.04	0.79	-16.25	11	Pass
NVNT	n40	5310	Ant1	-17.62	0.8	-16.82	11	Pass
NVNT	n40	5270	Ant2	-10.66	0.79	-9.87	11	Pass
NVNT	n40	5310	Ant2	-10.4	0.8	-9.6	11	Pass
NVNT	ac20	5260	Ant1	-15.98	0.87	-15.11	11	Pass
NVNT	ac20	5280	Ant1	-13.48	0.86	-12.62	11	Pass
NVNT	ac20	5320	Ant1	-14.77	0.86	-13.91	11	Pass
NVNT	ac20	5260	Ant2	-9.23	0.86	-8.37	11	Pass
NVNT	ac20	5280	Ant2	-8.15	0.86	-7.29	11	Pass
NVNT	ac20	5320	Ant2	-5.65	0.86	-4.79	11	Pass
NVNT	ac40	5270	Ant1	-17.34	0.89	-16.45	11	Pass
NVNT	ac40	5310	Ant1	-19.4	0.9	-18.5	11	Pass
NVNT	ac40	5270	Ant2	-12.21	0.9	-11.31	11	Pass
NVNT	ac40	5310	Ant2	-13.04	0.91	-12.13	11	Pass
NVNT	ac80	5290	Ant1	-17.57	1.35	-16.22	11	Pass
NVNT	ac80	5290	Ant2	-13.03	0.86	-12.17	11	Pass
NVNT	ax20	5260	Ant1	-14.75	0.82	-13.93	11	Pass
NVNT	ax20	5280	Ant1	-15.92	0.83	-15.09	11	Pass
NVNT	ax20	5320	Ant1	-13.36	0.82	-12.54	11	Pass
NVNT	ax20	5260	Ant2	-6.74	0.82	-5.92	11	Pass
NVNT	ax20	5280	Ant2	-7.25	0.83	-6.42	11	Pass
NVNT	ax20	5320	Ant2	-8.18	0.81	-7.37	11	Pass
NVNT	ax40	5270	Ant1	-16.13	0.84	-15.29	11	Pass
NVNT	ax40	5310	Ant1	-17.09	0.84	-16.25	11	Pass
NVNT	ax40	5270	Ant2	-11.61	0.84	-10.77	11	Pass
NVNT	ax40	5310	Ant2	-11.98	0.84	-11.14	11	Pass
NVNT	ax80	5290	Ant1	-17.98	0.82	-17.16	11	Pass
NVNT	ax80	5290	Ant2	-11.43	0.82	-10.61	11	Pass


Test Graphs


PSD NVNT a 5260MHz Ant1





PSD NVNT a 5280MHz Ant1

























































Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-38.64	-27	Pass
NVNT	a	5320	Ant1	-37.26	-27	Pass
NVNT	a	5260	Ant2	-38.85	-27	Pass
NVNT	a	5320	Ant2	-37.66	-27	Pass
NVNT	n20	5260	Ant1	-38.26	-27	Pass
NVNT	n20	5320	Ant1	-38.21	-27	Pass
NVNT	n20	5260	Ant2	-38.2	-27	Pass
NVNT	n20	5320	Ant2	-37.89	-27	Pass
NVNT	n40	5270	Ant1	-38.16	-27	Pass
NVNT	n40	5310	Ant1	-37.67	-27	Pass
NVNT	n40	5270	Ant2	-38.9	-27	Pass
NVNT	n40	5310	Ant2	-34.66	-27	Pass
NVNT	ac20	5260	Ant1	-39.25	-27	Pass
NVNT	ac20	5320	Ant1	-38.27	-27	Pass
NVNT	ac20	5260	Ant2	-38.77	-27	Pass
NVNT	ac20	5320	Ant2	-38.19	-27	Pass
NVNT	ac40	5270	Ant1	-39.49	-27	Pass
NVNT	ac40	5310	Ant1	-37.53	-27	Pass
NVNT	ac40	5270	Ant2	-37.85	-27	Pass
NVNT	ac40	5310	Ant2	-36.49	-27	Pass
NVNT	ac80	5290	Ant1	-37.02	-27	Pass
NVNT	ac80	5290	Ant1	-38.9	-27	Pass
NVNT	ac80	5290	Ant2	-34.75	-27	Pass
NVNT	ac80	5290	Ant2	-37.73	-27	Pass
NVNT	ax20	5260	Ant1	-38.84	-27	Pass
NVNT	ax20	5320	Ant1	-37.8	-27	Pass
NVNT	ax20	5260	Ant2	-37.78	-27	Pass
NVNT	ax20	5320	Ant2	-36.9	-27	Pass
NVNT	ax40	5270	Ant1	-39.33	-27	Pass
NVNT	ax40	5310	Ant1	-37.55	-27	Pass
NVNT	ax40	5270	Ant2	-38.31	-27	Pass
NVNT	ax40	5310	Ant2	-35.22	-27	Pass
NVNT	ax80	5290	Ant1	-37.57	-27	Pass
NVNT	ax80	5290	Ant1	-39.1	-27	Pass
NVNT	ax80	5290	Ant2	-35.06	-27	Pass
NVNT	ax80	5290	Ant2	-37.78	-27	Pass

Test Graphs

Band Edge NVNT a 5260MHz Low Ant1



Band Edge NVNT a 5320MHz High Ant1

