

























Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	4.95	24	Pass
NVNT	a	5600	Ant1	4.58	24	Pass
NVNT	a	5700	Ant1	5.15	24	Pass
NVNT	a	5500	Ant2	12.34	24	Pass
NVNT	a	5600	Ant2	11.97	24	Pass
NVNT	a	5700	Ant2	12.24	24	Pass
NVNT	n20	5500	Ant1	4.81	24	Pass
NVNT	n20	5600	Ant1	4.53	24	Pass
NVNT	n20	5700	Ant1	5.17	24	Pass
NVNT	n20	5500	Ant2	12.26	24	Pass
NVNT	n20	5600	Ant2	11.89	24	Pass
NVNT	n20	5700	Ant2	12.22	24	Pass
NVNT	n40	5510	Ant1	5.25	24	Pass
NVNT	n40	5590	Ant1	5.03	24	Pass
NVNT	n40	5670	Ant1	5.71	24	Pass
NVNT	n40	5510	Ant2	12.57	24	Pass
NVNT	n40	5590	Ant2	12.25	24	Pass
NVNT	n40	5670	Ant2	12.35	24	Pass
NVNT	ac20	5500	Ant1	5.06	24	Pass
NVNT	ac20	5600	Ant1	4.44	24	Pass
NVNT	ac20	5700	Ant1	5.1	24	Pass
NVNT	ac20	5500	Ant2	12.22	24	Pass
NVNT	ac20	5600	Ant2	11.96	24	Pass
NVNT	ac20	5700	Ant2	12.17	24	Pass
NVNT	ac40	5510	Ant1	5.19	24	Pass
NVNT	ac40	5590	Ant1	5.08	24	Pass
NVNT	ac40	5670	Ant1	5.48	24	Pass
NVNT	ac40	5510	Ant2	12.54	24	Pass
NVNT	ac40	5590	Ant2	12.24	24	Pass
NVNT	ac40	5670	Ant2	12.34	24	Pass
NVNT	ac80	5530	Ant1	5.15	24	Pass
NVNT	ac80	5610	Ant1	5.25	24	Pass
NVNT	ac80	5530	Ant2	12.49	24	Pass
NVNT	ac80	5610	Ant2	12.32	24	Pass
NVNT	ac160	5570	Ant1	5.29	24	Pass
NVNT	ac160	5570	Ant2	12.39	24	Pass
NVNT	ax160	5570	Ant1	5.4	24	Pass
NVNT	ax160	5570	Ant2	12.26	24	Pass
NVNT	ax20	5500	Ant1	5	24	Pass
NVNT	ax20	5600	Ant1	4.78	24	Pass
NVNT	ax20	5700	Ant1	5.46	24	Pass
NVNT	ax20	5500	Ant2	12.29	24	Pass
NVNT	ax20	5600	Ant2	11.99	24	Pass
NVNT	ax20	5700	Ant2	12.2	24	Pass
NVNT	ax40	5510	Ant1	5.02	24	Pass
NVNT	ax40	5590	Ant1	4.78	24	Pass
NVNT	ax40	5670	Ant1	5.28	24	Pass
NVNT	ax40	5510	Ant2	12.26	24	Pass
NVNT	ax40	5590	Ant2	11.96	24	Pass
NVNT	ax40	5670	Ant2	12.07	24	Pass
NVNT	ax80	5530	Ant1	4.81	24	Pass
NVNT	ax80	5610	Ant1	4.71	24	Pass

NVNT	ax80	5530	Ant2	12.15	24	Pass
NVNT	ax80	5610	Ant2	12	24	Pass

Note: The average power contains duty cycle


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	23.508	Pass
NVNT	a	5600	Ant1	23.247	Pass
NVNT	a	5700	Ant1	22.224	Pass
NVNT	a	5500	Ant2	22.179	Pass
NVNT	a	5600	Ant2	23.064	Pass
NVNT	a	5700	Ant2	22.773	Pass
NVNT	n20	5500	Ant1	23.688	Pass
NVNT	n20	5600	Ant1	22.746	Pass
NVNT	n20	5700	Ant1	22.758	Pass
NVNT	n20	5500	Ant2	23.373	Pass
NVNT	n20	5600	Ant2	22.761	Pass
NVNT	n20	5700	Ant2	23.25	Pass
NVNT	n40	5510	Ant1	43.596	Pass
NVNT	n40	5590	Ant1	43.446	Pass
NVNT	n40	5670	Ant1	42.636	Pass
NVNT	n40	5510	Ant2	43.23	Pass
NVNT	n40	5590	Ant2	44.1	Pass
NVNT	n40	5670	Ant2	44.226	Pass
NVNT	ac20	5500	Ant1	23.358	Pass
NVNT	ac20	5600	Ant1	22.995	Pass
NVNT	ac20	5700	Ant1	22.914	Pass
NVNT	ac20	5500	Ant2	23.142	Pass
NVNT	ac20	5600	Ant2	23.22	Pass
NVNT	ac20	5700	Ant2	22.539	Pass
NVNT	ac40	5510	Ant1	42.888	Pass
NVNT	ac40	5590	Ant1	43.98	Pass
NVNT	ac40	5670	Ant1	42.948	Pass
NVNT	ac40	5510	Ant2	44.34	Pass
NVNT	ac40	5590	Ant2	44.112	Pass
NVNT	ac40	5670	Ant2	42.84	Pass
NVNT	ac80	5530	Ant1	84.672	Pass
NVNT	ac80	5610	Ant1	84.828	Pass
NVNT	ac80	5530	Ant2	85.908	Pass
NVNT	ac80	5610	Ant2	84.264	Pass
NVNT	ac160	5570	Ant1	159.12	Pass
NVNT	ac160	5570	Ant2	162.24	Pass
NVNT	ax160	5570	Ant1	159.768	Pass
NVNT	ax160	5570	Ant2	159.72	Pass
NVNT	ax20	5500	Ant1	23.571	Pass
NVNT	ax20	5600	Ant1	21.984	Pass
NVNT	ax20	5700	Ant1	23.154	Pass

NVNT	ax20	5500	Ant2	24.06	Pass
NVNT	ax20	5600	Ant2	21.879	Pass
NVNT	ax20	5700	Ant2	23.682	Pass
NVNT	ax40	5510	Ant1	41.52	Pass
NVNT	ax40	5590	Ant1	41.58	Pass
NVNT	ax40	5670	Ant1	42.612	Pass
NVNT	ax40	5510	Ant2	41.604	Pass
NVNT	ax40	5590	Ant2	41.088	Pass
NVNT	ax40	5670	Ant2	41.628	Pass
NVNT	ax80	5530	Ant1	82.884	Pass
NVNT	ax80	5610	Ant1	83.916	Pass
NVNT	ax80	5530	Ant2	82.608	Pass
NVNT	ax80	5610	Ant2	82.56	Pass

Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant1



-26dB Bandwidth NVNT a 5600MHz Ant1

