

















Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.474
NVNT	a	5785	Ant1	16.462
NVNT	a	5825	Ant1	16.555
NVNT	a	5745	Ant2	16.48
NVNT	a	5785	Ant2	16.522
NVNT	a	5825	Ant2	16.441
NVNT	n20	5745	Ant1	17.713
NVNT	n20	5785	Ant1	17.635
NVNT	n20	5825	Ant1	17.605
NVNT	n20	5745	Ant2	17.638
NVNT	n20	5785	Ant2	17.698
NVNT	n20	5825	Ant2	17.836
NVNT	n40	5755	Ant1	36.074
NVNT	n40	5795	Ant1	36.002
NVNT	n40	5755	Ant2	36.014
NVNT	n40	5795	Ant2	36.074
NVNT	ac20	5745	Ant1	17.647
NVNT	ac20	5785	Ant1	17.659
NVNT	ac20	5825	Ant1	17.641
NVNT	ac20	5745	Ant2	17.575
NVNT	ac20	5785	Ant2	17.614
NVNT	ac20	5825	Ant2	17.635
NVNT	ac40	5755	Ant1	36.05
NVNT	ac40	5795	Ant1	35.984
NVNT	ac40	5755	Ant2	36.014
NVNT	ac40	5795	Ant2	36.044
NVNT	ac80	5775	Ant1	75.136
NVNT	ac80	5775	Ant2	75.064
NVNT	ax20	5745	Ant1	18.886
NVNT	ax20	5785	Ant1	18.832
NVNT	ax20	5825	Ant1	18.766
NVNT	ax20	5745	Ant2	18.829
NVNT	ax20	5785	Ant2	18.814
NVNT	ax20	5825	Ant2	18.739
NVNT	ax40	5755	Ant1	37.508
NVNT	ax40	5795	Ant1	37.472
NVNT	ax40	5755	Ant2	37.448
NVNT	ax40	5795	Ant2	37.502
NVNT	ax80	5775	Ant1	76.66
NVNT	ax80	5775	Ant2	76.528


Test Graphs


OBW NVNT a 5745MHz Ant1





OBW NVNT a 5785MHz Ant1

























































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-16.84	0.93	-15.91	30	Pass
NVNT	a	5785	Ant1	-14.22	1	-13.22	30	Pass
NVNT	a	5825	Ant1	-13.42	0.21	-13.21	30	Pass
NVNT	a	5745	Ant2	-11.03	0.94	-10.09	30	Pass
NVNT	a	5785	Ant2	-12.25	0.93	-11.32	30	Pass
NVNT	a	5825	Ant2	-12.9	0.93	-11.97	30	Pass
NVNT	n20	5745	Ant1	-13.38	0.81	-12.57	30	Pass
NVNT	n20	5785	Ant1	-14.29	0.81	-13.48	30	Pass
NVNT	n20	5825	Ant1	-16.74	0.21	-16.53	30	Pass
NVNT	n20	5745	Ant2	-12.27	0.81	-11.46	30	Pass
NVNT	n20	5785	Ant2	-11	0.81	-10.19	30	Pass
NVNT	n20	5825	Ant2	-9.88	0.8	-9.08	30	Pass
NVNT	n40	5755	Ant1	-17.98	0.3	-17.68	30	Pass
NVNT	n40	5795	Ant1	-18.04	0.23	-17.81	30	Pass
NVNT	n40	5755	Ant2	-13.69	0.8	-12.89	30	Pass
NVNT	n40	5795	Ant2	-13.92	0.79	-13.13	30	Pass
NVNT	ac20	5745	Ant1	-17.3	0.86	-16.44	30	Pass
NVNT	ac20	5785	Ant1	-14.47	0.86	-13.61	30	Pass
NVNT	ac20	5825	Ant1	-15.69	0.86	-14.83	30	Pass
NVNT	ac20	5745	Ant2	-11.39	0.86	-10.53	30	Pass
NVNT	ac20	5785	Ant2	-12.19	0.86	-11.33	30	Pass
NVNT	ac20	5825	Ant2	-13.09	0.86	-12.23	30	Pass
NVNT	ac40	5755	Ant1	-18.75	0.9	-17.85	30	Pass
NVNT	ac40	5795	Ant1	-18.74	0.89	-17.85	30	Pass
NVNT	ac40	5755	Ant2	-13.16	0.92	-12.24	30	Pass
NVNT	ac40	5795	Ant2	-14.28	0.9	-13.38	30	Pass
NVNT	ac80	5775	Ant1	-22.54	0.87	-21.67	30	Pass
NVNT	ac80	5775	Ant2	-16.53	0.86	-15.67	30	Pass
NVNT	ax20	5745	Ant1	-14.81	0.83	-13.98	30	Pass
NVNT	ax20	5785	Ant1	-16.67	0.83	-15.84	30	Pass
NVNT	ax20	5825	Ant1	-15.97	0.81	-15.16	30	Pass
NVNT	ax20	5745	Ant2	-9.74	0.83	-8.91	30	Pass
NVNT	ax20	5785	Ant2	-9.3	0.82	-8.48	30	Pass
NVNT	ax20	5825	Ant2	-10.15	0.83	-9.32	30	Pass
NVNT	ax40	5755	Ant1	-17.56	0.85	-16.71	30	Pass
NVNT	ax40	5795	Ant1	-17.26	0.85	-16.41	30	Pass
NVNT	ax40	5755	Ant2	-15.2	0.83	-14.37	30	Pass
NVNT	ax40	5795	Ant2	-12.94	0.86	-12.08	30	Pass
NVNT	ax80	5775	Ant1	-20.56	0.81	-19.75	30	Pass
NVNT	ax80	5775	Ant2	-14.59	0.82	-13.77	30	Pass

Test Graphs

PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1

