



802.11ac40_5755MHz_Chain 0




ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 22:00:28

802.11ac40_5795MHz_Chain 0




ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 22:00:46

802.11ac40_5755MHz_Chain 1




ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 31.AUG.2025 22:40:26

802.11ac40_5795MHz_Chain 1




ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 31.AUG.2025 22:41:18

802.11ac80_5775MHz_Chain 0




ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 22:01:07

802.11ac80_5775MHz_Chain 1




ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 31.AUG.2025 22:42:31

802.11ax20_5745MHz_RU_FULL_Chain 0




ProjectNo.:2501V14699E-RF Tester:Kungfumaester Liang
Date: 16.OCT.2025 21:56:56

802.11ax20_5785MHz_RU_FULL_Chain 0




ProjectNo.:2501V14699E-RF Tester:Kungfumaester Liang
Date: 16.OCT.2025 21:57:15

802.11ax20_5825MHz_RU_FULL_Chain 0




ProjectNo.:2501V14699E-RF Tester:Kungfumaester Liang
Date: 16.OCT.2025 21:57:33

802.11ax20_5745MHz_RU_FULL_Chain 1




ProjectNo.:2501V14699E-RF Tester:Kungfumaester Liang
Date: 16.OCT.2025 21:51:27

802.11ax20_5785MHz_RU_FULL_Chain 1




ProjectNo.:2501V14699E-RF Tester:Kungfumaester Liang
Date: 16.OCT.2025 21:51:52

802.11ax20_5825MHz_RU_FULL_Chain 1




ProjectNo.:2501V14699E-RF Tester:Kungfumaester Liang
Date: 16.OCT.2025 21:52:14

802.11ax40_5755MHz_RU_FULL_Chain 0




ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 21:58:02

802.11ax40_5795MHz_RU_FULL_Chain 0




ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 21:58:22

802.11ax40_5755MHz_RU_FULL_Chain 1




ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 21:52:37

802.11ax40_5795MHz_RU_FULL_Chain 1




ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 21:52:55

802.11ax80_5775MHz_RU_FULL_Chain 0



ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 21:58:48

802.11ax80_5775MHz_RU_FULL_Chain 1




ProjectNo.:2501V14699E-RF Tester:Kungfumaster Liang
Date: 16.OCT.2025 21:53:32

Duty Cycle

Mode	Antenna	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	Chain 0	5200	1.351	1.454	92.92	0.32	740	1
802.11ac20	Chain 0	5200	1.265	1.370	92.34	0.35	791	1
802.11ac40	Chain 0	5190	0.631	0.735	85.85	0.66	1585	3
802.11ac80	Chain 0	5210	0.315	0.419	75.18	1.24	3175	5
802.11ax20_RU_Full	Chain 0	5200	1.153	1.256	91.80	0.37	867	1
802.11ax40_RU_Full	Chain 0	5190	0.616	0.719	85.67	0.67	1623	3
802.11ax80_RU_Full	Chain 0	5210	0.332	0.435	76.32	1.17	3012	5


Duty Cycle = Ton/(Ton+Toff)*100%

802.11a_5200MHz_Chain 0




ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 27.AUG.2025 20:56:54

802.11ac20_5200MHz_Chain 0




ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 27.AUG.2025 20:57:22

802.11ac40_5190MHz_Chain 0




ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 27.AUG.2025 20:57:56

802.11ac80_5210MHz_Chain 0




ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 27.AUG.2025 20:58:32

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 27.AUG.2025 21:00:13

802.11ax40_5190MHz_RU_Full_Chain 0



ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 27.AUG.2025 21:01:01

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2501V14699E-RF Tester:Brian Li
Date: 27.AUG.2025 21:02:46

Frequency Stability

5150-5250MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5171.894	5150.000	5248.167	5250.000
	20	8.36	5171.905	5150.000	5248.221	5250.000
	50	8.36	5171.782	5150.000	5248.303	5250.000
	-20	7.60	5171.913	5150.000	5248.366	5250.000
	20	7.60	5171.827	5150.000	5248.234	5250.000
	50	7.60	5171.716	5150.000	5248.439	5250.000
	-20	6.84	5171.788	5150.000	5248.242	5250.000
	20	6.84	5171.703	5150.000	5248.254	5250.000
	50	6.84	5171.866	5150.000	5248.286	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5171.597	5150.000	5248.149	5250.000
	20	8.36	5171.726	5150.000	5248.116	5250.000
	50	8.36	5171.689	5150.000	5248.214	5250.000
	-20	7.60	5171.779	5150.000	5248.294	5250.000
	20	7.60	5171.657	5150.000	5248.395	5250.000
	50	7.60	5171.658	5150.000	5248.098	5250.000
	-20	6.84	5171.992	5150.000	5248.177	5250.000
	20	6.84	5171.832	5150.000	5248.279	5250.000
	50	6.84	5171.735	5150.000	5248.277	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5171.667	5150.000	5248.278	5250.000
	20	8.36	5171.776	5150.000	5248.206	5250.000
	50	8.36	5171.841	5150.000	5248.203	5250.000
	-20	7.60	5171.757	5150.000	5248.191	5250.000
	20	7.60	5171.668	5150.000	5248.188	5250.000
	50	7.60	5171.820	5150.000	5248.387	5250.000
	-20	6.84	5171.965	5150.000	5248.189	5250.000
	20	6.84	5171.837	5150.000	5248.229	5250.000
	50	6.84	5171.904	5150.000	5248.156	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5171.733	5150.000	5248.314	5250.000
	20	8.36	5171.706	5150.000	5248.339	5250.000
	50	8.36	5171.660	5150.000	5248.140	5250.000
	-20	7.60	5171.742	5150.000	5248.304	5250.000
	20	7.60	5171.663	5150.000	5248.394	5250.000
	50	7.60	5171.800	5150.000	5248.432	5250.000
	-20	6.84	5171.688	5150.000	5248.257	5250.000
	20	6.84	5171.702	5150.000	5248.248	5250.000
	50	6.84	5171.666	5150.000	5248.268	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5171.879	5150.000	5248.208	5250.000
	20	8.36	5171.822	5150.000	5248.280	5250.000
	50	8.36	5171.644	5150.000	5248.073	5250.000
	-20	7.60	5171.899	5150.000	5248.429	5250.000
	20	7.60	5171.692	5150.000	5248.412	5250.000
	50	7.60	5171.906	5150.000	5248.209	5250.000
	-20	6.84	5171.643	5150.000	5248.193	5250.000
	20	6.84	5171.592	5150.000	5248.301	5250.000
	50	6.84	5171.767	5150.000	5248.292	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5171.726	5150.000	5248.275	5250.000
	20	8.36	5171.831	5150.000	5248.241	5250.000
	50	8.36	5171.611	5150.000	5248.326	5250.000
	-20	7.60	5171.710	5150.000	5248.271	5250.000
	20	7.60	5171.902	5150.000	5248.361	5250.000
	50	7.60	5171.687	5150.000	5248.463	5250.000
	-20	6.84	5171.532	5150.000	5248.129	5250.000
	20	6.84	5171.729	5150.000	5248.352	5250.000
	50	6.84	5171.730	5150.000	5248.057	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5171.675	5150.000	5248.157	5250.000
	20	8.36	5171.837	5150.000	5248.241	5250.000
	50	8.36	5171.833	5150.000	5248.227	5250.000
	-20	7.60	5171.644	5150.000	5248.271	5250.000
	20	7.60	5171.812	5150.000	5248.278	5250.000
	50	7.60	5171.812	5150.000	5248.211	5250.000
	-20	6.84	5171.651	5150.000	5248.257	5250.000
	20	6.84	5171.811	5150.000	5248.276	5250.000
	50	6.84	5171.833	5150.000	5248.236	5250.000

5250-5350MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5251.735	5250.000	5328.206	5350.000
	20	8.36	5251.954	5250.000	5328.199	5350.000
	50	8.36	5251.715	5250.000	5328.150	5350.000
	-20	7.60	5251.687	5250.000	5328.277	5350.000
	20	7.60	5251.771	5250.000	5328.263	5350.000
	50	7.60	5251.747	5250.000	5328.176	5350.000
	-20	6.84	5252.020	5250.000	5328.223	5350.000
	20	6.84	5251.649	5250.000	5328.295	5350.000
	50	6.84	5251.668	5250.000	5328.212	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5251.815	5250.000	5328.202	5350.000
	20	8.36	5251.753	5250.000	5328.037	5350.000
	50	8.36	5251.796	5250.000	5328.270	5350.000
	-20	7.60	5251.801	5250.000	5328.137	5350.000
	20	7.60	5251.722	5250.000	5328.151	5350.000
	50	7.60	5251.981	5250.000	5328.176	5350.000
	-20	6.84	5251.792	5250.000	5328.292	5350.000
	20	6.84	5251.681	5250.000	5328.348	5350.000
	50	6.84	5251.820	5250.000	5328.290	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5251.873	5250.000	5328.301	5350.000
	20	8.36	5251.747	5250.000	5328.084	5350.000
	50	8.36	5251.657	5250.000	5328.178	5350.000
	-20	7.60	5251.530	5250.000	5328.180	5350.000
	20	7.60	5251.622	5250.000	5328.252	5350.000
	50	7.60	5251.915	5250.000	5328.219	5350.000
	-20	6.84	5251.720	5250.000	5328.120	5350.000
	20	6.84	5251.859	5250.000	5328.297	5350.000
	50	6.84	5251.613	5250.000	5328.064	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5251.896	5250.000	5328.162	5350.000
	20	8.36	5251.540	5250.000	5328.243	5350.000
	50	8.36	5251.613	5250.000	5328.284	5350.000
	-20	7.60	5251.797	5250.000	5328.251	5350.000
	20	7.60	5251.768	5250.000	5328.326	5350.000
	50	7.60	5251.607	5250.000	5328.031	5350.000
	-20	6.84	5251.664	5250.000	5328.089	5350.000
	20	6.84	5251.843	5250.000	5328.203	5350.000
	50	6.84	5251.797	5250.000	5328.128	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5251.709	5250.000	5328.287	5350.000
	20	8.36	5251.925	5250.000	5328.256	5350.000
	50	8.36	5251.979	5250.000	5328.039	5350.000
	-20	7.60	5251.751	5250.000	5328.169	5350.000
	20	7.60	5251.993	5250.000	5328.092	5350.000
	50	7.60	5251.712	5250.000	5328.091	5350.000
	-20	6.84	5251.863	5250.000	5328.040	5350.000
	20	6.84	5251.629	5250.000	5328.068	5350.000
	50	6.84	5251.699	5250.000	5328.236	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5251.729	5250.000	5328.224	5350.000
	20	8.36	5251.550	5250.000	5328.172	5350.000
	50	8.36	5251.774	5250.000	5328.146	5350.000
	-20	7.60	5251.756	5250.000	5328.202	5350.000
	20	7.60	5251.865	5250.000	5328.246	5350.000
	50	7.60	5251.726	5250.000	5328.128	5350.000
	-20	6.84	5251.619	5250.000	5328.077	5350.000
	20	6.84	5251.827	5250.000	5328.098	5350.000
	50	6.84	5251.823	5250.000	5328.198	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5251.671	5250.000	5328.330	5350.000
	20	8.36	5251.844	5250.000	5328.185	5350.000
	50	8.36	5251.669	5250.000	5328.272	5350.000
	-20	7.60	5251.759	5250.000	5328.169	5350.000
	20	7.60	5251.836	5250.000	5328.161	5350.000
	50	7.60	5251.697	5250.000	5328.142	5350.000
	-20	6.84	5251.719	5250.000	5328.166	5350.000
	20	6.84	5251.677	5250.000	5328.140	5350.000
	50	6.84	5251.730	5250.000	5328.211	5350.000

5470-5725MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5491.884	5470.000	5708.184	5725.000
	20	8.36	5491.981	5470.000	5708.104	5725.000
	50	8.36	5491.700	5470.000	5708.072	5725.000
	-20	7.60	5491.826	5470.000	5708.252	5725.000
	20	7.60	5491.616	5470.000	5708.232	5725.000
	50	7.60	5491.939	5470.000	5708.334	5725.000
	-20	6.84	5491.574	5470.000	5708.195	5725.000
	20	6.84	5491.861	5470.000	5708.070	5725.000
	50	6.84	5491.612	5470.000	5708.273	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5491.671	5470.000	5708.147	5725.000
	20	8.36	5491.865	5470.000	5708.403	5725.000
	50	8.36	5491.847	5470.000	5708.146	5725.000
	-20	7.60	5491.626	5470.000	5708.177	5725.000
	20	7.60	5491.706	5470.000	5708.232	5725.000
	50	7.60	5491.727	5470.000	5708.309	5725.000
	-20	6.84	5491.866	5470.000	5708.201	5725.000
	20	6.84	5491.741	5470.000	5708.160	5725.000
	50	6.84	5491.762	5470.000	5708.326	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5491.574	5470.000	5688.855	5725.000
	20	8.36	5491.566	5470.000	5688.570	5725.000
	50	8.36	5491.867	5470.000	5688.814	5725.000
	-20	7.60	5491.764	5470.000	5688.841	5725.000
	20	7.60	5491.521	5470.000	5688.543	5725.000
	50	7.60	5491.737	5470.000	5688.684	5725.000
	-20	6.84	5491.880	5470.000	5688.944	5725.000
	20	6.84	5491.717	5470.000	5688.789	5725.000
	50	6.84	5491.906	5470.000	5688.561	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5491.721	5470.000	5568.742	5725.000
	20	8.36	5491.931	5470.000	5568.815	5725.000
	50	8.36	5491.876	5470.000	5568.493	5725.000
	-20	7.60	5491.676	5470.000	5568.798	5725.000
	20	7.60	5491.929	5470.000	5568.769	5725.000
	50	7.60	5491.867	5470.000	5568.732	5725.000
	-20	6.84	5491.820	5470.000	5568.619	5725.000
	20	6.84	5491.552	5470.000	5568.634	5725.000
	50	6.84	5491.637	5470.000	5568.669	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5491.867	5470.000	5708.163	5725.000
	20	8.36	5491.648	5470.000	5708.350	5725.000
	50	8.36	5491.747	5470.000	5708.165	5725.000
	-20	7.60	5491.876	5470.000	5708.404	5725.000
	20	7.60	5491.608	5470.000	5708.278	5725.000
	50	7.60	5491.604	5470.000	5708.108	5725.000
	-20	6.84	5491.848	5470.000	5708.104	5725.000
	20	6.84	5491.588	5470.000	5708.215	5725.000
	50	6.84	5491.733	5470.000	5708.045	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5491.669	5470.000	5688.660	5725.000
	20	8.36	5491.821	5470.000	5688.557	5725.000
	50	8.36	5491.821	5470.000	5688.635	5725.000
	-20	7.60	5491.895	5470.000	5688.618	5725.000
	20	7.60	5491.618	5470.000	5688.762	5725.000
	50	7.60	5491.712	5470.000	5688.704	5725.000
	-20	6.84	5491.880	5470.000	5688.795	5725.000
	20	6.84	5491.820	5470.000	5688.711	5725.000
	50	6.84	5491.736	5470.000	5688.647	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5491.799	5470.000	5568.620	5725.000
	20	8.36	5491.844	5470.000	5568.754	5725.000
	50	8.36	5491.859	5470.000	5568.590	5725.000
	-20	7.60	5491.706	5470.000	5568.724	5725.000
	20	7.60	5491.646	5470.000	5568.742	5725.000
	50	7.60	5491.817	5470.000	5568.649	5725.000
	-20	6.84	5491.715	5470.000	5568.625	5725.000
	20	6.84	5491.717	5470.000	5568.751	5725.000
	50	6.84	5491.664	5470.000	5568.608	5725.000

5725-5850MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5736.251	5725.000	5833.365	5850.000
	20	8.36	5736.363	5725.000	5833.498	5850.000
	50	8.36	5736.268	5725.000	5833.538	5850.000
	-20	7.60	5736.260	5725.000	5833.334	5850.000
	20	7.60	5736.122	5725.000	5833.280	5850.000
	50	7.60	5736.086	5725.000	5833.404	5850.000
	-20	6.84	5736.258	5725.000	5833.375	5850.000
	20	6.84	5736.034	5725.000	5833.373	5850.000
	50	6.84	5736.295	5725.000	5833.281	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5736.042	5725.000	5833.624	5850.000
	20	8.36	5736.267	5725.000	5833.490	5850.000
	50	8.36	5736.311	5725.000	5833.281	5850.000
	-20	7.60	5736.440	5725.000	5833.356	5850.000
	20	7.60	5736.090	5725.000	5833.582	5850.000
	50	7.60	5736.152	5725.000	5833.490	5850.000
	-20	6.84	5736.388	5725.000	5833.557	5850.000
	20	6.84	5736.035	5725.000	5833.476	5850.000
	50	6.84	5736.415	5725.000	5833.309	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5736.185	5725.000	5813.672	5850.000
	20	8.36	5736.017	5725.000	5813.362	5850.000
	50	8.36	5736.171	5725.000	5813.329	5850.000
	-20	7.60	5736.196	5725.000	5813.490	5850.000
	20	7.60	5736.384	5725.000	5813.474	5850.000
	50	7.60	5736.325	5725.000	5813.600	5850.000
	-20	6.84	5736.337	5725.000	5813.394	5850.000
	20	6.84	5736.123	5725.000	5813.361	5850.000
	50	6.84	5736.330	5725.000	5813.378	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5736.299	5725.000	5813.512	5850.000
	20	8.36	5736.266	5725.000	5813.522	5850.000
	50	8.36	5736.182	5725.000	5813.313	5850.000
	-20	7.60	5736.072	5725.000	5813.457	5850.000
	20	7.60	5736.192	5725.000	5813.279	5850.000
	50	7.60	5736.415	5725.000	5813.450	5850.000
	-20	6.84	5736.246	5725.000	5813.687	5850.000
	20	6.84	5736.337	5725.000	5813.280	5850.000
	50	6.84	5736.376	5725.000	5813.403	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5736.345	5725.000	5833.489	5850.000
	20	8.36	5736.099	5725.000	5833.241	5850.000
	50	8.36	5736.326	5725.000	5833.356	5850.000
	-20	7.60	5736.211	5725.000	5833.360	5850.000
	20	7.60	5736.351	5725.000	5833.418	5850.000
	50	7.60	5736.130	5725.000	5833.485	5850.000
	-20	6.84	5736.344	5725.000	5833.563	5850.000
	20	6.84	5736.334	5725.000	5833.614	5850.000
	50	6.84	5736.302	5725.000	5833.453	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5736.263	5725.000	5813.403	5850.000
	20	8.36	5736.167	5725.000	5813.439	5850.000
	50	8.36	5736.208	5725.000	5813.485	5850.000
	-20	7.60	5736.417	5725.000	5813.476	5850.000
	20	7.60	5736.356	5725.000	5813.625	5850.000
	50	7.60	5736.137	5725.000	5813.374	5850.000
	-20	6.84	5736.180	5725.000	5813.385	5850.000
	20	6.84	5736.197	5725.000	5813.302	5850.000
	50	6.84	5736.344	5725.000	5813.548	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (VDC)	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5736.335	5725.000	5813.575	5850.000
	20	8.36	5736.324	5725.000	5813.417	5850.000
	50	8.36	5736.375	5725.000	5813.279	5850.000
	-20	7.60	5736.156	5725.000	5813.219	5850.000
	20	7.60	5736.144	5725.000	5813.388	5850.000
	50	7.60	5736.134	5725.000	5813.520	5850.000
	-20	6.84	5736.223	5725.000	5813.552	5850.000
	20	6.84	5736.207	5725.000	5813.459	5850.000
	50	6.84	5736.339	5725.000	5813.399	5850.000