



802.11a_5700MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 01:57:50

802.11a_5720MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:00:03

802.11ac20_5500MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 26.SEP.2025 23:18:06

802.11ac20_5580MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 26.SEP.2025 23:20:13

802.11ac20_5700MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 26.SEP.2025 23:26:29

802.11ac20_5720MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 26.SEP.2025 23:28:41

802.11ac20_5500MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:02:20

802.11ac20_5580MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:04:26

802.11ac20_5700MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:06:40

802.11ac20_5720MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:08:54

802.11ac40_5510MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 26.SEP.2025 23:30:16

802.11ac40_5550MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 26.SEP.2025 23:31:21

802.11ac40_5670MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 26.SEP.2025 23:32:27

802.11ac40_5710MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 26.SEP.2025 23:33:48

802.11ac40_5510MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:10:05

802.11ac40_5550MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:11:22

802.11ac40_5670MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:12:30

802.11ac40_5710MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:13:51

802.11ac80_5530MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 26.SEP.2025 23:35:26

802.11ac80_5610MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 26.SEP.2025 23:36:44

802.11ac80_5690MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 26.SEP.2025 23:38:11

802.11ac80_5530MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:15:37

802.11ac80_5610MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:17:26

802.11ac80_5690MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:19:00

802.11ax20_5500MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:28:45

802.11ax20_5580MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:29:31

802.11ax20_5700MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:31:26

802.11ax20_5720MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:32:06

802.11ax20_5500MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 23:08:18

802.11ax20_5580MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 23:10:23

802.11ax20_5700MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 23:12:56

802.11ax20_5720MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 23:17:17

802.11ax40_5510MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:32:47

802.11ax40_5550MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:33:16

802.11ax40_5670MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:33:44

802.11ax40_5710MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:34:25

802.11ax40_5510MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:18:33

802.11ax40_5550MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:19:55

802.11ax40_5670MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:21:04

802.11ax40_5710MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:23:29

802.11ax80_5530MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 22:34:58

802.11ax80_5610MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 22:35:26

802.11ax80_5690MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 22:36:07

802.11ax80_5530MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:24:55

802.11ax80_5610MHz_RU_FULL_Chain 1



ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:28:27


802.11ax80_5690MHz_RU_FULL_Chain 1



ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:31:18


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 26.SEP.2025 23:44:11

802.11a_5785MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 26.SEP.2025 23:49:24

802.11a_5825MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 26.SEP.2025 23:52:29

802.11a_5745MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:22:27

802.11a_5785MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:24:49

802.11a_5825MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:26:29

802.11ac20_5745MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 26.SEP.2025 23:55:40

802.11ac20_5785MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 00:09:19

802.11ac20_5825MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 00:11:07

802.11ac20_5745MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:28:46

802.11ac20_5785MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:31:04

802.11ac20_5825MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 02:32:52

802.11ac40_5755MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 00:12:19

802.11ac40_5795MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaaster Liang
Date: 27.SEP.2025 00:13:24

802.11ac40_5755MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:34:15

802.11ac40_5795MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:35:22

802.11ac80_5775MHz_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 00:14:56

802.11ac80_5775MHz_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 02:38:04

802.11ax20_5745MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:08:57

802.11ax20_5785MHz_RU_FULL_Chain 0




ProjectNo.:2501V12497E-RF Tester:Kungfumaister Liang
Date: 27.SEP.2025 22:09:30


802.11ax20_5825MHz_RU_FULL_Chain 0




802.11ax20_5745MHz_RU_FULL_Chain 1




802.11ax20_5785MHz_RU_FULL_Chain 1




802.11ax20_5825MHz_RU_FULL_Chain 1




802.11ax40_5755MHz_RU_FULL_Chain 0



802.11ax40_5795MHz_RU_FULL_Chain 0




802.11ax40_5755MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:40:17

802.11ax40_5795MHz_RU_FULL_Chain 1




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:42:58

802.11ax80_5775MHz_RU_FULL_Chain 0



ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 22:11:47

802.11ax80_5775MHz_RU_FULL_Chain 1



ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 23:44:32

Duty Cycle**Test Information:**

Sample No.:	372D-3	Test Date:	2025/09/26~2025/09/27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:


Temperature: (°C)	25.4-25.8	Relative Humidity: (%)	49-51	ATM Pressure: (kPa)	101.1-101.4
------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Data:

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	1.351	1.454	92.92	0.32	740	1
802.11ac20	5200	1.272	1.374	92.58	0.33	786	1
802.11ac40	5190	0.636	0.738	86.18	0.65	1572	3
802.11ac80	5210	0.316	0.419	75.42	1.23	3165	5
802.11ax20_RU_FULL	5200	1.153	1.256	91.80	0.37	867	1
802.11ax40_RU_FULL	5190	0.616	0.719	85.67	0.67	1623	3
802.11ax80_RU_FULL	5210	0.332	0.434	76.50	1.16	3012	5


Duty Cycle = Ton/(Ton+Toff)*100%

802.11a_5200MHz




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 26.SEP.2025 21:41:03

802.11ac20_5200MHz




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 26.SEP.2025 21:43:43

802.11ac40_5190MHz




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 26.SEP.2025 21:45:17

802.11ac80_5210MHz




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 26.SEP.2025 21:46:55

802.11ax20_5200MHz_RU_FULL




ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 21:16:31

802.11ax40_5190MHz_RU_FULL



ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 21:18:09

802.11ax80_5210MHz_RU_FULL



ProjectNo.:2501V12497E-RF Tester:Kungfumaster Liang
Date: 27.SEP.2025 21:19:34

Frequency Stability**Test Information:**

Sample No.:	372D-3	Test Date:	2025/09/27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.4-25.8	Relative Humidity: (%)	49-51	ATM Pressure: (kPa)	101.1-101.4
------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Data:
5150-5250MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5170.108	5150.000	5249.808	5250.000
	20	8.36	5170.120	5150.000	5249.852	5250.000
	50	8.36	5170.429	5150.000	5249.662	5250.000
	-20	7.60	5170.204	5150.000	5249.729	5250.000
	20	7.60	5170.126	5150.000	5249.732	5250.000
	50	7.60	5170.136	5150.000	5249.773	5250.000
	-20	6.84	5170.247	5150.000	5249.651	5250.000
	20	6.84	5170.122	5150.000	5249.839	5250.000
	50	6.84	5170.337	5150.000	5249.666	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5170.164	5150.000	5249.881	5250.000
	20	8.36	5170.170	5150.000	5249.777	5250.000
	50	8.36	5170.085	5150.000	5249.921	5250.000
	-20	7.60	5170.276	5150.000	5249.626	5250.000
	20	7.60	5170.148	5150.000	5249.900	5250.000
	50	7.60	5170.126	5150.000	5249.738	5250.000
	-20	6.84	5170.166	5150.000	5249.787	5250.000
	20	6.84	5170.154	5150.000	5249.867	5250.000
	50	6.84	5170.258	5150.000	5249.814	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5170.191	5150.000	5249.890	5250.000
	20	8.36	5170.255	5150.000	5249.707	5250.000
	50	8.36	5170.391	5150.000	5249.681	5250.000
	-20	7.60	5170.042	5150.000	5249.843	5250.000
	20	7.60	5170.171	5150.000	5249.835	5250.000
	50	7.60	5170.129	5150.000	5249.967	5250.000
	-20	6.84	5170.195	5150.000	5249.820	5250.000
	20	6.84	5170.236	5150.000	5249.734	5250.000
	50	6.84	5170.271	5150.000	5249.741	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5170.152	5150.000	5249.933	5250.000
	20	8.36	5170.201	5150.000	5249.735	5250.000
	50	8.36	5170.342	5150.000	5249.749	5250.000
	-20	7.60	5170.238	5150.000	5249.685	5250.000
	20	7.60	5170.345	5150.000	5249.702	5250.000
	50	7.60	5170.264	5150.000	5249.701	5250.000
	-20	6.84	5170.100	5150.000	5249.925	5250.000
	20	6.84	5170.044	5150.000	5249.923	5250.000
	50	6.84	5170.103	5150.000	5249.876	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5170.144	5150.000	5249.901	5250.000
	20	8.36	5170.110	5150.000	5249.837	5250.000
	50	8.36	5170.355	5150.000	5249.651	5250.000
	-20	7.60	5170.186	5150.000	5249.716	5250.000
	20	7.60	5170.358	5150.000	5249.690	5250.000
	50	7.60	5170.156	5150.000	5249.708	5250.000
	-20	6.84	5170.376	5150.000	5249.577	5250.000
	20	6.84	5170.304	5150.000	5249.717	5250.000
	50	6.84	5170.138	5150.000	5249.934	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5170.131	5150.000	5249.950	5250.000
	20	8.36	5170.165	5150.000	5249.797	5250.000
	50	8.36	5170.361	5150.000	5249.711	5250.000
	-20	7.60	5170.132	5150.000	5249.753	5250.000
	20	7.60	5170.351	5150.000	5249.655	5250.000
	50	7.60	5170.279	5150.000	5249.817	5250.000
	-20	6.84	5170.285	5150.000	5249.730	5250.000
	20	6.84	5170.086	5150.000	5249.884	5250.000
	50	6.84	5170.331	5150.000	5249.681	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5170.332	5150.000	5249.753	5250.000
	20	8.36	5170.171	5150.000	5249.765	5250.000
	50	8.36	5170.252	5150.000	5249.839	5250.000
	-20	7.60	5170.118	5150.000	5249.805	5250.000
	20	7.60	5170.135	5150.000	5249.912	5250.000
	50	7.60	5170.264	5150.000	5249.701	5250.000
	-20	6.84	5170.190	5150.000	5249.835	5250.000
	20	6.84	5170.224	5150.000	5249.743	5250.000
	50	6.84	5170.133	5150.000	5249.846	5250.000

5250-5350MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5250.089	5250.000	5329.888	5350.000
	20	8.36	5250.107	5250.000	5329.765	5350.000
	50	8.36	5250.244	5250.000	5329.682	5350.000
	-20	7.60	5250.313	5250.000	5329.690	5350.000
	20	7.60	5250.240	5250.000	5329.738	5350.000
	50	7.60	5250.388	5250.000	5329.644	5350.000
	-20	6.84	5250.284	5250.000	5329.652	5350.000
	20	6.84	5250.332	5250.000	5329.599	5350.000
	50	6.84	5250.261	5250.000	5329.852	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5250.249	5250.000	5329.764	5350.000
	20	8.36	5250.225	5250.000	5329.841	5350.000
	50	8.36	5250.202	5250.000	5329.805	5350.000
	-20	7.60	5250.140	5250.000	5329.827	5350.000
	20	7.60	5250.104	5250.000	5329.770	5350.000
	50	7.60	5250.116	5250.000	5329.894	5350.000
	-20	6.84	5250.323	5250.000	5329.630	5350.000
	20	6.84	5250.322	5250.000	5329.652	5350.000
	50	6.84	5250.103	5250.000	5329.927	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5250.085	5250.000	5329.908	5350.000
	20	8.36	5250.278	5250.000	5329.765	5350.000
	50	8.36	5250.171	5250.000	5329.833	5350.000
	-20	7.60	5250.311	5250.000	5329.644	5350.000
	20	7.60	5250.212	5250.000	5329.727	5350.000
	50	7.60	5250.207	5250.000	5329.839	5350.000
	-20	6.84	5250.296	5250.000	5329.762	5350.000
	20	6.84	5250.221	5250.000	5329.686	5350.000
	50	6.84	5250.331	5250.000	5329.678	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5250.172	5250.000	5329.916	5350.000
	20	8.36	5250.181	5250.000	5329.753	5350.000
	50	8.36	5250.340	5250.000	5329.686	5350.000
	-20	7.60	5250.192	5250.000	5329.765	5350.000
	20	7.60	5250.161	5250.000	5329.866	5350.000
	50	7.60	5250.226	5250.000	5329.773	5350.000
	-20	6.84	5250.187	5250.000	5329.760	5350.000
	20	6.84	5250.079	5250.000	5329.914	5350.000
	50	6.84	5250.387	5250.000	5329.595	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5250.249	5250.000	5329.764	5350.000
	20	8.36	5250.225	5250.000	5329.841	5350.000
	50	8.36	5250.322	5250.000	5329.685	5350.000
	-20	7.60	5250.410	5250.000	5329.557	5350.000
	20	7.60	5250.074	5250.000	5329.800	5350.000
	50	7.60	5250.296	5250.000	5329.714	5350.000
	-20	6.84	5250.173	5250.000	5329.780	5350.000
	20	6.84	5250.082	5250.000	5329.892	5350.000
	50	6.84	5250.343	5250.000	5329.687	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5250.205	5250.000	5329.788	5350.000
	20	8.36	5250.248	5250.000	5329.795	5350.000
	50	8.36	5250.291	5250.000	5329.713	5350.000
	-20	7.60	5250.101	5250.000	5329.854	5350.000
	20	7.60	5250.332	5250.000	5329.607	5350.000
	50	7.60	5250.267	5250.000	5329.779	5350.000
	-20	6.84	5250.296	5250.000	5329.762	5350.000
	20	6.84	5250.161	5250.000	5329.746	5350.000
	50	6.84	5250.301	5250.000	5329.708	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5250.172	5250.000	5329.916	5350.000
	20	8.36	5250.121	5250.000	5329.813	5350.000
	50	8.36	5250.280	5250.000	5329.746	5350.000
	-20	7.60	5250.342	5250.000	5329.615	5350.000
	20	7.60	5250.101	5250.000	5329.926	5350.000
	50	7.60	5250.196	5250.000	5329.803	5350.000
	-20	6.84	5250.217	5250.000	5329.730	5350.000
	20	6.84	5250.349	5250.000	5329.644	5350.000
	50	6.84	5250.327	5250.000	5329.655	5350.000

5470-5725MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5490.062	5470.000	5709.859	5725.000
	20	8.36	5490.055	5470.000	5709.950	5725.000
	50	8.36	5490.189	5470.000	5709.675	5725.000
	-20	7.60	5490.270	5470.000	5709.678	5725.000
	20	7.60	5490.116	5470.000	5709.907	5725.000
	50	7.60	5490.089	5470.000	5709.889	5725.000
	-20	6.84	5490.403	5470.000	5709.681	5725.000
	20	6.84	5490.323	5470.000	5709.751	5725.000
	50	6.84	5490.351	5470.000	5709.580	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5490.226	5470.000	5709.828	5725.000
	20	8.36	5490.113	5470.000	5709.848	5725.000
	50	8.36	5490.164	5470.000	5709.736	5725.000
	-20	7.60	5490.194	5470.000	5709.783	5725.000
	20	7.60	5490.085	5470.000	5709.849	5725.000
	50	7.60	5490.146	5470.000	5709.816	5725.000
	-20	6.84	5490.127	5470.000	5709.871	5725.000
	20	6.84	5490.212	5470.000	5709.788	5725.000
	50	6.84	5490.336	5470.000	5709.690	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5490.178	5470.000	5689.872	5725.000
	20	8.36	5490.173	5470.000	5689.875	5725.000
	50	8.36	5490.198	5470.000	5689.819	5725.000
	-20	7.60	5490.141	5470.000	5689.905	5725.000
	20	7.60	5490.128	5470.000	5689.865	5725.000
	50	7.60	5490.199	5470.000	5689.801	5725.000
	-20	6.84	5490.300	5470.000	5689.656	5725.000
	20	6.84	5490.101	5470.000	5689.864	5725.000
	50	6.84	5490.328	5470.000	5689.687	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5490.232	5470.000	5649.678	5725.000
	20	8.36	5490.283	5470.000	5649.838	5725.000
	50	8.36	5490.313	5470.000	5649.631	5725.000
	-20	7.60	5490.199	5470.000	5649.746	5725.000
	20	7.60	5490.269	5470.000	5649.773	5725.000
	50	7.60	5490.088	5470.000	5649.830	5725.000
	-20	6.84	5490.381	5470.000	5649.719	5725.000
	20	6.84	5490.325	5470.000	5649.656	5725.000
	50	6.84	5490.334	5470.000	5649.682	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5490.286	5470.000	5709.768	5725.000
	20	8.36	5490.053	5470.000	5709.908	5725.000
	50	8.36	5490.074	5470.000	5709.826	5725.000
	-20	7.60	5490.074	5470.000	5709.903	5725.000
	20	7.60	5490.175	5470.000	5709.759	5725.000
	50	7.60	5490.176	5470.000	5709.786	5725.000
	-20	6.84	5490.307	5470.000	5709.691	5725.000
	20	6.84	5490.272	5470.000	5709.728	5725.000
	50	6.84	5490.126	5470.000	5709.900	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5490.198	5470.000	5689.852	5725.000
	20	8.36	5490.203	5470.000	5689.845	5725.000
	50	8.36	5490.138	5470.000	5689.879	5725.000
	-20	7.60	5490.171	5470.000	5689.875	5725.000
	20	7.60	5490.248	5470.000	5689.745	5725.000
	50	7.60	5490.079	5470.000	5689.921	5725.000
	-20	6.84	5490.360	5470.000	5689.596	5725.000
	20	6.84	5490.281	5470.000	5689.684	5725.000
	50	6.84	5490.118	5470.000	5689.897	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5490.112	5470.000	5649.798	5725.000
	20	8.36	5490.163	5470.000	5649.958	5725.000
	50	8.36	5490.163	5470.000	5649.781	5725.000
	-20	7.60	5490.349	5470.000	5649.596	5725.000
	20	7.60	5490.239	5470.000	5649.803	5725.000
	50	7.60	5490.058	5470.000	5649.860	5725.000
	-20	6.84	5490.231	5470.000	5649.869	5725.000
	20	6.84	5490.295	5470.000	5649.686	5725.000
	50	6.84	5490.364	5470.000	5649.652	5725.000

5725-5850MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5735.169	5725.000	5834.731	5850.000
	20	8.36	5735.220	5725.000	5834.745	5850.000
	50	8.36	5735.141	5725.000	5834.833	5850.000
	-20	7.60	5735.093	5725.000	5834.826	5850.000
	20	7.60	5735.257	5725.000	5834.737	5850.000
	50	7.60	5735.354	5725.000	5834.685	5850.000
	-20	6.84	5735.286	5725.000	5834.763	5850.000
	20	6.84	5735.163	5725.000	5834.782	5850.000
	50	6.84	5735.169	5725.000	5834.846	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5735.332	5725.000	5834.760	5850.000
	20	8.36	5735.175	5725.000	5834.715	5850.000
	50	8.36	5735.329	5725.000	5834.646	5850.000
	-20	7.60	5735.379	5725.000	5834.759	5850.000
	20	7.60	5735.193	5725.000	5834.839	5850.000
	50	7.60	5735.194	5725.000	5834.821	5850.000
	-20	6.84	5735.250	5725.000	5834.717	5850.000
	20	6.84	5735.251	5725.000	5834.727	5850.000
	50	6.84	5735.417	5725.000	5834.667	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5735.073	5725.000	5814.897	5850.000
	20	8.36	5735.172	5725.000	5814.890	5850.000
	50	8.36	5735.277	5725.000	5814.846	5850.000
	-20	7.60	5735.294	5725.000	5814.793	5850.000
	20	7.60	5735.209	5725.000	5814.829	5850.000
	50	7.60	5735.345	5725.000	5814.679	5850.000
	-20	6.84	5735.281	5725.000	5814.706	5850.000
	20	6.84	5735.266	5725.000	5814.713	5850.000
	50	6.84	5735.371	5725.000	5814.706	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5735.119	5725.000	5814.879	5850.000
	20	8.36	5735.068	5725.000	5814.909	5850.000
	50	8.36	5735.416	5725.000	5814.652	5850.000
	-20	7.60	5735.219	5725.000	5814.768	5850.000
	20	7.60	5735.345	5725.000	5814.677	5850.000
	50	7.60	5735.355	5725.000	5814.746	5850.000
	-20	6.84	5735.098	5725.000	5814.917	5850.000
	20	6.84	5735.387	5725.000	5814.594	5850.000
	50	6.84	5735.341	5725.000	5814.657	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5735.212	5725.000	5834.880	5850.000
	20	8.36	5735.115	5725.000	5834.775	5850.000
	50	8.36	5735.329	5725.000	5834.646	5850.000
	-20	7.60	5735.409	5725.000	5834.729	5850.000
	20	7.60	5735.193	5725.000	5834.839	5850.000
	50	7.60	5735.374	5725.000	5834.641	5850.000
	-20	6.84	5735.370	5725.000	5834.597	5850.000
	20	6.84	5735.251	5725.000	5834.727	5850.000
	50	6.84	5735.447	5725.000	5834.637	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5735.133	5725.000	5814.837	5850.000
	20	8.36	5735.172	5725.000	5814.890	5850.000
	50	8.36	5735.217	5725.000	5814.906	5850.000
	-20	7.60	5735.294	5725.000	5814.793	5850.000
	20	7.60	5735.179	5725.000	5814.859	5850.000
	50	7.60	5735.225	5725.000	5814.799	5850.000
	-20	6.84	5735.311	5725.000	5814.676	5850.000
	20	6.84	5735.266	5725.000	5814.713	5850.000
	50	6.84	5735.251	5725.000	5814.826	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5735.199	5725.000	5814.799	5850.000
	20	8.36	5735.038	5725.000	5814.939	5850.000
	50	8.36	5735.386	5725.000	5814.682	5850.000
	-20	7.60	5735.399	5725.000	5814.588	5850.000
	20	7.60	5735.195	5725.000	5814.827	5850.000
	50	7.60	5735.145	5725.000	5814.956	5850.000
	-20	6.84	5735.098	5725.000	5814.917	5850.000
	20	6.84	5735.207	5725.000	5814.774	5850.000
	50	6.84	5735.131	5725.000	5814.867	5850.000

RF EXPOSURE EVALUATION

RF Exposure

Applicable Standard

FCC§1.1310, §2.1093 and RSS-102 Issue 6.

Test Result

Compliance, please refer to the SAR report: 2504V12497E-SAA, 2504V12497E-SAB.

EUT PHOTOGRAPHS

Please refer to the attachment 2501V12497E-RF-EXP External photo and 2501V12497E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2501V12497E-RF-TSPC Test Setup photo.

******* END OF REPORT *******