



802.11ax20_5500MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:48:29

802.11ax20_5580MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:48:48

802.11ax20_5700MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:49:08

802.11ax20_5720MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:49:40

802.11ax20_5500MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:39:25

802.11ax20_5580MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:39:43

802.11ax20_5700MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:40:01

802.11ax20_5720MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:40:33

802.11ax40_5510MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:54:18

802.11ax40_5550MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:54:35

802.11ax40_5670MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:54:53

802.11ax40_5710MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:55:24

802.11ax40_5510MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:59:28

802.11ax40_5550MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:59:47

802.11ax40_5670MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:00:06

802.11ax40_5710MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:00:40

802.11ax80_5530MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:19:08

802.11ax80_5610MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:19:29

802.11ax80_5690MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:19:57

802.11ax80_5530MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:22:16

802.11ax80_5610MHz_RU_FULL_Chain 1



ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:24:54


802.11ax80_5690MHz_RU_FULL_Chain 1



ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:25:30


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:22:08

802.11a_5785MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:22:31

802.11a_5825MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:22:54

802.11a_5745MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:12:54

802.11a_5785MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:13:59

802.11a_5825MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:14:41

802.11ac20_5745MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:30:34

802.11ac20_5785MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:31:03

802.11ac20_5825MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:32:16

802.11ac20_5745MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:41:32

802.11ac20_5785MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:41:56

802.11ac20_5825MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:42:22

802.11ac40_5755MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:00:29

802.11ac40_5795MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:00:54

802.11ac40_5755MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:52:01

802.11ac40_5795MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 11:52:27

802.11ac80_5775MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:04:26

802.11ac80_5775MHz_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:08:44

802.11ax20_5745MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:50:02

802.11ax20_5785MHz_RU_FULL_Chain 0




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 12:50:21


802.11ax20_5825MHz_RU_FULL_Chain 0




802.11ax20_5745MHz_RU_FULL_Chain 1




802.11ax20_5785MHz_RU_FULL_Chain 1




802.11ax20_5825MHz_RU_FULL_Chain 1




802.11ax40_5755MHz_RU_FULL_Chain 0



802.11ax40_5795MHz_RU_FULL_Chain 0




802.11ax40_5755MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:01:05

802.11ax40_5795MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:01:24

802.11ax80_5775MHz_RU_FULL_Chain 0



ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:20:14

802.11ax80_5775MHz_RU_FULL_Chain 1




ProjectNo.:2501V28072E-RF Tester:Cheeb Huang
Date: 25.SEP.2025 13:25:53

Duty Cycle

Mode	Antenna	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	Chain 0	5200	1.351	1.454	92.92	0.32	740	1
802.11ac20	Chain 0	5200	1.266	1.370	92.41	0.34	790	1
802.11ac40	Chain 0	5190	0.631	0.735	85.85	0.66	1585	2
802.11ac80	Chain 0	5210	0.315	0.418	75.36	1.23	3175	5
802.11ax20_RU_Full	Chain 0	5200	1.153	1.256	91.80	0.37	867	1
802.11ax40_RU_Full	Chain 0	5190	0.614	0.719	85.40	0.69	1629	2
802.11ax80_RU_Full	Chain 0	5210	0.332	0.435	76.32	1.17	3012	5


Duty Cycle = Ton/(Ton+Toff)*100%

802.11a_5200MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Brian Li
Date: 13.AUG.2025 23:51:37

802.11ac20_5200MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Brian Li
Date: 13.AUG.2025 23:53:40

802.11ac40_5190MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Brian Li
Date: 13.AUG.2025 23:55:36

802.11ac80_5210MHz_Chain 0




ProjectNo.:2501V28072E-RF Tester:Brian Li
Date: 13.AUG.2025 23:56:48

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2501V28072E-RF Tester:Brian Li
Date: 13.AUG.2025 23:59:33

802.11ax40_5190MHz_RU_Full_Chain 0



ProjectNo.:2501V28072E-RF Tester:Brian Li
Date: 14.AUG.2025 00:01:47

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2501V28072E-RF Tester:Brian Li
Date: 14.AUG.2025 00:03:24

Frequency Stability**Test Data:**
5150-5250MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5171.919	5150.000	5248.128	5250.000
	20	8.36	5171.925	5150.000	5248.311	5250.000
	50	8.36	5171.821	5150.000	5248.145	5250.000
	-20	7.70	5171.775	5150.000	5248.292	5250.000
	20	7.70	5171.631	5150.000	5248.248	5250.000
	50	7.70	5171.658	5150.000	5248.130	5250.000
	-20	6.84	5171.814	5150.000	5248.252	5250.000
	20	6.84	5171.827	5150.000	5248.247	5250.000
	50	6.84	5171.592	5150.000	5248.208	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5171.681	5150.000	5248.254	5250.000
	20	8.36	5171.704	5150.000	5248.324	5250.000
	50	8.36	5171.648	5150.000	5248.283	5250.000
	-20	7.70	5171.780	5150.000	5248.412	5250.000
	20	7.70	5171.829	5150.000	5248.159	5250.000
	50	7.70	5171.798	5150.000	5248.095	5250.000
	-20	6.84	5171.719	5150.000	5248.251	5250.000
	20	6.84	5171.672	5150.000	5248.277	5250.000
	50	6.84	5171.686	5150.000	5248.048	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5171.959	5150.000	5248.153	5250.000
	20	8.36	5171.566	5150.000	5248.273	5250.000
	50	8.36	5171.947	5150.000	5248.159	5250.000
	-20	7.70	5171.719	5150.000	5248.213	5250.000
	20	7.70	5171.734	5150.000	5248.138	5250.000
	50	7.70	5171.809	5150.000	5248.413	5250.000
	-20	6.84	5171.598	5150.000	5248.312	5250.000
	20	6.84	5171.860	5150.000	5248.069	5250.000
	50	6.84	5171.622	5150.000	5248.292	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5171.754	5150.000	5248.251	5250.000
	20	8.36	5171.670	5150.000	5248.227	5250.000
	50	8.36	5171.641	5150.000	5248.254	5250.000
	-20	7.70	5171.565	5150.000	5248.252	5250.000
	20	7.70	5171.833	5150.000	5248.104	5250.000
	50	7.70	5171.639	5150.000	5248.130	5250.000
	-20	6.84	5171.802	5150.000	5248.108	5250.000
	20	6.84	5171.707	5150.000	5248.065	5250.000
	50	6.84	5171.640	5150.000	5248.356	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5171.767	5150.000	5248.232	5250.000
	20	8.36	5171.748	5150.000	5248.066	5250.000
	50	8.36	5171.911	5150.000	5248.332	5250.000
	-20	7.70	5171.781	5150.000	5248.178	5250.000
	20	7.70	5171.792	5150.000	5248.176	5250.000
	50	7.70	5171.526	5150.000	5248.262	5250.000
	-20	6.84	5171.745	5150.000	5248.326	5250.000
	20	6.84	5171.794	5150.000	5248.191	5250.000
	50	6.84	5171.792	5150.000	5248.158	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5171.944	5150.000	5248.134	5250.000
	20	8.36	5171.895	5150.000	5248.428	5250.000
	50	8.36	5171.611	5150.000	5248.221	5250.000
	-20	7.70	5171.734	5150.000	5248.290	5250.000
	20	7.70	5171.941	5150.000	5248.300	5250.000
	50	7.70	5171.928	5150.000	5248.246	5250.000
	-20	6.84	5171.838	5150.000	5248.098	5250.000
	20	6.84	5171.860	5150.000	5248.155	5250.000
	50	6.84	5171.693	5150.000	5248.351	5250.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5171.691	5150.000	5248.184	5250.000
	20	8.36	5171.827	5150.000	5248.192	5250.000
	50	8.36	5171.950	5150.000	5248.229	5250.000
	-20	7.70	5171.780	5150.000	5248.375	5250.000
	20	7.70	5171.919	5150.000	5248.414	5250.000
	50	7.70	5171.720	5150.000	5248.358	5250.000
	-20	6.84	5171.896	5150.000	5248.344	5250.000
	20	6.84	5171.741	5150.000	5248.383	5250.000
	50	6.84	5171.698	5150.000	5248.102	5250.000

5250-5350MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5251.750	5250.000	5328.217	5350.000
	20	8.36	5251.923	5250.000	5328.173	5350.000
	50	8.36	5251.834	5250.000	5328.352	5350.000
	-20	7.70	5251.807	5250.000	5328.203	5350.000
	20	7.70	5251.832	5250.000	5328.185	5350.000
	50	7.70	5251.843	5250.000	5328.313	5350.000
	-20	6.84	5251.772	5250.000	5328.220	5350.000
	20	6.84	5251.738	5250.000	5328.191	5350.000
	50	6.84	5251.738	5250.000	5328.083	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5251.635	5250.000	5328.230	5350.000
	20	8.36	5251.942	5250.000	5328.155	5350.000
	50	8.36	5251.949	5250.000	5328.216	5350.000
	-20	7.70	5251.726	5250.000	5328.044	5350.000
	20	7.70	5251.652	5250.000	5328.050	5350.000
	50	7.70	5251.874	5250.000	5328.286	5350.000
	-20	6.84	5251.629	5250.000	5328.192	5350.000
	20	6.84	5251.829	5250.000	5328.224	5350.000
	50	6.84	5251.643	5250.000	5328.200	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5251.798	5250.000	5328.124	5350.000
	20	8.36	5251.786	5250.000	5328.173	5350.000
	50	8.36	5251.762	5250.000	5328.316	5350.000
	-20	7.70	5251.829	5250.000	5328.202	5350.000
	20	7.70	5251.519	5250.000	5328.262	5350.000
	50	7.70	5251.786	5250.000	5328.328	5350.000
	-20	6.84	5251.727	5250.000	5328.279	5350.000
	20	6.84	5251.707	5250.000	5328.289	5350.000
	50	6.84	5251.828	5250.000	5328.261	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5251.674	5250.000	5328.188	5350.000
	20	8.36	5251.933	5250.000	5328.210	5350.000
	50	8.36	5252.004	5250.000	5328.236	5350.000
	-20	7.70	5251.850	5250.000	5328.027	5350.000
	20	7.70	5251.698	5250.000	5328.327	5350.000
	50	7.70	5251.880	5250.000	5328.198	5350.000
	-20	6.84	5251.752	5250.000	5328.283	5350.000
	20	6.84	5251.907	5250.000	5328.185	5350.000
	50	6.84	5251.738	5250.000	5328.156	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5251.706	5250.000	5328.260	5350.000
	20	8.36	5251.602	5250.000	5328.104	5350.000
	50	8.36	5251.852	5250.000	5328.018	5350.000
	-20	7.70	5251.622	5250.000	5328.215	5350.000
	20	7.70	5251.669	5250.000	5328.270	5350.000
	50	7.70	5251.805	5250.000	5328.164	5350.000
	-20	6.84	5251.765	5250.000	5328.174	5350.000
	20	6.84	5251.878	5250.000	5328.212	5350.000
	50	6.84	5251.834	5250.000	5328.114	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5251.929	5250.000	5328.348	5350.000
	20	8.36	5251.940	5250.000	5328.156	5350.000
	50	8.36	5251.698	5250.000	5328.160	5350.000
	-20	7.70	5251.669	5250.000	5328.188	5350.000
	20	7.70	5251.781	5250.000	5328.196	5350.000
	50	7.70	5251.722	5250.000	5328.281	5350.000
	-20	6.84	5251.680	5250.000	5328.115	5350.000
	20	6.84	5251.829	5250.000	5328.369	5350.000
	50	6.84	5251.921	5250.000	5328.218	5350.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5251.933	5250.000	5328.379	5350.000
	20	8.36	5251.606	5250.000	5328.162	5350.000
	50	8.36	5251.944	5250.000	5328.217	5350.000
	-20	7.70	5251.771	5250.000	5328.259	5350.000
	20	7.70	5251.571	5250.000	5328.357	5350.000
	50	7.70	5251.686	5250.000	5328.198	5350.000
	-20	6.84	5251.893	5250.000	5328.372	5350.000
	20	6.84	5251.935	5250.000	5328.140	5350.000
	50	6.84	5251.799	5250.000	5328.357	5350.000

5470-5725MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5491.884	5470.000	5708.223	5725.000
	20	8.36	5491.711	5470.000	5708.170	5725.000
	50	8.36	5491.817	5470.000	5708.240	5725.000
	-20	7.70	5491.639	5470.000	5708.222	5725.000
	20	7.70	5491.706	5470.000	5708.353	5725.000
	50	7.70	5491.719	5470.000	5708.231	5725.000
	-20	6.84	5491.896	5470.000	5708.147	5725.000
	20	6.84	5491.639	5470.000	5708.314	5725.000
	50	6.84	5491.843	5470.000	5708.254	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5491.749	5470.000	5708.200	5725.000
	20	8.36	5491.826	5470.000	5708.168	5725.000
	50	8.36	5491.681	5470.000	5708.116	5725.000
	-20	7.70	5491.870	5470.000	5708.142	5725.000
	20	7.70	5491.743	5470.000	5708.096	5725.000
	50	7.70	5491.731	5470.000	5708.307	5725.000
	-20	6.84	5491.739	5470.000	5708.233	5725.000
	20	6.84	5491.729	5470.000	5708.409	5725.000
	50	6.84	5491.788	5470.000	5708.416	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5491.707	5470.000	5678.701	5725.000
	20	8.36	5491.745	5470.000	5678.722	5725.000
	50	8.36	5491.758	5470.000	5678.624	5725.000
	-20	7.70	5491.806	5470.000	5678.747	5725.000
	20	7.70	5491.706	5470.000	5678.847	5725.000
	50	7.70	5491.547	5470.000	5678.929	5725.000
	-20	6.84	5491.962	5470.000	5678.814	5725.000
	20	6.84	5491.653	5470.000	5678.630	5725.000
	50	6.84	5491.662	5470.000	5678.494	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5491.520	5470.000	5568.980	5725.000
	20	8.36	5491.830	5470.000	5568.635	5725.000
	50	8.36	5491.811	5470.000	5568.707	5725.000
	-20	7.70	5491.793	5470.000	5568.707	5725.000
	20	7.70	5491.950	5470.000	5568.532	5725.000
	50	7.70	5491.888	5470.000	5568.835	5725.000
	-20	6.84	5491.679	5470.000	5568.773	5725.000
	20	6.84	5491.841	5470.000	5568.475	5725.000
	50	6.84	5491.797	5470.000	5568.703	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5491.917	5470.000	5708.270	5725.000
	20	8.36	5491.920	5470.000	5708.184	5725.000
	50	8.36	5491.817	5470.000	5708.287	5725.000
	-20	7.70	5491.701	5470.000	5708.214	5725.000
	20	7.70	5491.543	5470.000	5708.134	5725.000
	50	7.70	5491.775	5470.000	5708.174	5725.000
	-20	6.84	5491.786	5470.000	5708.082	5725.000
	20	6.84	5491.909	5470.000	5708.432	5725.000
	50	6.84	5491.915	5470.000	5708.201	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5491.777	5470.000	5678.831	5725.000
	20	8.36	5491.890	5470.000	5678.822	5725.000
	50	8.36	5491.915	5470.000	5678.647	5725.000
	-20	7.70	5491.711	5470.000	5678.722	5725.000
	20	7.70	5491.700	5470.000	5678.672	5725.000
	50	7.70	5491.624	5470.000	5678.564	5725.000
	-20	6.84	5491.718	5470.000	5678.664	5725.000
	20	6.84	5491.580	5470.000	5678.793	5725.000
	50	6.84	5491.658	5470.000	5678.768	5725.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5491.847	5470.000	5568.815	5725.000
	20	8.36	5491.639	5470.000	5568.717	5725.000
	50	8.36	5491.774	5470.000	5568.642	5725.000
	-20	7.70	5491.670	5470.000	5568.749	5725.000
	20	7.70	5491.746	5470.000	5568.831	5725.000
	50	7.70	5491.829	5470.000	5568.557	5725.000
	-20	6.84	5491.568	5470.000	5568.828	5725.000
	20	6.84	5491.546	5470.000	5568.710	5725.000
	50	6.84	5491.611	5470.000	5568.546	5725.000

5725-5850MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	8.36	5736.189	5725.000	5833.636	5850.000
	20	8.36	5736.433	5725.000	5833.554	5850.000
	50	8.36	5736.260	5725.000	5833.296	5850.000
	-20	7.70	5736.161	5725.000	5833.620	5850.000
	20	7.70	5736.195	5725.000	5833.374	5850.000
	50	7.70	5736.136	5725.000	5833.352	5850.000
	-20	6.84	5736.235	5725.000	5833.388	5850.000
	20	6.84	5736.161	5725.000	5833.374	5850.000
	50	6.84	5736.275	5725.000	5833.441	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	8.36	5736.328	5725.000	5833.600	5850.000
	20	8.36	5736.260	5725.000	5833.639	5850.000
	50	8.36	5736.305	5725.000	5833.508	5850.000
	-20	7.70	5736.435	5725.000	5833.259	5850.000
	20	7.70	5736.019	5725.000	5833.326	5850.000
	50	7.70	5736.102	5725.000	5833.453	5850.000
	-20	6.84	5736.249	5725.000	5833.610	5850.000
	20	6.84	5736.002	5725.000	5833.520	5850.000
	50	6.84	5736.260	5725.000	5833.566	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	8.36	5736.174	5725.000	5813.557	5850.000
	20	8.36	5736.249	5725.000	5813.334	5850.000
	50	8.36	5736.285	5725.000	5813.395	5850.000
	-20	7.70	5736.174	5725.000	5813.502	5850.000
	20	7.70	5736.163	5725.000	5813.583	5850.000
	50	7.70	5736.242	5725.000	5813.322	5850.000
	-20	6.84	5736.310	5725.000	5813.597	5850.000
	20	6.84	5736.399	5725.000	5813.377	5850.000
	50	6.84	5736.285	5725.000	5813.497	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	8.36	5736.347	5725.000	5813.412	5850.000
	20	8.36	5736.103	5725.000	5813.353	5850.000
	50	8.36	5736.463	5725.000	5813.490	5850.000
	-20	7.70	5736.243	5725.000	5813.364	5850.000
	20	7.70	5736.275	5725.000	5813.520	5850.000
	50	7.70	5736.224	5725.000	5813.562	5850.000
	-20	6.84	5736.106	5725.000	5813.305	5850.000
	20	6.84	5736.209	5725.000	5813.255	5850.000
	50	6.84	5736.270	5725.000	5813.307	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	8.36	5736.164	5725.000	5833.387	5850.000
	20	8.36	5736.295	5725.000	5833.335	5850.000
	50	8.36	5736.196	5725.000	5833.460	5850.000
	-20	7.70	5736.305	5725.000	5833.393	5850.000
	20	7.70	5736.245	5725.000	5833.507	5850.000
	50	7.70	5736.272	5725.000	5833.499	5850.000
	-20	6.84	5736.289	5725.000	5833.427	5850.000
	20	6.84	5736.262	5725.000	5833.583	5850.000
	50	6.84	5736.207	5725.000	5833.471	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	8.36	5736.130	5725.000	5813.403	5850.000
	20	8.36	5736.131	5725.000	5813.561	5850.000
	50	8.36	5736.370	5725.000	5813.405	5850.000
	-20	7.70	5736.466	5725.000	5813.371	5850.000
	20	7.70	5736.260	5725.000	5813.515	5850.000
	50	7.70	5736.423	5725.000	5813.483	5850.000
	-20	6.84	5736.284	5725.000	5813.384	5850.000
	20	6.84	5736.260	5725.000	5813.452	5850.000
	50	6.84	5736.394	5725.000	5813.258	5850.000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	8.36	5736.117	5725.000	5813.295	5850.000
	20	8.36	5736.318	5725.000	5813.599	5850.000
	50	8.36	5736.268	5725.000	5813.350	5850.000
	-20	7.70	5736.167	5725.000	5813.562	5850.000
	20	7.70	5736.422	5725.000	5813.533	5850.000
	50	7.70	5736.346	5725.000	5813.273	5850.000
	-20	6.84	5736.101	5725.000	5813.507	5850.000
	20	6.84	5736.132	5725.000	5813.308	5850.000
	50	6.84	5736.194	5725.000	5813.514	5850.000

RF EXPOSURE EVALUATION

RF Exposure

Applicable Standard

FCC§1.1310, §2.1093 and RSS-102 Issue 6.

Test Result

Compliance, please refer to the SAR report: 2504V28072E-SAA, 2504V28072E-SAB.

EUT PHOTOGRAPHS

Please refer to the attachment 2501V28072E-RF-EXP External photo and 2501V28072E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2501V28072E-RF-TSPB Test Setup photo.

******* END OF REPORT *******