

## 11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1581.900        | 38.69            | 74.0           | 35.31       | Peak     | 326.00         | 200         | Horizontal | Pass    |
| 1** | 1581.900        | 29.64            | 54.0           | 24.36       | AV       | 326.00         | 200         | Horizontal | Pass    |
| 2   | 4338.750        | 46.54            | 74.0           | 27.46       | Peak     | 187.00         | 300         | Horizontal | Pass    |
| 2** | 4338.750        | 37.77            | 54.0           | 16.23       | AV       | 187.00         | 300         | Horizontal | Pass    |
| 3   | 5231.750        | 108.68           | --             | --          | Peak     | 265.00         | 100         | Horizontal | N/A     |
| 3** | 5231.750        | 101.32           | --             | --          | AV       | 265.00         | 100         | Horizontal | N/A     |
| 4   | 8368.125        | 49.40            | 74.0           | 24.60       | Peak     | 54.00          | 100         | Horizontal | Pass    |
| 4** | 8368.125        | 44.73            | 54.0           | 9.27        | AV       | 54.00          | 100         | Horizontal | Pass    |
| 5   | 12443.862       | 53.60            | 74.0           | 20.40       | Peak     | 349.00         | 150         | Horizontal | Pass    |
| 5** | 12443.862       | 43.14            | 54.0           | 10.86       | AV       | 349.00         | 150         | Horizontal | Pass    |
| 6   | 15903.938       | 54.04            | 74.0           | 19.96       | Peak     | 251.00         | 100         | Horizontal | Pass    |
| 6** | 15903.938       | 44.37            | 54.0           | 9.63        | AV       | 251.00         | 100         | Horizontal | Pass    |

## 11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1590.300        | 38.73            | 74.0           | 35.27       | Peak     | 137.00         | 200         | Vertical | Pass    |
| 1** | 1590.300        | 28.37            | 54.0           | 25.63       | AV       | 137.00         | 200         | Vertical | Pass    |
| 2   | 4331.750        | 47.04            | 74.0           | 26.96       | Peak     | 12.00          | 100         | Vertical | Pass    |
| 2** | 4331.750        | 38.05            | 54.0           | 15.95       | AV       | 12.00          | 100         | Vertical | Pass    |
| 3   | 5223.000        | 100.38           | --             | --          | Peak     | 33.00          | 200         | Vertical | N/A     |
| 3** | 5223.000        | 92.38            | --             | --          | AV       | 33.00          | 200         | Vertical | N/A     |
| 4   | 8368.125        | 48.72            | 74.0           | 25.28       | Peak     | 204.00         | 100         | Vertical | Pass    |
| 4** | 8368.125        | 44.39            | 54.0           | 9.61        | AV       | 204.00         | 100         | Vertical | Pass    |
| 5   | 12501.576       | 52.96            | 74.0           | 21.04       | Peak     | 282.00         | 150         | Vertical | Pass    |
| 5** | 12501.576       | 43.93            | 54.0           | 10.07       | AV       | 282.00         | 150         | Vertical | Pass    |
| 6   | 16137.300       | 53.88            | 74.0           | 20.12       | Peak     | 243.00         | 300         | Vertical | Pass    |
| 6** | 16137.300       | 45.82            | 54.0           | 8.18        | AV       | 243.00         | 300         | Vertical | Pass    |

## 11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1452.500        | 38.47            | 74.0           | 35.53       | Peak     | 110.00         | 100         | Horizontal | Pass    |
| 1** | 1452.500        | 29.72            | 54.0           | 24.28       | AV       | 110.00         | 100         | Horizontal | Pass    |
| 2   | 4264.000        | 47.84            | 74.0           | 26.16       | Peak     | 360.00         | 200         | Horizontal | Pass    |
| 2** | 4264.000        | 38.65            | 54.0           | 15.35       | AV       | 360.00         | 200         | Horizontal | Pass    |
| 3   | 5181.000        | 109.96           | --             | --          | Peak     | 269.00         | 200         | Horizontal | N/A     |
| 3** | 5181.000        | 103.42           | --             | --          | AV       | 269.00         | 200         | Horizontal | N/A     |
| 4   | 8288.088        | 48.48            | 74.0           | 25.52       | Peak     | 45.00          | 100         | Horizontal | Pass    |
| 4** | 8288.088        | 44.83            | 54.0           | 9.17        | AV       | 45.00          | 100         | Horizontal | Pass    |
| 5   | 12469.037       | 53.35            | 74.0           | 20.65       | Peak     | 65.00          | 100         | Horizontal | Pass    |
| 5** | 12469.037       | 44.18            | 54.0           | 9.82        | AV       | 65.00          | 100         | Horizontal | Pass    |
| 6   | 15890.288       | 53.84            | 74.0           | 20.16       | Peak     | 140.00         | 400         | Horizontal | Pass    |
| 6** | 15890.288       | 44.16            | 54.0           | 9.84        | AV       | 140.00         | 400         | Horizontal | Pass    |

## 11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1494.000        | 38.70            | 74.0           | 35.30       | Peak     | 148.00         | 400         | Vertical | Pass    |
| 1** | 1494.000        | 30.86            | 54.0           | 23.14       | AV       | 148.00         | 400         | Vertical | Pass    |
| 2   | 4331.250        | 47.12            | 74.0           | 26.88       | Peak     | 189.00         | 100         | Vertical | Pass    |
| 2** | 4331.250        | 38.36            | 54.0           | 15.64       | AV       | 189.00         | 100         | Vertical | Pass    |
| 3   | 5182.000        | 101.19           | --             | --          | Peak     | 33.00          | 150         | Vertical | N/A     |
| 3** | 5182.000        | 94.11            | --             | --          | AV       | 33.00          | 150         | Vertical | N/A     |
| 4   | 8288.088        | 48.57            | 74.0           | 25.43       | Peak     | 360.00         | 100         | Vertical | Pass    |
| 4** | 8288.088        | 44.28            | 54.0           | 9.72        | AV       | 360.00         | 100         | Vertical | Pass    |
| 5   | 12512.737       | 53.40            | 74.0           | 20.60       | Peak     | 342.00         | 100         | Vertical | Pass    |
| 5** | 12512.737       | 43.56            | 54.0           | 10.44       | AV       | 342.00         | 100         | Vertical | Pass    |
| 6   | 15693.938       | 54.26            | 74.0           | 19.74       | Peak     | 197.00         | 100         | Vertical | Pass    |
| 6** | 15693.938       | 44.22            | 54.0           | 9.78        | AV       | 197.00         | 100         | Vertical | Pass    |

## 11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1447.400        | 38.12            | 74.0           | 35.88       | Peak     | 146.00         | 400         | Horizontal | Pass    |
| 1** | 1447.400        | 29.07            | 54.0           | 24.93       | AV       | 146.00         | 400         | Horizontal | Pass    |
| 2   | 4238.750        | 47.02            | 74.0           | 26.98       | Peak     | 0.00           | 100         | Horizontal | Pass    |
| 2** | 4238.750        | 37.19            | 54.0           | 16.81       | AV       | 0.00           | 100         | Horizontal | Pass    |
| 3   | 5215.250        | 110.10           | --             | --          | Peak     | 91.00          | 100         | Horizontal | N/A     |
| 3** | 5215.250        | 103.60           | --             | --          | AV       | 91.00          | 100         | Horizontal | N/A     |
| 4   | 8352.213        | 48.19            | 74.0           | 25.81       | Peak     | 89.00          | 100         | Horizontal | Pass    |
| 4** | 8352.213        | 44.79            | 54.0           | 9.21        | AV       | 89.00          | 100         | Horizontal | Pass    |
| 5   | 12494.451       | 53.18            | 74.0           | 20.82       | Peak     | 261.00         | 200         | Horizontal | Pass    |
| 5** | 12494.451       | 45.04            | 54.0           | 8.96        | AV       | 261.00         | 200         | Horizontal | Pass    |
| 6   | 15661.388       | 52.99            | 74.0           | 21.01       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 6** | 15661.388       | 47.68            | 54.0           | 6.32        | AV       | 360.00         | 100         | Horizontal | Pass    |

## 11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1536.900        | 38.71            | 74.0           | 35.29       | Peak     | 147.00         | 200         | Vertical | Pass    |
| 1** | 1536.900        | 28.60            | 54.0           | 25.40       | AV       | 147.00         | 200         | Vertical | Pass    |
| 2   | 4326.500        | 46.65            | 74.0           | 27.35       | Peak     | 346.00         | 400         | Vertical | Pass    |
| 2** | 4326.500        | 38.18            | 54.0           | 15.82       | AV       | 346.00         | 400         | Vertical | Pass    |
| 3   | 5221.250        | 103.85           | --             | --          | Peak     | 12.00          | 150         | Vertical | N/A     |
| 3** | 5221.250        | 96.84            | --             | --          | AV       | 12.00          | 150         | Vertical | N/A     |
| 4   | 8352.213        | 48.30            | 74.0           | 25.70       | Peak     | 190.00         | 100         | Vertical | Pass    |
| 4** | 8352.213        | 44.76            | 54.0           | 9.24        | AV       | 190.00         | 100         | Vertical | Pass    |
| 5   | 12467.613       | 53.36            | 74.0           | 20.64       | Peak     | 321.00         | 150         | Vertical | Pass    |
| 5** | 12467.613       | 43.82            | 54.0           | 10.18       | AV       | 321.00         | 150         | Vertical | Pass    |
| 6   | 16111.838       | 53.83            | 74.0           | 20.17       | Peak     | 50.00          | 400         | Vertical | Pass    |
| 6** | 16111.838       | 44.62            | 54.0           | 9.38        | AV       | 50.00          | 400         | Vertical | Pass    |

## 11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1484.800        | 38.87            | 74.0           | 35.13       | Peak     | 77.00          | 100         | Horizontal | Pass    |
| 1** | 1484.800        | 29.79            | 54.0           | 24.21       | AV       | 77.00          | 100         | Horizontal | Pass    |
| 2   | 4308.000        | 47.53            | 74.0           | 26.47       | Peak     | 0.00           | 400         | Horizontal | Pass    |
| 2** | 4308.000        | 38.28            | 54.0           | 15.72       | AV       | 0.00           | 400         | Horizontal | Pass    |
| 3   | 5240.750        | 108.84           | --             | --          | Peak     | 292.00         | 150         | Horizontal | N/A     |
| 3** | 5240.750        | 101.23           | --             | --          | AV       | 292.00         | 150         | Horizontal | N/A     |
| 4   | 8384.037        | 48.16            | 74.0           | 25.84       | Peak     | 229.00         | 100         | Horizontal | Pass    |
| 4** | 8384.037        | 44.20            | 54.0           | 9.80        | AV       | 229.00         | 100         | Horizontal | Pass    |
| 5   | 12485.425       | 52.92            | 74.0           | 21.08       | Peak     | 249.00         | 100         | Horizontal | Pass    |
| 5** | 12485.425       | 44.30            | 54.0           | 9.70        | AV       | 249.00         | 100         | Horizontal | Pass    |
| 6   | 15381.300       | 54.53            | 74.0           | 19.47       | Peak     | 357.00         | 100         | Horizontal | Pass    |
| 6** | 15381.300       | 43.80            | 54.0           | 10.20       | AV       | 357.00         | 100         | Horizontal | Pass    |

## 11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1625.000        | 39.04            | 74.0           | 34.96       | Peak     | 150.00         | 200         | Vertical | Pass    |
| 1** | 1625.000        | 29.87            | 54.0           | 24.13       | AV       | 150.00         | 200         | Vertical | Pass    |
| 2   | 4331.500        | 47.34            | 74.0           | 26.66       | Peak     | 360.00         | 100         | Vertical | Pass    |
| 2** | 4331.500        | 39.10            | 54.0           | 14.90       | AV       | 360.00         | 100         | Vertical | Pass    |
| 3   | 5236.250        | 98.67            | --             | --          | Peak     | 35.00          | 100         | Vertical | N/A     |
| 3** | 5236.250        | 90.54            | --             | --          | AV       | 35.00          | 100         | Vertical | N/A     |
| 4   | 8384.275        | 48.00            | 74.0           | 26.00       | Peak     | 127.00         | 100         | Vertical | Pass    |
| 4** | 8384.275        | 44.39            | 54.0           | 9.61        | AV       | 127.00         | 100         | Vertical | Pass    |
| 5   | 12506.325       | 53.23            | 74.0           | 20.77       | Peak     | 92.00          | 150         | Vertical | Pass    |
| 5** | 12506.325       | 43.92            | 54.0           | 10.08       | AV       | 92.00          | 150         | Vertical | Pass    |
| 6   | 16106.588       | 53.91            | 74.0           | 20.09       | Peak     | 86.00          | 200         | Vertical | Pass    |
| 6** | 16106.588       | 44.57            | 54.0           | 9.43        | AV       | 86.00          | 200         | Vertical | Pass    |

## 11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1588.000        | 38.67            | 74.0           | 35.33       | Peak     | 134.00         | 300         | Horizontal | Pass    |
| 1** | 1588.000        | 28.91            | 54.0           | 25.09       | AV       | 134.00         | 300         | Horizontal | Pass    |
| 2   | 4347.500        | 47.32            | 74.0           | 26.68       | Peak     | 53.00          | 400         | Horizontal | Pass    |
| 2** | 4347.500        | 38.78            | 54.0           | 15.22       | AV       | 53.00          | 400         | Horizontal | Pass    |
| 3   | 5180.500        | 107.52           | --             | --          | Peak     | 308.00         | 100         | Horizontal | N/A     |
| 3** | 5180.500        | 99.48            | --             | --          | AV       | 308.00         | 100         | Horizontal | N/A     |
| 4   | 7373.250        | 52.96            | 74.0           | 21.04       | Peak     | 360.00         | 200         | Horizontal | Pass    |
| 4** | 7373.250        | 44.39            | 54.0           | 9.61        | AV       | 360.00         | 200         | Horizontal | Pass    |
| 5   | 12446.950       | 53.37            | 74.0           | 20.63       | Peak     | 199.00         | 150         | Horizontal | Pass    |
| 5** | 12446.950       | 43.85            | 54.0           | 10.15       | AV       | 199.00         | 150         | Horizontal | Pass    |
| 6   | 16083.225       | 54.26            | 74.0           | 19.74       | Peak     | 116.00         | 300         | Horizontal | Pass    |
| 6** | 16083.225       | 44.66            | 54.0           | 9.34        | AV       | 116.00         | 300         | Horizontal | Pass    |

## 11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1496.300        | 39.42            | 74.0           | 34.58       | Peak     | 153.00         | 300         | Vertical | Pass    |
| 1** | 1496.300        | 29.02            | 54.0           | 24.98       | AV       | 153.00         | 300         | Vertical | Pass    |
| 2   | 4254.750        | 47.14            | 74.0           | 26.86       | Peak     | 213.00         | 100         | Vertical | Pass    |
| 2** | 4254.750        | 38.50            | 54.0           | 15.50       | AV       | 213.00         | 100         | Vertical | Pass    |
| 3   | 5179.000        | 97.45            | --             | --          | Peak     | 16.00          | 100         | Vertical | N/A     |
| 3** | 5179.000        | 89.98            | --             | --          | AV       | 16.00          | 100         | Vertical | N/A     |
| 4   | 8304.000        | 48.45            | 74.0           | 25.55       | Peak     | 307.00         | 100         | Vertical | Pass    |
| 4** | 8304.000        | 44.90            | 54.0           | 9.10        | AV       | 307.00         | 100         | Vertical | Pass    |
| 5   | 12452.888       | 54.25            | 74.0           | 19.75       | Peak     | 137.00         | 200         | Vertical | Pass    |
| 5** | 12452.888       | 44.11            | 54.0           | 9.89        | AV       | 137.00         | 200         | Vertical | Pass    |
| 6   | 15389.438       | 54.36            | 74.0           | 19.64       | Peak     | 360.00         | 100         | Vertical | Pass    |
| 6** | 15389.438       | 44.21            | 54.0           | 9.79        | AV       | 360.00         | 100         | Vertical | Pass    |

## 11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1561.600        | 38.46            | 74.0           | 35.54       | Peak     | 103.00         | 100         | Horizontal | Pass    |
| 1** | 1561.600        | 28.51            | 54.0           | 25.49       | AV       | 103.00         | 100         | Horizontal | Pass    |
| 2   | 4351.500        | 47.55            | 74.0           | 26.45       | Peak     | 313.00         | 300         | Horizontal | Pass    |
| 2** | 4351.500        | 38.96            | 54.0           | 15.04       | AV       | 313.00         | 300         | Horizontal | Pass    |
| 3   | 5245.250        | 109.59           | --             | --          | Peak     | 292.00         | 150         | Horizontal | N/A     |
| 3** | 5245.250        | 102.34           | --             | --          | AV       | 292.00         | 150         | Horizontal | N/A     |
| 4   | 7600.250        | 53.31            | 74.0           | 20.69       | Peak     | 114.00         | 100         | Horizontal | Pass    |
| 4** | 7600.250        | 44.50            | 54.0           | 9.50        | AV       | 114.00         | 100         | Horizontal | Pass    |
| 5   | 12517.963       | 53.24            | 74.0           | 20.76       | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 5** | 12517.963       | 43.82            | 54.0           | 10.18       | AV       | 4.00           | 150         | Horizontal | Pass    |
| 6   | 16130.737       | 54.08            | 74.0           | 19.92       | Peak     | 254.00         | 400         | Horizontal | Pass    |
| 6** | 16130.737       | 44.44            | 54.0           | 9.56        | AV       | 254.00         | 400         | Horizontal | Pass    |

## 11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1497.500        | 40.90            | 74.0           | 33.10       | Peak     | 178.00         | 400         | Vertical | Pass    |
| 1** | 1497.500        | 29.56            | 54.0           | 24.44       | AV       | 178.00         | 400         | Vertical | Pass    |
| 2   | 4183.250        | 47.31            | 74.0           | 26.69       | Peak     | 115.00         | 100         | Vertical | Pass    |
| 2** | 4183.250        | 37.11            | 54.0           | 16.89       | AV       | 115.00         | 100         | Vertical | Pass    |
| 3   | 5240.000        | 100.66           | --             | --          | Peak     | 360.00         | 200         | Vertical | N/A     |
| 3** | 5240.000        | 90.69            | --             | --          | AV       | 360.00         | 200         | Vertical | N/A     |
| 4   | 8368.125        | 50.13            | 74.0           | 23.87       | Peak     | 119.00         | 100         | Vertical | Pass    |
| 4** | 8368.125        | 44.58            | 54.0           | 9.42        | AV       | 119.00         | 100         | Vertical | Pass    |
| 5   | 12491.125       | 53.36            | 74.0           | 20.64       | Peak     | 0.00           | 200         | Vertical | Pass    |
| 5** | 12491.125       | 44.05            | 54.0           | 9.95        | AV       | 0.00           | 200         | Vertical | Pass    |
| 6   | 16045.162       | 54.13            | 74.0           | 19.87       | Peak     | 18.00          | 400         | Vertical | Pass    |
| 6** | 16045.162       | 43.68            | 54.0           | 10.32       | AV       | 18.00          | 400         | Vertical | Pass    |

## 11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1541.000        | 38.54            | 74.0           | 35.46       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 1** | 1541.000        | 28.92            | 54.0           | 25.08       | AV       | 360.00         | 100         | Horizontal | Pass    |
| 2   | 4349.500        | 47.16            | 74.0           | 26.84       | Peak     | 329.00         | 300         | Horizontal | Pass    |
| 2** | 4349.500        | 37.77            | 54.0           | 16.23       | AV       | 329.00         | 300         | Horizontal | Pass    |
| 3   | 5243.750        | 105.24           | --             | --          | Peak     | 289.00         | 150         | Horizontal | N/A     |
| 3** | 5243.750        | 96.22            | --             | --          | AV       | 289.00         | 150         | Horizontal | N/A     |
| 4   | 8336.062        | 48.54            | 74.0           | 25.46       | Peak     | 337.00         | 100         | Horizontal | Pass    |
| 4** | 8336.062        | 44.22            | 54.0           | 9.78        | AV       | 337.00         | 100         | Horizontal | Pass    |
| 5   | 12449.087       | 53.31            | 74.0           | 20.69       | Peak     | 273.00         | 100         | Horizontal | Pass    |
| 5** | 12449.087       | 43.79            | 54.0           | 10.21       | AV       | 273.00         | 100         | Horizontal | Pass    |
| 6   | 15878.213       | 54.50            | 74.0           | 19.50       | Peak     | 123.00         | 200         | Horizontal | Pass    |
| 6** | 15878.213       | 44.52            | 54.0           | 9.48        | AV       | 123.00         | 200         | Horizontal | Pass    |

## 11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1494.700        | 41.11            | 74.0           | 32.89       | Peak     | 129.00         | 300         | Vertical | Pass    |
| 1** | 1494.700        | 35.76            | 54.0           | 18.24       | AV       | 129.00         | 300         | Vertical | Pass    |
| 2   | 4248.750        | 47.50            | 74.0           | 26.50       | Peak     | 133.00         | 200         | Vertical | Pass    |
| 2** | 4248.750        | 38.08            | 54.0           | 15.92       | AV       | 133.00         | 200         | Vertical | Pass    |
| 3   | 5235.000        | 93.86            | --             | --          | Peak     | 360.00         | 100         | Vertical | N/A     |
| 3** | 5235.000        | 86.77            | --             | --          | AV       | 360.00         | 100         | Vertical | N/A     |
| 4   | 8336.062        | 48.78            | 74.0           | 25.22       | Peak     | 307.00         | 100         | Vertical | Pass    |
| 4** | 8336.062        | 44.63            | 54.0           | 9.37        | AV       | 307.00         | 100         | Vertical | Pass    |
| 5   | 12520.813       | 53.57            | 74.0           | 20.43       | Peak     | 24.00          | 200         | Vertical | Pass    |
| 5** | 12520.813       | 43.85            | 54.0           | 10.15       | AV       | 24.00          | 200         | Vertical | Pass    |
| 6   | 16101.862       | 54.37            | 74.0           | 19.63       | Peak     | 101.00         | 100         | Vertical | Pass    |
| 6** | 16101.862       | 44.47            | 54.0           | 9.53        | AV       | 101.00         | 100         | Vertical | Pass    |

## 11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1486.100        | 38.80            | 74.0           | 35.20       | Peak     | 151.00         | 200         | Horizontal | Pass    |
| 1** | 1486.100        | 28.77            | 54.0           | 25.23       | AV       | 151.00         | 200         | Horizontal | Pass    |
| 2   | 4258.250        | 47.32            | 74.0           | 26.68       | Peak     | 313.00         | 100         | Horizontal | Pass    |
| 2** | 4258.250        | 38.67            | 54.0           | 15.33       | AV       | 313.00         | 100         | Horizontal | Pass    |
| 3   | 5245.000        | 94.57            | --             | --          | Peak     | 293.00         | 150         | Horizontal | N/A     |
| 3** | 5245.000        | 86.78            | --             | --          | AV       | 293.00         | 150         | Horizontal | N/A     |
| 4   | 5404.500        | 52.87            | 74.0           | 21.13       | Peak     | 254.00         | 100         | Horizontal | Pass    |
| 4** | 5404.500        | 49.26            | 54.0           | 4.74        | AV       | 254.00         | 100         | Horizontal | Pass    |
| 5   | 12449.563       | 53.15            | 74.0           | 20.85       | Peak     | 140.00         | 150         | Horizontal | Pass    |
| 5** | 12449.563       | 44.72            | 54.0           | 9.28        | AV       | 140.00         | 150         | Horizontal | Pass    |
| 6   | 16132.312       | 55.14            | 74.0           | 18.86       | Peak     | 283.00         | 300         | Horizontal | Pass    |
| 6** | 16132.312       | 44.46            | 54.0           | 9.54        | AV       | 283.00         | 300         | Horizontal | Pass    |

## 11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1544.600        | 39.54            | 74.0           | 34.46       | Peak     | 149.00         | 400         | Vertical | Pass    |
| 1** | 1544.600        | 30.94            | 54.0           | 23.06       | AV       | 149.00         | 400         | Vertical | Pass    |
| 2   | 4331.750        | 47.39            | 74.0           | 26.61       | Peak     | 115.00         | 200         | Vertical | Pass    |
| 2** | 4331.750        | 38.65            | 54.0           | 15.35       | AV       | 115.00         | 200         | Vertical | Pass    |
| 3   | 5246.000        | 84.78            | --             | --          | Peak     | 16.00          | 150         | Vertical | N/A     |
| 3** | 5246.000        | 75.38            | --             | --          | AV       | 16.00          | 150         | Vertical | N/A     |
| 4   | 7599.500        | 53.54            | 74.0           | 20.46       | Peak     | 336.00         | 400         | Vertical | Pass    |
| 4** | 7599.500        | 44.50            | 54.0           | 9.50        | AV       | 336.00         | 400         | Vertical | Pass    |
| 5   | 12455.500       | 53.58            | 74.0           | 20.42       | Peak     | 82.00          | 200         | Vertical | Pass    |
| 5** | 12455.500       | 44.30            | 54.0           | 9.70        | AV       | 82.00          | 200         | Vertical | Pass    |
| 6   | 16122.338       | 54.49            | 74.0           | 19.51       | Peak     | 350.00         | 300         | Vertical | Pass    |
| 6** | 16122.338       | 44.75            | 54.0           | 9.25        | AV       | 350.00         | 300         | Vertical | Pass    |

## 11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1611.200        | 38.77            | 74.0           | 35.23       | Peak     | 195.00         | 100         | Horizontal | Pass    |
| 1** | 1611.200        | 28.89            | 54.0           | 25.11       | AV       | 195.00         | 100         | Horizontal | Pass    |
| 2   | 4257.750        | 47.45            | 74.0           | 26.55       | Peak     | 329.00         | 400         | Horizontal | Pass    |
| 2** | 4257.750        | 37.45            | 54.0           | 16.55       | AV       | 329.00         | 400         | Horizontal | Pass    |
| 3   | 5183.250        | 111.07           | --             | --          | Peak     | 251.00         | 150         | Horizontal | N/A     |
| 3** | 5183.250        | 104.12           | --             | --          | AV       | 251.00         | 150         | Horizontal | N/A     |
| 4   | 8288.088        | 50.35            | 74.0           | 23.65       | Peak     | 342.00         | 100         | Horizontal | Pass    |
| 4** | 8288.088        | 45.45            | 54.0           | 8.55        | AV       | 342.00         | 100         | Horizontal | Pass    |
| 5   | 12473.312       | 53.44            | 74.0           | 20.56       | Peak     | 84.00          | 100         | Horizontal | Pass    |
| 5** | 12473.312       | 44.75            | 54.0           | 9.25        | AV       | 84.00          | 100         | Horizontal | Pass    |
| 6   | 15899.475       | 54.09            | 74.0           | 19.91       | Peak     | 349.00         | 400         | Horizontal | Pass    |
| 6** | 15899.475       | 44.81            | 54.0           | 9.19        | AV       | 349.00         | 400         | Horizontal | Pass    |

## 11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1494.200        | 38.88            | 74.0           | 35.12       | Peak     | 125.00         | 300         | Vertical | Pass    |
| 1** | 1494.200        | 30.99            | 54.0           | 23.01       | AV       | 125.00         | 300         | Vertical | Pass    |
| 2   | 4358.250        | 47.19            | 74.0           | 26.81       | Peak     | 173.00         | 300         | Vertical | Pass    |
| 2** | 4358.250        | 38.05            | 54.0           | 15.95       | AV       | 173.00         | 300         | Vertical | Pass    |
| 3   | 5183.000        | 103.55           | --             | --          | Peak     | 360.00         | 150         | Vertical | N/A     |
| 3** | 5183.000        | 95.67            | --             | --          | AV       | 360.00         | 150         | Vertical | N/A     |
| 4   | 8288.088        | 49.63            | 74.0           | 24.37       | Peak     | 171.00         | 100         | Vertical | Pass    |
| 4** | 8288.088        | 46.17            | 54.0           | 7.83        | AV       | 171.00         | 100         | Vertical | Pass    |
| 5   | 12499.438       | 53.00            | 74.0           | 21.00       | Peak     | 351.00         | 200         | Vertical | Pass    |
| 5** | 12499.438       | 44.22            | 54.0           | 9.78        | AV       | 351.00         | 200         | Vertical | Pass    |
| 6   | 16133.888       | 54.60            | 74.0           | 19.40       | Peak     | 360.00         | 200         | Vertical | Pass    |
| 6** | 16133.888       | 45.24            | 54.0           | 8.76        | AV       | 360.00         | 200         | Vertical | Pass    |

## 11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1604.300        | 38.44            | 74.0           | 35.56       | Peak     | 277.00         | 200         | Horizontal | Pass    |
| 1** | 1604.300        | 28.62            | 54.0           | 25.38       | AV       | 277.00         | 200         | Horizontal | Pass    |
| 2   | 4332.500        | 47.07            | 74.0           | 26.93       | Peak     | 349.00         | 100         | Horizontal | Pass    |
| 2** | 4332.500        | 38.89            | 54.0           | 15.11       | AV       | 349.00         | 100         | Horizontal | Pass    |
| 3   | 5214.500        | 111.39           | --             | --          | Peak     | 133.00         | 100         | Horizontal | N/A     |
| 3** | 5214.500        | 103.81           | --             | --          | AV       | 133.00         | 100         | Horizontal | N/A     |
| 4   | 8352.213        | 49.04            | 74.0           | 24.96       | Peak     | 115.00         | 100         | Horizontal | Pass    |
| 4** | 8352.213        | 45.07            | 54.0           | 8.93        | AV       | 115.00         | 100         | Horizontal | Pass    |
| 5   | 10434.612       | 52.84            | 68.2           | 15.36       | Peak     | 322.00         | 100         | Horizontal | Pass    |
| 5** | 10434.612       | 46.16            | --             | --          | AV       | 322.00         | 100         | Horizontal | N/A     |
| 6   | 16126.012       | 54.65            | 74.0           | 19.35       | Peak     | 230.00         | 300         | Horizontal | Pass    |
| 6** | 16126.012       | 44.91            | 54.0           | 9.09        | AV       | 230.00         | 300         | Horizontal | Pass    |

## 11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1497.200        | 40.71            | 74.0           | 33.29       | Peak     | 134.00         | 200         | Vertical | Pass    |
| 1** | 1497.200        | 29.95            | 54.0           | 24.05       | AV       | 134.00         | 200         | Vertical | Pass    |
| 2   | 4346.500        | 47.30            | 74.0           | 26.70       | Peak     | 252.00         | 100         | Vertical | Pass    |
| 2** | 4346.500        | 37.46            | 54.0           | 16.54       | AV       | 252.00         | 100         | Vertical | Pass    |
| 3   | 5219.000        | 103.18           | --             | --          | Peak     | 0.00           | 200         | Vertical | N/A     |
| 3** | 5219.000        | 94.87            | --             | --          | AV       | 0.00           | 200         | Vertical | N/A     |
| 4   | 8352.213        | 49.01            | 74.0           | 24.99       | Peak     | 249.00         | 100         | Vertical | Pass    |
| 4** | 8352.213        | 45.30            | 54.0           | 8.70        | AV       | 249.00         | 100         | Vertical | Pass    |
| 5   | 12494.687       | 53.18            | 74.0           | 20.82       | Peak     | 191.00         | 200         | Vertical | Pass    |
| 5** | 12494.687       | 43.63            | 54.0           | 10.37       | AV       | 191.00         | 200         | Vertical | Pass    |
| 6   | 16153.312       | 54.36            | 74.0           | 19.64       | Peak     | 79.00          | 100         | Vertical | Pass    |
| 6** | 16153.312       | 44.76            | 54.0           | 9.24        | AV       | 79.00          | 100         | Vertical | Pass    |

## 11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1609.300        | 38.81            | 74.0           | 35.19       | Peak     | 0.00           | 100         | Horizontal | Pass    |
| 1** | 1609.300        | 29.72            | 54.0           | 24.28       | AV       | 0.00           | 100         | Horizontal | Pass    |
| 2   | 4347.500        | 47.24            | 74.0           | 26.76       | Peak     | 113.00         | 300         | Horizontal | Pass    |
| 2** | 4347.500        | 38.04            | 54.0           | 15.96       | AV       | 113.00         | 300         | Horizontal | Pass    |
| 3   | 5243.250        | 111.38           | --             | --          | Peak     | 290.00         | 200         | Horizontal | N/A     |
| 3** | 5243.250        | 103.97           | --             | --          | AV       | 290.00         | 200         | Horizontal | N/A     |
| 4   | 8384.275        | 49.14            | 74.0           | 24.86       | Peak     | 342.00         | 100         | Horizontal | Pass    |
| 4** | 8384.275        | 44.70            | 54.0           | 9.30        | AV       | 342.00         | 100         | Horizontal | Pass    |
| 5   | 10473.800       | 49.85            | 68.2           | 18.35       | Peak     | 74.00          | 100         | Horizontal | Pass    |
| 5** | 10473.800       | 47.51            | --             | --          | AV       | 74.00          | 100         | Horizontal | N/A     |
| 6   | 15719.663       | 54.83            | 74.0           | 19.17       | Peak     | 48.00          | 400         | Horizontal | Pass    |
| 6** | 15719.663       | 44.82            | 54.0           | 9.18        | AV       | 48.00          | 400         | Horizontal | Pass    |

## 11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1498.600        | 40.53            | 74.0           | 33.47       | Peak     | 142.00         | 300         | Vertical | Pass    |
| 1** | 1498.600        | 32.37            | 54.0           | 21.63       | AV       | 142.00         | 300         | Vertical | Pass    |
| 2   | 4325.000        | 47.09            | 74.0           | 26.91       | Peak     | 191.00         | 300         | Vertical | Pass    |
| 2** | 4325.000        | 38.82            | 54.0           | 15.18       | AV       | 191.00         | 300         | Vertical | Pass    |
| 3   | 5234.000        | 105.19           | --             | --          | Peak     | 360.00         | 150         | Vertical | N/A     |
| 3** | 5234.000        | 96.23            | --             | --          | AV       | 360.00         | 150         | Vertical | N/A     |
| 4   | 8384.275        | 47.73            | 74.0           | 26.27       | Peak     | 264.00         | 100         | Vertical | Pass    |
| 4** | 8384.275        | 44.80            | 54.0           | 9.20        | AV       | 264.00         | 100         | Vertical | Pass    |
| 5   | 10486.150       | 50.95            | 68.2           | 17.25       | Peak     | 52.00          | 100         | Vertical | Pass    |
| 5** | 10486.150       | 46.82            | --             | --          | AV       | 52.00          | 100         | Vertical | N/A     |
| 6   | 15886.612       | 54.15            | 74.0           | 19.85       | Peak     | 183.00         | 100         | Vertical | Pass    |
| 6** | 15886.612       | 44.09            | 54.0           | 9.91        | AV       | 183.00         | 100         | Vertical | Pass    |

## 11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1623.100        | 38.59            | 74.0           | 35.41       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 1** | 1623.100        | 29.28            | 54.0           | 24.72       | AV       | 360.00         | 100         | Horizontal | Pass    |
| 2   | 4348.500        | 47.26            | 74.0           | 26.74       | Peak     | 292.00         | 200         | Horizontal | Pass    |
| 2** | 4348.500        | 38.78            | 54.0           | 15.22       | AV       | 292.00         | 200         | Horizontal | Pass    |
| 3   | 5192.750        | 108.97           | --             | --          | Peak     | 310.00         | 100         | Horizontal | N/A     |
| 3** | 5192.750        | 100.33           | --             | --          | AV       | 310.00         | 100         | Horizontal | N/A     |
| 4   | 8304.000        | 49.78            | 74.0           | 24.22       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 4** | 8304.000        | 45.06            | 54.0           | 8.94        | AV       | 360.00         | 100         | Horizontal | Pass    |
| 5   | 12466.425       | 53.42            | 74.0           | 20.58       | Peak     | 360.00         | 150         | Horizontal | Pass    |
| 5** | 12466.425       | 44.74            | 54.0           | 9.26        | AV       | 360.00         | 150         | Horizontal | Pass    |
| 6   | 16137.300       | 54.24            | 74.0           | 19.76       | Peak     | 328.00         | 300         | Horizontal | Pass    |
| 6** | 16137.300       | 45.03            | 54.0           | 8.97        | AV       | 328.00         | 300         | Horizontal | Pass    |

## 11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1494.700        | 40.98            | 74.0           | 33.02       | Peak     | 125.00         | 100         | Vertical | Pass    |
| 1** | 1494.700        | 32.91            | 54.0           | 21.09       | AV       | 125.00         | 100         | Vertical | Pass    |
| 2   | 4341.000        | 47.61            | 74.0           | 26.39       | Peak     | 54.00          | 100         | Vertical | Pass    |
| 2** | 4341.000        | 37.79            | 54.0           | 16.21       | AV       | 54.00          | 100         | Vertical | Pass    |
| 3   | 5183.750        | 97.64            | --             | --          | Peak     | 360.00         | 100         | Vertical | N/A     |
| 3** | 5183.750        | 90.84            | --             | --          | AV       | 360.00         | 100         | Vertical | N/A     |
| 4   | 8304.000        | 48.75            | 74.0           | 25.25       | Peak     | 212.00         | 100         | Vertical | Pass    |
| 4** | 8304.000        | 44.84            | 54.0           | 9.16        | AV       | 212.00         | 100         | Vertical | Pass    |
| 5   | 12475.450       | 52.91            | 74.0           | 21.09       | Peak     | 327.00         | 100         | Vertical | Pass    |
| 5** | 12475.450       | 43.70            | 54.0           | 10.30       | AV       | 327.00         | 100         | Vertical | Pass    |
| 6   | 16104.487       | 54.30            | 74.0           | 19.70       | Peak     | 259.00         | 100         | Vertical | Pass    |
| 6** | 16104.487       | 44.57            | 54.0           | 9.43        | AV       | 259.00         | 100         | Vertical | Pass    |

## 11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1467.100        | 38.22            | 74.0           | 35.78       | Peak     | 159.00         | 300         | Horizontal | Pass    |
| 1** | 1467.100        | 28.95            | 54.0           | 25.05       | AV       | 159.00         | 300         | Horizontal | Pass    |
| 2   | 4322.000        | 47.03            | 74.0           | 26.97       | Peak     | 212.00         | 300         | Horizontal | Pass    |
| 2** | 4322.000        | 38.29            | 54.0           | 15.71       | AV       | 212.00         | 300         | Horizontal | Pass    |
| 3   | 5232.250        | 110.43           | --             | --          | Peak     | 290.00         | 100         | Horizontal | N/A     |
| 3** | 5232.250        | 102.09           | --             | --          | AV       | 290.00         | 100         | Horizontal | N/A     |
| 4   | 7579.000        | 53.62            | 74.0           | 20.38       | Peak     | 74.00          | 200         | Horizontal | Pass    |
| 4** | 7579.000        | 44.27            | 54.0           | 9.73        | AV       | 74.00          | 200         | Horizontal | Pass    |
| 5   | 12465.713       | 53.42            | 74.0           | 20.58       | Peak     | 264.00         | 150         | Horizontal | Pass    |
| 5** | 12465.713       | 44.74            | 54.0           | 9.26        | AV       | 264.00         | 150         | Horizontal | Pass    |
| 6   | 16119.713       | 53.97            | 74.0           | 20.03       | Peak     | 319.00         | 200         | Horizontal | Pass    |
| 6** | 16119.713       | 44.82            | 54.0           | 9.18        | AV       | 319.00         | 200         | Horizontal | Pass    |

## 11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1526.500        | 39.33            | 74.0           | 34.67       | Peak     | 144.00         | 400         | Vertical | Pass    |
| 1** | 1526.500        | 29.26            | 54.0           | 24.74       | AV       | 144.00         | 400         | Vertical | Pass    |
| 2   | 4359.750        | 46.91            | 74.0           | 27.09       | Peak     | 14.00          | 400         | Vertical | Pass    |
| 2** | 4359.750        | 37.98            | 54.0           | 16.02       | AV       | 14.00          | 400         | Vertical | Pass    |
| 3   | 5232.750        | 101.30           | --             | --          | Peak     | 35.00          | 100         | Vertical | N/A     |
| 3** | 5232.750        | 91.98            | --             | --          | AV       | 35.00          | 100         | Vertical | N/A     |
| 4   | 8368.125        | 48.09            | 74.0           | 25.91       | Peak     | 119.00         | 100         | Vertical | Pass    |
| 4** | 8368.125        | 44.88            | 54.0           | 9.12        | AV       | 119.00         | 100         | Vertical | Pass    |
| 5   | 12563.088       | 53.12            | 74.0           | 20.88       | Peak     | 0.00           | 100         | Vertical | Pass    |
| 5** | 12563.088       | 43.12            | 54.0           | 10.88       | AV       | 0.00           | 100         | Vertical | Pass    |
| 6   | 15912.337       | 54.13            | 74.0           | 19.87       | Peak     | 132.00         | 200         | Vertical | Pass    |
| 6** | 15912.337       | 44.72            | 54.0           | 9.28        | AV       | 132.00         | 200         | Vertical | Pass    |

## 11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1621.800        | 38.51            | 74.0           | 35.49       | Peak     | 257.00         | 300         | Horizontal | Pass    |
| 1** | 1621.800        | 29.47            | 54.0           | 24.53       | AV       | 257.00         | 300         | Horizontal | Pass    |
| 2   | 4363.000        | 47.00            | 74.0           | 27.00       | Peak     | 292.00         | 300         | Horizontal | Pass    |
| 2** | 4363.000        | 38.13            | 54.0           | 15.87       | AV       | 292.00         | 300         | Horizontal | Pass    |
| 3   | 5234.000        | 105.31           | --             | --          | Peak     | 292.00         | 200         | Horizontal | N/A     |
| 3** | 5234.000        | 96.11            | --             | --          | AV       | 292.00         | 200         | Horizontal | N/A     |
| 4   | 7360.500        | 53.43            | 74.0           | 20.57       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 4** | 7360.500        | 44.41            | 54.0           | 9.59        | AV       | 360.00         | 100         | Horizontal | Pass    |
| 5   | 12017.075       | 53.29            | 74.0           | 20.71       | Peak     | 193.00         | 100         | Horizontal | Pass    |
| 5** | 12017.075       | 43.45            | 54.0           | 10.55       | AV       | 193.00         | 100         | Horizontal | Pass    |
| 6   | 15912.863       | 54.16            | 74.0           | 19.84       | Peak     | 33.00          | 100         | Horizontal | Pass    |
| 6** | 15912.863       | 44.95            | 54.0           | 9.05        | AV       | 33.00          | 100         | Horizontal | Pass    |

## 11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1454.300        | 38.63            | 74.0           | 35.37       | Peak     | 140.00         | 300         | Vertical | Pass    |
| 1** | 1454.300        | 29.17            | 54.0           | 24.83       | AV       | 140.00         | 300         | Vertical | Pass    |
| 2   | 4341.000        | 47.62            | 74.0           | 26.38       | Peak     | 348.00         | 400         | Vertical | Pass    |
| 2** | 4341.000        | 38.24            | 54.0           | 15.76       | AV       | 348.00         | 400         | Vertical | Pass    |
| 3   | 5238.000        | 95.22            | --             | --          | Peak     | 360.00         | 200         | Vertical | N/A     |
| 3** | 5238.000        | 86.41            | --             | --          | AV       | 360.00         | 200         | Vertical | N/A     |
| 4   | 8336.062        | 48.70            | 74.0           | 25.30       | Peak     | 256.00         | 100         | Vertical | Pass    |
| 4** | 8336.062        | 43.84            | 54.0           | 10.16       | AV       | 256.00         | 100         | Vertical | Pass    |
| 5   | 12496.825       | 54.30            | 74.0           | 19.70       | Peak     | 140.00         | 150         | Vertical | Pass    |
| 5** | 12496.825       | 44.56            | 54.0           | 9.44        | AV       | 140.00         | 150         | Vertical | Pass    |
| 6   | 15712.050       | 53.85            | 74.0           | 20.15       | Peak     | 101.00         | 300         | Vertical | Pass    |
| 6** | 15712.050       | 44.11            | 54.0           | 9.89        | AV       | 101.00         | 300         | Vertical | Pass    |

## 11ax160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1447.900        | 38.51            | 74.0           | 35.49       | Peak     | 360.00         | 300         | Horizontal | Pass    |
| 1** | 1447.900        | 29.53            | 54.0           | 24.47       | AV       | 360.00         | 300         | Horizontal | Pass    |
| 2   | 4197.250        | 47.05            | 74.0           | 26.95       | Peak     | 134.00         | 300         | Horizontal | Pass    |
| 2** | 4197.250        | 37.58            | 54.0           | 16.42       | AV       | 134.00         | 300         | Horizontal | Pass    |
| 3   | 5245.750        | 96.44            | --             | --          | Peak     | 290.00         | 200         | Horizontal | N/A     |
| 3** | 5245.750        | 86.84            | --             | --          | AV       | 290.00         | 200         | Horizontal | N/A     |
| 4   | 5408.500        | 55.56            | 74.0           | 18.44       | Peak     | 232.00         | 100         | Horizontal | Pass    |
| 4** | 5408.500        | 50.45            | 54.0           | 3.55        | AV       | 232.00         | 100         | Horizontal | Pass    |
| 5   | 12487.088       | 53.67            | 74.0           | 20.33       | Peak     | 154.00         | 200         | Horizontal | Pass    |
| 5** | 12487.088       | 44.47            | 54.0           | 9.53        | AV       | 154.00         | 200         | Horizontal | Pass    |
| 6   | 16123.388       | 54.23            | 74.0           | 19.77       | Peak     | 258.00         | 400         | Horizontal | Pass    |
| 6** | 16123.388       | 45.38            | 54.0           | 8.62        | AV       | 258.00         | 400         | Horizontal | Pass    |

## 11ax160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1564.000        | 39.09            | 74.0           | 34.91       | Peak     | 313.00         | 400         | Vertical | Pass    |
| 1** | 1564.000        | 28.89            | 54.0           | 25.11       | AV       | 313.00         | 400         | Vertical | Pass    |
| 2   | 4317.000        | 48.31            | 74.0           | 25.69       | Peak     | 332.00         | 200         | Vertical | Pass    |
| 2** | 4317.000        | 37.88            | 54.0           | 16.12       | AV       | 332.00         | 200         | Vertical | Pass    |
| 3   | 5234.000        | 84.38            | --             | --          | Peak     | 360.00         | 100         | Vertical | N/A     |
| 3** | 5234.000        | 74.69            | --             | --          | AV       | 360.00         | 100         | Vertical | N/A     |
| 4   | 7597.250        | 53.29            | 74.0           | 20.71       | Peak     | 314.00         | 400         | Vertical | Pass    |
| 4** | 7597.250        | 44.28            | 54.0           | 9.72        | AV       | 314.00         | 400         | Vertical | Pass    |
| 5   | 12431.037       | 53.75            | 74.0           | 20.25       | Peak     | 360.00         | 100         | Vertical | Pass    |
| 5** | 12431.037       | 43.47            | 54.0           | 10.53       | AV       | 360.00         | 100         | Vertical | Pass    |
| 6   | 16147.276       | 53.88            | 74.0           | 20.12       | Peak     | 212.00         | 200         | Vertical | Pass    |
| 6** | 16147.276       | 44.22            | 54.0           | 9.78        | AV       | 212.00         | 200         | Vertical | Pass    |

## 11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1604.400        | 39.20            | 74.0           | 34.80       | Peak     | 193.00         | 400         | Horizontal | Pass    |
| 1** | 1604.400        | 29.21            | 54.0           | 24.79       | AV       | 193.00         | 400         | Horizontal | Pass    |
| 2   | 4135.000        | 47.17            | 74.0           | 26.83       | Peak     | 132.00         | 100         | Horizontal | Pass    |
| 2** | 4135.000        | 36.99            | 54.0           | 17.01       | AV       | 132.00         | 100         | Horizontal | Pass    |
| 3   | 5264.500        | 110.64           | --             | --          | Peak     | 132.00         | 200         | Horizontal | N/A     |
| 3** | 5264.500        | 103.36           | --             | --          | AV       | 132.00         | 200         | Horizontal | N/A     |
| 4   | 7645.750        | 53.18            | 74.0           | 20.82       | Peak     | 290.00         | 300         | Horizontal | Pass    |
| 4** | 7645.750        | 44.39            | 54.0           | 9.61        | AV       | 290.00         | 300         | Horizontal | Pass    |
| 5   | 12488.275       | 52.91            | 74.0           | 21.09       | Peak     | 349.00         | 150         | Horizontal | Pass    |
| 5** | 12488.275       | 44.55            | 54.0           | 9.45        | AV       | 349.00         | 150         | Horizontal | Pass    |
| 6   | 16135.725       | 53.67            | 74.0           | 20.33       | Peak     | 139.00         | 300         | Horizontal | Pass    |
| 6** | 16135.725       | 45.10            | 54.0           | 8.90        | AV       | 139.00         | 300         | Horizontal | Pass    |

## 11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1497.800        | 40.00            | 74.0           | 34.00       | Peak     | 127.00         | 100         | Vertical | Pass    |
| 1** | 1497.800        | 29.75            | 54.0           | 24.25       | AV       | 127.00         | 100         | Vertical | Pass    |
| 2   | 4292.000        | 48.05            | 74.0           | 25.95       | Peak     | 290.00         | 300         | Vertical | Pass    |
| 2** | 4292.000        | 37.25            | 54.0           | 16.75       | AV       | 290.00         | 300         | Vertical | Pass    |
| 3   | 5265.000        | 101.71           | --             | --          | Peak     | 360.00         | 200         | Vertical | N/A     |
| 3** | 5265.000        | 94.64            | --             | --          | AV       | 360.00         | 200         | Vertical | N/A     |
| 4   | 8416.100        | 49.15            | 74.0           | 24.85       | Peak     | 113.00         | 100         | Vertical | Pass    |
| 4** | 8416.100        | 44.85            | 54.0           | 9.15        | AV       | 113.00         | 100         | Vertical | Pass    |
| 5   | 10521.538       | 52.43            | 68.2           | 15.77       | Peak     | 329.00         | 100         | Vertical | Pass    |
| 5** | 10521.538       | 46.59            | --             | --          | AV       | 329.00         | 100         | Vertical | N/A     |
| 6   | 16115.775       | 54.40            | 74.0           | 19.60       | Peak     | 115.00         | 100         | Vertical | Pass    |
| 6** | 16115.775       | 44.80            | 54.0           | 9.20        | AV       | 115.00         | 100         | Vertical | Pass    |

## 11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1486.900        | 38.21            | 74.0           | 35.79       | Peak     | 28.00          | 400         | Horizontal | Pass    |
| 1** | 1486.900        | 29.23            | 54.0           | 24.77       | AV       | 28.00          | 400         | Horizontal | Pass    |
| 2   | 4336.500        | 47.13            | 74.0           | 26.87       | Peak     | 360.00         | 400         | Horizontal | Pass    |
| 2** | 4336.500        | 37.78            | 54.0           | 16.22       | AV       | 360.00         | 400         | Horizontal | Pass    |
| 3   | 5293.750        | 111.16           | --             | --          | Peak     | 137.00         | 100         | Horizontal | N/A     |
| 3** | 5293.750        | 105.00           | --             | --          | AV       | 137.00         | 100         | Horizontal | N/A     |
| 4   | 7583.250        | 53.32            | 74.0           | 20.68       | Peak     | 178.00         | 200         | Horizontal | Pass    |
| 4** | 7583.250        | 43.20            | 54.0           | 10.80       | AV       | 178.00         | 200         | Horizontal | Pass    |
| 5   | 10597.063       | 52.33            | 68.2           | 15.87       | Peak     | 52.00          | 100         | Horizontal | Pass    |
| 5** | 10597.063       | 47.42            | --             | --          | AV       | 52.00          | 100         | Horizontal | N/A     |
| 6   | 15883.725       | 53.90            | 74.0           | 20.10       | Peak     | 259.00         | 400         | Horizontal | Pass    |
| 6** | 15883.725       | 45.06            | 54.0           | 8.94        | AV       | 259.00         | 400         | Horizontal | Pass    |

## 11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1494.900        | 39.73            | 74.0           | 34.27       | Peak     | 125.00         | 100         | Vertical | Pass    |
| 1** | 1494.900        | 31.17            | 54.0           | 22.83       | AV       | 125.00         | 100         | Vertical | Pass    |
| 2   | 4176.000        | 47.16            | 74.0           | 26.84       | Peak     | 258.00         | 100         | Vertical | Pass    |
| 2** | 4176.000        | 37.91            | 54.0           | 16.09       | AV       | 258.00         | 100         | Vertical | Pass    |
| 3   | 5296.750        | 103.42           | --             | --          | Peak     | 36.00          | 150         | Vertical | N/A     |
| 3** | 5296.750        | 95.91            | --             | --          | AV       | 36.00          | 150         | Vertical | N/A     |
| 4   | 7646.250        | 53.01            | 74.0           | 20.99       | Peak     | 356.00         | 100         | Vertical | Pass    |
| 4** | 7646.250        | 43.60            | 54.0           | 10.40       | AV       | 356.00         | 100         | Vertical | Pass    |
| 5   | 10602.287       | 53.97            | 74.0           | 20.03       | Peak     | 52.00          | 100         | Vertical | Pass    |
| 5** | 10602.287       | 49.01            | 54.0           | 4.99        | AV       | 52.00          | 100         | Vertical | Pass    |
| 6   | 15898.424       | 54.42            | 74.0           | 19.58       | Peak     | 0.00           | 100         | Vertical | Pass    |
| 6** | 15898.424       | 45.29            | 54.0           | 8.71        | AV       | 0.00           | 100         | Vertical | Pass    |

## 11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1619.400        | 38.18            | 74.0           | 35.82       | Peak     | 310.00         | 100         | Horizontal | Pass    |
| 1** | 1619.400        | 29.37            | 54.0           | 24.63       | AV       | 310.00         | 100         | Horizontal | Pass    |
| 2   | 4241.000        | 47.61            | 74.0           | 26.39       | Peak     | 16.00          | 200         | Horizontal | Pass    |
| 2** | 4241.000        | 37.71            | 54.0           | 16.29       | AV       | 16.00          | 200         | Horizontal | Pass    |
| 3   | 5327.250        | 110.52           | --             | --          | Peak     | 134.00         | 150         | Horizontal | N/A     |
| 3** | 5327.250        | 103.37           | --             | --          | AV       | 134.00         | 150         | Horizontal | N/A     |
| 4   | 7357.000        | 53.51            | 74.0           | 20.49       | Peak     | 16.00          | 400         | Horizontal | Pass    |
| 4** | 7357.000        | 44.15            | 54.0           | 9.85        | AV       | 16.00          | 400         | Horizontal | Pass    |
| 5   | 10642.900       | 51.48            | 74.0           | 22.52       | Peak     | 213.00         | 100         | Horizontal | Pass    |
| 5** | 10642.900       | 45.66            | 54.0           | 8.34        | AV       | 213.00         | 100         | Horizontal | Pass    |
| 6   | 15893.701       | 54.36            | 74.0           | 19.64       | Peak     | 93.00          | 400         | Horizontal | Pass    |
| 6** | 15893.701       | 45.04            | 54.0           | 8.96        | AV       | 93.00          | 400         | Horizontal | Pass    |

## 11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1625.200        | 38.65            | 74.0           | 35.35       | Peak     | 25.00          | 100         | Vertical | Pass    |
| 1** | 1625.200        | 29.24            | 54.0           | 24.76       | AV       | 25.00          | 100         | Vertical | Pass    |
| 2   | 4208.750        | 47.10            | 74.0           | 26.90       | Peak     | 350.00         | 200         | Vertical | Pass    |
| 2** | 4208.750        | 37.76            | 54.0           | 16.24       | AV       | 350.00         | 200         | Vertical | Pass    |
| 3   | 5314.500        | 102.51           | --             | --          | Peak     | 16.00          | 100         | Vertical | N/A     |
| 3** | 5314.500        | 94.88            | --             | --          | AV       | 16.00          | 100         | Vertical | N/A     |
| 4   | 7709.500        | 53.94            | 74.0           | 20.06       | Peak     | 251.00         | 200         | Vertical | Pass    |
| 4** | 7709.500        | 43.17            | 54.0           | 10.83       | AV       | 251.00         | 200         | Vertical | Pass    |
| 5   | 10643.138       | 53.77            | 74.0           | 20.23       | Peak     | 326.00         | 100         | Vertical | Pass    |
| 5** | 10643.138       | 47.62            | 54.0           | 6.38        | AV       | 326.00         | 100         | Vertical | Pass    |
| 6   | 16105.800       | 54.23            | 74.0           | 19.77       | Peak     | 287.00         | 300         | Vertical | Pass    |
| 6** | 16105.800       | 45.26            | 54.0           | 8.74        | AV       | 287.00         | 300         | Vertical | Pass    |

## 11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1553.000        | 38.41            | 74.0           | 35.59       | Peak     | 360.00         | 400         | Horizontal | Pass    |
| 1** | 1553.000        | 28.95            | 54.0           | 25.05       | AV       | 360.00         | 400         | Horizontal | Pass    |
| 2   | 4332.000        | 47.10            | 74.0           | 26.90       | Peak     | 180.00         | 200         | Horizontal | Pass    |
| 2** | 4332.000        | 38.35            | 54.0           | 15.65       | AV       | 180.00         | 200         | Horizontal | Pass    |
| 3   | 5253.750        | 110.65           | --             | --          | Peak     | 299.00         | 100         | Horizontal | N/A     |
| 3** | 5253.750        | 104.15           | --             | --          | AV       | 299.00         | 100         | Horizontal | N/A     |
| 4   | 7488.250        | 53.26            | 74.0           | 20.74       | Peak     | 18.00          | 400         | Horizontal | Pass    |
| 4** | 7488.250        | 45.10            | 54.0           | 8.90        | AV       | 18.00          | 400         | Horizontal | Pass    |
| 5   | 10526.287       | 49.03            | 68.2           | 19.17       | Peak     | 323.00         | 100         | Horizontal | Pass    |
| 5** | 10526.287       | 45.57            | --             | --          | AV       | 323.00         | 100         | Horizontal | N/A     |
| 6   | 16120.237       | 54.49            | 74.0           | 19.51       | Peak     | 164.00         | 200         | Horizontal | Pass    |
| 6** | 16120.237       | 44.84            | 54.0           | 9.16        | AV       | 164.00         | 200         | Horizontal | Pass    |

## 11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1494.000        | 40.09            | 74.0           | 33.91       | Peak     | 134.00         | 100         | Vertical | Pass    |
| 1** | 1494.000        | 29.14            | 54.0           | 24.86       | AV       | 134.00         | 100         | Vertical | Pass    |
| 2   | 4258.000        | 47.98            | 74.0           | 26.02       | Peak     | 312.00         | 200         | Vertical | Pass    |
| 2** | 4258.000        | 37.97            | 54.0           | 16.03       | AV       | 312.00         | 200         | Vertical | Pass    |
| 3   | 5254.750        | 102.69           | --             | --          | Peak     | 360.00         | 200         | Vertical | N/A     |
| 3** | 5254.750        | 95.80            | --             | --          | AV       | 360.00         | 200         | Vertical | N/A     |
| 4   | 10514.175       | 53.22            | 68.2           | 14.98       | Peak     | 329.00         | 100         | Vertical | Pass    |
| 4** | 10514.175       | 46.53            | --             | --          | AV       | 329.00         | 100         | Vertical | N/A     |
| 5   | 12468.563       | 53.53            | 74.0           | 20.47       | Peak     | 106.00         | 200         | Vertical | Pass    |
| 5** | 12468.563       | 43.87            | 54.0           | 10.13       | AV       | 106.00         | 200         | Vertical | Pass    |
| 6   | 15780.037       | 53.84            | 74.0           | 20.16       | Peak     | 64.00          | 200         | Vertical | Pass    |
| 6** | 15780.037       | 44.69            | 54.0           | 9.31        | AV       | 64.00          | 200         | Vertical | Pass    |

## 11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1603.900        | 38.37            | 74.0           | 35.63       | Peak     | 1.00           | 400         | Horizontal | Pass    |
| 1** | 1603.900        | 28.63            | 54.0           | 25.37       | AV       | 1.00           | 400         | Horizontal | Pass    |
| 2   | 4363.500        | 47.38            | 74.0           | 26.62       | Peak     | 272.00         | 300         | Horizontal | Pass    |
| 2** | 4363.500        | 37.68            | 54.0           | 16.32       | AV       | 272.00         | 300         | Horizontal | Pass    |
| 3   | 5291.750        | 110.77           | --             | --          | Peak     | 272.00         | 150         | Horizontal | N/A     |
| 3** | 5291.750        | 103.80           | --             | --          | AV       | 272.00         | 150         | Horizontal | N/A     |
| 4   | 7425.250        | 53.04            | 74.0           | 20.96       | Peak     | 352.00         | 400         | Horizontal | Pass    |
| 4** | 7425.250        | 44.43            | 54.0           | 9.57        | AV       | 352.00         | 400         | Horizontal | Pass    |
| 5   | 10604.900       | 51.84            | 74.0           | 22.16       | Peak     | 26.00          | 100         | Horizontal | Pass    |
| 5** | 10604.900       | 46.22            | 54.0           | 7.78        | AV       | 26.00          | 100         | Horizontal | Pass    |
| 6   | 16146.750       | 54.46            | 74.0           | 19.54       | Peak     | 238.00         | 100         | Horizontal | Pass    |
| 6** | 16146.750       | 45.05            | 54.0           | 8.95        | AV       | 238.00         | 100         | Horizontal | Pass    |

## 11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1493.600        | 40.39            | 74.0           | 33.61       | Peak     | 133.00         | 200         | Vertical | Pass    |
| 1** | 1493.600        | 31.00            | 54.0           | 23.00       | AV       | 133.00         | 200         | Vertical | Pass    |
| 2   | 4287.500        | 47.38            | 74.0           | 26.62       | Peak     | 212.00         | 200         | Vertical | Pass    |
| 2** | 4287.500        | 37.56            | 54.0           | 16.44       | AV       | 212.00         | 200         | Vertical | Pass    |
| 3   | 5303.000        | 104.48           | --             | --          | Peak     | 16.00          | 150         | Vertical | N/A     |
| 3** | 5303.000        | 97.45            | --             | --          | AV       | 16.00          | 150         | Vertical | N/A     |
| 4   | 7357.250        | 53.50            | 74.0           | 20.50       | Peak     | 350.00         | 400         | Vertical | Pass    |
| 4** | 7357.250        | 44.39            | 54.0           | 9.61        | AV       | 350.00         | 400         | Vertical | Pass    |
| 5   | 10594.925       | 55.95            | 68.2           | 12.25       | Peak     | 123.00         | 100         | Vertical | Pass    |
| 5** | 10594.925       | 48.85            | --             | --          | AV       | 123.00         | 100         | Vertical | N/A     |
| 6   | 15891.599       | 54.01            | 74.0           | 19.99       | Peak     | 334.00         | 400         | Vertical | Pass    |
| 6** | 15891.599       | 45.02            | 54.0           | 8.98        | AV       | 334.00         | 400         | Vertical | Pass    |

## 11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1496.300        | 38.25            | 74.0           | 35.75       | Peak     | 211.00         | 300         | Horizontal | Pass    |
| 1** | 1496.300        | 29.09            | 54.0           | 24.91       | AV       | 211.00         | 300         | Horizontal | Pass    |
| 2   | 4260.500        | 47.31            | 74.0           | 26.69       | Peak     | 173.00         | 200         | Horizontal | Pass    |
| 2** | 4260.500        | 37.98            | 54.0           | 16.02       | AV       | 173.00         | 200         | Horizontal | Pass    |
| 3   | 5321.750        | 110.41           | --             | --          | Peak     | 233.00         | 100         | Horizontal | N/A     |
| 3** | 5321.750        | 103.51           | --             | --          | AV       | 233.00         | 100         | Horizontal | N/A     |
| 4   | 7586.500        | 52.82            | 74.0           | 21.18       | Peak     | 0.00           | 200         | Horizontal | Pass    |
| 4** | 7586.500        | 43.86            | 54.0           | 10.14       | AV       | 0.00           | 200         | Horizontal | Pass    |
| 5   | 12493.500       | 53.14            | 74.0           | 20.86       | Peak     | 360.00         | 200         | Horizontal | Pass    |
| 5** | 12493.500       | 43.62            | 54.0           | 10.38       | AV       | 360.00         | 200         | Horizontal | Pass    |
| 6   | 16132.050       | 54.08            | 74.0           | 19.92       | Peak     | 94.00          | 100         | Horizontal | Pass    |
| 6** | 16132.050       | 44.78            | 54.0           | 9.22        | AV       | 94.00          | 100         | Horizontal | Pass    |

## 11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1447.000        | 39.84            | 74.0           | 34.16       | Peak     | 186.00         | 400         | Vertical | Pass    |
| 1** | 1447.000        | 29.23            | 54.0           | 24.77       | AV       | 186.00         | 400         | Vertical | Pass    |
| 2   | 4329.250        | 47.69            | 74.0           | 26.31       | Peak     | 192.00         | 400         | Vertical | Pass    |
| 2** | 4329.250        | 37.87            | 54.0           | 16.13       | AV       | 192.00         | 400         | Vertical | Pass    |
| 3   | 5324.750        | 101.61           | --             | --          | Peak     | 192.00         | 100         | Vertical | N/A     |
| 3** | 5324.750        | 94.39            | --             | --          | AV       | 192.00         | 100         | Vertical | N/A     |
| 4   | 7361.000        | 53.06            | 74.0           | 20.94       | Peak     | 35.00          | 400         | Vertical | Pass    |
| 4** | 7361.000        | 44.36            | 54.0           | 9.64        | AV       | 35.00          | 400         | Vertical | Pass    |
| 5   | 10634.588       | 51.96            | 74.0           | 22.04       | Peak     | 327.00         | 100         | Vertical | Pass    |
| 5** | 10634.588       | 46.81            | 54.0           | 7.19        | AV       | 327.00         | 100         | Vertical | Pass    |
| 6   | 15901.050       | 54.38            | 74.0           | 19.62       | Peak     | 329.00         | 300         | Vertical | Pass    |
| 6** | 15901.050       | 46.69            | 54.0           | 7.31        | AV       | 329.00         | 300         | Vertical | Pass    |

## 11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1470.500        | 38.54            | 74.0           | 35.46       | Peak     | 77.00          | 100         | Horizontal | Pass    |
| 1** | 1470.500        | 28.83            | 54.0           | 25.17       | AV       | 77.00          | 100         | Horizontal | Pass    |
| 2   | 4134.000        | 47.34            | 74.0           | 26.66       | Peak     | 232.00         | 200         | Horizontal | Pass    |
| 2** | 4134.000        | 37.82            | 54.0           | 16.18       | AV       | 232.00         | 200         | Horizontal | Pass    |
| 3   | 5256.500        | 109.72           | --             | --          | Peak     | 290.00         | 200         | Horizontal | N/A     |
| 3** | 5256.500        | 102.20           | --             | --          | AV       | 290.00         | 200         | Horizontal | N/A     |
| 4   | 7610.000        | 53.11            | 74.0           | 20.89       | Peak     | 14.00          | 100         | Horizontal | Pass    |
| 4** | 7610.000        | 43.99            | 54.0           | 10.01       | AV       | 14.00          | 100         | Horizontal | Pass    |
| 5   | 12418.213       | 53.48            | 74.0           | 20.52       | Peak     | 286.00         | 100         | Horizontal | Pass    |
| 5** | 12418.213       | 43.81            | 54.0           | 10.19       | AV       | 286.00         | 100         | Horizontal | Pass    |
| 6   | 15897.638       | 53.70            | 74.0           | 20.30       | Peak     | 328.00         | 300         | Horizontal | Pass    |
| 6** | 15897.638       | 45.03            | 54.0           | 8.97        | AV       | 328.00         | 300         | Horizontal | Pass    |

## 11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1516.600        | 40.68            | 74.0           | 33.32       | Peak     | 177.00         | 200         | Vertical | Pass    |
| 1** | 1516.600        | 29.48            | 54.0           | 24.52       | AV       | 177.00         | 200         | Vertical | Pass    |
| 2   | 4303.750        | 47.24            | 74.0           | 26.76       | Peak     | 35.00          | 400         | Vertical | Pass    |
| 2** | 4303.750        | 38.19            | 54.0           | 15.81       | AV       | 35.00          | 400         | Vertical | Pass    |
| 3   | 5287.500        | 99.33            | --             | --          | Peak     | 35.00          | 200         | Vertical | N/A     |
| 3** | 5287.500        | 91.59            | --             | --          | AV       | 35.00          | 200         | Vertical | N/A     |
| 4   | 7370.000        | 53.33            | 74.0           | 20.67       | Peak     | 54.00          | 100         | Vertical | Pass    |
| 4** | 7370.000        | 44.22            | 54.0           | 9.78        | AV       | 54.00          | 100         | Vertical | Pass    |
| 5   | 12505.375       | 53.82            | 74.0           | 20.18       | Peak     | 183.00         | 150         | Vertical | Pass    |
| 5** | 12505.375       | 44.16            | 54.0           | 9.84        | AV       | 183.00         | 150         | Vertical | Pass    |
| 6   | 16127.062       | 54.81            | 74.0           | 19.19       | Peak     | 306.00         | 100         | Vertical | Pass    |
| 6** | 16127.062       | 45.18            | 54.0           | 8.82        | AV       | 306.00         | 100         | Vertical | Pass    |

## 11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1469.600        | 38.86            | 74.0           | 35.14       | Peak     | 11.00          | 200         | Horizontal | Pass    |
| 1** | 1469.600        | 28.94            | 54.0           | 25.06       | AV       | 11.00          | 200         | Horizontal | Pass    |
| 2   | 4262.500        | 47.37            | 74.0           | 26.63       | Peak     | 0.00           | 200         | Horizontal | Pass    |
| 2** | 4262.500        | 37.89            | 54.0           | 16.11       | AV       | 0.00           | 200         | Horizontal | Pass    |
| 3   | 5316.250        | 105.26           | --             | --          | Peak     | 311.00         | 200         | Horizontal | N/A     |
| 3** | 5316.250        | 97.31            | --             | --          | AV       | 311.00         | 200         | Horizontal | N/A     |
| 4   | 7360.750        | 53.33            | 74.0           | 20.67       | Peak     | 292.00         | 300         | Horizontal | Pass    |
| 4** | 7360.750        | 44.43            | 54.0           | 9.57        | AV       | 292.00         | 300         | Horizontal | Pass    |
| 5   | 12509.650       | 52.97            | 74.0           | 21.03       | Peak     | 205.00         | 200         | Horizontal | Pass    |
| 5** | 12509.650       | 43.87            | 54.0           | 10.13       | AV       | 205.00         | 200         | Horizontal | Pass    |
| 6   | 15901.575       | 54.51            | 74.0           | 19.49       | Peak     | 326.00         | 200         | Horizontal | Pass    |
| 6** | 15901.575       | 45.63            | 54.0           | 8.37        | AV       | 326.00         | 200         | Horizontal | Pass    |

## 11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1497.900        | 40.35            | 74.0           | 33.65       | Peak     | 123.00         | 400         | Vertical | Pass    |
| 1** | 1497.900        | 28.80            | 54.0           | 25.20       | AV       | 123.00         | 400         | Vertical | Pass    |
| 2   | 4260.250        | 47.92            | 74.0           | 26.08       | Peak     | 191.00         | 200         | Vertical | Pass    |
| 2** | 4260.250        | 38.33            | 54.0           | 15.67       | AV       | 191.00         | 200         | Vertical | Pass    |
| 3   | 5303.000        | 95.98            | --             | --          | Peak     | 14.00          | 100         | Vertical | N/A     |
| 3** | 5303.000        | 87.79            | --             | --          | AV       | 14.00          | 100         | Vertical | N/A     |
| 4   | 7627.000        | 53.30            | 74.0           | 20.70       | Peak     | 113.00         | 200         | Vertical | Pass    |
| 4** | 7627.000        | 43.49            | 54.0           | 10.51       | AV       | 113.00         | 200         | Vertical | Pass    |
| 5   | 12452.888       | 53.15            | 74.0           | 20.85       | Peak     | 62.00          | 200         | Vertical | Pass    |
| 5** | 12452.888       | 43.86            | 54.0           | 10.14       | AV       | 62.00          | 200         | Vertical | Pass    |
| 6   | 15873.487       | 54.12            | 74.0           | 19.88       | Peak     | 229.00         | 100         | Vertical | Pass    |
| 6** | 15873.487       | 45.28            | 54.0           | 8.72        | AV       | 229.00         | 100         | Vertical | Pass    |

## 11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1576.000        | 38.58            | 74.0           | 35.42       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 1** | 1576.000        | 28.86            | 54.0           | 25.14       | AV       | 360.00         | 100         | Horizontal | Pass    |
| 2   | 4107.500        | 47.40            | 74.0           | 26.60       | Peak     | 253.00         | 300         | Horizontal | Pass    |
| 2** | 4107.500        | 36.93            | 54.0           | 17.07       | AV       | 253.00         | 300         | Horizontal | Pass    |
| 3   | 5252.000        | 110.83           | --             | --          | Peak     | 292.00         | 150         | Horizontal | N/A     |
| 3** | 5252.000        | 105.05           | --             | --          | AV       | 292.00         | 150         | Horizontal | N/A     |
| 4   | 7365.000        | 52.99            | 74.0           | 21.01       | Peak     | 14.00          | 400         | Horizontal | Pass    |
| 4** | 7365.000        | 45.06            | 54.0           | 8.94        | AV       | 14.00          | 400         | Horizontal | Pass    |
| 5   | 10515.363       | 49.38            | 68.2           | 18.82       | Peak     | 38.00          | 100         | Horizontal | Pass    |
| 5** | 10515.363       | 45.57            | --             | --          | AV       | 38.00          | 100         | Horizontal | N/A     |
| 6   | 16127.062       | 53.96            | 74.0           | 20.04       | Peak     | 292.00         | 300         | Horizontal | Pass    |
| 6** | 16127.062       | 45.03            | 54.0           | 8.97        | AV       | 292.00         | 300         | Horizontal | Pass    |

## 11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1494.200        | 39.21            | 74.0           | 34.79       | Peak     | 125.00         | 100         | Vertical | Pass    |
| 1** | 1494.200        | 29.41            | 54.0           | 24.59       | AV       | 125.00         | 100         | Vertical | Pass    |
| 2   | 4240.000        | 47.42            | 74.0           | 26.58       | Peak     | 94.00          | 400         | Vertical | Pass    |
| 2** | 4240.000        | 37.40            | 54.0           | 16.60       | AV       | 94.00          | 400         | Vertical | Pass    |
| 3   | 5265.000        | 101.73           | --             | --          | Peak     | 360.00         | 100         | Vertical | N/A     |
| 3** | 5265.000        | 94.67            | --             | --          | AV       | 360.00         | 100         | Vertical | N/A     |
| 4   | 7647.500        | 53.28            | 74.0           | 20.72       | Peak     | 36.00          | 400         | Vertical | Pass    |
| 4** | 7647.500        | 44.19            | 54.0           | 9.81        | AV       | 36.00          | 400         | Vertical | Pass    |
| 5   | 10514.888       | 51.75            | 68.2           | 16.45       | Peak     | 334.00         | 100         | Vertical | Pass    |
| 5** | 10514.888       | 47.28            | --             | --          | AV       | 334.00         | 100         | Vertical | N/A     |
| 6   | 15781.613       | 55.68            | 74.0           | 18.32       | Peak     | 26.00          | 400         | Vertical | Pass    |
| 6** | 15781.613       | 45.80            | 54.0           | 8.20        | AV       | 26.00          | 400         | Vertical | Pass    |

## 11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1451.200        | 39.11            | 74.0           | 34.89       | Peak     | 139.00         | 200         | Horizontal | Pass    |
| 1** | 1451.200        | 29.05            | 54.0           | 24.95       | AV       | 139.00         | 200         | Horizontal | Pass    |
| 2   | 4255.250        | 47.31            | 74.0           | 26.69       | Peak     | 94.00          | 200         | Horizontal | Pass    |
| 2** | 4255.250        | 38.26            | 54.0           | 15.74       | AV       | 94.00          | 200         | Horizontal | Pass    |
| 3   | 5302.000        | 110.59           | --             | --          | Peak     | 251.00         | 100         | Horizontal | N/A     |
| 3** | 5302.000        | 103.97           | --             | --          | AV       | 251.00         | 100         | Horizontal | N/A     |
| 4   | 7352.000        | 52.99            | 74.0           | 21.01       | Peak     | 290.00         | 300         | Horizontal | Pass    |
| 4** | 7352.000        | 44.45            | 54.0           | 9.55        | AV       | 290.00         | 300         | Horizontal | Pass    |
| 5   | 10605.850       | 53.47            | 74.0           | 20.53       | Peak     | 313.00         | 100         | Horizontal | Pass    |
| 5** | 10605.850       | 46.68            | 54.0           | 7.32        | AV       | 313.00         | 100         | Horizontal | Pass    |
| 6   | 16086.112       | 53.68            | 74.0           | 20.32       | Peak     | 222.00         | 100         | Horizontal | Pass    |
| 6** | 16086.112       | 44.69            | 54.0           | 9.31        | AV       | 222.00         | 100         | Horizontal | Pass    |

## 11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1497.600        | 38.92            | 74.0           | 35.08       | Peak     | 126.00         | 300         | Vertical | Pass    |
| 1** | 1497.600        | 29.70            | 54.0           | 24.30       | AV       | 126.00         | 300         | Vertical | Pass    |
| 2   | 4279.750        | 47.38            | 74.0           | 26.62       | Peak     | 113.00         | 300         | Vertical | Pass    |
| 2** | 4279.750        | 37.55            | 54.0           | 16.45       | AV       | 113.00         | 300         | Vertical | Pass    |
| 3   | 5293.250        | 102.75           | --             | --          | Peak     | 16.00          | 100         | Vertical | N/A     |
| 3** | 5293.250        | 95.95            | --             | --          | AV       | 16.00          | 100         | Vertical | N/A     |
| 4   | 7314.000        | 54.32            | 74.0           | 19.68       | Peak     | 292.00         | 100         | Vertical | Pass    |
| 4** | 7314.000        | 43.82            | 54.0           | 10.18       | AV       | 292.00         | 100         | Vertical | Pass    |
| 5   | 10604.425       | 52.05            | 74.0           | 21.95       | Peak     | 336.00         | 100         | Vertical | Pass    |
| 5** | 10604.425       | 47.75            | 54.0           | 6.25        | AV       | 336.00         | 100         | Vertical | Pass    |
| 6   | 15902.888       | 54.79            | 74.0           | 19.21       | Peak     | 199.00         | 100         | Vertical | Pass    |
| 6** | 15902.888       | 45.51            | 54.0           | 8.49        | AV       | 199.00         | 100         | Vertical | Pass    |

## 11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1524.700        | 38.37            | 74.0           | 35.63       | Peak     | 301.00         | 100         | Horizontal | Pass    |
| 1** | 1524.700        | 28.72            | 54.0           | 25.28       | AV       | 301.00         | 100         | Horizontal | Pass    |
| 2   | 4334.000        | 47.27            | 74.0           | 26.73       | Peak     | 212.00         | 300         | Horizontal | Pass    |
| 2** | 4334.000        | 37.88            | 54.0           | 16.12       | AV       | 212.00         | 300         | Horizontal | Pass    |
| 3   | 5327.000        | 110.75           | --             | --          | Peak     | 253.00         | 100         | Horizontal | N/A     |
| 3** | 5327.000        | 103.89           | --             | --          | AV       | 253.00         | 100         | Horizontal | N/A     |
| 4   | 7363.500        | 52.69            | 74.0           | 21.31       | Peak     | 14.00          | 100         | Horizontal | Pass    |
| 4** | 7363.500        | 44.31            | 54.0           | 9.69        | AV       | 14.00          | 100         | Horizontal | Pass    |
| 5   | 12501.812       | 53.90            | 74.0           | 20.10       | Peak     | 75.00          | 150         | Horizontal | Pass    |
| 5** | 12501.812       | 44.74            | 54.0           | 9.26        | AV       | 75.00          | 150         | Horizontal | Pass    |
| 6   | 15440.362       | 53.91            | 74.0           | 20.09       | Peak     | 238.00         | 200         | Horizontal | Pass    |
| 6** | 15440.362       | 44.72            | 54.0           | 9.28        | AV       | 238.00         | 200         | Horizontal | Pass    |

## 11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1435.300        | 39.35            | 74.0           | 34.65       | Peak     | 195.00         | 400         | Vertical | Pass    |
| 1** | 1435.300        | 30.65            | 54.0           | 23.35       | AV       | 195.00         | 400         | Vertical | Pass    |
| 2   | 4248.250        | 47.53            | 74.0           | 26.47       | Peak     | 0.00           | 200         | Vertical | Pass    |
| 2** | 4248.250        | 38.11            | 54.0           | 15.89       | AV       | 0.00           | 200         | Vertical | Pass    |
| 3   | 5314.250        | 102.18           | --             | --          | Peak     | 0.00           | 100         | Vertical | N/A     |
| 3** | 5314.250        | 95.00            | --             | --          | AV       | 0.00           | 100         | Vertical | N/A     |
| 4   | 7645.750        | 53.33            | 74.0           | 20.67       | Peak     | 253.00         | 400         | Vertical | Pass    |
| 4** | 7645.750        | 43.96            | 54.0           | 10.04       | AV       | 253.00         | 400         | Vertical | Pass    |
| 5   | 10635.775       | 51.23            | 74.0           | 22.77       | Peak     | 42.00          | 100         | Vertical | Pass    |
| 5** | 10635.775       | 47.25            | 54.0           | 6.75        | AV       | 42.00          | 100         | Vertical | Pass    |
| 6   | 16126.800       | 54.47            | 74.0           | 19.53       | Peak     | 318.00         | 300         | Vertical | Pass    |
| 6** | 16126.800       | 45.34            | 54.0           | 8.66        | AV       | 318.00         | 300         | Vertical | Pass    |

## 11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1602.100        | 38.42            | 74.0           | 35.58       | Peak     | 133.00         | 100         | Horizontal | Pass    |
| 1** | 1602.100        | 29.49            | 54.0           | 24.51       | AV       | 133.00         | 100         | Horizontal | Pass    |
| 2   | 4137.250        | 47.20            | 74.0           | 26.80       | Peak     | 272.00         | 200         | Horizontal | Pass    |
| 2** | 4137.250        | 38.32            | 54.0           | 15.68       | AV       | 272.00         | 200         | Horizontal | Pass    |
| 3   | 5283.000        | 108.94           | --             | --          | Peak     | 134.00         | 200         | Horizontal | N/A     |
| 3** | 5283.000        | 101.50           | --             | --          | AV       | 134.00         | 200         | Horizontal | N/A     |
| 4   | 7594.000        | 53.24            | 74.0           | 20.76       | Peak     | 55.00          | 400         | Horizontal | Pass    |
| 4** | 7594.000        | 44.08            | 54.0           | 9.92        | AV       | 55.00          | 400         | Horizontal | Pass    |
| 5   | 12447.188       | 53.59            | 74.0           | 20.41       | Peak     | 176.00         | 100         | Horizontal | Pass    |
| 5** | 12447.188       | 45.04            | 54.0           | 8.96        | AV       | 176.00         | 100         | Horizontal | Pass    |
| 6   | 16120.762       | 53.99            | 74.0           | 20.01       | Peak     | 360.00         | 400         | Horizontal | Pass    |
| 6** | 16120.762       | 44.93            | 54.0           | 9.07        | AV       | 360.00         | 400         | Horizontal | Pass    |

## 11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1565.900        | 39.05            | 74.0           | 34.95       | Peak     | 133.00         | 400         | Vertical | Pass    |
| 1** | 1565.900        | 29.65            | 54.0           | 24.35       | AV       | 133.00         | 400         | Vertical | Pass    |
| 2   | 4367.500        | 47.86            | 74.0           | 26.14       | Peak     | 0.00           | 200         | Vertical | Pass    |
| 2** | 4367.500        | 37.81            | 54.0           | 16.19       | AV       | 0.00           | 200         | Vertical | Pass    |
| 3   | 5278.500        | 99.04            | --             | --          | Peak     | 0.00           | 200         | Vertical | N/A     |
| 3** | 5278.500        | 91.62            | --             | --          | AV       | 0.00           | 200         | Vertical | N/A     |
| 4   | 7365.250        | 52.99            | 74.0           | 21.01       | Peak     | 192.00         | 100         | Vertical | Pass    |
| 4** | 7365.250        | 44.46            | 54.0           | 9.54        | AV       | 192.00         | 100         | Vertical | Pass    |
| 5   | 12469.987       | 53.21            | 74.0           | 20.79       | Peak     | 360.00         | 100         | Vertical | Pass    |
| 5** | 12469.987       | 44.64            | 54.0           | 9.36        | AV       | 360.00         | 100         | Vertical | Pass    |
| 6   | 15908.662       | 54.12            | 74.0           | 19.88       | Peak     | 43.00          | 400         | Vertical | Pass    |
| 6** | 15908.662       | 44.67            | 54.0           | 9.33        | AV       | 43.00          | 400         | Vertical | Pass    |

## 11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1583.800        | 38.99            | 74.0           | 35.01       | Peak     | 86.00          | 200         | Horizontal | Pass    |
| 1** | 1583.800        | 28.86            | 54.0           | 25.14       | AV       | 86.00          | 200         | Horizontal | Pass    |
| 2   | 4209.000        | 47.76            | 74.0           | 26.24       | Peak     | 311.00         | 100         | Horizontal | Pass    |
| 2** | 4209.000        | 37.39            | 54.0           | 16.61       | AV       | 311.00         | 100         | Horizontal | Pass    |
| 3   | 5297.250        | 105.67           | --             | --          | Peak     | 311.00         | 200         | Horizontal | N/A     |
| 3** | 5297.250        | 97.79            | --             | --          | AV       | 311.00         | 200         | Horizontal | N/A     |
| 4   | 7428.250        | 54.26            | 74.0           | 19.74       | Peak     | 152.00         | 400         | Horizontal | Pass    |
| 4** | 7428.250        | 44.24            | 54.0           | 9.76        | AV       | 152.00         | 400         | Horizontal | Pass    |
| 5   | 12541.712       | 53.35            | 74.0           | 20.65       | Peak     | 55.00          | 150         | Horizontal | Pass    |
| 5** | 12541.712       | 43.38            | 54.0           | 10.62       | AV       | 55.00          | 150         | Horizontal | Pass    |
| 6   | 15917.325       | 54.46            | 74.0           | 19.54       | Peak     | 65.00          | 200         | Horizontal | Pass    |
| 6** | 15917.325       | 46.13            | 54.0           | 7.87        | AV       | 65.00          | 200         | Horizontal | Pass    |

## 11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1496.800        | 40.37            | 74.0           | 33.63       | Peak     | 130.00         | 300         | Vertical | Pass    |
| 1** | 1496.800        | 29.61            | 54.0           | 24.39       | AV       | 130.00         | 300         | Vertical | Pass    |
| 2   | 4145.250        | 47.19            | 74.0           | 26.81       | Peak     | 253.00         | 400         | Vertical | Pass    |
| 2** | 4145.250        | 36.57            | 54.0           | 17.43       | AV       | 253.00         | 400         | Vertical | Pass    |
| 3   | 5295.250        | 94.20            | --             | --          | Peak     | 360.00         | 200         | Vertical | N/A     |
| 3** | 5295.250        | 86.69            | --             | --          | AV       | 360.00         | 200         | Vertical | N/A     |
| 4   | 7483.000        | 53.74            | 74.0           | 20.26       | Peak     | 76.00          | 200         | Vertical | Pass    |
| 4** | 7483.000        | 44.56            | 54.0           | 9.44        | AV       | 76.00          | 200         | Vertical | Pass    |
| 5   | 12434.125       | 53.12            | 74.0           | 20.88       | Peak     | 210.00         | 100         | Vertical | Pass    |
| 5** | 12434.125       | 43.47            | 54.0           | 10.53       | AV       | 210.00         | 100         | Vertical | Pass    |
| 6   | 15897.900       | 53.96            | 74.0           | 20.04       | Peak     | 72.00          | 300         | Vertical | Pass    |
| 6** | 15897.900       | 44.82            | 54.0           | 9.18        | AV       | 72.00          | 300         | Vertical | Pass    |

## 11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1608.600        | 38.64            | 74.0           | 35.36       | Peak     | 195.00         | 200         | Horizontal | Pass    |
| 1** | 1608.600        | 29.47            | 54.0           | 24.53       | AV       | 195.00         | 200         | Horizontal | Pass    |
| 2   | 4351.000        | 46.70            | 74.0           | 27.30       | Peak     | 173.00         | 100         | Horizontal | Pass    |
| 2** | 4351.000        | 37.75            | 54.0           | 16.25       | AV       | 173.00         | 100         | Horizontal | Pass    |
| 3   | 5316.500        | 99.93            | --             | --          | Peak     | 290.00         | 200         | Horizontal | N/A     |
| 3** | 5316.500        | 91.98            | --             | --          | AV       | 290.00         | 200         | Horizontal | N/A     |
| 4   | 7442.750        | 53.15            | 74.0           | 20.85       | Peak     | 350.00         | 400         | Horizontal | Pass    |
| 4** | 7442.750        | 42.98            | 54.0           | 11.02       | AV       | 350.00         | 400         | Horizontal | Pass    |
| 5   | 11607.862       | 53.34            | 74.0           | 20.66       | Peak     | 354.00         | 100         | Horizontal | Pass    |
| 5** | 11607.862       | 43.53            | 54.0           | 10.47       | AV       | 354.00         | 100         | Horizontal | Pass    |
| 6   | 16108.951       | 53.91            | 74.0           | 20.09       | Peak     | 317.00         | 200         | Horizontal | Pass    |
| 6** | 16108.951       | 45.81            | 54.0           | 8.19        | AV       | 317.00         | 200         | Horizontal | Pass    |

## 11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1453.800        | 38.48            | 74.0           | 35.52       | Peak     | 96.00          | 200         | Vertical | Pass    |
| 1** | 1453.800        | 29.08            | 54.0           | 24.92       | AV       | 96.00          | 200         | Vertical | Pass    |
| 2   | 4347.000        | 47.05            | 74.0           | 26.95       | Peak     | 251.00         | 400         | Vertical | Pass    |
| 2** | 4347.000        | 38.18            | 54.0           | 15.82       | AV       | 251.00         | 400         | Vertical | Pass    |
| 3   | 5314.000        | 87.95            | --             | --          | Peak     | 16.00          | 150         | Vertical | N/A     |
| 3** | 5314.000        | 80.57            | --             | --          | AV       | 16.00          | 150         | Vertical | N/A     |
| 4   | 7604.000        | 53.31            | 74.0           | 20.69       | Peak     | 55.00          | 300         | Vertical | Pass    |
| 4** | 7604.000        | 44.17            | 54.0           | 9.83        | AV       | 55.00          | 300         | Vertical | Pass    |
| 5   | 12528.650       | 53.35            | 74.0           | 20.65       | Peak     | 312.00         | 150         | Vertical | Pass    |
| 5** | 12528.650       | 43.56            | 54.0           | 10.44       | AV       | 312.00         | 150         | Vertical | Pass    |
| 6   | 16114.201       | 53.57            | 74.0           | 20.43       | Peak     | 290.00         | 400         | Vertical | Pass    |
| 6** | 16114.201       | 44.40            | 54.0           | 9.60        | AV       | 290.00         | 400         | Vertical | Pass    |

## 11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1522.500        | 38.08            | 74.0           | 35.92       | Peak     | 360.00         | 200         | Horizontal | Pass    |
| 1** | 1522.500        | 28.98            | 54.0           | 25.02       | AV       | 360.00         | 200         | Horizontal | Pass    |
| 2   | 4309.250        | 47.60            | 74.0           | 26.40       | Peak     | 331.00         | 200         | Horizontal | Pass    |
| 2** | 4309.250        | 39.31            | 54.0           | 14.69       | AV       | 331.00         | 200         | Horizontal | Pass    |
| 3   | 5251.250        | 111.12           | --             | --          | Peak     | 312.00         | 200         | Horizontal | N/A     |
| 3** | 5251.250        | 103.73           | --             | --          | AV       | 312.00         | 200         | Horizontal | N/A     |
| 4   | 7427.750        | 52.68            | 74.0           | 21.32       | Peak     | 0.00           | 200         | Horizontal | Pass    |
| 4** | 7427.750        | 44.54            | 54.0           | 9.46        | AV       | 0.00           | 200         | Horizontal | Pass    |
| 5   | 12457.638       | 53.55            | 74.0           | 20.45       | Peak     | 107.00         | 200         | Horizontal | Pass    |
| 5** | 12457.638       | 44.06            | 54.0           | 9.94        | AV       | 107.00         | 200         | Horizontal | Pass    |
| 6   | 16134.938       | 54.68            | 74.0           | 19.32       | Peak     | 72.00          | 300         | Horizontal | Pass    |
| 6** | 16134.938       | 45.83            | 54.0           | 8.17        | AV       | 72.00          | 300         | Horizontal | Pass    |

## 11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1497.700        | 39.71            | 74.0           | 34.29       | Peak     | 121.00         | 300         | Vertical | Pass    |
| 1** | 1497.700        | 33.33            | 54.0           | 20.67       | AV       | 121.00         | 300         | Vertical | Pass    |
| 2   | 4273.250        | 47.05            | 74.0           | 26.95       | Peak     | 35.00          | 400         | Vertical | Pass    |
| 2** | 4273.250        | 37.47            | 54.0           | 16.53       | AV       | 35.00          | 400         | Vertical | Pass    |
| 3   | 5266.250        | 102.06           | --             | --          | Peak     | 94.00          | 150         | Vertical | N/A     |
| 3** | 5266.250        | 93.59            | --             | --          | AV       | 94.00          | 150         | Vertical | N/A     |
| 4   | 7426.750        | 53.17            | 74.0           | 20.83       | Peak     | 333.00         | 300         | Vertical | Pass    |
| 4** | 7426.750        | 43.14            | 54.0           | 10.86       | AV       | 333.00         | 300         | Vertical | Pass    |
| 5   | 10513.463       | 50.42            | 68.2           | 17.78       | Peak     | 104.00         | 100         | Vertical | Pass    |
| 5** | 10513.463       | 45.64            | --             | --          | AV       | 104.00         | 100         | Vertical | N/A     |
| 6   | 16019.174       | 54.58            | 74.0           | 19.42       | Peak     | 334.00         | 300         | Vertical | Pass    |
| 6** | 16019.174       | 43.69            | 54.0           | 10.31       | AV       | 334.00         | 300         | Vertical | Pass    |

## 11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1516.400        | 38.78            | 74.0           | 35.22       | Peak     | 360.00         | 200         | Horizontal | Pass    |
| 1** | 1516.400        | 28.82            | 54.0           | 25.18       | AV       | 360.00         | 200         | Horizontal | Pass    |
| 2   | 4255.750        | 47.59            | 74.0           | 26.41       | Peak     | 0.00           | 300         | Horizontal | Pass    |
| 2** | 4255.750        | 38.87            | 54.0           | 15.13       | AV       | 0.00           | 300         | Horizontal | Pass    |
| 3   | 5305.000        | 111.28           | --             | --          | Peak     | 311.00         | 150         | Horizontal | N/A     |
| 3** | 5305.000        | 103.81           | --             | --          | AV       | 311.00         | 150         | Horizontal | N/A     |
| 4   | 7606.500        | 53.79            | 74.0           | 20.21       | Peak     | 192.00         | 100         | Horizontal | Pass    |
| 4** | 7606.500        | 44.23            | 54.0           | 9.77        | AV       | 192.00         | 100         | Horizontal | Pass    |
| 5   | 10596.350       | 51.17            | 68.2           | 17.03       | Peak     | 327.00         | 100         | Horizontal | Pass    |
| 5** | 10596.350       | 45.71            | --             | -45.71      | AV       | 327.00         | 100         | Horizontal | N/A     |
| 6   | 16113.675       | 54.20            | 74.0           | 19.80       | Peak     | 224.00         | 200         | Horizontal | Pass    |
| 6** | 16113.675       | 45.31            | 54.0           | 8.69        | AV       | 224.00         | 200         | Horizontal | Pass    |

## 11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1496.000        | 40.37            | 74.0           | 33.63       | Peak     | 125.00         | 100         | Vertical | Pass    |
| 1** | 1496.000        | 28.68            | 54.0           | 25.32       | AV       | 125.00         | 100         | Vertical | Pass    |
| 2   | 4323.250        | 47.30            | 74.0           | 26.70       | Peak     | 74.00          | 200         | Vertical | Pass    |
| 2** | 4323.250        | 38.15            | 54.0           | 15.85       | AV       | 74.00          | 200         | Vertical | Pass    |
| 3   | 5299.500        | 104.99           | --             | --          | Peak     | 360.00         | 100         | Vertical | N/A     |
| 3** | 5299.500        | 94.93            | --             | --          | AV       | 360.00         | 100         | Vertical | N/A     |
| 4   | 7506.250        | 53.33            | 74.0           | 20.67       | Peak     | 232.00         | 200         | Vertical | Pass    |
| 4** | 7506.250        | 42.16            | 54.0           | 11.84       | AV       | 232.00         | 200         | Vertical | Pass    |
| 5   | 10603.475       | 55.25            | 74.0           | 18.75       | Peak     | 38.00          | 100         | Vertical | Pass    |
| 5** | 10603.475       | 47.78            | 54.0           | 6.22        | AV       | 38.00          | 100         | Vertical | Pass    |
| 6   | 15901.575       | 53.93            | 74.0           | 20.07       | Peak     | 207.00         | 400         | Vertical | Pass    |
| 6** | 15901.575       | 45.20            | 54.0           | 8.80        | AV       | 207.00         | 400         | Vertical | Pass    |

## 11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1602.700        | 38.76            | 74.0           | 35.24       | Peak     | 45.00          | 400         | Horizontal | Pass    |
| 1** | 1602.700        | 28.47            | 54.0           | 25.53       | AV       | 45.00          | 400         | Horizontal | Pass    |
| 2   | 4138.250        | 47.10            | 74.0           | 26.90       | Peak     | 152.00         | 100         | Horizontal | Pass    |
| 2** | 4138.250        | 37.72            | 54.0           | 16.28       | AV       | 152.00         | 100         | Horizontal | Pass    |
| 3   | 5316.500        | 111.18           | --             | --          | Peak     | 290.00         | 100         | Horizontal | N/A     |
| 3** | 5316.500        | 103.93           | --             | --          | AV       | 290.00         | 100         | Horizontal | N/A     |
| 4   | 7595.750        | 53.44            | 74.0           | 20.56       | Peak     | 360.00         | 300         | Horizontal | Pass    |
| 4** | 7595.750        | 43.37            | 54.0           | 10.63       | AV       | 360.00         | 300         | Horizontal | Pass    |
| 5   | 10643.849       | 49.66            | 74.0           | 24.34       | Peak     | 325.00         | 100         | Horizontal | Pass    |
| 5** | 10643.849       | 45.33            | 54.0           | 8.67        | AV       | 325.00         | 100         | Horizontal | Pass    |
| 6   | 15902.363       | 54.28            | 74.0           | 19.72       | Peak     | 0.00           | 400         | Horizontal | Pass    |
| 6** | 15902.363       | 44.55            | 54.0           | 9.45        | AV       | 0.00           | 400         | Horizontal | Pass    |

## 11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1622.700        | 38.78            | 74.0           | 35.22       | Peak     | 213.00         | 400         | Vertical | Pass    |
| 1** | 1622.700        | 30.16            | 54.0           | 23.84       | AV       | 213.00         | 400         | Vertical | Pass    |
| 2   | 4333.000        | 47.56            | 74.0           | 26.44       | Peak     | 154.00         | 200         | Vertical | Pass    |
| 2** | 4333.000        | 38.22            | 54.0           | 15.78       | AV       | 154.00         | 200         | Vertical | Pass    |
| 3   | 5313.750        | 102.67           | --             | --          | Peak     | 360.00         | 200         | Vertical | N/A     |
| 3** | 5313.750        | 96.00            | --             | --          | AV       | 360.00         | 200         | Vertical | N/A     |
| 4   | 7372.500        | 53.38            | 74.0           | 20.62       | Peak     | 312.00         | 100         | Vertical | Pass    |
| 4** | 7372.500        | 43.86            | 54.0           | 10.14       | AV       | 312.00         | 100         | Vertical | Pass    |
| 5   | 10638.151       | 51.47            | 74.0           | 22.53       | Peak     | 16.00          | 100         | Vertical | Pass    |
| 5** | 10638.151       | 48.67            | 54.0           | 5.33        | AV       | 16.00          | 100         | Vertical | Pass    |
| 6   | 16116.300       | 54.28            | 74.0           | 19.72       | Peak     | 336.00         | 300         | Vertical | Pass    |
| 6** | 16116.300       | 44.92            | 54.0           | 9.08        | AV       | 336.00         | 300         | Vertical | Pass    |

## 11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1450.900        | 38.51            | 74.0           | 35.49       | Peak     | 310.00         | 300         | Horizontal | Pass    |
| 1** | 1450.900        | 28.93            | 54.0           | 25.07       | AV       | 310.00         | 300         | Horizontal | Pass    |
| 2   | 4255.000        | 47.35            | 74.0           | 26.65       | Peak     | 14.00          | 100         | Horizontal | Pass    |
| 2** | 4255.000        | 38.14            | 54.0           | 15.86       | AV       | 14.00          | 100         | Horizontal | Pass    |
| 3   | 5262.500        | 108.80           | --             | --          | Peak     | 131.00         | 200         | Horizontal | N/A     |
| 3** | 5262.500        | 100.51           | --             | --          | AV       | 131.00         | 200         | Horizontal | N/A     |
| 4   | 7598.000        | 53.06            | 74.0           | 20.94       | Peak     | 326.00         | 100         | Horizontal | Pass    |
| 4** | 7598.000        | 43.66            | 54.0           | 10.34       | AV       | 326.00         | 100         | Horizontal | Pass    |
| 5   | 12488.037       | 53.42            | 74.0           | 20.58       | Peak     | 354.00         | 100         | Horizontal | Pass    |
| 5** | 12488.037       | 44.19            | 54.0           | 9.81        | AV       | 354.00         | 100         | Horizontal | Pass    |
| 6   | 15712.050       | 53.76            | 74.0           | 20.24       | Peak     | 154.00         | 300         | Horizontal | Pass    |
| 6** | 15712.050       | 45.06            | 54.0           | 8.94        | AV       | 154.00         | 300         | Horizontal | Pass    |

## 11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1436.400        | 39.20            | 74.0           | 34.80       | Peak     | 205.00         | 300         | Vertical | Pass    |
| 1** | 1436.400        | 31.64            | 54.0           | 22.36       | AV       | 205.00         | 300         | Vertical | Pass    |
| 2   | 4351.750        | 47.39            | 74.0           | 26.61       | Peak     | 0.00           | 200         | Vertical | Pass    |
| 2** | 4351.750        | 39.24            | 54.0           | 14.76       | AV       | 0.00           | 200         | Vertical | Pass    |
| 3   | 5268.500        | 99.38            | --             | --          | Peak     | 35.00          | 100         | Vertical | N/A     |
| 3** | 5268.500        | 90.91            | --             | --          | AV       | 35.00          | 100         | Vertical | N/A     |
| 4   | 8432.250        | 48.96            | 74.0           | 25.04       | Peak     | 224.00         | 100         | Vertical | Pass    |
| 4** | 8432.250        | 45.46            | 54.0           | 8.54        | AV       | 224.00         | 100         | Vertical | Pass    |
| 5   | 11809.025       | 52.88            | 74.0           | 21.12       | Peak     | 360.00         | 100         | Vertical | Pass    |
| 5** | 11809.025       | 42.96            | 54.0           | 11.04       | AV       | 360.00         | 100         | Vertical | Pass    |
| 6   | 15946.200       | 53.91            | 74.0           | 20.09       | Peak     | 251.00         | 200         | Vertical | Pass    |
| 6** | 15946.200       | 43.92            | 54.0           | 10.08       | AV       | 251.00         | 200         | Vertical | Pass    |

## 11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1440.200        | 38.64            | 74.0           | 35.36       | Peak     | 360.00         | 400         | Horizontal | Pass    |
| 1** | 1440.200        | 28.77            | 54.0           | 25.23       | AV       | 360.00         | 400         | Horizontal | Pass    |
| 2   | 4099.750        | 46.96            | 74.0           | 27.04       | Peak     | 74.00          | 300         | Horizontal | Pass    |
| 2** | 4099.750        | 36.53            | 54.0           | 17.47       | AV       | 74.00          | 300         | Horizontal | Pass    |
| 3   | 5325.000        | 109.84           | --             | --          | Peak     | 229.00         | 150         | Horizontal | N/A     |
| 3** | 5325.000        | 100.62           | --             | --          | AV       | 229.00         | 150         | Horizontal | N/A     |
| 4   | 7358.750        | 52.66            | 74.0           | 21.34       | Peak     | 346.00         | 300         | Horizontal | Pass    |
| 4** | 7358.750        | 44.22            | 54.0           | 9.78        | AV       | 346.00         | 300         | Horizontal | Pass    |
| 5   | 12548.838       | 53.99            | 74.0           | 20.01       | Peak     | 206.00         | 150         | Horizontal | Pass    |
| 5** | 12548.838       | 43.00            | 54.0           | 11.00       | AV       | 206.00         | 150         | Horizontal | Pass    |
| 6   | 15888.713       | 53.57            | 74.0           | 20.43       | Peak     | 162.00         | 200         | Horizontal | Pass    |
| 6** | 15888.713       | 45.34            | 54.0           | 8.66        | AV       | 162.00         | 200         | Horizontal | Pass    |

## 11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1495.200        | 38.96            | 74.0           | 35.04       | Peak     | 137.00         | 300         | Vertical | Pass    |
| 1** | 1495.200        | 32.66            | 54.0           | 21.34       | AV       | 137.00         | 300         | Vertical | Pass    |
| 2   | 4332.000        | 46.97            | 74.0           | 27.03       | Peak     | 210.00         | 300         | Vertical | Pass    |
| 2** | 4332.000        | 38.44            | 54.0           | 15.56       | AV       | 210.00         | 300         | Vertical | Pass    |
| 3   | 5309.000        | 99.09            | --             | --          | Peak     | 35.00          | 100         | Vertical | N/A     |
| 3** | 5309.000        | 92.46            | --             | --          | AV       | 35.00          | 100         | Vertical | N/A     |
| 4   | 7283.250        | 53.36            | 74.0           | 20.64       | Peak     | 229.00         | 400         | Vertical | Pass    |
| 4** | 7283.250        | 42.20            | 54.0           | 11.80       | AV       | 229.00         | 400         | Vertical | Pass    |
| 5   | 12460.488       | 53.17            | 74.0           | 20.83       | Peak     | 21.00          | 200         | Vertical | Pass    |
| 5** | 12460.488       | 44.95            | 54.0           | 9.05        | AV       | 21.00          | 200         | Vertical | Pass    |
| 6   | 16152.001       | 54.19            | 74.0           | 19.81       | Peak     | 98.00          | 300         | Vertical | Pass    |
| 6** | 16152.001       | 45.26            | 54.0           | 8.74        | AV       | 98.00          | 300         | Vertical | Pass    |

## 11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1480.600        | 38.77            | 74.0           | 35.23       | Peak     | 117.00         | 300         | Horizontal | Pass    |
| 1** | 1480.600        | 28.52            | 54.0           | 25.48       | AV       | 117.00         | 300         | Horizontal | Pass    |
| 2   | 4207.000        | 46.93            | 74.0           | 27.07       | Peak     | 190.00         | 200         | Horizontal | Pass    |
| 2** | 4207.000        | 37.81            | 54.0           | 16.19       | AV       | 190.00         | 200         | Horizontal | Pass    |
| 3   | 5304.250        | 107.49           | --             | --          | Peak     | 132.00         | 150         | Horizontal | N/A     |
| 3** | 5304.250        | 98.98            | --             | --          | AV       | 132.00         | 150         | Horizontal | N/A     |
| 4   | 7357.250        | 53.23            | 74.0           | 20.77       | Peak     | 171.00         | 400         | Horizontal | Pass    |
| 4** | 7357.250        | 44.49            | 54.0           | 9.51        | AV       | 171.00         | 400         | Horizontal | Pass    |
| 5   | 12447.662       | 53.18            | 74.0           | 20.82       | Peak     | 0.00           | 200         | Horizontal | Pass    |
| 5** | 12447.662       | 43.74            | 54.0           | 10.26       | AV       | 0.00           | 200         | Horizontal | Pass    |
| 6   | 16136.250       | 54.14            | 74.0           | 19.86       | Peak     | 152.00         | 100         | Horizontal | Pass    |
| 6** | 16136.250       | 45.13            | 54.0           | 8.87        | AV       | 152.00         | 100         | Horizontal | Pass    |

## 11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1593.500        | 39.83            | 74.0           | 34.17       | Peak     | 149.00         | 400         | Vertical | Pass    |
| 1** | 1593.500        | 29.64            | 54.0           | 24.36       | AV       | 149.00         | 400         | Vertical | Pass    |
| 2   | 4150.500        | 47.36            | 74.0           | 26.64       | Peak     | 286.00         | 100         | Vertical | Pass    |
| 2** | 4150.500        | 36.87            | 54.0           | 17.13       | AV       | 286.00         | 100         | Vertical | Pass    |
| 3   | 5294.500        | 96.09            | --             | --          | Peak     | 132.00         | 100         | Vertical | N/A     |
| 3** | 5294.500        | 86.81            | --             | --          | AV       | 132.00         | 100         | Vertical | N/A     |
| 4   | 7310.250        | 53.12            | 74.0           | 20.88       | Peak     | 33.00          | 200         | Vertical | Pass    |
| 4** | 7310.250        | 42.94            | 54.0           | 11.06       | AV       | 33.00          | 200         | Vertical | Pass    |
| 5   | 12474.974       | 53.00            | 74.0           | 21.00       | Peak     | 305.00         | 100         | Vertical | Pass    |
| 5** | 12474.974       | 43.85            | 54.0           | 10.15       | AV       | 305.00         | 100         | Vertical | Pass    |
| 6   | 15927.825       | 54.05            | 74.0           | 19.95       | Peak     | 271.00         | 200         | Vertical | Pass    |
| 6** | 15927.825       | 44.78            | 54.0           | 9.22        | AV       | 271.00         | 200         | Vertical | Pass    |

## 11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1495.100        | 38.66            | 74.0           | 35.34       | Peak     | 122.00         | 200         | Horizontal | Pass    |
| 1** | 1495.100        | 28.72            | 54.0           | 25.28       | AV       | 122.00         | 200         | Horizontal | Pass    |
| 2   | 3601.750        | 47.57            | 74.0           | 26.43       | Peak     | 329.00         | 300         | Horizontal | Pass    |
| 2** | 3601.750        | 36.78            | 54.0           | 17.22       | AV       | 329.00         | 300         | Horizontal | Pass    |
| 3   | 5497.750        | 109.78           | --             | --          | Peak     | 290.00         | 150         | Horizontal | N/A     |
| 3** | 5497.750        | 101.96           | --             | --          | AV       | 290.00         | 150         | Horizontal | N/A     |
| 4   | 7603.750        | 53.10            | 74.0           | 20.90       | Peak     | 16.00          | 100         | Horizontal | Pass    |
| 4** | 7603.750        | 44.06            | 54.0           | 9.94        | AV       | 16.00          | 100         | Horizontal | Pass    |
| 5   | 12487.088       | 53.16            | 74.0           | 20.84       | Peak     | 65.00          | 200         | Horizontal | Pass    |
| 5** | 12487.088       | 44.07            | 54.0           | 9.93        | AV       | 65.00          | 200         | Horizontal | Pass    |
| 6   | 16112.625       | 54.20            | 74.0           | 19.80       | Peak     | 140.00         | 100         | Horizontal | Pass    |
| 6** | 16112.625       | 45.60            | 54.0           | 8.40        | AV       | 140.00         | 100         | Horizontal | Pass    |

## 11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1531.400        | 38.64            | 74.0           | 35.36       | Peak     | 115.00         | 200         | Vertical | Pass    |
| 1** | 1531.400        | 29.39            | 54.0           | 24.61       | AV       | 115.00         | 200         | Vertical | Pass    |
| 2   | 4335.500        | 47.49            | 74.0           | 26.51       | Peak     | 249.00         | 100         | Vertical | Pass    |
| 2** | 4335.500        | 38.73            | 54.0           | 15.27       | AV       | 249.00         | 100         | Vertical | Pass    |
| 3   | 5498.750        | 99.61            | --             | --          | Peak     | 33.00          | 200         | Vertical | N/A     |
| 3** | 5498.750        | 92.33            | --             | --          | AV       | 33.00          | 200         | Vertical | N/A     |
| 4   | 7639.000        | 53.02            | 74.0           | 20.98       | Peak     | 249.00         | 300         | Vertical | Pass    |
| 4** | 7639.000        | 43.53            | 54.0           | 10.47       | AV       | 249.00         | 300         | Vertical | Pass    |
| 5   | 10997.488       | 52.51            | 74.0           | 21.49       | Peak     | 50.00          | 100         | Vertical | Pass    |
| 5** | 10997.488       | 45.86            | 54.0           | 8.14        | AV       | 50.00          | 100         | Vertical | Pass    |
| 6   | 15927.825       | 53.88            | 74.0           | 20.12       | Peak     | 254.00         | 400         | Vertical | Pass    |
| 6** | 15927.825       | 44.04            | 54.0           | 9.96        | AV       | 254.00         | 400         | Vertical | Pass    |

## 11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1541.100        | 38.31            | 74.0           | 35.69       | Peak     | 335.00         | 300         | Horizontal | Pass    |
| 1** | 1541.100        | 28.08            | 54.0           | 25.92       | AV       | 335.00         | 300         | Horizontal | Pass    |
| 2   | 4130.250        | 47.16            | 74.0           | 26.84       | Peak     | 33.00          | 400         | Horizontal | Pass    |
| 2** | 4130.250        | 37.70            | 54.0           | 16.30       | AV       | 33.00          | 400         | Horizontal | Pass    |
| 3   | 5585.500        | 111.18           | --             | --          | Peak     | 111.00         | 150         | Horizontal | N/A     |
| 3** | 5585.500        | 104.31           | --             | --          | AV       | 111.00         | 150         | Horizontal | N/A     |
| 4   | 7369.250        | 53.23            | 74.0           | 20.77       | Peak     | 72.00          | 300         | Horizontal | Pass    |
| 4** | 7369.250        | 44.04            | 54.0           | 9.96        | AV       | 72.00          | 300         | Horizontal | Pass    |
| 5   | 12444.100       | 53.09            | 74.0           | 20.91       | Peak     | 98.00          | 100         | Horizontal | Pass    |
| 5** | 12444.100       | 43.50            | 54.0           | 10.50       | AV       | 98.00          | 100         | Horizontal | Pass    |
| 6   | 16140.713       | 54.09            | 74.0           | 19.91       | Peak     | 311.00         | 100         | Horizontal | Pass    |
| 6** | 16140.713       | 44.44            | 54.0           | 9.56        | AV       | 311.00         | 100         | Horizontal | Pass    |

## 11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1495.100        | 39.27            | 74.0           | 34.73       | Peak     | 137.00         | 400         | Vertical | Pass    |
| 1** | 1495.100        | 28.44            | 54.0           | 25.56       | AV       | 137.00         | 400         | Vertical | Pass    |
| 2   | 4260.250        | 46.90            | 74.0           | 27.10       | Peak     | 55.00          | 400         | Vertical | Pass    |
| 2** | 4260.250        | 37.45            | 54.0           | 16.55       | AV       | 55.00          | 400         | Vertical | Pass    |
| 3   | 5577.250        | 102.74           | --             | --          | Peak     | 35.00          | 100         | Vertical | N/A     |
| 3** | 5577.250        | 95.38            | --             | --          | AV       | 35.00          | 100         | Vertical | N/A     |
| 4   | 7352.500        | 53.48            | 74.0           | 20.52       | Peak     | 272.00         | 400         | Vertical | Pass    |
| 4** | 7352.500        | 43.75            | 54.0           | 10.25       | AV       | 272.00         | 400         | Vertical | Pass    |
| 5   | 11163.025       | 51.21            | 74.0           | 22.79       | Peak     | 110.00         | 100         | Vertical | Pass    |
| 5** | 11163.025       | 47.69            | 54.0           | 6.31        | AV       | 110.00         | 100         | Vertical | Pass    |
| 6   | 16133.100       | 53.98            | 74.0           | 20.02       | Peak     | 43.00          | 200         | Vertical | Pass    |
| 6** | 16133.100       | 45.42            | 54.0           | 8.58        | AV       | 43.00          | 200         | Vertical | Pass    |

## 11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1517.300        | 38.61            | 74.0           | 35.39       | Peak     | 102.00         | 100         | Horizontal | Pass    |
| 1** | 1517.300        | 28.77            | 54.0           | 25.23       | AV       | 102.00         | 100         | Horizontal | Pass    |
| 2   | 4357.250        | 47.80            | 74.0           | 26.20       | Peak     | 360.00         | 400         | Horizontal | Pass    |
| 2** | 4357.250        | 37.90            | 54.0           | 16.10       | AV       | 360.00         | 400         | Horizontal | Pass    |
| 3   | 5695.500        | 110.21           | --             | --          | Peak     | 93.00          | 200         | Horizontal | N/A     |
| 3** | 5695.500        | 104.07           | --             | --          | AV       | 93.00          | 200         | Horizontal | N/A     |
| 4   | 9120.287        | 49.41            | 74.0           | 24.59       | Peak     | 27.00          | 100         | Horizontal | Pass    |
| 4** | 9120.287        | 47.41            | 54.0           | 6.59        | AV       | 27.00          | 100         | Horizontal | Pass    |
| 5   | 12500.150       | 52.82            | 74.0           | 21.18       | Peak     | 181.00         | 200         | Horizontal | Pass    |
| 5** | 12500.150       | 43.97            | 54.0           | 10.03       | AV       | 181.00         | 200         | Horizontal | Pass    |
| 6   | 15656.925       | 53.66            | 74.0           | 20.34       | Peak     | 158.00         | 100         | Horizontal | Pass    |
| 6** | 15656.925       | 43.84            | 54.0           | 10.16       | AV       | 158.00         | 100         | Horizontal | Pass    |

## 11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1532.200        | 39.02            | 74.0           | 34.98       | Peak     | 121.00         | 100         | Vertical | Pass    |
| 1** | 1532.200        | 28.78            | 54.0           | 25.22       | AV       | 121.00         | 100         | Vertical | Pass    |
| 2   | 4335.750        | 47.45            | 74.0           | 26.55       | Peak     | 192.00         | 200         | Vertical | Pass    |
| 2** | 4335.750        | 38.42            | 54.0           | 15.58       | AV       | 192.00         | 200         | Vertical | Pass    |
| 3   | 5694.250        | 100.54           | --             | --          | Peak     | 93.00          | 100         | Vertical | N/A     |
| 3** | 5694.250        | 93.62            | --             | --          | AV       | 93.00          | 100         | Vertical | N/A     |
| 4   | 7580.500        | 53.09            | 74.0           | 20.91       | Peak     | 360.00         | 200         | Vertical | Pass    |
| 4** | 7580.500        | 43.29            | 54.0           | 10.71       | AV       | 360.00         | 200         | Vertical | Pass    |
| 5   | 12468.088       | 52.65            | 74.0           | 21.35       | Peak     | 296.00         | 200         | Vertical | Pass    |
| 5** | 12468.088       | 44.18            | 54.0           | 9.82        | AV       | 296.00         | 200         | Vertical | Pass    |
| 6   | 16126.800       | 53.99            | 74.0           | 20.01       | Peak     | 178.00         | 300         | Vertical | Pass    |
| 6** | 16126.800       | 44.49            | 54.0           | 9.51        | AV       | 178.00         | 300         | Vertical | Pass    |