

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.600	38.39	74.0	35.61	Peak	182.00	100	Horizontal	Pass
1**	1611.600	28.67	54.0	25.33	AV	182.00	100	Horizontal	Pass
2	4260.750	47.25	74.0	26.75	Peak	14.00	400	Horizontal	Pass
2**	4260.750	38.71	54.0	15.29	AV	14.00	400	Horizontal	Pass
3	5502.750	110.78	--	--	Peak	291.00	100	Horizontal	N/A
3**	5502.750	103.27	--	--	AV	291.00	100	Horizontal	N/A
4	7473.000	53.11	74.0	20.89	Peak	250.00	300	Horizontal	Pass
4**	7473.000	43.54	54.0	10.46	AV	250.00	300	Horizontal	Pass
5	12464.287	54.33	74.0	19.67	Peak	37.00	200	Horizontal	Pass
5**	12464.287	43.77	54.0	10.23	AV	37.00	200	Horizontal	Pass
6	15926.513	53.65	74.0	20.35	Peak	142.00	400	Horizontal	Pass
6**	15926.513	44.32	54.0	9.68	AV	142.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.900	39.60	74.0	34.40	Peak	119.00	200	Vertical	Pass
1**	1539.900	28.12	54.0	25.88	AV	119.00	200	Vertical	Pass
2	4337.750	47.59	74.0	26.41	Peak	231.00	200	Vertical	Pass
2**	4337.750	37.91	54.0	16.09	AV	231.00	200	Vertical	Pass
3	5496.250	100.25	--	--	Peak	35.00	100	Vertical	N/A
3**	5496.250	91.76	--	--	AV	35.00	100	Vertical	N/A
4	7613.000	53.22	74.0	20.78	Peak	134.00	200	Vertical	Pass
4**	7613.000	43.03	54.0	10.97	AV	134.00	200	Vertical	Pass
5	11005.325	52.04	74.0	21.96	Peak	17.00	100	Vertical	Pass
5**	11005.325	45.82	54.0	8.18	AV	17.00	100	Vertical	Pass
6	15915.750	53.97	74.0	20.03	Peak	127.00	400	Vertical	Pass
6**	15915.750	44.95	54.0	9.05	AV	127.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.700	38.35	74.0	35.65	Peak	360.00	300	Horizontal	Pass
1**	1605.700	29.01	54.0	24.99	AV	360.00	300	Horizontal	Pass
2	4337.000	47.08	74.0	26.92	Peak	0.00	300	Horizontal	Pass
2**	4337.000	38.69	54.0	15.31	AV	0.00	300	Horizontal	Pass
3	5575.250	111.61	--	--	Peak	91.00	200	Horizontal	N/A
3**	5575.250	103.56	--	--	AV	91.00	200	Horizontal	N/A
4	7598.750	53.90	74.0	20.10	Peak	348.00	300	Horizontal	Pass
4**	7598.750	43.48	54.0	10.52	AV	348.00	300	Horizontal	Pass
5	11156.138	49.32	74.0	24.68	Peak	360.00	100	Horizontal	Pass
5**	11156.138	45.04	54.0	8.96	AV	360.00	100	Horizontal	Pass
6	16124.963	53.91	74.0	20.09	Peak	106.00	400	Horizontal	Pass
6**	16124.963	45.42	54.0	8.58	AV	106.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.800	38.85	74.0	35.15	Peak	121.00	400	Vertical	Pass
1**	1471.800	29.17	54.0	24.83	AV	121.00	400	Vertical	Pass
2	4260.250	47.61	74.0	26.39	Peak	93.00	200	Vertical	Pass
2**	4260.250	37.82	54.0	16.18	AV	93.00	200	Vertical	Pass
3	5585.500	102.55	--	--	Peak	33.00	200	Vertical	N/A
3**	5585.500	94.98	--	--	AV	33.00	200	Vertical	N/A
4	7648.500	52.74	74.0	21.26	Peak	33.00	300	Vertical	Pass
4**	7648.500	44.10	54.0	9.90	AV	33.00	300	Vertical	Pass
5	11155.425	52.05	74.0	21.95	Peak	211.00	100	Vertical	Pass
5**	11155.425	47.21	54.0	6.79	AV	211.00	100	Vertical	Pass
6	16145.438	55.18	74.0	18.82	Peak	202.00	400	Vertical	Pass
6**	16145.438	44.57	54.0	9.43	AV	202.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.600	38.47	74.0	35.53	Peak	182.00	200	Horizontal	Pass
1**	1609.600	29.24	54.0	24.76	AV	182.00	200	Horizontal	Pass
2	4320.250	47.03	74.0	26.97	Peak	35.00	100	Horizontal	Pass
2**	4320.250	37.97	54.0	16.03	AV	35.00	100	Horizontal	Pass
3	5696.000	110.29	--	--	Peak	94.00	200	Horizontal	N/A
3**	5696.000	103.72	--	--	AV	94.00	200	Horizontal	N/A
4	9120.050	49.95	74.0	24.05	Peak	24.00	100	Horizontal	Pass
4**	9120.050	47.68	54.0	6.32	AV	24.00	100	Horizontal	Pass
5	12505.612	52.88	74.0	21.12	Peak	360.00	200	Horizontal	Pass
5**	12505.612	44.37	54.0	9.63	AV	360.00	200	Horizontal	Pass
6	16127.325	54.11	74.0	19.89	Peak	74.00	300	Horizontal	Pass
6**	16127.325	45.15	54.0	8.85	AV	74.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.100	39.88	74.0	34.12	Peak	123.00	400	Vertical	Pass
1**	1495.100	33.77	54.0	20.23	AV	123.00	400	Vertical	Pass
2	3795.000	48.29	74.0	25.71	Peak	115.00	100	Vertical	Pass
2**	3795.000	35.92	54.0	18.08	AV	115.00	100	Vertical	Pass
3	5695.500	101.40	--	--	Peak	35.00	150	Vertical	N/A
3**	5695.500	94.18	--	--	AV	35.00	150	Vertical	N/A
4	9120.050	51.81	74.0	22.19	Peak	0.00	100	Vertical	Pass
4**	9120.050	48.36	54.0	5.64	AV	0.00	100	Vertical	Pass
5	12487.562	53.82	74.0	20.18	Peak	224.00	100	Vertical	Pass
5**	12487.562	44.90	54.0	9.10	AV	224.00	100	Vertical	Pass
6	16164.600	53.80	74.0	20.20	Peak	89.00	100	Vertical	Pass
6**	16164.600	43.92	54.0	10.08	AV	89.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.200	38.63	74.0	35.37	Peak	170.00	100	Horizontal	Pass
1**	1575.200	29.48	54.0	24.52	AV	170.00	100	Horizontal	Pass
2	4331.000	47.47	74.0	26.53	Peak	309.00	400	Horizontal	Pass
2**	4331.000	38.14	54.0	15.86	AV	309.00	400	Horizontal	Pass
3	5511.750	104.45	--	--	Peak	289.00	100	Horizontal	N/A
3**	5511.750	98.47	--	--	AV	289.00	100	Horizontal	N/A
4	8816.287	51.74	68.2	16.46	Peak	251.00	100	Horizontal	Pass
4**	8816.287	47.83	--	--	AV	251.00	100	Horizontal	N/A
5	12506.563	53.95	74.0	20.05	Peak	200.00	100	Horizontal	Pass
5**	12506.563	43.47	54.0	10.53	AV	200.00	100	Horizontal	Pass
6	15678.451	53.78	74.0	20.22	Peak	360.00	300	Horizontal	Pass
6**	15678.451	43.89	54.0	10.11	AV	360.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.400	40.32	74.0	33.68	Peak	163.00	400	Vertical	Pass
1**	1494.400	29.49	54.0	24.51	AV	163.00	400	Vertical	Pass
2	4319.000	47.20	74.0	26.80	Peak	81.00	100	Vertical	Pass
2**	4319.000	37.95	54.0	16.05	AV	81.00	100	Vertical	Pass
3	5511.500	94.36	--	--	Peak	81.00	100	Vertical	N/A
3**	5511.500	86.06	--	--	AV	81.00	100	Vertical	N/A
4	7358.750	53.23	74.0	20.77	Peak	227.00	400	Vertical	Pass
4**	7358.750	44.18	54.0	9.82	AV	227.00	400	Vertical	Pass
5	12485.425	53.81	74.0	20.19	Peak	163.00	150	Vertical	Pass
5**	12485.425	43.59	54.0	10.41	AV	163.00	150	Vertical	Pass
6	16118.662	54.53	74.0	19.47	Peak	0.00	100	Vertical	Pass
6**	16118.662	45.17	54.0	8.83	AV	0.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.600	38.33	74.0	35.67	Peak	302.00	400	Horizontal	Pass
1**	1613.600	29.11	54.0	24.89	AV	302.00	400	Horizontal	Pass
2	4229.250	46.62	74.0	27.38	Peak	166.00	300	Horizontal	Pass
2**	4229.250	38.11	54.0	15.89	AV	166.00	300	Horizontal	Pass
3	5593.750	110.39	--	--	Peak	291.00	100	Horizontal	N/A
3**	5593.750	103.78	--	--	AV	291.00	100	Horizontal	N/A
4	7599.500	53.35	74.0	20.65	Peak	360.00	200	Horizontal	Pass
4**	7599.500	44.09	54.0	9.91	AV	360.00	200	Horizontal	Pass
5	12465.475	52.89	74.0	21.11	Peak	168.00	200	Horizontal	Pass
5**	12465.475	44.33	54.0	9.67	AV	168.00	200	Horizontal	Pass
6	15916.537	54.10	74.0	19.90	Peak	218.00	100	Horizontal	Pass
6**	15916.537	45.53	54.0	8.47	AV	218.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.200	39.80	74.0	34.20	Peak	162.00	100	Vertical	Pass
1**	1494.200	30.83	54.0	23.17	AV	162.00	100	Vertical	Pass
2	4333.500	47.11	74.0	26.89	Peak	228.00	200	Vertical	Pass
2**	4333.500	38.34	54.0	15.66	AV	228.00	200	Vertical	Pass
3	5591.500	100.54	--	--	Peak	40.00	150	Vertical	N/A
3**	5591.500	93.57	--	--	AV	40.00	150	Vertical	N/A
4	7658.000	53.79	74.0	20.21	Peak	60.00	300	Vertical	Pass
4**	7658.000	43.53	54.0	10.47	AV	60.00	300	Vertical	Pass
5	12513.925	53.09	74.0	20.91	Peak	183.00	200	Vertical	Pass
5**	12513.925	44.66	54.0	9.34	AV	183.00	200	Vertical	Pass
6	16147.013	53.69	74.0	20.31	Peak	99.00	200	Vertical	Pass
6**	16147.013	44.89	54.0	9.11	AV	99.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.900	38.44	74.0	35.56	Peak	105.00	100	Horizontal	Pass
1**	1484.900	30.30	54.0	23.70	AV	105.00	100	Horizontal	Pass
2	4334.250	48.16	74.0	25.84	Peak	287.00	200	Horizontal	Pass
2**	4334.250	37.87	54.0	16.13	AV	287.00	200	Horizontal	Pass
3	5675.250	107.44	--	--	Peak	287.00	150	Horizontal	N/A
3**	5675.250	99.84	--	--	AV	287.00	150	Horizontal	N/A
4	7644.000	52.93	74.0	21.07	Peak	203.00	200	Horizontal	Pass
4**	7644.000	44.08	54.0	9.92	AV	203.00	200	Horizontal	Pass
5	12482.338	54.06	74.0	19.94	Peak	266.00	200	Horizontal	Pass
5**	12482.338	44.56	54.0	9.44	AV	266.00	200	Horizontal	Pass
6	16132.050	54.08	74.0	19.92	Peak	360.00	100	Horizontal	Pass
6**	16132.050	45.10	54.0	8.90	AV	360.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.200	38.53	74.0	35.47	Peak	118.00	300	Vertical	Pass
1**	1625.200	29.53	54.0	24.47	AV	118.00	300	Vertical	Pass
2	4246.000	47.46	74.0	26.54	Peak	360.00	300	Vertical	Pass
2**	4246.000	37.43	54.0	16.57	AV	360.00	300	Vertical	Pass
3	5671.500	96.77	--	--	Peak	38.00	200	Vertical	N/A
3**	5671.500	88.60	--	--	AV	38.00	200	Vertical	N/A
4	9072.075	51.87	74.0	22.13	Peak	258.00	100	Vertical	Pass
4**	9072.075	48.77	54.0	5.23	AV	258.00	100	Vertical	Pass
5	12477.350	53.34	74.0	20.66	Peak	55.00	200	Vertical	Pass
5**	12477.350	43.69	54.0	10.31	AV	55.00	200	Vertical	Pass
6	16088.738	54.04	74.0	19.96	Peak	317.00	400	Vertical	Pass
6**	16088.738	43.87	54.0	10.13	AV	317.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.800	38.72	74.0	35.28	Peak	96.00	300	Horizontal	Pass
1**	1584.800	28.37	54.0	25.63	AV	96.00	300	Horizontal	Pass
2	4324.250	47.34	74.0	26.66	Peak	254.00	300	Horizontal	Pass
2**	4324.250	37.64	54.0	16.36	AV	254.00	300	Horizontal	Pass
3	5498.000	110.33	--	--	Peak	135.00	150	Horizontal	N/A
3**	5498.000	102.56	--	--	AV	135.00	150	Horizontal	N/A
4	7603.500	52.91	74.0	21.09	Peak	176.00	100	Horizontal	Pass
4**	7603.500	43.36	54.0	10.64	AV	176.00	100	Horizontal	Pass
5	12509.412	52.97	74.0	21.03	Peak	360.00	150	Horizontal	Pass
5**	12509.412	43.21	54.0	10.79	AV	360.00	150	Horizontal	Pass
6	16123.912	54.22	74.0	19.78	Peak	0.00	400	Horizontal	Pass
6**	16123.912	45.75	54.0	8.25	AV	0.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.400	39.37	74.0	34.63	Peak	11.00	400	Vertical	Pass
1**	1618.400	29.21	54.0	24.79	AV	11.00	400	Vertical	Pass
2	4328.500	47.30	74.0	26.70	Peak	331.00	400	Vertical	Pass
2**	4328.500	37.48	54.0	16.52	AV	331.00	400	Vertical	Pass
3	5500.000	102.23	--	--	Peak	94.00	200	Vertical	N/A
3**	5500.000	93.98	--	--	AV	94.00	200	Vertical	N/A
4	7584.000	53.33	74.0	20.67	Peak	360.00	400	Vertical	Pass
4**	7584.000	44.00	54.0	10.00	AV	360.00	400	Vertical	Pass
5	11003.187	48.62	74.0	25.38	Peak	334.00	100	Vertical	Pass
5**	11003.187	45.31	54.0	8.69	AV	334.00	100	Vertical	Pass
6	15897.638	55.27	74.0	18.73	Peak	259.00	300	Vertical	Pass
6**	15897.638	45.48	54.0	8.52	AV	259.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.000	38.35	74.0	35.65	Peak	151.00	300	Horizontal	Pass
1**	1439.000	28.81	54.0	25.19	AV	151.00	300	Horizontal	Pass
2	4248.750	46.88	74.0	27.12	Peak	360.00	300	Horizontal	Pass
2**	4248.750	38.64	54.0	15.36	AV	360.00	300	Horizontal	Pass
3	5581.250	111.15	--	--	Peak	293.00	100	Horizontal	N/A
3**	5581.250	104.40	--	--	AV	293.00	100	Horizontal	N/A
4	7657.750	53.14	74.0	20.86	Peak	332.00	100	Horizontal	Pass
4**	7657.750	43.72	54.0	10.28	AV	332.00	100	Horizontal	Pass
5	12528.175	53.77	74.0	20.23	Peak	1.00	200	Horizontal	Pass
5**	12528.175	43.13	54.0	10.87	AV	1.00	200	Horizontal	Pass
6	16106.849	53.84	74.0	20.16	Peak	259.00	200	Horizontal	Pass
6**	16106.849	44.92	54.0	9.08	AV	259.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.600	38.70	74.0	35.30	Peak	249.00	300	Vertical	Pass
1**	1442.600	29.10	54.0	24.90	AV	249.00	300	Vertical	Pass
2	4257.000	47.16	74.0	26.84	Peak	290.00	100	Vertical	Pass
2**	4257.000	37.77	54.0	16.23	AV	290.00	100	Vertical	Pass
3	5581.500	104.91	--	--	Peak	191.00	150	Vertical	N/A
3**	5581.500	97.81	--	--	AV	191.00	150	Vertical	N/A
4	7600.000	53.77	74.0	20.23	Peak	290.00	300	Vertical	Pass
4**	7600.000	44.81	54.0	9.19	AV	290.00	300	Vertical	Pass
5	11159.224	49.12	74.0	24.88	Peak	360.00	100	Vertical	Pass
5**	11159.224	45.69	54.0	8.31	AV	360.00	100	Vertical	Pass
6	16124.174	54.05	74.0	19.95	Peak	220.00	400	Vertical	Pass
6**	16124.174	45.29	54.0	8.71	AV	220.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.600	38.14	74.0	35.86	Peak	276.00	200	Horizontal	Pass
1**	1518.600	28.74	54.0	25.26	AV	276.00	200	Horizontal	Pass
2	4332.000	46.97	74.0	27.03	Peak	312.00	400	Horizontal	Pass
2**	4332.000	38.05	54.0	15.95	AV	312.00	400	Horizontal	Pass
3	5701.500	109.97	--	--	Peak	293.00	200	Horizontal	N/A
3**	5701.500	101.93	--	--	AV	293.00	200	Horizontal	N/A
4	9120.287	48.93	74.0	25.07	Peak	28.00	100	Horizontal	Pass
4**	9120.287	46.22	54.0	7.78	AV	28.00	100	Horizontal	Pass
5	12506.087	53.05	74.0	20.95	Peak	164.00	200	Horizontal	Pass
5**	12506.087	44.99	54.0	9.01	AV	164.00	200	Horizontal	Pass
6	16100.025	54.29	74.0	19.71	Peak	215.00	400	Horizontal	Pass
6**	16100.025	44.37	54.0	9.63	AV	215.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.800	39.05	74.0	34.95	Peak	339.00	300	Vertical	Pass
1**	1592.800	29.98	54.0	24.02	AV	339.00	300	Vertical	Pass
2	4366.500	47.12	74.0	26.88	Peak	360.00	300	Vertical	Pass
2**	4366.500	37.54	54.0	16.46	AV	360.00	300	Vertical	Pass
3	5700.000	99.58	--	--	Peak	193.00	150	Vertical	N/A
3**	5700.000	91.21	--	--	AV	193.00	150	Vertical	N/A
4	9120.050	52.53	74.0	21.47	Peak	8.00	100	Vertical	Pass
4**	9120.050	48.76	54.0	5.24	AV	8.00	100	Vertical	Pass
5	12467.138	53.11	74.0	20.89	Peak	360.00	150	Vertical	Pass
5**	12467.138	44.54	54.0	9.46	AV	360.00	150	Vertical	Pass
6	15913.912	54.57	74.0	19.43	Peak	70.00	100	Vertical	Pass
6**	15913.912	44.52	54.0	9.48	AV	70.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.200	38.55	74.0	35.45	Peak	178.00	300	Horizontal	Pass
1**	1498.200	28.88	54.0	25.12	AV	178.00	300	Horizontal	Pass
2	4242.250	47.28	74.0	26.72	Peak	232.00	300	Horizontal	Pass
2**	4242.250	36.81	54.0	17.19	AV	232.00	300	Horizontal	Pass
3	5508.250	105.18	--	--	Peak	115.00	100	Horizontal	N/A
3**	5508.250	97.65	--	--	AV	115.00	100	Horizontal	N/A
4	7366.500	52.81	74.0	21.19	Peak	35.00	400	Horizontal	Pass
4**	7366.500	43.07	54.0	10.93	AV	35.00	400	Horizontal	Pass
5	12522.713	53.07	74.0	20.93	Peak	0.00	150	Horizontal	Pass
5**	12522.713	43.60	54.0	10.40	AV	0.00	150	Horizontal	Pass
6	16093.463	54.36	74.0	19.64	Peak	253.00	200	Horizontal	Pass
6**	16093.463	45.07	54.0	8.93	AV	253.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.800	38.88	74.0	35.12	Peak	26.00	300	Vertical	Pass
1**	1496.800	30.78	54.0	23.22	AV	26.00	300	Vertical	Pass
2	4353.000	46.97	74.0	27.03	Peak	98.00	300	Vertical	Pass
2**	4353.000	38.38	54.0	15.62	AV	98.00	300	Vertical	Pass
3	5505.750	93.78	--	--	Peak	198.00	100	Vertical	N/A
3**	5505.750	86.42	--	--	AV	198.00	100	Vertical	N/A
4	7640.500	53.48	74.0	20.52	Peak	336.00	300	Vertical	Pass
4**	7640.500	43.66	54.0	10.34	AV	336.00	300	Vertical	Pass
5	12514.162	53.11	74.0	20.89	Peak	360.00	100	Vertical	Pass
5**	12514.162	43.03	54.0	10.97	AV	360.00	100	Vertical	Pass
6	15904.725	53.97	74.0	20.03	Peak	117.00	300	Vertical	Pass
6**	15904.725	44.94	54.0	9.06	AV	117.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.100	38.71	74.0	35.29	Peak	186.00	400	Horizontal	Pass
1**	1504.100	28.87	54.0	25.13	AV	186.00	400	Horizontal	Pass
2	4333.250	47.37	74.0	26.63	Peak	175.00	400	Horizontal	Pass
2**	4333.250	37.79	54.0	16.21	AV	175.00	400	Horizontal	Pass
3	5589.000	110.75	--	--	Peak	292.00	200	Horizontal	N/A
3**	5589.000	103.17	--	--	AV	292.00	200	Horizontal	N/A
4	7360.750	53.37	74.0	20.63	Peak	18.00	300	Horizontal	Pass
4**	7360.750	44.76	54.0	9.24	AV	18.00	300	Horizontal	Pass
5	12461.200	53.13	74.0	20.87	Peak	15.00	150	Horizontal	Pass
5**	12461.200	43.96	54.0	10.04	AV	15.00	150	Horizontal	Pass
6	16094.513	53.84	74.0	20.16	Peak	360.00	400	Horizontal	Pass
6**	16094.513	44.52	54.0	9.48	AV	360.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.100	38.88	74.0	35.12	Peak	28.00	200	Vertical	Pass
1**	1524.100	28.73	54.0	25.27	AV	28.00	200	Vertical	Pass
2	4262.500	47.24	74.0	26.76	Peak	309.00	100	Vertical	Pass
2**	4262.500	37.50	54.0	16.50	AV	309.00	100	Vertical	Pass
3	5584.000	100.97	--	--	Peak	192.00	150	Vertical	N/A
3**	5584.000	92.63	--	--	AV	192.00	150	Vertical	N/A
4	7662.500	53.81	74.0	20.19	Peak	57.00	300	Vertical	Pass
4**	7662.500	43.80	54.0	10.20	AV	57.00	300	Vertical	Pass
5	11178.937	48.06	74.0	25.94	Peak	125.00	100	Vertical	Pass
5**	11178.937	45.01	54.0	8.99	AV	125.00	100	Vertical	Pass
6	16125.750	53.61	74.0	20.39	Peak	304.00	400	Vertical	Pass
6**	16125.750	44.77	54.0	9.23	AV	304.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.000	38.74	74.0	35.26	Peak	171.00	200	Horizontal	Pass
1**	1512.000	29.50	54.0	24.50	AV	171.00	200	Horizontal	Pass
2	4259.750	46.83	74.0	27.17	Peak	232.00	400	Horizontal	Pass
2**	4259.750	37.57	54.0	16.43	AV	232.00	400	Horizontal	Pass
3	5675.250	108.66	--	--	Peak	289.00	150	Horizontal	N/A
3**	5675.250	100.51	--	--	AV	289.00	150	Horizontal	N/A
4	9072.075	51.10	74.0	22.90	Peak	249.00	100	Horizontal	Pass
4**	9072.075	46.67	54.0	7.33	AV	249.00	100	Horizontal	Pass
5	12463.813	53.32	74.0	20.68	Peak	303.00	200	Horizontal	Pass
5**	12463.813	43.96	54.0	10.04	AV	303.00	200	Horizontal	Pass
6	15891.863	54.21	74.0	19.79	Peak	93.00	300	Horizontal	Pass
6**	15891.863	44.97	54.0	9.03	AV	93.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.600	39.01	74.0	34.99	Peak	156.00	100	Vertical	Pass
1**	1494.600	32.39	54.0	21.61	AV	156.00	100	Vertical	Pass
2	4042.000	46.57	74.0	27.43	Peak	173.00	300	Vertical	Pass
2**	4042.000	37.07	54.0	16.93	AV	173.00	300	Vertical	Pass
3	5667.750	97.42	--	--	Peak	38.00	200	Vertical	N/A
3**	5667.750	89.71	--	--	AV	38.00	200	Vertical	N/A
4	9072.075	52.08	74.0	21.92	Peak	14.00	100	Vertical	Pass
4**	9072.075	48.72	54.0	5.28	AV	14.00	100	Vertical	Pass
5	12461.438	53.09	74.0	20.91	Peak	142.00	150	Vertical	Pass
5**	12461.438	43.72	54.0	10.28	AV	142.00	150	Vertical	Pass
6	16100.025	53.65	74.0	20.35	Peak	139.00	400	Vertical	Pass
6**	16100.025	44.75	54.0	9.25	AV	139.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.600	38.19	74.0	35.81	Peak	298.00	200	Horizontal	Pass
1**	1531.600	28.79	54.0	25.21	AV	298.00	200	Horizontal	Pass
2	4337.000	47.24	74.0	26.76	Peak	76.00	400	Horizontal	Pass
2**	4337.000	37.63	54.0	16.37	AV	76.00	400	Horizontal	Pass
3	5527.500	102.46	--	--	Peak	290.00	150	Horizontal	N/A
3**	5527.500	94.74	--	--	AV	290.00	150	Horizontal	N/A
4	7359.000	54.04	74.0	19.96	Peak	173.00	300	Horizontal	Pass
4**	7359.000	44.30	54.0	9.70	AV	173.00	300	Horizontal	Pass
5	12533.638	53.58	74.0	20.42	Peak	45.00	200	Horizontal	Pass
5**	12533.638	43.07	54.0	10.93	AV	45.00	200	Horizontal	Pass
6	15906.300	54.42	74.0	19.58	Peak	360.00	100	Horizontal	Pass
6**	15906.300	44.90	54.0	9.10	AV	360.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	39.43	74.0	34.57	Peak	154.00	200	Vertical	Pass
1**	1499.800	30.15	54.0	23.85	AV	154.00	200	Vertical	Pass
2	4256.750	47.63	74.0	26.37	Peak	154.00	300	Vertical	Pass
2**	4256.750	38.70	54.0	15.30	AV	154.00	300	Vertical	Pass
3	5543.500	89.82	--	--	Peak	18.00	150	Vertical	N/A
3**	5543.500	82.40	--	--	AV	18.00	150	Vertical	N/A
4	7480.500	53.73	74.0	20.27	Peak	57.00	300	Vertical	Pass
4**	7480.500	43.61	54.0	10.39	AV	57.00	300	Vertical	Pass
5	12401.825	52.90	74.0	21.10	Peak	191.00	100	Vertical	Pass
5**	12401.825	43.36	54.0	10.64	AV	191.00	100	Vertical	Pass
6	16102.388	54.11	74.0	19.89	Peak	67.00	300	Vertical	Pass
6**	16102.388	44.66	54.0	9.34	AV	67.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.200	38.67	74.0	35.33	Peak	218.00	200	Horizontal	Pass
1**	1463.200	29.08	54.0	24.92	AV	218.00	200	Horizontal	Pass
2	4356.750	46.96	74.0	27.04	Peak	360.00	300	Horizontal	Pass
2**	4356.750	38.65	54.0	15.35	AV	360.00	300	Horizontal	Pass
3	5633.750	105.37	--	--	Peak	290.00	150	Horizontal	N/A
3**	5633.750	96.84	--	--	AV	290.00	150	Horizontal	N/A
4	8976.125	51.43	68.2	16.77	Peak	21.00	100	Horizontal	Pass
4**	8976.125	49.12	--	--	AV	21.00	100	Horizontal	N/A
5	12484.712	53.03	74.0	20.97	Peak	0.00	100	Horizontal	Pass
5**	12484.712	43.97	54.0	10.03	AV	0.00	100	Horizontal	Pass
6	15824.137	53.71	74.0	20.29	Peak	288.00	200	Horizontal	Pass
6**	15824.137	43.76	54.0	10.24	AV	288.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.400	38.70	74.0	35.30	Peak	154.00	400	Vertical	Pass
1**	1612.400	29.54	54.0	24.46	AV	154.00	400	Vertical	Pass
2	4318.000	47.34	74.0	26.66	Peak	38.00	400	Vertical	Pass
2**	4318.000	37.42	54.0	16.58	AV	38.00	400	Vertical	Pass
3	5616.500	93.56	--	--	Peak	175.00	100	Vertical	N/A
3**	5616.500	86.03	--	--	AV	175.00	100	Vertical	N/A
4	8976.125	52.51	68.2	15.69	Peak	246.00	100	Vertical	Pass
4**	8976.125	49.76	--	--	AV	246.00	100	Vertical	N/A
5	12503.474	53.07	74.0	20.93	Peak	77.00	150	Vertical	Pass
5**	12503.474	45.31	54.0	8.69	AV	77.00	150	Vertical	Pass
6	16149.375	53.57	74.0	20.43	Peak	161.00	100	Vertical	Pass
6**	16149.375	44.72	54.0	9.28	AV	161.00	100	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.500	38.48	74.0	35.52	Peak	210.00	100	Horizontal	Pass
1**	1606.500	29.78	54.0	24.22	AV	210.00	100	Horizontal	Pass
2	4062.750	47.55	74.0	26.45	Peak	156.00	300	Horizontal	Pass
2**	4062.750	37.22	54.0	16.78	AV	156.00	300	Horizontal	Pass
3	5575.750	98.62	--	--	Peak	295.00	100	Horizontal	N/A
3**	5575.750	91.77	--	--	AV	295.00	100	Horizontal	N/A
4	7368.500	53.23	74.0	20.77	Peak	0.00	100	Horizontal	Pass
4**	7368.500	43.54	54.0	10.46	AV	0.00	100	Horizontal	Pass
5	12440.537	52.80	74.0	21.20	Peak	290.00	150	Horizontal	Pass
5**	12440.537	43.72	54.0	10.28	AV	290.00	150	Horizontal	Pass
6	15891.863	53.66	74.0	20.34	Peak	328.00	100	Horizontal	Pass
6**	15891.863	45.48	54.0	8.52	AV	328.00	100	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	38.91	74.0	35.09	Peak	89.00	300	Vertical	Pass
1**	1495.700	29.25	54.0	24.75	AV	89.00	300	Vertical	Pass
2	4253.000	47.43	74.0	26.57	Peak	232.00	100	Vertical	Pass
2**	4253.000	38.11	54.0	15.89	AV	232.00	100	Vertical	Pass
3	5567.000	86.91	--	--	Peak	175.00	150	Vertical	N/A
3**	5567.000	79.83	--	--	AV	175.00	150	Vertical	N/A
4	7599.750	53.13	74.0	20.87	Peak	352.00	300	Vertical	Pass
4**	7599.750	43.86	54.0	10.14	AV	352.00	300	Vertical	Pass
5	12450.275	53.11	74.0	20.89	Peak	184.00	150	Vertical	Pass
5**	12450.275	44.17	54.0	9.83	AV	184.00	150	Vertical	Pass
6	16070.362	53.59	74.0	20.41	Peak	254.00	100	Vertical	Pass
6**	16070.362	43.97	54.0	10.03	AV	254.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.900	38.51	74.0	35.49	Peak	116.00	400	Horizontal	Pass
1**	1438.900	29.74	54.0	24.26	AV	116.00	400	Horizontal	Pass
2	4241.500	47.18	74.0	26.82	Peak	175.00	400	Horizontal	Pass
2**	4241.500	38.37	54.0	15.63	AV	175.00	400	Horizontal	Pass
3	5498.250	110.00	--	--	Peak	94.00	150	Horizontal	N/A
3**	5498.250	102.23	--	--	AV	94.00	150	Horizontal	N/A
4	7589.500	52.60	74.0	21.40	Peak	154.00	400	Horizontal	Pass
4**	7589.500	44.30	54.0	9.70	AV	154.00	400	Horizontal	Pass
5	12445.287	52.73	74.0	21.27	Peak	177.00	100	Horizontal	Pass
5**	12445.287	43.97	54.0	10.03	AV	177.00	100	Horizontal	Pass
6	15396.000	53.71	74.0	20.29	Peak	275.00	400	Horizontal	Pass
6**	15396.000	43.63	54.0	10.37	AV	275.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.600	38.79	74.0	35.21	Peak	142.00	200	Vertical	Pass
1**	1544.600	29.16	54.0	24.84	AV	142.00	200	Vertical	Pass
2	3986.750	47.25	74.0	26.75	Peak	96.00	300	Vertical	Pass
2**	3986.750	36.49	54.0	17.51	AV	96.00	300	Vertical	Pass
3	5500.000	102.68	--	--	Peak	135.00	150	Vertical	N/A
3**	5500.000	94.63	--	--	AV	135.00	150	Vertical	N/A
4	7590.500	52.56	74.0	21.44	Peak	360.00	100	Vertical	Pass
4**	7590.500	43.85	54.0	10.15	AV	360.00	100	Vertical	Pass
5	10996.775	48.53	74.0	25.47	Peak	360.00	100	Vertical	Pass
5**	10996.775	46.13	54.0	7.87	AV	360.00	100	Vertical	Pass
6	16131.526	53.96	74.0	20.04	Peak	360.00	300	Vertical	Pass
6**	16131.526	44.60	54.0	9.40	AV	360.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.300	38.71	74.0	35.29	Peak	347.00	100	Horizontal	Pass
1**	1626.300	29.72	54.0	24.28	AV	347.00	100	Horizontal	Pass
2	4353.500	47.09	74.0	26.91	Peak	254.00	300	Horizontal	Pass
2**	4353.500	37.87	54.0	16.13	AV	254.00	300	Horizontal	Pass
3	5579.250	111.60	--	--	Peak	294.00	200	Horizontal	N/A
3**	5579.250	104.20	--	--	AV	294.00	200	Horizontal	N/A
4	7594.500	52.92	74.0	21.08	Peak	77.00	200	Horizontal	Pass
4**	7594.500	43.51	54.0	10.49	AV	77.00	200	Horizontal	Pass
5	12455.975	53.18	74.0	20.82	Peak	360.00	150	Horizontal	Pass
5**	12455.975	43.94	54.0	10.06	AV	360.00	150	Horizontal	Pass
6	16145.963	54.17	74.0	19.83	Peak	16.00	400	Horizontal	Pass
6**	16145.963	45.08	54.0	8.92	AV	16.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	38.55	74.0	35.45	Peak	169.00	100	Vertical	Pass
1**	1498.500	31.20	54.0	22.80	AV	169.00	100	Vertical	Pass
2	4197.000	46.72	74.0	27.28	Peak	98.00	100	Vertical	Pass
2**	4197.000	36.80	54.0	17.20	AV	98.00	100	Vertical	Pass
3	5579.000	101.69	--	--	Peak	253.00	200	Vertical	N/A
3**	5579.000	94.53	--	--	AV	253.00	200	Vertical	N/A
4	7594.750	52.99	74.0	21.01	Peak	312.00	200	Vertical	Pass
4**	7594.750	44.64	54.0	9.36	AV	312.00	200	Vertical	Pass
5	11161.600	48.68	74.0	25.32	Peak	360.00	100	Vertical	Pass
5**	11161.600	46.42	54.0	7.58	AV	360.00	100	Vertical	Pass
6	16139.924	53.45	74.0	20.55	Peak	67.00	400	Vertical	Pass
6**	16139.924	44.92	54.0	9.08	AV	67.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.400	38.88	74.0	35.12	Peak	300.00	100	Horizontal	Pass
1**	1512.400	29.54	54.0	24.46	AV	300.00	100	Horizontal	Pass
2	4332.000	46.98	74.0	27.02	Peak	312.00	400	Horizontal	Pass
2**	4332.000	38.48	54.0	15.52	AV	312.00	400	Horizontal	Pass
3	5698.500	109.50	--	--	Peak	292.00	150	Horizontal	N/A
3**	5698.500	101.69	--	--	AV	292.00	150	Horizontal	N/A
4	9120.050	49.87	74.0	24.13	Peak	315.00	100	Horizontal	Pass
4**	9120.050	47.09	54.0	6.91	AV	315.00	100	Horizontal	Pass
5	12515.826	53.11	74.0	20.89	Peak	251.00	200	Horizontal	Pass
5**	12515.826	43.68	54.0	10.32	AV	251.00	200	Horizontal	Pass
6	16118.662	54.45	74.0	19.55	Peak	118.00	100	Horizontal	Pass
6**	16118.662	44.51	54.0	9.49	AV	118.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.700	39.68	74.0	34.32	Peak	160.00	300	Vertical	Pass
1**	1493.700	28.54	54.0	25.46	AV	160.00	300	Vertical	Pass
2	4327.250	47.09	74.0	26.91	Peak	18.00	200	Vertical	Pass
2**	4327.250	38.07	54.0	15.93	AV	18.00	200	Vertical	Pass
3	5703.250	99.00	--	--	Peak	176.00	150	Vertical	N/A
3**	5703.250	90.13	--	--	AV	176.00	150	Vertical	N/A
4	9120.050	52.77	74.0	21.23	Peak	10.00	100	Vertical	Pass
4**	9120.050	49.06	54.0	4.94	AV	10.00	100	Vertical	Pass
5	12507.037	53.07	74.0	20.93	Peak	323.00	100	Vertical	Pass
5**	12507.037	43.79	54.0	10.21	AV	323.00	100	Vertical	Pass
6	15891.863	54.23	74.0	19.77	Peak	343.00	200	Vertical	Pass
6**	15891.863	44.79	54.0	9.21	AV	343.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.300	38.64	74.0	35.36	Peak	63.00	200	Horizontal	Pass
1**	1621.300	29.88	54.0	24.12	AV	63.00	200	Horizontal	Pass
2	4204.250	47.08	74.0	26.92	Peak	0.00	300	Horizontal	Pass
2**	4204.250	37.38	54.0	16.62	AV	0.00	300	Horizontal	Pass
3	5511.000	104.70	--	--	Peak	117.00	150	Horizontal	N/A
3**	5511.000	96.27	--	--	AV	117.00	150	Horizontal	N/A
4	7600.750	52.79	74.0	21.21	Peak	176.00	400	Horizontal	Pass
4**	7600.750	44.67	54.0	9.33	AV	176.00	400	Horizontal	Pass
5	12461.912	52.83	74.0	21.17	Peak	360.00	200	Horizontal	Pass
5**	12461.912	44.69	54.0	9.31	AV	360.00	200	Horizontal	Pass
6	15686.325	54.43	74.0	19.57	Peak	316.00	200	Horizontal	Pass
6**	15686.325	44.79	54.0	9.21	AV	316.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.400	38.68	74.0	35.32	Peak	38.00	300	Vertical	Pass
1**	1504.400	28.35	54.0	25.65	AV	38.00	300	Vertical	Pass
2	4382.500	47.03	74.0	26.97	Peak	292.00	200	Vertical	Pass
2**	4382.500	37.66	54.0	16.34	AV	292.00	200	Vertical	Pass
3	5512.750	96.90	--	--	Peak	195.00	150	Vertical	N/A
3**	5512.750	85.93	--	--	AV	195.00	150	Vertical	N/A
4	7359.250	53.01	74.0	20.99	Peak	292.00	200	Vertical	Pass
4**	7359.250	44.27	54.0	9.73	AV	292.00	200	Vertical	Pass
5	12469.037	53.35	74.0	20.65	Peak	54.00	100	Vertical	Pass
5**	12469.037	44.14	54.0	9.86	AV	54.00	100	Vertical	Pass
6	16138.087	53.47	74.0	20.53	Peak	306.00	400	Vertical	Pass
6**	16138.087	44.76	54.0	9.24	AV	306.00	400	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.200	38.06	74.0	35.94	Peak	360.00	100	Horizontal	Pass
1**	1530.200	29.61	54.0	24.39	AV	360.00	100	Horizontal	Pass
2	4082.500	47.12	74.0	26.88	Peak	360.00	400	Horizontal	Pass
2**	4082.500	36.81	54.0	17.19	AV	360.00	400	Horizontal	Pass
3	5588.000	110.58	--	--	Peak	296.00	100	Horizontal	N/A
3**	5588.000	103.00	--	--	AV	296.00	100	Horizontal	N/A
4	7654.250	53.21	74.0	20.79	Peak	257.00	100	Horizontal	Pass
4**	7654.250	43.51	54.0	10.49	AV	257.00	100	Horizontal	Pass
5	12492.313	52.97	74.0	21.03	Peak	348.00	100	Horizontal	Pass
5**	12492.313	43.89	54.0	10.11	AV	348.00	100	Horizontal	Pass
6	16134.412	53.89	74.0	20.11	Peak	360.00	300	Horizontal	Pass
6**	16134.412	45.40	54.0	8.60	AV	360.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	39.36	74.0	34.64	Peak	155.00	100	Vertical	Pass
1**	1499.700	29.43	54.0	24.57	AV	155.00	100	Vertical	Pass
2	4332.250	47.09	74.0	26.91	Peak	216.00	200	Vertical	Pass
2**	4332.250	38.64	54.0	15.36	AV	216.00	200	Vertical	Pass
3	5592.500	100.90	--	--	Peak	79.00	100	Vertical	N/A
3**	5592.500	93.30	--	--	AV	79.00	100	Vertical	N/A
4	7357.250	53.05	74.0	20.95	Peak	360.00	200	Vertical	Pass
4**	7357.250	44.72	54.0	9.28	AV	360.00	200	Vertical	Pass
5	12442.912	53.01	74.0	20.99	Peak	316.00	200	Vertical	Pass
5**	12442.912	43.56	54.0	10.44	AV	316.00	200	Vertical	Pass
6	16137.825	54.51	74.0	19.49	Peak	164.00	100	Vertical	Pass
6**	16137.825	45.17	54.0	8.83	AV	164.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.100	38.22	74.0	35.78	Peak	360.00	300	Horizontal	Pass
1**	1447.100	29.20	54.0	24.80	AV	360.00	300	Horizontal	Pass
2	4045.750	46.77	74.0	27.23	Peak	137.00	200	Horizontal	Pass
2**	4045.750	36.90	54.0	17.10	AV	137.00	200	Horizontal	Pass
3	5665.000	108.09	--	--	Peak	296.00	200	Horizontal	N/A
3**	5665.000	99.90	--	--	AV	296.00	200	Horizontal	N/A
4	9072.312	50.59	74.0	23.41	Peak	21.00	100	Horizontal	Pass
4**	9072.312	46.48	54.0	7.52	AV	21.00	100	Horizontal	Pass
5	12489.700	52.93	74.0	21.07	Peak	307.00	200	Horizontal	Pass
5**	12489.700	43.58	54.0	10.42	AV	307.00	200	Horizontal	Pass
6	15888.187	53.70	74.0	20.30	Peak	360.00	200	Horizontal	Pass
6**	15888.187	45.33	54.0	8.67	AV	360.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.100	39.86	74.0	34.14	Peak	164.00	100	Vertical	Pass
1**	1495.100	29.19	54.0	24.81	AV	164.00	100	Vertical	Pass
2	4251.000	47.43	74.0	26.57	Peak	137.00	100	Vertical	Pass
2**	4251.000	37.61	54.0	16.39	AV	137.00	100	Vertical	Pass
3	5673.000	97.02	--	--	Peak	19.00	100	Vertical	N/A
3**	5673.000	88.07	--	--	AV	19.00	100	Vertical	N/A
4	9072.075	51.73	74.0	22.27	Peak	11.00	100	Vertical	Pass
4**	9072.075	48.69	54.0	5.31	AV	11.00	100	Vertical	Pass
5	12474.500	53.20	74.0	20.80	Peak	360.00	200	Vertical	Pass
5**	12474.500	44.11	54.0	9.89	AV	360.00	200	Vertical	Pass
6	15882.412	54.28	74.0	19.72	Peak	343.00	400	Vertical	Pass
6**	15882.412	45.04	54.0	8.96	AV	343.00	400	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.600	38.56	74.0	35.44	Peak	86.00	400	Horizontal	Pass
1**	1511.600	29.00	54.0	25.00	AV	86.00	400	Horizontal	Pass
2	4367.000	46.55	74.0	27.45	Peak	360.00	400	Horizontal	Pass
2**	4367.000	37.75	54.0	16.25	AV	360.00	400	Horizontal	Pass
3	5531.500	104.45	--	--	Peak	295.00	100	Horizontal	N/A
3**	5531.500	97.80	--	--	AV	295.00	100	Horizontal	N/A
4	7614.250	53.44	74.0	20.56	Peak	178.00	200	Horizontal	Pass
4**	7614.250	43.27	54.0	10.73	AV	178.00	200	Horizontal	Pass
5	12447.188	53.16	74.0	20.84	Peak	51.00	100	Horizontal	Pass
5**	12447.188	43.91	54.0	10.09	AV	51.00	100	Horizontal	Pass
6	16138.875	54.16	74.0	19.84	Peak	360.00	100	Horizontal	Pass
6**	16138.875	44.90	54.0	9.10	AV	360.00	100	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.100	39.13	74.0	34.87	Peak	123.00	100	Vertical	Pass
1**	1565.100	29.42	54.0	24.58	AV	123.00	100	Vertical	Pass
2	4361.750	47.24	74.0	26.76	Peak	331.00	400	Vertical	Pass
2**	4361.750	37.41	54.0	16.59	AV	331.00	400	Vertical	Pass
3	5535.750	92.88	--	--	Peak	195.00	200	Vertical	N/A
3**	5535.750	85.46	--	--	AV	195.00	200	Vertical	N/A
4	7368.500	52.78	74.0	21.22	Peak	331.00	200	Vertical	Pass
4**	7368.500	44.03	54.0	9.97	AV	331.00	200	Vertical	Pass
5	12459.300	52.74	74.0	21.26	Peak	126.00	200	Vertical	Pass
5**	12459.300	44.36	54.0	9.64	AV	126.00	200	Vertical	Pass
6	16131.526	53.94	74.0	20.06	Peak	188.00	100	Vertical	Pass
6**	16131.526	44.37	54.0	9.63	AV	188.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.900	38.52	74.0	35.48	Peak	0.00	200	Horizontal	Pass
1**	1609.900	30.15	54.0	23.85	AV	0.00	200	Horizontal	Pass
2	4347.500	47.62	74.0	26.38	Peak	40.00	400	Horizontal	Pass
2**	4347.500	38.39	54.0	15.61	AV	40.00	400	Horizontal	Pass
3	5603.750	104.87	--	--	Peak	296.00	100	Horizontal	N/A
3**	5603.750	97.81	--	--	AV	296.00	100	Horizontal	N/A
4	8976.125	51.53	68.2	16.67	Peak	264.00	100	Horizontal	Pass
4**	8976.125	48.66	--	--	AV	264.00	100	Horizontal	N/A
5	12449.087	53.53	74.0	20.47	Peak	295.00	150	Horizontal	Pass
5**	12449.087	43.58	54.0	10.42	AV	295.00	150	Horizontal	Pass
6	15913.650	54.31	74.0	19.69	Peak	318.00	400	Horizontal	Pass
6**	15913.650	43.72	54.0	10.28	AV	318.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.300	40.00	74.0	34.00	Peak	160.00	400	Vertical	Pass
1**	1495.300	32.07	54.0	21.93	AV	160.00	400	Vertical	Pass
2	4342.250	47.60	74.0	26.40	Peak	178.00	200	Vertical	Pass
2**	4342.250	37.12	54.0	16.88	AV	178.00	200	Vertical	Pass
3	5618.250	92.03	--	--	Peak	178.00	100	Vertical	N/A
3**	5618.250	84.36	--	--	AV	178.00	100	Vertical	N/A
4	8976.125	52.58	68.2	15.62	Peak	360.00	100	Vertical	Pass
4**	8976.125	50.16	--	--	AV	360.00	100	Vertical	N/A
5	12469.512	53.28	74.0	20.72	Peak	286.00	100	Vertical	Pass
5**	12469.512	44.44	54.0	9.56	AV	286.00	100	Vertical	Pass
6	16057.500	54.39	74.0	19.61	Peak	279.00	100	Vertical	Pass
6**	16057.500	44.06	54.0	9.94	AV	279.00	100	Vertical	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.400	38.74	74.0	35.26	Peak	290.00	200	Horizontal	Pass
1**	1619.400	29.69	54.0	24.31	AV	290.00	200	Horizontal	Pass
2	4315.000	47.53	74.0	26.47	Peak	137.00	400	Horizontal	Pass
2**	4315.000	37.89	54.0	16.11	AV	137.00	400	Horizontal	Pass
3	5581.500	99.02	--	--	Peak	296.00	100	Horizontal	N/A
3**	5581.500	92.23	--	--	AV	296.00	100	Horizontal	N/A
4	7416.250	53.37	74.0	20.63	Peak	79.00	100	Horizontal	Pass
4**	7416.250	43.15	54.0	10.85	AV	79.00	100	Horizontal	Pass
5	12440.063	53.42	74.0	20.58	Peak	90.00	200	Horizontal	Pass
5**	12440.063	44.03	54.0	9.97	AV	90.00	200	Horizontal	Pass
6	15454.276	54.10	74.0	19.90	Peak	199.00	400	Horizontal	Pass
6**	15454.276	43.45	54.0	10.55	AV	199.00	400	Horizontal	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.500	42.44	74.0	31.56	Peak	157.00	100	Vertical	Pass
1**	1496.500	30.70	54.0	23.30	AV	157.00	100	Vertical	Pass
2	4336.000	47.48	74.0	26.52	Peak	96.00	300	Vertical	Pass
2**	4336.000	37.70	54.0	16.30	AV	96.00	300	Vertical	Pass
3	5583.500	86.90	--	--	Peak	195.00	200	Vertical	N/A
3**	5583.500	80.30	--	--	AV	195.00	200	Vertical	N/A
4	7491.000	52.97	74.0	21.03	Peak	136.00	400	Vertical	Pass
4**	7491.000	43.58	54.0	10.42	AV	136.00	400	Vertical	Pass
5	12444.338	53.01	74.0	20.99	Peak	13.00	100	Vertical	Pass
5**	12444.338	43.73	54.0	10.27	AV	13.00	100	Vertical	Pass
6	15898.951	53.94	74.0	20.06	Peak	294.00	200	Vertical	Pass
6**	15898.951	44.61	54.0	9.39	AV	294.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.200	38.41	74.0	35.59	Peak	313.00	100	Horizontal	Pass
1**	1587.200	29.00	54.0	25.00	AV	313.00	100	Horizontal	Pass
2	4208.000	46.99	74.0	27.01	Peak	45.00	100	Horizontal	Pass
2**	4208.000	37.62	54.0	16.38	AV	45.00	100	Horizontal	Pass
3	5744.000	111.99	--	--	Peak	292.00	100	Horizontal	N/A
3**	5744.000	105.96	--	--	AV	292.00	100	Horizontal	N/A
4	7651.500	52.95	74.0	21.05	Peak	210.00	300	Horizontal	Pass
4**	7651.500	44.19	54.0	9.81	AV	210.00	300	Horizontal	Pass
5	11493.625	52.83	74.0	21.17	Peak	80.00	100	Horizontal	Pass
5**	11493.625	48.26	54.0	5.74	AV	80.00	100	Horizontal	Pass
6	15639.338	53.89	74.0	20.11	Peak	83.00	200	Horizontal	Pass
6**	15639.338	43.70	54.0	10.30	AV	83.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.100	39.00	74.0	35.00	Peak	96.00	200	Vertical	Pass
1**	1498.100	31.23	54.0	22.77	AV	96.00	200	Vertical	Pass
2	4255.750	48.15	74.0	25.85	Peak	100.00	100	Vertical	Pass
2**	4255.750	38.61	54.0	15.39	AV	100.00	100	Vertical	Pass
3	5745.750	105.95	--	--	Peak	100.00	200	Vertical	N/A
3**	5745.750	98.53	--	--	AV	100.00	200	Vertical	N/A
4	7359.000	52.67	74.0	21.33	Peak	42.00	400	Vertical	Pass
4**	7359.000	44.49	54.0	9.51	AV	42.00	400	Vertical	Pass
5	11487.688	54.07	74.0	19.93	Peak	325.00	100	Vertical	Pass
5**	11487.688	50.41	54.0	3.59	AV	325.00	100	Vertical	Pass
6	15684.487	53.88	74.0	20.12	Peak	1.00	200	Vertical	Pass
6**	15684.487	43.42	54.0	10.58	AV	1.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.600	38.86	74.0	35.14	Peak	80.00	300	Horizontal	Pass
1**	1616.600	29.42	54.0	24.58	AV	80.00	300	Horizontal	Pass
2	4332.000	46.84	74.0	27.16	Peak	360.00	200	Horizontal	Pass
2**	4332.000	38.33	54.0	15.67	AV	360.00	200	Horizontal	Pass
3	5786.250	111.48	--	--	Peak	87.00	100	Horizontal	N/A
3**	5786.250	106.35	--	--	AV	87.00	100	Horizontal	N/A
4	7372.500	53.73	74.0	20.27	Peak	0.00	200	Horizontal	Pass
4**	7372.500	44.04	54.0	9.96	AV	0.00	200	Horizontal	Pass
5	11569.388	53.55	74.0	20.45	Peak	123.00	100	Horizontal	Pass
5**	11569.388	49.65	54.0	4.35	AV	123.00	100	Horizontal	Pass
6	15867.975	53.76	74.0	20.24	Peak	188.00	100	Horizontal	Pass
6**	15867.975	43.89	54.0	10.11	AV	188.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.300	39.15	74.0	34.85	Peak	149.00	200	Vertical	Pass
1**	1494.300	28.74	54.0	25.26	AV	149.00	200	Vertical	Pass
2	3993.500	47.85	74.0	26.15	Peak	85.00	300	Vertical	Pass
2**	3993.500	37.08	54.0	16.92	AV	85.00	300	Vertical	Pass
3	5786.000	105.71	--	--	Peak	7.00	150	Vertical	N/A
3**	5786.000	99.51	--	--	AV	7.00	150	Vertical	N/A
4	7490.750	53.00	74.0	21.00	Peak	359.00	300	Vertical	Pass
4**	7490.750	44.56	54.0	9.44	AV	359.00	300	Vertical	Pass
5	11572.712	54.81	74.0	19.19	Peak	360.00	100	Vertical	Pass
5**	11572.712	50.83	54.0	3.17	AV	360.00	100	Vertical	Pass
6	15705.487	54.10	74.0	19.90	Peak	360.00	400	Vertical	Pass
6**	15705.487	44.65	54.0	9.35	AV	360.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.800	37.88	74.0	36.12	Peak	243.00	400	Horizontal	Pass
1**	1440.800	29.21	54.0	24.79	AV	243.00	400	Horizontal	Pass
2	4360.250	47.43	74.0	26.57	Peak	183.00	200	Horizontal	Pass
2**	4360.250	37.69	54.0	16.31	AV	183.00	200	Horizontal	Pass
3	5828.750	112.00	--	--	Peak	261.00	100	Horizontal	N/A
3**	5828.750	104.11	--	--	AV	261.00	100	Horizontal	N/A
4	7487.500	53.07	74.0	20.93	Peak	242.00	400	Horizontal	Pass
4**	7487.500	44.25	54.0	9.75	AV	242.00	400	Horizontal	Pass
5	11649.188	53.09	74.0	20.91	Peak	125.00	100	Horizontal	Pass
5**	11649.188	48.54	54.0	5.46	AV	125.00	100	Horizontal	Pass
6	16138.875	53.69	74.0	20.31	Peak	312.00	200	Horizontal	Pass
6**	16138.875	45.10	54.0	8.90	AV	312.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.400	39.41	74.0	34.59	Peak	282.00	300	Vertical	Pass
1**	1495.400	29.94	54.0	24.06	AV	282.00	300	Vertical	Pass
2	4338.000	47.01	74.0	26.99	Peak	262.00	100	Vertical	Pass
2**	4338.000	37.79	54.0	16.21	AV	262.00	100	Vertical	Pass
3	5826.250	105.77	--	--	Peak	7.00	200	Vertical	N/A
3**	5826.250	99.25	--	--	AV	7.00	200	Vertical	N/A
4	7585.750	52.90	74.0	21.10	Peak	360.00	400	Vertical	Pass
4**	7585.750	43.80	54.0	10.20	AV	360.00	400	Vertical	Pass
5	11643.963	55.05	74.0	18.95	Peak	40.00	100	Vertical	Pass
5**	11643.963	50.19	54.0	3.81	AV	40.00	100	Vertical	Pass
6	16123.912	53.69	74.0	20.31	Peak	261.00	400	Vertical	Pass
6**	16123.912	45.55	54.0	8.45	AV	261.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.200	38.36	74.0	35.64	Peak	311.00	400	Horizontal	Pass
1**	1616.200	29.42	54.0	24.58	AV	311.00	400	Horizontal	Pass
2	4255.500	47.33	74.0	26.67	Peak	261.00	400	Horizontal	Pass
2**	4255.500	38.12	54.0	15.88	AV	261.00	400	Horizontal	Pass
3	5744.000	111.70	--	--	Peak	302.00	100	Horizontal	N/A
3**	5744.000	103.92	--	--	AV	302.00	100	Horizontal	N/A
4	7424.750	52.91	74.0	21.09	Peak	241.00	200	Horizontal	Pass
4**	7424.750	44.39	54.0	9.61	AV	241.00	200	Horizontal	Pass
5	11491.488	50.31	74.0	23.69	Peak	352.00	100	Horizontal	Pass
5**	11491.488	46.05	54.0	7.95	AV	352.00	100	Horizontal	Pass
6	16130.213	53.43	74.0	20.57	Peak	37.00	300	Horizontal	Pass
6**	16130.213	45.50	54.0	8.50	AV	37.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.100	37.94	74.0	36.06	Peak	317.00	300	Vertical	Pass
1**	1441.100	29.29	54.0	24.71	AV	317.00	300	Vertical	Pass
2	4252.250	47.01	74.0	26.99	Peak	106.00	200	Vertical	Pass
2**	4252.250	37.58	54.0	16.42	AV	106.00	200	Vertical	Pass
3	5746.500	105.76	--	--	Peak	6.00	150	Vertical	N/A
3**	5746.500	98.57	--	--	AV	6.00	150	Vertical	N/A
4	7658.500	53.36	74.0	20.64	Peak	263.00	100	Vertical	Pass
4**	7658.500	43.89	54.0	10.11	AV	263.00	100	Vertical	Pass
5	11488.874	52.38	74.0	21.62	Peak	139.00	100	Vertical	Pass
5**	11488.874	49.42	54.0	4.58	AV	139.00	100	Vertical	Pass
6	16134.938	53.88	74.0	20.12	Peak	290.00	300	Vertical	Pass
6**	16134.938	45.06	54.0	8.94	AV	290.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.800	38.34	74.0	35.66	Peak	1.00	400	Horizontal	Pass
1**	1446.800	28.29	54.0	25.71	AV	1.00	400	Horizontal	Pass
2	4223.750	47.51	74.0	26.49	Peak	84.00	300	Horizontal	Pass
2**	4223.750	37.91	54.0	16.09	AV	84.00	300	Horizontal	Pass
3	5780.500	111.04	--	--	Peak	222.00	200	Horizontal	N/A
3**	5780.500	103.69	--	--	AV	222.00	200	Horizontal	N/A
4	7490.500	52.74	74.0	21.26	Peak	203.00	300	Horizontal	Pass
4**	7490.500	43.85	54.0	10.15	AV	203.00	300	Horizontal	Pass
5	11570.575	51.55	74.0	22.45	Peak	248.00	100	Horizontal	Pass
5**	11570.575	46.57	54.0	7.43	AV	248.00	100	Horizontal	Pass
6	16078.763	53.99	74.0	20.01	Peak	37.00	400	Horizontal	Pass
6**	16078.763	44.18	54.0	9.82	AV	37.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.900	38.97	74.0	35.03	Peak	161.00	200	Vertical	Pass
1**	1494.900	30.10	54.0	23.90	AV	161.00	200	Vertical	Pass
2	4309.750	47.21	74.0	26.79	Peak	102.00	100	Vertical	Pass
2**	4309.750	39.09	54.0	14.91	AV	102.00	100	Vertical	Pass
3	5786.000	104.97	--	--	Peak	320.00	150	Vertical	N/A
3**	5786.000	97.95	--	--	AV	320.00	150	Vertical	N/A
4	7607.250	52.94	74.0	21.06	Peak	259.00	100	Vertical	Pass
4**	7607.250	43.72	54.0	10.28	AV	259.00	100	Vertical	Pass
5	11564.401	52.36	74.0	21.64	Peak	1.00	100	Vertical	Pass
5**	11564.401	50.47	54.0	3.53	AV	1.00	100	Vertical	Pass
6	16140.713	53.90	74.0	20.10	Peak	0.00	300	Vertical	Pass
6**	16140.713	45.33	54.0	8.67	AV	0.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.400	38.71	74.0	35.29	Peak	154.00	400	Horizontal	Pass
1**	1606.400	29.01	54.0	24.99	AV	154.00	400	Horizontal	Pass
2	4358.500	47.26	74.0	26.74	Peak	360.00	200	Horizontal	Pass
2**	4358.500	38.64	54.0	15.36	AV	360.00	200	Horizontal	Pass
3	5827.500	111.19	--	--	Peak	262.00	100	Horizontal	N/A
3**	5827.500	105.47	--	--	AV	262.00	100	Horizontal	N/A
4	7310.250	52.91	74.0	21.09	Peak	161.00	100	Horizontal	Pass
4**	7310.250	42.93	54.0	11.07	AV	161.00	100	Horizontal	Pass
5	11650.375	49.25	74.0	24.75	Peak	121.00	100	Horizontal	Pass
5**	11650.375	46.56	54.0	7.44	AV	121.00	100	Horizontal	Pass
6	16100.550	53.82	74.0	20.18	Peak	251.00	100	Horizontal	Pass
6**	16100.550	44.30	54.0	9.70	AV	251.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.200	38.79	74.0	35.21	Peak	195.00	300	Vertical	Pass
1**	1448.200	29.83	54.0	24.17	AV	195.00	300	Vertical	Pass
2	4247.000	47.49	74.0	26.51	Peak	65.00	400	Vertical	Pass
2**	4247.000	37.73	54.0	16.27	AV	65.00	400	Vertical	Pass
3	5823.500	105.70	--	--	Peak	6.00	100	Vertical	N/A
3**	5823.500	98.08	--	--	AV	6.00	100	Vertical	N/A
4	7592.750	53.95	74.0	20.05	Peak	65.00	100	Vertical	Pass
4**	7592.750	43.39	54.0	10.61	AV	65.00	100	Vertical	Pass
5	11651.562	52.14	74.0	21.86	Peak	42.00	100	Vertical	Pass
5**	11651.562	49.11	54.0	4.89	AV	42.00	100	Vertical	Pass
6	15901.575	54.70	74.0	19.30	Peak	246.00	200	Vertical	Pass
6**	15901.575	44.14	54.0	9.86	AV	246.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.200	38.59	74.0	35.41	Peak	360.00	300	Horizontal	Pass
1**	1607.200	28.72	54.0	25.28	AV	360.00	300	Horizontal	Pass
2	4260.250	46.82	74.0	27.18	Peak	360.00	200	Horizontal	Pass
2**	4260.250	37.82	54.0	16.18	AV	360.00	200	Horizontal	Pass
3	5743.250	109.58	--	--	Peak	263.00	100	Horizontal	N/A
3**	5743.250	101.06	--	--	AV	263.00	100	Horizontal	N/A
4	7580.250	52.91	74.0	21.09	Peak	244.00	200	Horizontal	Pass
4**	7580.250	43.36	54.0	10.64	AV	244.00	200	Horizontal	Pass
5	12507.037	53.46	74.0	20.54	Peak	62.00	100	Horizontal	Pass
5**	12507.037	43.78	54.0	10.22	AV	62.00	100	Horizontal	Pass
6	16108.951	54.57	74.0	19.43	Peak	43.00	300	Horizontal	Pass
6**	16108.951	44.43	54.0	9.57	AV	43.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	38.82	74.0	35.18	Peak	108.00	400	Vertical	Pass
1**	1495.800	29.95	54.0	24.05	AV	108.00	400	Vertical	Pass
2	4315.250	47.23	74.0	26.77	Peak	0.00	300	Vertical	Pass
2**	4315.250	38.34	54.0	15.66	AV	0.00	300	Vertical	Pass
3	5753.000	102.22	--	--	Peak	24.00	200	Vertical	N/A
3**	5753.000	94.84	--	--	AV	24.00	200	Vertical	N/A
4	7655.750	53.12	74.0	20.88	Peak	0.00	200	Vertical	Pass
4**	7655.750	43.62	54.0	10.38	AV	0.00	200	Vertical	Pass
5	11507.401	50.10	74.0	23.90	Peak	127.00	100	Vertical	Pass
5**	11507.401	46.02	54.0	7.98	AV	127.00	100	Vertical	Pass
6	16162.500	53.95	74.0	20.05	Peak	50.00	100	Vertical	Pass
6**	16162.500	44.72	54.0	9.28	AV	50.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.000	38.41	74.0	35.59	Peak	163.00	100	Horizontal	Pass
1**	1481.000	29.09	54.0	24.91	AV	163.00	100	Horizontal	Pass
2	4246.250	47.54	74.0	26.46	Peak	183.00	300	Horizontal	Pass
2**	4246.250	37.54	54.0	16.46	AV	183.00	300	Horizontal	Pass
3	5797.000	111.02	--	--	Peak	300.00	100	Horizontal	N/A
3**	5797.000	102.94	--	--	AV	300.00	100	Horizontal	N/A
4	7648.250	53.21	74.0	20.79	Peak	0.00	300	Horizontal	Pass
4**	7648.250	44.09	54.0	9.91	AV	0.00	300	Horizontal	Pass
5	12455.737	52.99	74.0	21.01	Peak	64.00	150	Horizontal	Pass
5**	12455.737	44.24	54.0	9.76	AV	64.00	150	Horizontal	Pass
6	15879.000	54.13	74.0	19.87	Peak	223.00	300	Horizontal	Pass
6**	15879.000	45.66	54.0	8.34	AV	223.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.400	38.86	74.0	35.14	Peak	168.00	200	Vertical	Pass
1**	1499.400	29.00	54.0	25.00	AV	168.00	200	Vertical	Pass
2	4348.750	47.09	74.0	26.91	Peak	162.00	100	Vertical	Pass
2**	4348.750	38.09	54.0	15.91	AV	162.00	100	Vertical	Pass
3	5797.000	101.85	--	--	Peak	222.00	150	Vertical	N/A
3**	5797.000	95.08	--	--	AV	222.00	150	Vertical	N/A
4	7358.000	52.82	74.0	21.18	Peak	181.00	100	Vertical	Pass
4**	7358.000	44.51	54.0	9.49	AV	181.00	100	Vertical	Pass
5	11588.862	50.79	74.0	23.21	Peak	33.00	100	Vertical	Pass
5**	11588.862	50.72	54.0	3.28	AV	33.00	100	Vertical	Pass
6	15665.588	54.01	74.0	19.99	Peak	359.00	400	Vertical	Pass
6**	15665.588	44.65	54.0	9.35	AV	359.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.900	38.57	74.0	35.43	Peak	214.00	400	Horizontal	Pass
1**	1559.900	28.94	54.0	25.06	AV	214.00	400	Horizontal	Pass
2	4315.250	46.96	74.0	27.04	Peak	319.00	400	Horizontal	Pass
2**	4315.250	37.88	54.0	16.12	AV	319.00	400	Horizontal	Pass
3	5743.750	111.71	--	--	Peak	261.00	100	Horizontal	N/A
3**	5743.750	105.29	--	--	AV	261.00	100	Horizontal	N/A
4	7365.500	53.14	74.0	20.86	Peak	24.00	200	Horizontal	Pass
4**	7365.500	44.82	54.0	9.18	AV	24.00	200	Horizontal	Pass
5	11483.888	52.26	74.0	21.74	Peak	318.00	100	Horizontal	Pass
5**	11483.888	48.27	54.0	5.73	AV	318.00	100	Horizontal	Pass
6	16136.250	53.80	74.0	20.20	Peak	319.00	300	Horizontal	Pass
6**	16136.250	45.28	54.0	8.72	AV	319.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.200	39.49	74.0	34.51	Peak	159.00	400	Vertical	Pass
1**	1498.200	30.08	54.0	23.92	AV	159.00	400	Vertical	Pass
2	4034.500	46.96	74.0	27.04	Peak	161.00	100	Vertical	Pass
2**	4034.500	37.22	54.0	16.78	AV	161.00	100	Vertical	Pass
3	5743.750	105.46	--	--	Peak	83.00	200	Vertical	N/A
3**	5743.750	99.07	--	--	AV	83.00	200	Vertical	N/A
4	7604.250	53.22	74.0	20.78	Peak	23.00	300	Vertical	Pass
4**	7604.250	44.20	54.0	9.80	AV	23.00	300	Vertical	Pass
5	11491.250	52.25	74.0	21.75	Peak	35.00	100	Vertical	Pass
5**	11491.250	48.46	54.0	5.54	AV	35.00	100	Vertical	Pass
6	16135.200	54.06	74.0	19.94	Peak	359.00	400	Vertical	Pass
6**	16135.200	44.57	54.0	9.43	AV	359.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.800	38.73	74.0	35.27	Peak	144.00	200	Horizontal	Pass
1**	1544.800	28.90	54.0	25.10	AV	144.00	200	Horizontal	Pass
2	4256.000	47.11	74.0	26.89	Peak	319.00	200	Horizontal	Pass
2**	4256.000	38.85	54.0	15.15	AV	319.00	200	Horizontal	Pass
3	5783.750	111.17	--	--	Peak	80.00	100	Horizontal	N/A
3**	5783.750	104.08	--	--	AV	80.00	100	Horizontal	N/A
4	7592.500	53.42	74.0	20.58	Peak	239.00	400	Horizontal	Pass
4**	7592.500	43.93	54.0	10.07	AV	239.00	400	Horizontal	Pass
5	11569.625	50.10	74.0	23.90	Peak	355.00	100	Horizontal	Pass
5**	11569.625	47.97	54.0	6.03	AV	355.00	100	Horizontal	Pass
6	16122.863	54.02	74.0	19.98	Peak	275.00	300	Horizontal	Pass
6**	16122.863	45.26	54.0	8.74	AV	275.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.200	39.47	74.0	34.53	Peak	163.00	400	Vertical	Pass
1**	1524.200	29.52	54.0	24.48	AV	163.00	400	Vertical	Pass
2	4330.500	47.82	74.0	26.18	Peak	246.00	200	Vertical	Pass
2**	4330.500	37.83	54.0	16.17	AV	246.00	200	Vertical	Pass
3	5786.000	105.62	--	--	Peak	13.00	200	Vertical	N/A
3**	5786.000	98.14	--	--	AV	13.00	200	Vertical	N/A
4	7354.750	52.93	74.0	21.07	Peak	226.00	300	Vertical	Pass
4**	7354.750	43.76	54.0	10.24	AV	226.00	300	Vertical	Pass
5	11568.675	53.84	74.0	20.16	Peak	360.00	100	Vertical	Pass
5**	11568.675	48.84	54.0	5.16	AV	360.00	100	Vertical	Pass
6	16100.287	53.50	74.0	20.50	Peak	339.00	400	Vertical	Pass
6**	16100.287	44.69	54.0	9.31	AV	339.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.400	38.74	74.0	35.26	Peak	180.00	300	Horizontal	Pass
1**	1575.400	30.01	54.0	23.99	AV	180.00	300	Horizontal	Pass
2	4207.750	46.91	74.0	27.09	Peak	0.00	300	Horizontal	Pass
2**	4207.750	38.08	54.0	15.92	AV	0.00	300	Horizontal	Pass
3	5822.250	111.67	--	--	Peak	81.00	200	Horizontal	N/A
3**	5822.250	103.62	--	--	AV	81.00	200	Horizontal	N/A
4	7584.250	52.66	74.0	21.34	Peak	201.00	400	Horizontal	Pass
4**	7584.250	43.90	54.0	10.10	AV	201.00	400	Horizontal	Pass
5	11648.950	52.19	74.0	21.81	Peak	79.00	100	Horizontal	Pass
5**	11648.950	47.43	54.0	6.57	AV	79.00	100	Horizontal	Pass
6	16107.900	53.84	74.0	20.16	Peak	104.00	200	Horizontal	Pass
6**	16107.900	44.46	54.0	9.54	AV	104.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.300	39.03	74.0	34.97	Peak	165.00	100	Vertical	Pass
1**	1497.300	30.01	54.0	23.99	AV	165.00	100	Vertical	Pass
2	4349.750	47.45	74.0	26.55	Peak	339.00	100	Vertical	Pass
2**	4349.750	38.06	54.0	15.94	AV	339.00	100	Vertical	Pass
3	5826.000	105.83	--	--	Peak	160.00	100	Vertical	N/A
3**	5826.000	99.00	--	--	AV	160.00	100	Vertical	N/A
4	7422.750	53.62	74.0	20.38	Peak	320.00	300	Vertical	Pass
4**	7422.750	44.47	54.0	9.53	AV	320.00	300	Vertical	Pass
5	11648.713	53.99	74.0	20.01	Peak	28.00	100	Vertical	Pass
5**	11648.713	49.41	54.0	4.59	AV	28.00	100	Vertical	Pass
6	16123.388	54.20	74.0	19.80	Peak	183.00	300	Vertical	Pass
6**	16123.388	45.15	54.0	8.85	AV	183.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.700	38.72	74.0	35.28	Peak	47.00	300	Horizontal	Pass
1**	1606.700	29.55	54.0	24.45	AV	47.00	300	Horizontal	Pass
2	4337.250	47.55	74.0	26.45	Peak	241.00	300	Horizontal	Pass
2**	4337.250	38.54	54.0	15.46	AV	241.00	300	Horizontal	Pass
3	5751.250	110.30	--	--	Peak	280.00	200	Horizontal	N/A
3**	5751.250	102.59	--	--	AV	280.00	200	Horizontal	N/A
4	7376.250	52.73	74.0	21.27	Peak	64.00	300	Horizontal	Pass
4**	7376.250	43.10	54.0	10.90	AV	64.00	300	Horizontal	Pass
5	11519.037	50.01	74.0	23.99	Peak	131.00	100	Horizontal	Pass
5**	11519.037	46.92	54.0	7.08	AV	131.00	100	Horizontal	Pass
6	16133.625	54.53	74.0	19.47	Peak	278.00	400	Horizontal	Pass
6**	16133.625	45.14	54.0	8.86	AV	278.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.600	39.82	74.0	34.18	Peak	163.00	100	Vertical	Pass
1**	1493.600	29.29	54.0	24.71	AV	163.00	100	Vertical	Pass
2	4000.000	46.92	74.0	27.08	Peak	144.00	400	Vertical	Pass
2**	4000.000	38.57	54.0	15.43	AV	144.00	400	Vertical	Pass
3	5748.250	100.48	--	--	Peak	9.00	100	Vertical	N/A
3**	5748.250	93.75	--	--	AV	9.00	100	Vertical	N/A
4	7368.250	53.47	74.0	20.53	Peak	337.00	100	Vertical	Pass
4**	7368.250	44.53	54.0	9.47	AV	337.00	100	Vertical	Pass
5	11509.063	51.74	74.0	22.26	Peak	2.00	100	Vertical	Pass
5**	11509.063	47.12	54.0	6.88	AV	2.00	100	Vertical	Pass
6	16148.325	55.25	74.0	18.75	Peak	280.00	100	Vertical	Pass
6**	16148.325	44.77	54.0	9.23	AV	280.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	38.71	74.0	35.29	Peak	1.00	100	Horizontal	Pass
1**	1600.500	28.99	54.0	25.01	AV	1.00	100	Horizontal	Pass
2	4290.750	46.81	74.0	27.19	Peak	224.00	100	Horizontal	Pass
2**	4290.750	38.40	54.0	15.60	AV	224.00	100	Horizontal	Pass
3	5797.000	110.26	--	--	Peak	282.00	150	Horizontal	N/A
3**	5797.000	102.47	--	--	AV	282.00	150	Horizontal	N/A
4	7359.000	54.25	74.0	19.75	Peak	185.00	100	Horizontal	Pass
4**	7359.000	44.32	54.0	9.68	AV	185.00	100	Horizontal	Pass
5	12452.650	53.15	74.0	20.85	Peak	58.00	200	Horizontal	Pass
5**	12452.650	44.28	54.0	9.72	AV	58.00	200	Horizontal	Pass
6	16148.325	53.92	74.0	20.08	Peak	34.00	200	Horizontal	Pass
6**	16148.325	45.06	54.0	8.94	AV	34.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.700	38.93	74.0	35.07	Peak	164.00	300	Vertical	Pass
1**	1497.700	29.19	54.0	24.81	AV	164.00	300	Vertical	Pass
2	4326.750	46.95	74.0	27.05	Peak	6.00	100	Vertical	Pass
2**	4326.750	38.03	54.0	15.97	AV	6.00	100	Vertical	Pass
3	5797.500	102.08	--	--	Peak	222.00	100	Vertical	N/A
3**	5797.500	94.96	--	--	AV	222.00	100	Vertical	N/A
4	7362.500	53.68	74.0	20.32	Peak	124.00	100	Vertical	Pass
4**	7362.500	43.82	54.0	10.18	AV	124.00	100	Vertical	Pass
5	11588.862	52.56	74.0	21.44	Peak	33.00	100	Vertical	Pass
5**	11588.862	47.59	54.0	6.41	AV	33.00	100	Vertical	Pass
6	15827.812	53.91	74.0	20.09	Peak	83.00	400	Vertical	Pass
6**	15827.812	44.32	54.0	9.68	AV	83.00	400	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.200	39.01	74.0	34.99	Peak	324.00	400	Horizontal	Pass
1**	1597.200	29.51	54.0	24.49	AV	324.00	400	Horizontal	Pass
2	4333.750	47.12	74.0	26.88	Peak	200.00	200	Horizontal	Pass
2**	4333.750	38.29	54.0	15.71	AV	200.00	200	Horizontal	Pass
3	5777.250	108.67	--	--	Peak	280.00	100	Horizontal	N/A
3**	5777.250	100.85	--	--	AV	280.00	100	Horizontal	N/A
4	7594.500	53.23	74.0	20.77	Peak	319.00	300	Horizontal	Pass
4**	7594.500	44.26	54.0	9.74	AV	319.00	300	Horizontal	Pass
5	12441.725	53.41	74.0	20.59	Peak	250.00	200	Horizontal	Pass
5**	12441.725	43.94	54.0	10.06	AV	250.00	200	Horizontal	Pass
6	15935.700	54.21	74.0	19.79	Peak	300.00	200	Horizontal	Pass
6**	15935.700	44.12	54.0	9.88	AV	300.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.200	38.88	74.0	35.12	Peak	145.00	100	Vertical	Pass
1**	1607.200	30.74	54.0	23.26	AV	145.00	100	Vertical	Pass
2	4327.500	47.19	74.0	26.81	Peak	0.00	200	Vertical	Pass
2**	4327.500	38.06	54.0	15.94	AV	0.00	200	Vertical	Pass
3	5778.250	99.28	--	--	Peak	144.00	200	Vertical	N/A
3**	5778.250	92.44	--	--	AV	144.00	200	Vertical	N/A
4	7595.750	53.16	74.0	20.84	Peak	241.00	200	Vertical	Pass
4**	7595.750	43.80	54.0	10.20	AV	241.00	200	Vertical	Pass
5	11569.150	52.40	74.0	21.60	Peak	36.00	100	Vertical	Pass
5**	11569.150	47.16	54.0	6.84	AV	36.00	100	Vertical	Pass
6	15880.050	53.93	74.0	20.07	Peak	85.00	300	Vertical	Pass
6**	15880.050	45.12	54.0	8.88	AV	85.00	300	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.500	38.62	74.0	35.38	Peak	130.00	200	Horizontal	Pass
1**	1513.500	28.68	54.0	25.32	AV	130.00	200	Horizontal	Pass
2	4047.000	47.49	74.0	26.51	Peak	84.00	100	Horizontal	Pass
2**	4047.000	37.56	54.0	16.44	AV	84.00	100	Horizontal	Pass
3	5742.250	111.02	--	--	Peak	281.00	100	Horizontal	N/A
3**	5742.250	104.89	--	--	AV	281.00	100	Horizontal	N/A
4	7492.000	52.89	74.0	21.11	Peak	242.00	100	Horizontal	Pass
4**	7492.000	43.56	54.0	10.44	AV	242.00	100	Horizontal	Pass
5	12449.087	52.91	74.0	21.09	Peak	360.00	150	Horizontal	Pass
5**	12449.087	43.69	54.0	10.31	AV	360.00	150	Horizontal	Pass
6	16111.050	54.30	74.0	19.70	Peak	52.00	300	Horizontal	Pass
6**	16111.050	44.66	54.0	9.34	AV	52.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	38.48	74.0	35.52	Peak	156.00	100	Vertical	Pass
1**	1497.100	29.38	54.0	24.62	AV	156.00	100	Vertical	Pass
2	4367.250	48.18	74.0	25.82	Peak	319.00	100	Vertical	Pass
2**	4367.250	37.56	54.0	16.44	AV	319.00	100	Vertical	Pass
3	5745.250	105.82	--	--	Peak	222.00	150	Vertical	N/A
3**	5745.250	98.72	--	--	AV	222.00	150	Vertical	N/A
4	7431.000	53.15	74.0	20.85	Peak	202.00	300	Vertical	Pass
4**	7431.000	43.66	54.0	10.34	AV	202.00	300	Vertical	Pass
5	11493.387	50.59	74.0	23.41	Peak	2.00	100	Vertical	Pass
5**	11493.387	48.37	54.0	5.63	AV	2.00	100	Vertical	Pass
6	16130.737	54.09	74.0	19.91	Peak	91.00	100	Vertical	Pass
6**	16130.737	45.05	54.0	8.95	AV	91.00	100	Vertical	Pass