
















Appendix H: Emissions in Restricted Bands

Test Result

ANT 1:H0409

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.78	40.90	74.00	33.10	36.54	39.66	54.00	14.34	150	115	Horizontal	PASS
2	2320.56	3.34	38.48	41.82	74.00	32.18	35.85	39.19	54.00	14.81	150	134	Horizontal	PASS
3	2338.08	3.27	38.54	41.81	74.00	32.19	34.81	38.08	54.00	15.92	150	265	Horizontal	PASS
4	2354.64	3.52	38.63	42.15	74.00	31.85	35.27	38.79	54.00	15.21	150	315	Horizontal	PASS
5	2372.88	3.90	38.63	42.53	74.00	31.47	36.42	40.32	54.00	13.68	150	100	Horizontal	PASS
6	2390	4.38	37.86	42.24	74.00	31.76	35.94	40.32	54.00	13.68	150	134	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.83	40.95	74.00	33.05	36.08	39.20	54.00	14.80	150	322	Vertical	PASS
2	2321.76	3.33	39.95	43.28	74.00	30.72	37.59	40.92	54.00	13.08	150	75	Vertical	PASS
3	2337.92	3.27	38.47	41.74	74.00	32.26	37.11	40.38	54.00	13.62	150	97	Vertical	PASS
4	2351.52	3.52	38.56	42.08	74.00	31.92	36.42	39.94	54.00	14.06	150	230	Vertical	PASS
5	2365.84	3.65	39.02	42.67	74.00	31.33	34.81	38.46	54.00	15.54	150	194	Vertical	PASS
6	2390	4.38	37.67	42.05	74.00	31.95	35.84	40.22	54.00	13.78	150	20	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	44.55	48.01	74.00	25.99	42.76	46.22	54.00	7.78	150	179	Horizontal	PASS
2	2485.6285	3.50	46.46	49.96	74.00	24.04	44.50	48.00	54.00	6.00	150	71	Horizontal	PASS
3	2489.6545	3.57	46.38	49.95	74.00	24.05	44.24	47.81	54.00	6.19	150	52	Horizontal	PASS
4	2493.5815	3.59	46.33	49.92	74.00	24.08	42.48	46.07	54.00	7.93	150	285	Horizontal	PASS
5	2496.667	3.58	46.55	50.13	74.00	23.87	43.41	46.99	54.00	7.01	150	204	Horizontal	PASS
6	2500	3.50	46.29	49.79	74.00	24.21	44.12	47.62	54.00	6.38	150	189	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	44.45	47.91	74.00	26.09	42.77	46.23	54.00	7.77	150	199	Vertical	PASS
2	2486.1895	3.48	46.48	49.96	74.00	24.04	43.57	47.05	54.00	6.95	150	191	Vertical	PASS
3	2489.341	3.56	47.28	50.84	74.00	23.16	43.87	47.43	54.00	6.57	150	71	Vertical	PASS
4	2491.3705	3.55	46.47	50.02	74.00	23.98	45.55	49.10	54.00	4.90	150	322	Vertical	PASS
5	2494.4395	3.58	46.94	50.52	74.00	23.48	44.05	47.63	54.00	6.37	150	44	Vertical	PASS
6	2500	3.50	45.22	48.72	74.00	25.28	43.61	47.11	54.00	6.89	150	335	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.28	40.40	74.00	33.60	35.74	38.86	54.00	15.14	150	163	Horizontal	PASS
2	2322.88	3.32	39.76	43.08	74.00	30.92	34.93	38.25	54.00	15.75	150	282	Horizontal	PASS
3	2339.68	3.32	39.07	42.39	74.00	31.61	36.86	40.18	54.00	13.82	150	240	Horizontal	PASS
4	2351.6	3.52	38.68	42.20	74.00	31.80	36.80	40.32	54.00	13.68	150	338	Horizontal	PASS
5	2372	3.85	38.61	42.46	74.00	31.54	36.55	40.40	54.00	13.60	150	16	Horizontal	PASS
6	2390	4.38	38.08	42.46	74.00	31.54	35.88	40.26	54.00	13.74	150	104	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.34	40.46	74.00	33.54	35.26	38.38	54.00	15.62	150	132	Vertical	PASS
2	2323.2	3.32	38.73	42.05	74.00	31.95	36.78	40.10	54.00	13.90	150	98	Vertical	PASS
3	2337.12	3.26	38.88	42.14	74.00	31.86	35.76	39.02	54.00	14.98	150	138	Vertical	PASS
4	2361.36	3.54	38.47	42.01	74.00	31.99	35.90	39.44	54.00	14.56	150	108	Vertical	PASS
5	2374.64	3.94	38.32	42.26	74.00	31.74	35.75	39.69	54.00	14.31	150	300	Vertical	PASS
6	2390	4.38	38.51	42.89	74.00	31.11	37.33	41.71	54.00	12.29	150	252	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	2M -2480
-------	----------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45.57	49.03	74.00	24.97	42.47	45.93	54.00	8.07	150	224	Horizontal	PASS
2	2485.975	3.47	47.36	50.83	74.00	23.17	45.87	49.34	54.00	4.66	150	186	Horizontal	PASS
3	2489.275	3.56	45.86	49.42	74.00	24.58	43.85	47.41	54.00	6.59	150	4	Horizontal	PASS
4	2491.0735	3.55	46.32	49.87	74.00	24.13	42.86	46.41	54.00	7.59	150	348	Horizontal	PASS
5	2495.8585	3.56	45.92	49.48	74.00	24.52	43.64	47.20	54.00	6.80	150	276	Horizontal	PASS
6	2500	3.50	45.76	49.26	74.00	24.74	44.33	47.83	54.00	6.17	150	173	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45.89	49.35	74.00	24.65	43.74	47.20	54.00	6.80	150	0	Vertical	PASS
2	2486.107	3.48	46.18	49.66	74.00	24.34	44.44	47.92	54.00	6.08	150	160	Vertical	PASS
3	2490.6445	3.56	46.43	49.99	74.00	24.01	42.46	46.02	54.00	7.98	150	30	Vertical	PASS
4	2493.334	3.58	46.27	49.85	74.00	24.15	44.22	47.80	54.00	6.20	150	152	Vertical	PASS
5	2496.7495	3.58	46.09	49.67	74.00	24.33	43.81	47.39	54.00	6.61	150	0	Vertical	PASS
6	2500	3.50	46.09	49.59	74.00	24.41	43.56	47.06	54.00	6.94	150	40	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

ANT 2:H0409S

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.68	40.80	74.00	33.20	35.23	38.35	54.00	15.65	150	290	Horizontal	PASS
2	2325.68	3.32	39.14	42.46	74.00	31.54	35.83	39.15	54.00	14.85	150	262	Horizontal	PASS
3	2334.56	3.27	40.02	43.29	74.00	30.71	37.86	41.13	54.00	12.87	150	93	Horizontal	PASS
4	2348.64	3.52	39.09	42.61	74.00	31.39	37.81	41.33	54.00	12.67	150	116	Horizontal	PASS
5	2364.4	3.66	38.43	42.09	74.00	31.91	36.72	40.38	54.00	13.62	150	79	Horizontal	PASS
6	2390	4.38	37.62	42.00	74.00	32.00	34.87	39.25	54.00	14.75	150	249	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.85	40.97	74.00	33.03	35.16	38.28	54.00	15.72	150	161	Vertical	PASS
2	2323.68	3.32	38.45	41.77	74.00	32.23	36.87	40.19	54.00	13.81	150	158	Vertical	PASS
3	2344.08	3.45	38.19	41.64	74.00	32.36	35.26	38.71	54.00	15.29	150	113	Vertical	PASS
4	2354.24	3.52	38.46	41.98	74.00	32.02	36.21	39.73	54.00	14.27	150	113	Vertical	PASS
5	2371.44	3.81	37.98	41.79	74.00	32.21	36.01	39.82	54.00	14.18	150	288	Vertical	PASS
6	2390	4.38	37.21	41.59	74.00	32.41	35.54	39.92	54.00	14.08	150	47	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 1M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	44.89	48.35	74.00	25.65	42.67	46.13	54.00	7.87	150	194	Horizontal	PASS
2	2486.2225	3.49	45.9	49.39	74.00	24.61	43.33	46.82	54.00	7.18	150	40	Horizontal	PASS
3	2489.242	3.56	46.36	49.92	74.00	24.08	43.68	47.24	54.00	6.76	150	323	Horizontal	PASS
4	2492.773	3.57	45.93	49.50	74.00	24.50	43.35	46.92	54.00	7.08	150	118	Horizontal	PASS
5	2495.611	3.56	46.3	49.86	74.00	24.14	44.23	47.79	54.00	6.21	150	42	Horizontal	PASS
6	2500	3.50	44.88	48.38	74.00	25.62	42.97	46.47	54.00	7.53	150	346	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45	48.46	74.00	25.54	42.70	46.16	54.00	7.84	150	73	Vertical	PASS
2	2485.612	3.50	46.07	49.57	74.00	24.43	44.47	47.97	54.00	6.03	150	86	Vertical	PASS
3	2489.242	3.56	46.23	49.79	74.00	24.21	44.55	48.11	54.00	5.89	150	136	Vertical	PASS
4	2491.2055	3.55	46.17	49.72	74.00	24.28	42.74	46.29	54.00	7.71	150	176	Vertical	PASS
5	2494.786	3.57	46.53	50.10	74.00	23.90	44.54	48.11	54.00	5.89	150	244	Vertical	PASS
6	2500	3.50	45	48.50	74.00	25.50	43.00	46.50	54.00	7.50	150	229	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.48	40.60	74.00	33.40	35.84	38.96	54.00	15.04	150	218	Horizontal	PASS
2	2325.76	3.32	38.27	41.59	74.00	32.41	35.23	38.55	54.00	15.45	150	345	Horizontal	PASS
3	2345.12	3.50	38.69	42.19	74.00	31.81	36.17	39.67	54.00	14.33	150	11	Horizontal	PASS
4	2362.24	3.57	39.01	42.58	74.00	31.42	37.46	41.03	54.00	12.97	150	340	Horizontal	PASS
5	2380.08	4.16	38.09	42.25	74.00	31.75	36.55	40.71	54.00	13.29	150	179	Horizontal	PASS
6	2390	4.38	37.7	42.08	74.00	31.92	35.34	39.72	54.00	14.28	150	231	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	36.96	40.08	74.00	33.92	35.11	38.23	54.00	15.77	150	46	Vertical	PASS
2	2322	3.33	38.92	42.25	74.00	31.75	36.31	39.64	54.00	14.36	150	264	Vertical	PASS
3	2338.16	3.28	39.2	42.48	74.00	31.52	37.11	40.39	54.00	13.61	150	155	Vertical	PASS
4	2352.56	3.49	38.76	42.25	74.00	31.75	36.75	40.24	54.00	13.76	150	239	Vertical	PASS
5	2370.88	3.77	37.61	41.38	74.00	32.62	35.56	39.33	54.00	14.67	150	70	Vertical	PASS
6	2390	4.38	37.86	42.24	74.00	31.76	34.73	39.11	54.00	14.89	150	70	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	2M -2480
-------	----------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45.82	49.28	74.00	24.72	44.19	47.65	54.00	6.35	150	120	Horizontal	PASS
2	2486.7175	3.52	45.97	49.49	74.00	24.51	44.05	47.57	54.00	6.43	150	132	Horizontal	PASS
3	2490.43	3.56	45.94	49.50	74.00	24.50	44.66	48.22	54.00	5.78	150	152	Horizontal	PASS
4	2493.4165	3.58	46.89	50.47	74.00	23.53	45.06	48.64	54.00	5.36	150	8	Horizontal	PASS
5	2496.271	3.57	46.02	49.59	74.00	24.41	44.45	48.02	54.00	5.98	150	357	Horizontal	PASS
6	2500	3.50	44.67	48.17	74.00	25.83	43.44	46.94	54.00	7.06	150	31	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45.8	49.26	74.00	24.74	43.90	47.36	54.00	6.64	150	60	Vertical	PASS
2	2485.909	3.48	46.68	50.16	74.00	23.84	42.96	46.44	54.00	7.56	150	72	Vertical	PASS
3	2488.4335	3.50	46.19	49.69	74.00	24.31	44.43	47.93	54.00	6.07	150	98	Vertical	PASS
4	2491.717	3.56	46.28	49.84	74.00	24.16	44.29	47.85	54.00	6.15	150	355	Vertical	PASS
5	2493.7795	3.59	47.61	51.20	74.00	22.80	45.93	49.52	54.00	4.48	150	336	Vertical	PASS
6	2500	3.50	44.32	47.82	74.00	26.18	42.77	46.27	54.00	7.73	150	258	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	35.6987	13.65	-16.12	40.00	26.35	200	125	Horizontal	PASS
2	46.4900	13.47	-15.97	40.00	26.53	100	64	Horizontal	PASS
3	64.1925	13.04	-17.29	40.00	26.96	200	0	Horizontal	PASS
4	152.220	14.62	-15.93	43.50	28.88	100	233	Horizontal	PASS
5	299.902	14.63	-15.68	46.00	31.37	200	31	Horizontal	PASS
6	580.717	22.89	-9.06	46.00	23.11	200	1	Horizontal	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	35.8200	14.69	-16.11	40.00	25.31	100	360	Vertical	PASS
2	58.0088	14.36	-16.70	40.00	25.64	100	77	Vertical	PASS
3	106.387	12.44	-19.01	43.50	31.06	100	351	Vertical	PASS
4	156.948	15.12	-15.80	43.50	28.38	100	33	Vertical	PASS
5	336.883	16.32	-15.13	46.00	29.68	200	303	Vertical	PASS
6	552.708	24.85	-10.02	46.00	21.15	100	84	Vertical	PASS

ANT 1:H0409

Mode:	BLE 1M-2402
-------	-------------

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3620.25	-19.52	56.25	36.73	74.00	37.27	51.34	31.82	54.00	22.18	150	233	Horizontal	PASS
2	4803.75	-14.54	56.29	41.75	74.00	32.25	54.32	39.78	54.00	14.22	150	269	Horizontal	PASS
3	7206.75	-9.34	65.75	56.41	74.00	17.59	61.11	51.77	54.00	2.23	150	233	Horizontal	PASS
4	8344.5	-7.23	52.35	45.12	74.00	28.88	49.24	42.01	54.00	11.99	150	257	Horizontal	PASS
5	11008.5	-2.97	49.58	46.61	74.00	27.39	46.90	43.93	54.00	10.07	150	53	Horizontal	PASS
6	13653.75	1.16	48.18	49.34	74.00	24.66	44.59	45.75	54.00	8.25	150	23	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3466.5	-20.06	56.89	36.83	74.00	37.17	52.30	32.24	54.00	21.76	150	123	Vertical	PASS
2	5025	-13.68	54.06	40.38	74.00	33.62	50.29	36.61	54.00	17.39	150	144	Vertical	PASS
3	6345	-10.28	52.23	41.95	74.00	32.05	49.05	38.77	54.00	15.23	150	161	Vertical	PASS
4	7206.75	-9.34	66.58	57.24	74.00	16.76	59.82	50.48	54.00	3.52	150	232	Vertical	PASS
5	7987.5	-7.32	55.42	48.10	74.00	25.90	47.44	40.12	54.00	13.88	150	212	Vertical	PASS
6	9516	-4.69	50.36	45.67	74.00	28.33	48.32	43.63	54.00	10.37	150	111	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 1M-2440

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3594.75	-19.16	56.06	36.90	74.00	37.10	51.02	31.86	54.00	22.14	150	341	Horizontal	PASS
2	4887	-13.81	58.25	44.44	74.00	29.56	56.47	42.66	54.00	11.34	150	267	Horizontal	PASS
3	6485.25	-10.05	53.2	43.15	74.00	30.85	50.84	40.79	54.00	13.21	150	161	Horizontal	PASS
4	7331.25	-9.23	64.3	55.07	74.00	18.93	60.86	51.63	54.00	2.37	150	215	Horizontal	PASS
5	9250.5	-4.69	50.18	45.49	74.00	28.51	47.04	42.35	54.00	11.65	150	138	Horizontal	PASS
6	13855.5	0.73	49.61	50.34	74.00	23.66	46.47	47.20	54.00	6.80	150	65	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3594	-19.14	57.16	38.02	74.00	35.98	51.60	32.46	54.00	21.54	150	138	Vertical	PASS
2	4888.5	-13.76	55.59	41.83	74.00	32.17	50.06	36.30	54.00	17.70	150	199	Vertical	PASS
3	6498.75	-10.03	53.57	43.54	74.00	30.46	47.85	37.82	54.00	16.18	150	119	Vertical	PASS
4	7330.5	-9.24	65.07	55.83	74.00	18.17	61.73	52.49	54.00	1.51	150	266	Vertical	PASS
5	9983.25	-4.51	52.51	48.00	74.00	26.00	49.36	44.85	54.00	9.15	150	132	Vertical	PASS
6	13793.25	1.10	48.72	49.82	74.00	24.18	45.84	46.94	54.00	7.06	150	186	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3672.75	-18.93	58.65	39.72	74.00	34.28	56.44	37.51	54.00	16.49	150	307	Horizontal	PASS
2	4941.75	-13.93	54.84	40.91	74.00	33.09	48.83	34.90	54.00	19.10	150	257	Horizontal	PASS
3	6144.75	-10.80	53.03	42.23	74.00	31.77	46.77	35.97	54.00	18.03	150	235	Horizontal	PASS
4	7438.5	-8.97	64.4	55.43	74.00	18.57	61.81	52.84	54.00	1.16	150	290	Horizontal	PASS
5	9921	-4.28	51.45	47.17	74.00	26.83	46.55	42.27	54.00	11.73	150	179	Horizontal	PASS
6	13650	1.06	48.32	49.38	74.00	24.62	43.90	44.96	54.00	9.04	150	107	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3539.25	-19.85	58.62	38.77	74.00	35.23	55.22	35.37	54.00	18.63	150	186	Vertical	PASS
2	4899.75	-13.53	53.92	40.39	74.00	33.61	51.36	37.83	54.00	16.17	150	144	Vertical	PASS
3	5990.25	-12.03	57.3	45.27	74.00	28.73	54.48	42.45	54.00	11.55	150	112	Vertical	PASS
4	7440.75	-8.90	65.23	56.33	74.00	17.67	60.17	51.27	54.00	2.73	150	22	Vertical	PASS
5	7986.75	-7.32	54.27	46.95	74.00	27.05	51.23	43.91	54.00	10.09	150	130	Vertical	PASS
6	9983.25	-4.51	52.38	47.87	74.00	26.13	47.62	43.11	54.00	10.89	150	144	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3636.75	-19.34	57.18	37.84	74.00	36.16	53.95	34.61	54.00	19.39	150	42	Horizontal	PASS
2	4906.5	-13.26	53.58	40.32	74.00	33.68	50.53	37.27	54.00	16.73	150	36	Horizontal	PASS
3	7203.75	-9.58	65.21	55.63	74.00	18.37	63.26	53.68	54.00	0.32	150	255	Horizontal	PASS
4	8370	-7.20	51.43	44.23	74.00	29.77	48.55	41.35	54.00	12.65	150	104	Horizontal	PASS
5	10294.5	-3.96	50.31	46.35	74.00	27.65	44.30	40.34	54.00	13.66	150	42	Horizontal	PASS
6	14256.75	0.91	48.87	49.78	74.00	24.22	46.21	47.12	54.00	6.88	150	128	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3509.25	-19.55	57.23	37.68	74.00	36.32	51.62	32.07	54.00	21.93	150	335	Vertical	PASS
2	4896.75	-13.59	54.06	40.47	74.00	33.53	50.33	36.74	54.00	17.26	150	279	Vertical	PASS
3	7204.5	-9.52	65.99	56.47	74.00	17.53	61.24	51.72	54.00	2.28	150	235	Vertical	PASS
4	7986.75	-7.32	55.58	48.26	74.00	25.74	49.78	42.46	54.00	11.54	150	114	Vertical	PASS
5	10859.25	-3.43	50.42	46.99	74.00	27.01	46.71	43.28	54.00	10.72	150	48	Vertical	PASS
6	13802.25	1.17	48.26	49.43	74.00	24.57	44.46	45.63	54.00	8.37	150	126	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3320.25	-20.17	56.89	36.72	74.00	37.28	53.16	32.99	54.00	21.01	150	258	Horizontal	PASS
2	4880.25	-14.06	58.89	44.83	74.00	29.17	56.63	42.57	54.00	11.43	150	252	Horizontal	PASS
3	6309	-10.98	52.9	41.92	74.00	32.08	50.20	39.22	54.00	14.78	150	0	Horizontal	PASS
4	7317.75	-9.25	63.3	54.05	74.00	19.95	61.49	52.24	54.00	1.76	150	228	Horizontal	PASS
5	9678.75	-4.66	51.64	46.98	74.00	27.02	48.33	43.67	54.00	10.33	150	66	Horizontal	PASS
6	14289	1.50	48.15	49.65	74.00	24.35	44.16	45.66	54.00	8.34	150	331	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3711.75	-18.75	56.01	37.26	74.00	36.74	53.68	34.93	54.00	19.07	150	93	Vertical	PASS
2	5256.75	-13.33	53.5	40.17	74.00	33.83	48.93	35.60	54.00	18.40	150	113	Vertical	PASS
3	7317.75	-9.25	65.22	55.97	74.00	18.03	63.00	53.75	54.00	0.25	150	257	Vertical	PASS
4	7986.75	-7.32	56.99	49.67	74.00	24.33	54.23	46.91	54.00	7.09	150	113	Vertical	PASS
5	9600.75	-5.10	50.81	45.71	74.00	28.29	46.19	41.09	54.00	12.91	150	157	Vertical	PASS
6	11593.5	-2.45	49.59	47.14	74.00	26.86	45.74	43.29	54.00	10.71	150	93	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3404.25	-19.54	56.42	36.88	74.00	37.12	54.11	34.57	54.00	19.43	150	347	Horizontal	PASS
2	4958.25	-14.66	56.62	41.96	74.00	32.04	54.70	40.04	54.00	13.96	150	252	Horizontal	PASS
3	7437.75	-9.00	60.1	51.10	74.00	22.90	58.38	49.38	54.00	4.62	150	220	Horizontal	PASS
4	9509.25	-4.76	50.07	45.31	74.00	28.69	45.26	40.50	54.00	13.50	150	54	Horizontal	PASS
5	10948.5	-3.36	50.85	47.49	74.00	26.51	48.56	45.20	54.00	8.80	150	240	Horizontal	PASS
6	14290.5	1.49	48.41	49.90	74.00	24.10	45.20	46.69	54.00	7.31	150	182	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3601.5	-19.31	58.14	38.83	74.00	35.17	55.44	36.13	54.00	17.87	150	224	Vertical	PASS
2	4905.75	-13.29	53.53	40.24	74.00	33.76	49.35	36.06	54.00	17.94	150	88	Vertical	PASS
3	7437.75	-9.00	61.8	52.80	74.00	21.20	59.85	50.85	54.00	3.15	150	264	Vertical	PASS
4	9601.5	-5.09	51.16	46.07	74.00	27.93	47.50	42.41	54.00	11.59	150	303	Vertical	PASS
5	11678.25	-1.96	49.49	47.53	74.00	26.47	46.03	44.07	54.00	9.93	150	27	Vertical	PASS
6	13855.5	0.73	48.97	49.70	74.00	24.30	46.04	46.77	54.00	7.23	150	53	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

ANT 2:H0409S

Mode:	BLE 1M-2402
-------	-------------

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3657.75	-19.34	56.68	37.34	74.00	36.66	54.39	35.05	54.00	18.95	150	50	Horizontal	PASS
2	4803	-14.58	62.16	47.58	74.00	26.42	59.48	44.90	54.00	9.10	150	343	Horizontal	PASS
3	6348.75	-10.17	52.77	42.60	74.00	31.40	48.14	37.97	54.00	16.03	150	343	Horizontal	PASS
4	7204.5	-9.52	60.91	51.39	74.00	22.61	58.29	48.77	54.00	5.23	150	349	Horizontal	PASS
5	9847.5	-4.35	51.03	46.68	74.00	27.32	48.81	44.46	54.00	9.54	150	178	Horizontal	PASS
6	13051.5	-0.08	48	47.92	74.00	26.08	42.56	42.48	54.00	11.52	150	204	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3404.25	-19.54	56.51	36.97	74.00	37.03	53.83	34.29	54.00	19.71	150	73	Vertical	PASS
2	4803	-14.58	59.77	45.19	74.00	28.81	57.65	43.07	54.00	10.93	150	80	Vertical	PASS
3	5990.25	-12.03	53.23	41.20	74.00	32.80	45.82	33.79	54.00	20.21	150	288	Vertical	PASS
4	7205.25	-9.46	64.23	54.77	74.00	19.23	61.23	51.77	54.00	2.23	150	282	Vertical	PASS
5	7986.75	-7.32	55.23	47.91	74.00	26.09	51.92	44.60	54.00	9.40	150	62	Vertical	PASS
6	10175.25	-4.38	50.69	46.31	74.00	27.69	47.24	42.86	54.00	11.14	150	180	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3538.5	-19.86	57.15	37.29	74.00	36.71	51.81	31.95	54.00	22.05	150	113	Horizontal	PASS
2	4880.25	-14.06	63.97	49.91	74.00	24.09	61.82	47.76	54.00	6.24	150	355	Horizontal	PASS
3	6503.25	-10.21	53.51	43.30	74.00	30.70	51.12	40.91	54.00	13.09	150	36	Horizontal	PASS
4	7319.25	-9.18	58.24	49.06	74.00	24.94	53.22	44.04	54.00	9.96	150	355	Horizontal	PASS
5	9966	-4.10	50.24	46.14	74.00	27.86	44.51	40.41	54.00	13.59	150	317	Horizontal	PASS
6	13826.25	1.07	48.19	49.26	74.00	24.74	42.05	43.12	54.00	10.88	150	4	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3714.75	-18.92	56.14	37.22	74.00	36.78	54.44	35.52	54.00	18.48	150	114	Vertical	PASS
2	4879.5	-14.09	62.58	48.49	74.00	25.51	58.92	44.83	54.00	9.17	150	49	Vertical	PASS
3	7320.75	-9.15	61.93	52.78	74.00	21.22	56.58	47.43	54.00	6.57	150	292	Vertical	PASS
4	7986.75	-7.32	54.15	46.83	74.00	27.17	51.37	44.05	54.00	9.95	150	158	Vertical	PASS
5	9962.25	-3.98	50.27	46.29	74.00	27.71	46.63	42.65	54.00	11.35	150	109	Vertical	PASS
6	13619.25	0.49	48.49	48.98	74.00	25.02	44.11	44.60	54.00	9.40	150	178	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3733.5	-18.87	56.09	37.22	74.00	36.78	51.63	32.76	54.00	21.24	150	241	Horizontal	PASS
2	4959	-14.74	65.09	50.35	74.00	23.65	62.72	47.98	54.00	6.02	150	185	Horizontal	PASS
3	7440	-8.89	56.67	47.78	74.00	26.22	53.45	44.56	54.00	9.44	150	0	Horizontal	PASS
4	9627.75	-4.90	51.08	46.18	74.00	27.82	45.51	40.61	54.00	13.39	150	211	Horizontal	PASS
5	11934	-1.61	48.69	47.08	74.00	26.92	43.94	42.33	54.00	11.67	150	262	Horizontal	PASS
6	14289.75	1.50	48.06	49.56	74.00	24.44	43.32	44.82	54.00	9.18	150	52	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3633.75	-19.31	56.75	37.44	74.00	36.56	54.90	35.59	54.00	18.41	150	73	Vertical	PASS
2	4959	-14.74	64.29	49.55	74.00	24.45	62.14	47.40	54.00	6.60	150	44	Vertical	PASS
3	7440.75	-8.90	61.01	52.11	74.00	21.89	55.19	46.29	54.00	7.71	150	103	Vertical	PASS
4	7987.5	-7.32	55.34	48.02	74.00	25.98	49.00	41.68	54.00	12.32	150	165	Vertical	PASS
5	10401	-4.03	50.37	46.34	74.00	27.66	44.79	40.76	54.00	13.24	150	0	Vertical	PASS
6	14478.75	1.37	48.13	49.50	74.00	24.50	44.68	46.05	54.00	7.95	150	280	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3642.75	-19.31	57.16	37.85	74.00	36.15	51.27	31.96	54.00	22.04	150	2	Horizontal	PASS
2	4878.75	-14.10	63.58	49.48	74.00	24.52	59.57	45.47	54.00	8.53	150	267	Horizontal	PASS
3	7321.5	-9.16	57.33	48.17	74.00	25.83	51.40	42.24	54.00	11.76	150	355	Horizontal	PASS
4	8550	-7.07	51.95	44.88	74.00	29.12	47.30	40.23	54.00	13.77	150	192	Horizontal	PASS
5	12897.75	0.06	47.31	47.37	74.00	26.63	45.38	45.44	54.00	8.56	150	156	Horizontal	PASS
6	16364.25	3.32	47.37	50.69	74.00	23.31	43.52	46.84	54.00	7.16	150	56	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3648.75	-19.19	56.67	37.48	74.00	36.52	53.21	34.02	54.00	19.98	150	178	Vertical	PASS
2	4881	-14.04	61.8	47.76	74.00	26.24	56.30	42.26	54.00	11.74	150	42	Vertical	PASS
3	6325.5	-10.93	53.83	42.90	74.00	31.10	51.55	40.62	54.00	13.38	150	0	Vertical	PASS
4	7318.5	-9.22	62.19	52.97	74.00	21.03	57.64	48.42	54.00	5.58	150	276	Vertical	PASS
5	7768.5	-8.70	55.94	47.24	74.00	26.76	52.35	43.65	54.00	10.35	150	178	Vertical	PASS
6	10317	-3.91	50.04	46.13	74.00	27.87	47.19	43.28	54.00	10.72	150	236	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3811.5	-18.26	56.02	37.76	74.00	36.24	53.80	35.54	54.00	18.46	150	276	Horizontal	PASS
2	4802.25	-14.62	61.65	47.03	74.00	26.97	59.41	44.79	54.00	9.21	150	329	Horizontal	PASS
3	6371.25	-10.36	53.09	42.73	74.00	31.27	49.84	39.48	54.00	14.52	150	0	Horizontal	PASS
4	7207.5	-9.28	60.49	51.21	74.00	22.79	53.82	44.54	54.00	9.46	150	349	Horizontal	PASS
5	9051.75	-6.13	51.17	45.04	74.00	28.96	49.04	42.91	54.00	11.09	150	1	Horizontal	PASS
6	13712.25	0.70	48.63	49.33	74.00	24.67	44.57	45.27	54.00	8.73	150	317	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3502.5	-19.78	57.17	37.39	74.00	36.61	53.58	33.80	54.00	20.20	150	187	Vertical	PASS
2	4802.25	-14.62	58.99	44.37	74.00	29.63	56.66	42.04	54.00	11.96	150	158	Vertical	PASS
3	7204.5	-9.52	63.21	53.69	74.00	20.31	58.49	48.97	54.00	5.03	150	292	Vertical	PASS
4	7986.75	-7.32	55.16	47.84	74.00	26.16	52.86	45.54	54.00	8.46	150	70	Vertical	PASS
5	9553.5	-4.78	50.45	45.67	74.00	28.33	47.10	42.32	54.00	11.68	150	286	Vertical	PASS
6	14022	0.96	48.21	49.17	74.00	24.83	43.00	43.96	54.00	10.04	150	70	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3701.25	-19.10	56.02	36.92	74.00	37.08	52.84	33.74	54.00	20.26	150	158	Horizontal	PASS
2	4958.25	-14.66	64.11	49.45	74.00	24.55	61.86	47.20	54.00	6.80	150	201	Horizontal	PASS
3	6415.5	-10.46	53.59	43.13	74.00	30.87	49.66	39.20	54.00	14.80	150	250	Horizontal	PASS
4	7441.5	-8.92	56.89	47.97	74.00	26.03	52.54	43.62	54.00	10.38	150	78	Horizontal	PASS
5	9954	-4.03	50.38	46.35	74.00	27.65	45.22	41.19	54.00	12.81	150	237	Horizontal	PASS
6	13935	0.46	48.97	49.43	74.00	24.57	46.26	46.72	54.00	7.28	150	225	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3669.75	-19.00	56.97	37.97	74.00	36.03	55.11	36.11	54.00	17.89	150	118	Vertical	PASS
2	4958.25	-14.66	63.24	48.58	74.00	25.42	60.77	46.11	54.00	7.89	150	76	Vertical	PASS
3	7437.75	-9.00	59.71	50.71	74.00	23.29	57.64	48.64	54.00	5.36	150	271	Vertical	PASS
4	7986.75	-7.32	55.2	47.88	74.00	26.12	52.38	45.06	54.00	8.94	150	239	Vertical	PASS
5	10944	-3.26	49.82	46.56	74.00	27.44	47.55	44.29	54.00	9.71	150	192	Vertical	PASS
6	13776	0.88	48.58	49.46	74.00	24.54	46.07	46.95	54.00	7.05	150	148	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix J: Conducted emission

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.366	10.29	34.43	58.59	24.16	23.30	48.59	25.29	L1	PASS
2	0.768	10.28	33.41	56.00	22.59	22.61	46.00	23.39	L1	PASS
3	1.344	10.33	34.00	56.00	22.00	22.20	46.00	23.80	L1	PASS
4	3.351	10.29	35.19	56.00	20.81	23.94	46.00	22.06	L1	PASS
5	7.899	10.43	36.38	60.00	23.62	24.57	50.00	25.43	L1	PASS
6	12.895	10.51	37.28	60.00	22.72	24.29	50.00	25.71	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.411	10.28	34.29	57.63	23.34	22.81	47.63	24.82	N	PASS
2	0.603	10.26	33.68	56.00	22.32	22.96	46.00	23.04	N	PASS
3	1.002	10.26	35.05	56.00	20.95	22.52	46.00	23.48	N	PASS
4	1.473	10.32	33.83	56.00	22.17	22.97	46.00	23.03	N	PASS
5	3.555	10.40	36.59	56.00	19.41	24.69	46.00	21.31	N	PASS
6	6.285	10.42	37.08	60.00	22.92	25.37	50.00	24.63	N	PASS