




BLE_2M_Ant1_2440_0~Reference




BLE_2M_Ant1_2440_30~1000



BLE_2M_Ant1_2440_1000~26500



BLE_2M_Ant1_2480_0~Reference



BLE_2M_Ant1_2480_30~1000



BLE_2M_Ant1_2480_1000~26500

Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
BLE_1M	Ant1	2402	0.35	0.63	55.56
		2440	0.35	0.63	55.56
		2480	0.35	0.63	55.56
BLE_2M	Ant1	2402	1.07	1.87	57.22
		2440	1.07	1.87	57.22
		2480	1.08	1.88	57.45

Test Graphs





BLE_2M_Ant1_2402



BLE_2M_Ant1_2440



BLE_2M_Ant1_2480

Appendix H: Emissions in Restricted Bands

Test Result

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.91	41.03	74.00	32.97	36.51	39.63	54.00	14.37	150	68	Horizontal	PASS
2	2320.72	3.34	38.87	42.21	74.00	31.79	37.85	41.19	54.00	12.81	150	240	Horizontal	PASS
3	2331.04	3.28	40	43.28	74.00	30.72	38.13	41.41	54.00	12.59	150	54	Horizontal	PASS
4	2350.08	3.58	38.7	42.28	74.00	31.72	36.03	39.61	54.00	14.39	150	248	Horizontal	PASS
5	2369.84	3.68	39.25	42.93	74.00	31.07	37.66	41.34	54.00	12.66	150	353	Horizontal	PASS
6	2390	4.38	38.77	43.15	74.00	30.85	35.85	40.23	54.00	13.77	150	130	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.68	40.80	74.00	33.20	35.66	38.78	54.00	15.22	150	201	Vertical	PASS
2	2320.4	3.34	38.69	42.03	74.00	31.97	37.30	40.64	54.00	13.36	150	271	Vertical	PASS
3	2339.84	3.33	39.36	42.69	74.00	31.31	37.41	40.74	54.00	13.26	150	70	Vertical	PASS
4	2360.4	3.53	38.83	42.36	74.00	31.64	36.68	40.21	54.00	13.79	150	31	Vertical	PASS
5	2377.2	4.02	39.32	43.34	74.00	30.66	35.91	39.93	54.00	14.07	150	360	Vertical	PASS
6	2390	4.38	38.34	42.72	74.00	31.28	36.42	40.80	54.00	13.20	150	360	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45.24	48.70	74.00	25.30	43.34	46.80	54.00	7.20	150	102	Horizontal	PASS
2	2485.7275	3.49	46.66	50.15	74.00	23.85	44.94	48.43	54.00	5.57	150	160	Horizontal	PASS
3	2490.43	3.56	46.97	50.53	74.00	23.47	45.01	48.57	54.00	5.43	150	310	Horizontal	PASS
4	2493.3835	3.58	46.64	50.22	74.00	23.78	44.27	47.85	54.00	6.15	150	30	Horizontal	PASS
5	2496.6505	3.58	46.56	50.14	74.00	23.86	44.18	47.76	54.00	6.24	150	125	Horizontal	PASS
6	2500	3.50	45.47	48.97	74.00	25.03	44.28	47.78	54.00	6.22	150	7	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	44.92	48.38	74.00	25.62	43.34	46.80	54.00	7.20	150	248	Vertical	PASS
2	2485.216	3.52	46.84	50.36	74.00	23.64	44.86	48.38	54.00	5.62	150	175	Vertical	PASS
3	2487.46	3.50	47.03	50.53	74.00	23.47	44.29	47.79	54.00	6.21	150	103	Vertical	PASS
4	2490.727	3.56	46.9	50.46	74.00	23.54	45.29	48.85	54.00	5.15	150	70	Vertical	PASS
5	2493.8455	3.59	46.93	50.52	74.00	23.48	45.54	49.13	54.00	4.87	150	269	Vertical	PASS
6	2500	3.50	45.7	49.20	74.00	24.80	42.48	45.98	54.00	8.02	150	4	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	38.43	41.55	74.00	32.45	36.43	39.55	54.00	14.45	150	188	Horizontal	PASS
2	2320.24	3.34	39.84	43.18	74.00	30.82	37.41	40.75	54.00	13.25	150	73	Horizontal	PASS
3	2344.48	3.47	40.56	44.03	74.00	29.97	36.06	39.53	54.00	14.47	150	71	Horizontal	PASS
4	2356.08	3.50	39.51	43.01	74.00	30.99	36.55	40.05	54.00	13.95	150	125	Horizontal	PASS
5	2370.64	3.75	39.78	43.53	74.00	30.47	36.57	40.32	54.00	13.68	150	63	Horizontal	PASS
6	2390	4.38	37.89	42.27	74.00	31.73	36.90	41.28	54.00	12.72	150	165	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.61	40.73	74.00	33.27	35.47	38.59	54.00	15.41	150	4	Vertical	PASS
2	2322.72	3.32	38.38	41.70	74.00	32.30	35.76	39.08	54.00	14.92	150	360	Vertical	PASS
3	2340.8	3.34	39.2	42.54	74.00	31.46	37.78	41.12	54.00	12.88	150	145	Vertical	PASS
4	2352.56	3.49	39.18	42.67	74.00	31.33	37.24	40.73	54.00	13.27	150	65	Vertical	PASS
5	2372.56	3.89	39.04	42.93	74.00	31.07	36.84	40.73	54.00	13.27	150	38	Vertical	PASS
6	2390	4.38	37.42	41.80	74.00	32.20	34.90	39.28	54.00	14.72	150	138	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	2M -2480
-------	----------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	46.08	49.54	74.00	24.46	44.40	47.86	54.00	6.14	150	170	Horizontal	PASS
2	2485.8925	3.48	47.39	50.87	74.00	23.13	46.16	49.64	54.00	4.36	150	238	Horizontal	PASS
3	2488.7965	3.54	47.4	50.94	74.00	23.06	44.59	48.13	54.00	5.87	150	222	Horizontal	PASS
4	2492.5915	3.57	46.79	50.36	74.00	23.64	45.24	48.81	54.00	5.19	150	283	Horizontal	PASS
5	2496.205	3.57	46.54	50.11	74.00	23.89	44.14	47.71	54.00	6.29	150	59	Horizontal	PASS
6	2500	3.50	46.15	49.65	74.00	24.35	44.50	48.00	54.00	6.00	150	0	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45.37	48.83	74.00	25.17	43.20	46.66	54.00	7.34	150	276	Vertical	PASS
2	2486.899	3.53	47.03	50.56	74.00	23.44	43.95	47.48	54.00	6.52	150	158	Vertical	PASS
3	2490.925	3.55	46.49	50.04	74.00	23.96	44.60	48.15	54.00	5.85	150	360	Vertical	PASS
4	2494.06	3.59	47.57	51.16	74.00	22.84	42.89	46.48	54.00	7.52	150	71	Vertical	PASS
5	2496.568	3.58	47.1	50.68	74.00	23.32	44.97	48.55	54.00	5.45	150	307	Vertical	PASS
6	2500	3.50	45.07	48.57	74.00	25.43	43.23	46.73	54.00	7.27	150	210	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	38.0025	14.39	-15.99	40.00	25.61	100	268	Vertical	PASS
2	62.0100	13.88	-17.31	40.00	26.12	100	98	Vertical	PASS
3	157.797	14.63	-15.81	43.50	28.87	100	204	Vertical	PASS
4	231.396	15.10	-18.80	46.00	30.90	200	225	Vertical	PASS
5	260.132	16.82	-17.32	46.00	29.18	100	149	Vertical	PASS
6	575.382	23.28	-9.30	46.00	22.72	100	360	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	44.4288	14.19	-15.92	40.00	25.81	100	199	Horizontal	PASS
2	58.0088	13.23	-16.70	40.00	26.77	100	111	Horizontal	PASS
3	142.641	13.34	-16.39	43.50	30.16	100	297	Horizontal	PASS
4	292.870	15.16	-16.25	46.00	30.84	200	270	Horizontal	PASS
5	562.408	22.76	-9.65	46.00	23.24	200	347	Horizontal	PASS
6	723.065	25.17	-6.41	46.00	20.83	100	30	Horizontal	PASS

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3952.5	-17.40	57.11	39.71	74.00	34.29	53.57	36.17	54.00	17.83	150	283	Horizontal	PASS
2	4804.5	-14.51	64.56	50.05	74.00	23.95	63.26	48.75	54.00	5.25	150	277	Horizontal	PASS
3	6224.25	-10.51	54.15	43.64	74.00	30.36	50.95	40.44	54.00	13.56	150	238	Horizontal	PASS
4	7206	-9.40	55.56	46.16	74.00	27.84	52.00	42.60	54.00	11.40	150	42	Horizontal	PASS
5	9609.75	-5.06	55.54	50.48	74.00	23.52	52.68	47.62	54.00	6.38	150	325	Horizontal	PASS
6	12009.75	-1.77	54.97	53.20	74.00	20.80	52.51	50.74	54.00	3.26	150	78	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3426	-20.11	57.77	37.66	74.00	36.34	55.15	35.04	54.00	18.96	150	171	Vertical	PASS
2	4803.75	-14.54	60.87	46.33	74.00	27.67	59.02	44.48	54.00	9.52	150	159	Vertical	PASS
3	5687.25	-12.66	54.92	42.26	74.00	31.74	52.79	40.13	54.00	13.87	150	206	Vertical	PASS
4	6746.25	-9.34	53.49	44.15	74.00	29.85	50.40	41.06	54.00	12.94	150	70	Vertical	PASS
5	9609.75	-5.06	57.22	52.16	74.00	21.84	53.90	48.84	54.00	5.16	150	34	Vertical	PASS
6	12011.25	-1.78	53.58	51.80	74.00	22.20	51	49.22	54.00	4.78	150	263	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3913.5	-18.11	57	38.89	74.00	35.11	52.64	34.53	54.00	19.47	150	326	Horizontal	PASS
2	4880.25	-14.06	60.21	46.15	74.00	27.85	58.72	44.66	54.00	9.34	150	302	Horizontal	PASS
3	7320	-9.14	55.05	45.91	74.00	28.09	53.80	44.66	54.00	9.34	150	54	Horizontal	PASS
4	9761.25	-4.60	56.53	51.93	74.00	22.07	54.29	49.69	54.00	4.31	150	337	Horizontal	PASS
5	12201.75	-1.58	52.65	51.07	74.00	22.93	50.47	48.89	54.00	5.11	150	314	Horizontal	PASS
6	15275.25	2.56	47.35	49.91	74.00	24.09	42.52	45.08	54.00	8.92	150	177	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3878.25	-18.29	56.02	37.73	74.00	36.27	52.79	34.50	54.00	19.50	150	58	Vertical	PASS
2	4880.25	-14.06	59	44.94	74.00	29.06	55.27	41.21	54.00	12.79	150	163	Vertical	PASS
3	6606.75	-9.91	53.6	43.69	74.00	30.31	50.66	40.75	54.00	13.25	150	346	Vertical	PASS
4	7826.25	-8.52	53.19	44.67	74.00	29.33	50.45	41.93	54.00	12.07	150	198	Vertical	PASS
5	9761.25	-4.60	57.69	53.09	74.00	20.91	55.73	51.13	54.00	2.87	150	46	Vertical	PASS
6	12619.5	-1.03	49.63	48.60	74.00	25.40	47.55	46.52	54.00	7.48	150	299	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4017.75	-17.56	55.3	37.74	74.00	36.26	51.16	33.60	54.00	20.40	150	337	Horizontal	PASS
2	4959.75	-14.81	61.74	46.93	74.00	27.07	58.76	43.95	54.00	10.05	150	293	Horizontal	PASS
3	6137.25	-11.08	52.82	41.74	74.00	32.26	48.17	37.09	54.00	16.91	150	49	Horizontal	PASS
4	7440	-8.89	54.77	45.88	74.00	28.12	52.01	43.12	54.00	10.88	150	43	Horizontal	PASS
5	9919.5	-4.29	56.58	52.29	74.00	21.71	54.42	50.13	54.00	3.87	150	337	Horizontal	PASS
6	12401.25	-1.52	50.11	48.59	74.00	25.41	47.47	45.95	54.00	8.05	150	317	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3400.5	-19.51	57.85	38.34	74.00	35.66	51.92	32.41	54.00	21.59	150	219	Vertical	PASS
2	4197	-17.13	55.69	38.56	74.00	35.44	52.04	34.91	54.00	19.09	150	260	Vertical	PASS
3	4961.25	-14.66	59.02	44.36	74.00	29.64	54.77	40.11	54.00	13.89	150	162	Vertical	PASS
4	7440	-8.89	54.55	45.66	74.00	28.34	48.79	39.90	54.00	14.10	150	328	Vertical	PASS
5	9919.5	-4.29	59.55	55.26	74.00	18.74	57.04	52.75	54.00	1.25	150	41	Vertical	PASS
6	12399	-1.50	50.44	48.94	74.00	25.06	47.82	46.32	54.00	7.68	150	322	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3706.5	-18.83	55.98	37.15	74.00	36.85	53.19	34.36	54.00	19.64	150	153	Horizontal	PASS
2	4803.75	-14.54	64.2	49.66	74.00	24.34	60.69	46.15	54.00	7.85	150	304	Horizontal	PASS
3	7208.25	-9.21	53.92	44.71	74.00	29.29	48.71	39.50	54.00	14.50	150	49	Horizontal	PASS
4	8535.75	-7.20	52.36	45.16	74.00	28.84	50.32	43.12	54.00	10.88	150	190	Horizontal	PASS
5	9609.75	-5.06	53.85	48.79	74.00	25.21	51.01	45.95	54.00	8.05	150	333	Horizontal	PASS
6	12008.25	-1.77	55.10	53.33	74.00	20.67	51.65	49.88	54.00	4.12	150	304	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3409.5	-19.59	57.14	37.55	74.00	36.45	50.85	31.26	54.00	22.74	150	299	Vertical	PASS
2	4805.25	-14.46	60.39	45.93	74.00	28.07	58.14	43.68	54.00	10.32	150	166	Vertical	PASS
3	6351	-10.19	53.58	43.39	74.00	30.61	46.47	36.28	54.00	17.72	150	292	Vertical	PASS
4	9606.75	-5.07	56.36	51.29	74.00	22.71	53.04	47.97	54.00	6.03	150	314	Vertical	PASS
5	12013.5	-1.80	53.02	51.22	74.00	22.78	48.02	46.22	54.00	7.78	150	277	Vertical	PASS
6	13661.25	1.28	48.98	50.26	74.00	23.74	45.42	46.70	54.00	7.30	150	174	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3843.75	-17.61	56.65	39.04	74.00	34.96	51.57	33.96	54.00	20.04	150	68	Horizontal	PASS
2	4880.25	-14.06	60.16	46.10	74.00	27.90	58.04	43.98	54.00	10.02	150	302	Horizontal	PASS
3	7319.25	-9.18	54.46	45.28	74.00	28.72	51.70	42.52	54.00	11.48	150	36	Horizontal	PASS
4	9758.25	-4.60	56.05	51.45	74.00	22.55	52.81	48.21	54.00	5.79	150	348	Horizontal	PASS
5	12203.25	-1.57	51.66	50.09	74.00	23.91	46.77	45.20	54.00	8.80	150	88	Horizontal	PASS
6	14280	1.52	48.39	49.91	74.00	24.09	45.01	46.53	54.00	7.47	150	130	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3843.75	-17.61	56	38.39	74.00	35.61	53.04	35.43	54.00	18.57	150	101	Vertical	PASS
2	4881.75	-14.01	57.85	43.84	74.00	30.16	53.15	39.14	54.00	14.86	150	166	Vertical	PASS
3	6288.75	-11.00	54.38	43.38	74.00	30.62	51.12	40.12	54.00	13.88	150	252	Vertical	PASS
4	8431.5	-7.06	53.61	46.55	74.00	27.45	49.03	41.97	54.00	12.03	150	52	Vertical	PASS
5	9758.25	-4.60	57.24	52.64	74.00	21.36	54.62	50.02	54.00	3.98	150	234	Vertical	PASS
6	12203.25	-1.57	50.21	48.64	74.00	25.36	46.86	45.29	54.00	8.71	150	82	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3808.5	-18.27	55.84	37.57	74.00	36.43	51.59	33.32	54.00	20.68	150	157	Horizontal	PASS
2	4961.25	-14.66	61.35	46.69	74.00	27.31	59.47	44.81	54.00	9.19	150	268	Horizontal	PASS
3	6551.25	-10.31	53.64	43.33	74.00	30.67	47.57	37.26	54.00	16.74	150	139	Horizontal	PASS
4	7439.25	-8.93	54.73	45.80	74.00	28.20	49.96	41.03	54.00	12.97	150	35	Horizontal	PASS
5	9922.5	-4.28	55.6	51.32	74.00	22.68	53.14	48.86	54.00	5.14	150	346	Horizontal	PASS
6	12402.75	-1.50	50.26	48.76	74.00	25.24	46.87	45.37	54.00	8.63	150	133	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3421.5	-20.19	58.39	38.20	74.00	35.80	55.72	35.53	54.00	18.47	150	330	Vertical	PASS
2	4961.25	-14.66	58.47	43.81	74.00	30.19	56.70	42.04	54.00	11.96	150	49	Vertical	PASS
3	6207	-10.92	53.64	42.72	74.00	31.28	49.87	38.95	54.00	15.05	150	140	Vertical	PASS
4	7462.5	-9.03	53.56	44.53	74.00	29.47	46.79	37.76	54.00	16.24	150	360	Vertical	PASS
5	9918.75	-4.29	58.79	54.50	74.00	19.50	56.77	52.48	54.00	1.52	150	49	Vertical	PASS
6	12398.25	-1.47	50.28	48.81	74.00	25.19	47.31	45.84	54.00	8.16	150	154	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level