


18GHz-25GHz


Mode:	B-2412-ANT 1
-------	--------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18340.9170	-4.91	33.65	74.00	40.35	32.42	54.00	21.58	100	240	Horizontal	PASS
2	19390.2695	-3.97	35.48	74.00	38.52	34.57	54.00	19.43	100	120	Horizontal	PASS
3	21326.5663	-1.65	38.32	74.00	35.68	35.06	54.00	18.94	100	30	Horizontal	PASS
4	22251.6626	-1.10	39.62	74.00	34.38	36.83	54.00	17.17	100	80	Horizontal	PASS
5	23285.9643	1.46	41.84	74.00	32.16	38.78	54.00	15.22	100	280	Horizontal	PASS
6	24095.9048	3.09	44.27	74.00	29.73	43.48	54.00	10.52	100	160	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18564.5782	-4.77	34.27	74.00	39.73	32.53	54.00	21.47	100	70	Vertical	PASS
2	19535.8768	-3.77	36.58	74.00	37.42	34.05	54.00	19.95	100	190	Vertical	PASS
3	20969.5485	-1.66	38.11	74.00	35.89	37.12	54.00	16.88	100	40	Vertical	PASS
4	21694.4347	-1.70	38.54	74.00	35.46	37.16	54.00	16.84	100	180	Vertical	PASS
5	23068.9534	0.94	40.75	74.00	33.25	39.58	54.00	14.42	100	190	Vertical	PASS
6	23890.0945	2.88	43.75	74.00	30.25	42.77	54.00	11.23	100	180	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:


B-2437-ANT 1


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18539.3770	-4.79	34.03	74.00	39.97	32.78	54.00	21.22	100	260	Horizontal	PASS
2	19366.8183	-4.00	35.53	74.00	38.47	34.48	54.00	19.52	100	310	Horizontal	PASS
3	20857.5429	-1.83	37.52	74.00	36.48	35.41	54.00	18.59	100	110	Horizontal	PASS
4	22034.6517	-1.65	37.71	74.00	36.29	35.52	54.00	18.48	100	180	Horizontal	PASS
5	23014.3507	0.81	41.39	74.00	32.61	39.97	54.00	14.03	100	110	Horizontal	PASS
6	23892.5446	2.89	44.70	74.00	29.30	43.49	54.00	10.51	100	300	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18435.0718	-4.85	33.26	74.00	40.74	31.69	54.00	22.31	100	20	Vertical	PASS
2	19320.9660	-4.07	36.13	74.00	37.87	34.00	54.00	20.00	100	230	Vertical	PASS
3	20603.7802	-2.21	37.19	74.00	36.81	35.08	54.00	18.92	100	90	Vertical	PASS
4	21549.5275	-1.68	38.67	74.00	35.33	37.38	54.00	16.62	100	340	Vertical	PASS
5	22518.0259	-0.43	39.84	74.00	34.16	38.92	54.00	15.08	100	330	Vertical	PASS
6	23890.4445	2.88	44.13	74.00	29.87	42.96	54.00	11.04	100	150	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode:
B-2462-ANT 1

Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18601.3301	-4.75	33.68	74.00	40.32	32.45	54.00	21.55	100	100	Horizontal	PASS
2	20009.4505	-3.10	35.89	74.00	38.11	33.58	54.00	20.42	100	280	Horizontal	PASS
3	20584.1792	-2.24	37.46	74.00	36.54	36.60	54.00	17.40	100	60	Horizontal	PASS
4	21460.6230	-1.67	38.86	74.00	35.14	37.39	54.00	16.61	100	160	Horizontal	PASS
5	22682.5341	-0.02	40.93	74.00	33.07	39.77	54.00	14.23	100	320	Horizontal	PASS
6	23980.3990	3.09	45.05	74.00	28.95	44.09	54.00	9.91	100	20	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18485.4743	-4.82	34.60	74.00	39.40	33.12	54.00	20.88	100	140	Vertical	PASS
2	19255.5128	-4.15	36.25	74.00	37.75	35.62	54.00	18.38	100	290	Vertical	PASS
3	20864.8932	-1.81	38.60	74.00	35.40	37.41	54.00	16.59	100	160	Vertical	PASS
4	21466.9233	-1.67	38.90	74.00	35.10	38.02	54.00	15.98	100	310	Vertical	PASS
5	23012.6006	0.81	41.01	74.00	32.99	39.07	54.00	14.93	100	290	Vertical	PASS
6	23924.3962	2.96	44.92	74.00	29.08	43.81	54.00	10.19	100	60	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:


N20-2412-MIMO


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18235.9118	-4.97	34.51	74.00	39.49	32.82	54.00	21.18	100	190	Horizontal	PASS
2	19375.9188	-3.99	37.04	74.00	36.96	36.06	54.00	17.94	100	130	Horizontal	PASS
3	20293.3147	-2.67	37.11	74.00	36.89	35.27	54.00	18.73	100	170	Horizontal	PASS
4	20960.7980	-1.67	38.38	74.00	35.62	37.27	54.00	16.73	100	10	Horizontal	PASS
5	22704.9352	0.03	40.86	74.00	33.14	39.77	54.00	14.23	100	30	Horizontal	PASS
6	23990.8995	3.12	43.88	74.00	30.12	41.91	54.00	12.09	100	190	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18541.1271	-4.79	34.24	74.00	39.76	33.18	54.00	20.82	100	260	Vertical	PASS
2	19739.9370	-3.49	36.06	74.00	37.94	34.09	54.00	19.91	100	130	Vertical	PASS
3	20675.5338	-2.10	38.18	74.00	35.82	36.54	54.00	17.46	100	260	Vertical	PASS
4	22314.6657	-0.95	39.73	74.00	34.27	38.08	54.00	15.92	100	180	Vertical	PASS
5	23322.0161	1.54	41.51	74.00	32.49	40.36	54.00	13.64	100	330	Vertical	PASS
6	23984.9492	3.11	44.69	74.00	29.31	43.43	54.00	10.57	100	170	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

N20-2437-MIMO




★ PK Detector ★ AV Detector

Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18446.2723	-4.84	34.17	74.00	39.83	31.68	54.00	22.32	100	20	Horizontal	PASS
2	19410.2205	-3.94	35.80	74.00	38.20	34.70	54.00	19.30	100	160	Horizontal	PASS
3	20889.7445	-1.78	37.89	74.00	36.11	36.91	54.00	17.09	100	20	Horizontal	PASS
4	22819.7410	0.33	40.38	74.00	33.62	38.56	54.00	15.44	100	40	Horizontal	PASS
5	23648.9324	2.31	43.29	74.00	30.71	41.87	54.00	12.13	100	10	Horizontal	PASS
6	24020.6510	3.13	44.64	74.00	29.36	43.21	54.00	10.79	100	240	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18314.6657	-4.92	33.64	74.00	40.36	32.38	54.00	21.62	100	50	Vertical	PASS
2	19911.4456	-3.24	36.81	74.00	37.19	35.96	54.00	18.04	100	180	Vertical	PASS
3	21397.2699	-1.66	38.43	74.00	35.57	36.47	54.00	17.53	100	320	Vertical	PASS
4	22782.2891	0.23	40.88	74.00	33.12	40.47	54.00	13.53	100	340	Vertical	PASS
5	23806.0903	2.68	43.57	74.00	30.43	41.20	54.00	12.80	100	360	Vertical	PASS
6	24372.0686	2.94	44.35	74.00	29.65	42.91	54.00	11.09	100	160	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:


N20-2462-MIMO


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18620.5810	-4.74	35.39	74.00	38.61	32.79	54.00	21.21	100	40	Horizontal	PASS
2	19622.3311	-3.65	35.91	74.00	38.09	34.72	54.00	19.28	100	150	Horizontal	PASS
3	20679.7340	-2.09	38.20	74.00	35.80	35.95	54.00	18.05	100	30	Horizontal	PASS
4	21353.5177	-1.66	38.34	74.00	35.66	37.63	54.00	16.37	100	320	Horizontal	PASS
5	22988.0994	0.75	40.97	74.00	33.03	39.32	54.00	14.68	100	30	Horizontal	PASS
6	24015.7508	3.13	45.09	74.00	28.91	43.81	54.00	10.19	100	0	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18598.8799	-4.75	34.82	74.00	39.18	33.79	54.00	20.21	100	20	Vertical	PASS
2	19264.2632	-4.14	36.56	74.00	37.44	35.48	54.00	18.52	100	240	Vertical	PASS
3	20256.2128	-2.74	36.95	74.00	37.05	36.06	54.00	17.94	100	340	Vertical	PASS
4	20895.6948	-1.76	38.03	74.00	35.97	35.82	54.00	18.18	100	330	Vertical	PASS
5	22265.6633	-1.07	40.24	74.00	33.76	37.96	54.00	16.04	100	20	Vertical	PASS
6	23752.5376	2.56	44.54	74.00	29.46	43.35	54.00	10.65	100	290	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:


N40-2422-MIMO


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18560.0280	-4.77	33.64	74.00	40.36	32.94	54.00	21.06	100	150	Horizontal	PASS
2	19267.7634	-4.13	36.00	74.00	38.00	34.30	54.00	19.70	100	160	Horizontal	PASS
3	19981.7991	-3.14	35.91	74.00	38.09	33.66	54.00	20.34	100	130	Horizontal	PASS
4	20587.6794	-2.24	37.68	74.00	36.32	34.44	54.00	19.56	100	70	Horizontal	PASS
5	21910.0455	-1.73	37.73	74.00	36.27	36.49	54.00	17.51	100	350	Horizontal	PASS
6	23749.7375	2.54	44.16	74.00	29.84	42.31	54.00	11.69	100	210	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18505.7753	-4.81	33.74	74.00	40.26	33.03	54.00	20.97	100	80	Vertical	PASS
2	19616.3808	-3.65	36.71	74.00	37.29	35.76	54.00	18.24	100	280	Vertical	PASS
3	20748.3374	-1.99	38.87	74.00	35.13	38.11	54.00	15.89	100	190	Vertical	PASS
4	21593.6297	-1.69	37.99	74.00	36.01	37.06	54.00	16.94	100	240	Vertical	PASS
5	22896.7448	0.52	40.55	74.00	33.45	39.05	54.00	14.95	100	290	Vertical	PASS
6	24054.2527	3.11	44.03	74.00	29.97	42.53	54.00	11.47	100	260	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode:
N40-2437-MIMO

Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18192.5096	-4.99	34.81	74.00	39.19	33.30	54.00	20.70	100	300	Horizontal	PASS
2	18976.5488	-4.52	34.46	74.00	39.54	33.27	54.00	20.73	100	250	Horizontal	PASS
3	19900.2450	-3.26	36.25	74.00	37.75	34.17	54.00	19.83	100	250	Horizontal	PASS
4	21223.3112	-1.64	37.43	74.00	36.57	34.39	54.00	19.61	100	60	Horizontal	PASS
5	22386.4193	-0.76	39.05	74.00	34.95	37.29	54.00	16.71	100	180	Horizontal	PASS
6	24173.2587	3.04	44.82	74.00	29.18	43.24	54.00	10.76	100	250	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18650.3325	-4.72	33.79	74.00	40.21	32.69	54.00	21.31	100	270	Vertical	PASS
2	19392.3696	-3.96	36.08	74.00	37.92	34.93	54.00	19.07	100	240	Vertical	PASS
3	20282.8141	-2.69	38.26	74.00	35.74	36.45	54.00	17.55	100	130	Vertical	PASS
4	21492.8246	-1.67	38.64	74.00	35.36	36.49	54.00	17.51	100	180	Vertical	PASS
5	22607.9804	-0.21	39.48	74.00	34.52	38.38	54.00	15.62	100	310	Vertical	PASS
6	23926.1463	2.97	44.39	74.00	29.61	41.35	54.00	12.65	100	300	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:


N40-2452-MIMO


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18488.2744	-4.82	34.45	74.00	39.55	32.35	54.00	21.65	100	180	Horizontal	PASS
2	19208.9604	-4.22	37.29	74.00	36.71	35.16	54.00	18.84	100	100	Horizontal	PASS
3	20260.7630	-2.72	36.49	74.00	37.51	34.67	54.00	19.33	100	330	Horizontal	PASS
4	21540.0770	-1.68	39.88	74.00	34.12	38.49	54.00	15.51	100	340	Horizontal	PASS
5	22950.6475	0.66	40.44	74.00	33.56	39.38	54.00	14.62	100	80	Horizontal	PASS
6	24023.1012	3.13	44.84	74.00	29.16	43.72	54.00	10.28	100	20	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18290.8645	-4.94	32.83	74.00	41.17	31.78	54.00	22.22	100	50	Vertical	PASS
2	19410.2205	-3.94	36.22	74.00	37.78	34.66	54.00	19.34	100	230	Vertical	PASS
3	20190.7595	-2.84	36.48	74.00	37.52	35.65	54.00	18.35	100	200	Vertical	PASS
4	21416.8708	-1.66	37.55	74.00	36.45	36.45	54.00	17.55	100	240	Vertical	PASS
5	22715.4358	0.06	40.82	74.00	33.18	39.88	54.00	14.12	100	210	Vertical	PASS
6	23745.8873	2.54	44.52	74.00	29.48	43.14	54.00	10.86	100	250	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	AX20-2412-MIMO
-------	----------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18654.1827	-4.72	34.60	74.00	39.40	32.88	54.00	21.12	100	140	Horizontal	PASS
2	19201.9601	-4.23	35.77	74.00	38.23	33.85	54.00	20.15	100	10	Horizontal	PASS
3	20349.6675	-2.59	36.53	74.00	37.47	34.93	54.00	19.07	100	220	Horizontal	PASS
4	21440.6720	-1.67	38.60	74.00	35.40	37.37	54.00	16.63	100	0	Horizontal	PASS
5	23316.7658	1.53	42.02	74.00	31.98	40.60	54.00	13.40	100	50	Horizontal	PASS
6	23905.8453	2.92	44.57	74.00	29.43	43.20	54.00	10.80	100	270	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18329.0165	-4.91	33.68	74.00	40.32	32.36	54.00	21.64	100	310	Vertical	PASS
2	19703.8852	-3.53	35.46	74.00	38.54	33.06	54.00	20.94	100	140	Vertical	PASS
3	20627.9314	-2.17	37.88	74.00	36.12	36.49	54.00	17.51	100	260	Vertical	PASS
4	21223.3112	-1.64	37.82	74.00	36.18	36.66	54.00	17.34	100	170	Vertical	PASS
5	21929.9965	-1.73	38.91	74.00	35.09	37.54	54.00	16.46	100	80	Vertical	PASS
6	23615.3308	2.23	42.61	74.00	31.39	41.67	54.00	12.33	100	180	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:


AX20-2437-MIMO


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18296.8148	-4.93	33.74	74.00	40.26	31.69	54.00	22.31	100	240	Horizontal	PASS
2	19438.9219	-3.90	36.23	74.00	37.77	35.01	54.00	18.99	100	0	Horizontal	PASS
3	20543.5772	-2.30	37.19	74.00	36.81	36.40	54.00	17.60	100	40	Horizontal	PASS
4	21523.2762	-1.68	38.77	74.00	35.23	36.99	54.00	17.01	100	10	Horizontal	PASS
5	23120.7560	1.07	40.91	74.00	33.09	39.31	54.00	14.69	100	230	Horizontal	PASS
6	24214.5607	3.03	44.00	74.00	30.00	41.93	54.00	12.07	100	340	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18376.2688	-4.88	33.17	74.00	40.83	32.14	54.00	21.86	100	320	Vertical	PASS
2	19118.3059	-4.35	36.06	74.00	37.94	33.21	54.00	20.79	100	210	Vertical	PASS
3	20453.9727	-2.44	37.98	74.00	36.02	36.65	54.00	17.35	100	220	Vertical	PASS
4	21544.6272	-1.68	38.87	74.00	35.13	37.21	54.00	16.79	100	180	Vertical	PASS
5	22667.8334	-0.06	40.77	74.00	33.23	39.94	54.00	14.06	100	20	Vertical	PASS
6	23927.5464	2.97	44.40	74.00	29.60	43.65	54.00	10.35	100	100	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

AX20-2462-MIMO




★ PK Detector ★ AV Detector

Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18642.2821	-4.72	33.91	74.00	40.09	32.24	54.00	21.76	100	100	Horizontal	PASS
2	19338.4669	-4.04	37.34	74.00	36.66	35.88	54.00	18.12	100	170	Horizontal	PASS
3	20126.3563	-2.93	36.55	74.00	37.45	35.31	54.00	18.69	100	210	Horizontal	PASS
4	20856.1428	-1.83	37.44	74.00	36.56	34.65	54.00	19.35	100	160	Horizontal	PASS
5	22458.5229	-0.59	39.02	74.00	34.98	37.21	54.00	16.79	100	0	Horizontal	PASS
6	23526.7763	2.03	44.10	74.00	29.90	42.93	54.00	11.07	100	250	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18500.1750	-4.81	34.57	74.00	39.43	32.98	54.00	21.02	100	360	Vertical	PASS
2	19647.5324	-3.61	36.40	74.00	37.60	34.64	54.00	19.36	100	230	Vertical	PASS
3	20818.3409	-1.89	37.51	74.00	36.49	36.13	54.00	17.87	100	210	Vertical	PASS
4	21550.5775	-1.68	37.97	74.00	36.03	36.87	54.00	17.13	100	220	Vertical	PASS
5	22732.9366	0.11	40.41	74.00	33.59	38.46	54.00	15.54	100	210	Vertical	PASS
6	24010.8505	3.14	44.68	74.00	29.32	43.63	54.00	10.37	100	260	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:


AX40-2422-MIMO


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18257.6129	-4.96	33.37	74.00	40.63	31.96	54.00	22.04	100	210	Horizontal	PASS
2	19290.8645	-4.10	35.98	74.00	38.02	34.99	54.00	19.01	100	320	Horizontal	PASS
3	20184.1092	-2.84	37.75	74.00	36.25	36.72	54.00	17.28	100	210	Horizontal	PASS
4	21292.9646	-1.65	38.29	74.00	35.71	35.04	54.00	18.96	100	280	Horizontal	PASS
5	22388.1694	-0.76	39.20	74.00	34.80	38.68	54.00	15.32	100	200	Horizontal	PASS
6	23964.6482	3.06	44.51	74.00	29.49	43.50	54.00	10.50	100	80	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18422.1211	-4.86	33.98	74.00	40.02	33.12	54.00	20.88	100	220	Vertical	PASS
2	19219.1110	-4.21	35.24	74.00	38.76	33.88	54.00	20.12	100	180	Vertical	PASS
3	20819.0410	-1.88	37.77	74.00	36.23	36.08	54.00	17.92	100	340	Vertical	PASS
4	22582.7791	-0.28	39.99	74.00	34.01	38.73	54.00	15.27	100	360	Vertical	PASS
5	23967.4484	3.06	44.63	74.00	29.37	43.55	54.00	10.45	100	80	Vertical	PASS
6	24532.7266	2.86	43.13	74.00	30.87	41.91	54.00	12.09	100	200	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:


AX40-2437-MIMO


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18512.0756	-4.80	33.74	74.00	40.26	32.78	54.00	21.22	100	230	Horizontal	PASS
2	19308.3654	-4.08	36.62	74.00	37.38	35.17	54.00	18.83	100	270	Horizontal	PASS
3	20756.3878	-1.98	37.43	74.00	36.57	36.61	54.00	17.39	100	260	Horizontal	PASS
4	21447.6724	-1.67	38.65	74.00	35.35	37.68	54.00	16.32	100	300	Horizontal	PASS
5	22768.6384	0.20	40.73	74.00	33.27	39.44	54.00	14.56	100	350	Horizontal	PASS
6	24261.1131	3.00	45.21	74.00	28.79	43.94	54.00	10.06	100	80	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18530.6265	-4.79	33.55	74.00	40.45	32.74	54.00	21.26	100	30	Vertical	PASS
2	19075.2538	-4.40	35.23	74.00	38.77	33.76	54.00	20.24	100	50	Vertical	PASS
3	19967.4484	-3.16	36.55	74.00	37.45	35.00	54.00	19.00	100	150	Vertical	PASS
4	21017.5009	-1.61	38.21	74.00	35.79	36.18	54.00	17.82	100	110	Vertical	PASS
5	22285.6143	-1.02	39.78	74.00	34.22	37.41	54.00	16.59	100	350	Vertical	PASS
6	24006.3003	3.14	45.28	74.00	28.72	43.84	54.00	10.16	100	190	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	AX40-2452-MIMO
-------	----------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18568.0784	-4.77	33.53	74.00	40.47	31.84	54.00	22.16	100	160	Horizontal	PASS
2	19249.9125	-4.17	35.63	74.00	38.37	34.23	54.00	19.77	100	40	Horizontal	PASS
3	20092.7546	-2.98	36.41	74.00	37.59	34.45	54.00	19.55	100	20	Horizontal	PASS
4	21221.2111	-1.64	37.94	74.00	36.06	36.69	54.00	17.31	100	30	Horizontal	PASS
5	22351.7676	-0.85	39.72	74.00	34.28	38.23	54.00	15.77	100	210	Horizontal	PASS
6	23773.5387	2.60	43.25	74.00	30.75	42.12	54.00	11.88	100	320	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18528.5264	-4.79	33.83	74.00	40.17	32.79	54.00	21.21	100	90	Vertical	PASS
2	19275.8138	-4.12	36.73	74.00	37.27	35.28	54.00	18.72	100	170	Vertical	PASS
3	20247.4624	-2.74	37.18	74.00	36.82	35.94	54.00	18.06	100	220	Vertical	PASS
4	20859.2930	-1.82	37.69	74.00	36.31	36.68	54.00	17.32	100	30	Vertical	PASS
5	21906.8953	-1.73	38.11	74.00	35.89	35.19	54.00	18.81	100	210	Vertical	PASS
6	24027.6514	3.13	44.47	74.00	29.53	43.03	54.00	10.97	100	40	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

All the modes have been tested. DSSS, OFDM and OFDMA technologies respectively represent the maximum power mode of data and different bandwidths.


Appendix J: Conducted emission

Test Result

Mode:	N20-2437-MIMO
-------	---------------



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.186	10.32	52.87	64.21	11.34	43.86	54.21	10.35	L1	PASS
2	0.312	10.31	42.39	59.92	17.53	33.34	49.92	16.58	L1	PASS
3	0.438	10.27	36.67	57.10	20.43	27.61	47.10	19.49	L1	PASS
4	2.457	10.28	34.36	56.00	21.64	22.22	46.00	23.78	L1	PASS
5	17.92	10.63	41.37	60.00	18.63	39.34	50.00	10.66	L1	PASS
6	23.896	10.73	40.53	60.00	19.47	36.06	50.00	13.94	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.186	10.35	53.32	64.21	10.89	43.40	54.21	10.81	N	PASS
2	0.312	10.31	43.85	59.92	16.07	33.18	49.92	16.74	N	PASS
3	0.435	10.27	39.65	57.16	17.51	27.86	47.16	19.30	N	PASS
4	1.401	10.31	34.97	56.00	21.03	23.91	46.00	22.09	N	PASS
5	17.92	10.67	41.06	60.00	18.94	38.28	50.00	11.72	N	PASS
6	23.896	10.73	39.68	60.00	20.32	36.68	50.00	13.32	N	PASS

All modes were tested, and the data only represent the maximum power mode data.