

O								
11N40MIM O	Ant1	Low	5510	-43.34	3.91	-39.43	≤ -27	PASS
11N40MIM O	Ant2	Low	5510	-39.64	3.91	-35.73	≤ -27	PASS
11N40MIM O	Ant1	High	5670	-44.14	3.91	-40.23	≤ -27	PASS
11N40MIM O	Ant2	High	5670	-43.89	3.91	-39.98	≤ -27	PASS
11AC20MIM O	Ant1	Low	5180	-40.96	3.91	-37.05	≤ -27	PASS
11AC20MIM O	Ant2	Low	5180	-36.98	3.91	-33.07	≤ -27	PASS
11AC20MIM O	Ant1	High	5320	-43.7	3.91	-39.79	≤ -27	PASS
11AC20MIM O	Ant2	High	5320	-43.6	3.91	-39.69	≤ -27	PASS
11AC20MIM O	Ant1	Low	5500	-42.86	3.91	-38.95	≤ -27	PASS
11AC20MIM O	Ant2	Low	5500	-43.37	3.91	-39.46	≤ -27	PASS
11AC20MIM O	Ant1	High	5700	-43.84	3.91	-39.93	≤ -27	PASS
11AC20MIM O	Ant2	High	5700	-42.4	3.91	-38.49	≤ -27	PASS
11AC40MIM O	Ant1	Low	5190	-40.64	3.91	-36.73	≤ -27	PASS
11AC40MIM O	Ant2	Low	5190	-41.2	3.91	-37.29	≤ -27	PASS
11AC40MIM O	Ant1	High	5310	-42.99	3.91	-39.08	≤ -27	PASS
11AC40MIM O	Ant2	High	5310	-41.68	3.91	-37.77	≤ -27	PASS
11AC40MIM O	Ant1	Low	5510	-42.56	3.91	-38.65	≤ -27	PASS
11AC40MIM O	Ant2	Low	5510	-41.6	3.91	-37.69	≤ -27	PASS
11AC40MIM O	Ant1	High	5670	-43.31	3.91	-39.4	≤ -27	PASS
11AC40MIM O	Ant2	High	5670	-42.09	3.91	-38.18	≤ -27	PASS
11AC80MIM O	Ant1	Low	5210	-40.55	3.91	-36.64	≤ -27	PASS

11AC80MIM O	Ant2	Low	5210	-39.88	3.91	-35.97	≤-27	PASS
11AC80MIM O	Ant1	High	5290	-43.47	3.91	-39.56	≤-27	PASS
11AC80MIM O	Ant2	High	5290	-41.64	3.91	-37.73	≤-27	PASS
11AC80MIM O	Ant1	Low	5530	-41.66	3.91	-37.75	≤-27	PASS
11AC80MIM O	Ant2	Low	5530	-41.02	3.91	-37.11	≤-27	PASS
11AC80MIM O	Ant1	High	5610	-43.43	3.91	-39.52	≤-27	PASS
11AC80MIM O	Ant2	High	5610	-44.03	3.91	-40.12	≤-27	PASS
11AX20MIM O	Ant1	Low	5180	-36.87	3.91	-32.96	≤-27	PASS
11AX20MIM O	Ant2	Low	5180	-40.24	3.91	-36.33	≤-27	PASS
11AX20MIM O	Ant1	High	5320	-43.56	3.91	-39.65	≤-27	PASS
11AX20MIM O	Ant2	High	5320	-44.1	3.91	-40.19	≤-27	PASS
11AX20MIM O	Ant1	Low	5500	-42.73	3.91	-38.82	≤-27	PASS
11AX20MIM O	Ant2	Low	5500	-42.57	3.91	-38.66	≤-27	PASS
11AX20MIM O	Ant1	High	5700	-42.91	3.91	-39	≤-27	PASS
11AX20MIM O	Ant2	High	5700	-41.7	3.91	-37.79	≤-27	PASS
11AX40MIM O	Ant1	Low	5190	-39.51	3.91	-35.6	≤-27	PASS
11AX40MIM O	Ant2	Low	5190	-41.36	3.91	-37.45	≤-27	PASS
11AX40MIM O	Ant1	High	5310	-43.56	3.91	-39.65	≤-27	PASS
11AX40MIM O	Ant2	High	5310	-43.32	3.91	-39.41	≤-27	PASS
11AX40MIM O	Ant1	Low	5510	-43.33	3.91	-39.42	≤-27	PASS
11AX40MIM O	Ant2	Low	5510	-42.38	3.91	-38.47	≤-27	PASS
11AX40MIM	Ant1	High	5670	-43.63	3.91	-39.72	≤-27	PASS

O								
11AX40MIM O	Ant2	High	5670	-44.01	3.91	-40.1	≤ -27	PASS
11AX80MIM O	Ant1	Low	5210	-40.26	3.91	-36.35	≤ -27	PASS
11AX80MIM O	Ant2	Low	5210	-40.01	3.91	-36.1	≤ -27	PASS
11AX80MIM O	Ant1	High	5290	-42.84	3.91	-38.93	≤ -27	PASS
11AX80MIM O	Ant2	High	5290	-41.21	3.91	-37.3	≤ -27	PASS
11AX80MIM O	Ant1	Low	5530	-42.2	3.91	-38.29	≤ -27	PASS
11AX80MIM O	Ant2	Low	5530	-40.73	3.91	-36.82	≤ -27	PASS
11AX80MIM O	Ant1	High	5610	-42.77	3.91	-38.86	≤ -27	PASS
11AX80MIM O	Ant2	High	5610	-42.31	3.91	-38.4	≤ -27	PASS

Test Result B4

TestMode	Antenna	Channel Name	Frequency [MHz]	Frequency Range [MHz]	Result [dBm]	Antenna gain (dBi)	EIRP Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-44.25	3.91	-40.34	≤16.08	PASS
11A	Ant1	Low	5745	5700~5720	-44.94	3.91	-41.03	≤10.02	PASS
11A	Ant1	Low	5745	5650~5700	-45.36	3.91	-41.45	≤-26.62	PASS
11A	Ant1	Low	5745	5760~5650	-44.94	3.91	-41.03	≤-27	PASS
11A	Ant2	Low	5745	5720~5725	-43.02	3.91	-39.11	≤17.13	PASS
11A	Ant2	Low	5745	5700~5720	-44.48	3.91	-40.57	≤10.73	PASS
11A	Ant2	Low	5745	5650~5700	-45.75	3.91	-41.84	≤-26.87	PASS
11A	Ant2	Low	5745	5760~5650	-43.73	3.91	-39.82	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-44.29	3.91	-40.38	≤15.73	PASS
11A	Ant1	High	5825	5855~5875	-43.34	3.91	-39.43	≤10.74	PASS
11A	Ant1	High	5825	5875~5925	-42.94	3.91	-39.03	≤-26.91	PASS
11A	Ant1	High	5825	5925~5935	-43.36	3.91	-39.45	≤-27	PASS
11A	Ant2	High	5825	5850~5855	-43.42	3.91	-39.51	≤16.65	PASS
11A	Ant2	High	5825	5855~5875	-43.97	3.91	-40.06	≤10.66	PASS
11A	Ant2	High	5825	5875~5925	-43.83	3.91	-39.92	≤-26.71	PASS
11A	Ant2	High	5825	5925~5935	-42.53	3.91	-38.62	≤-27	PASS

TestMode	Antenna	Channel Name	Frequency [MHz]	Frequency Range [MHz]	Result [dBm]	Antenna gain (dBi)	EIRP Result [dBm]	Limit [dBm]	Verdict
11N20 MIMO	Ant1	Low	5745	5720~5725	-44.81	3.91	-40.9	≤16.08	PASS
11N20 MIMO	Ant1	Low	5745	5700~5720	-43.68	3.91	-39.77	≤10.38	PASS
11N20 MIMO	Ant1	Low	5745	5650~5700	-43.71	3.91	-39.8	≤-25.17	PASS
11N20 MIMO	Ant1	Low	5745	5760~5650	-44.31	3.91	-40.4	≤-27	PASS
11N20 MIMO	Ant2	Low	5745	5720~5725	-42.51	3.91	-38.6	≤16.34	PASS
11N20 MIMO	Ant2	Low	5745	5700~5720	-43.3	3.91	-39.39	≤10.99	PASS
11N20 MIMO	Ant2	Low	5745	5650~5700	-44.06	3.91	-40.15	≤-26.36	PASS
11N20 MIMO	Ant2	Low	5745	5760~5650	-44.76	3.91	-40.85	≤-27	PASS
11N20 MIMO	Ant1	High	5825	5850~5855	-43.33	3.91	-39.42	≤16.03	PASS
11N20 MIMO	Ant1	High	5825	5855~5875	-43.77	3.91	-39.86	≤10.66	PASS
11N20 MIMO	Ant1	High	5825	5875~5925	-43.42	3.91	-39.51	≤-26.41	PASS
11N20 MIMO	Ant1	High	5825	5925~5935	-42.28	3.91	-38.37	≤-27	PASS
11N20 MIMO	Ant2	High	5825	5850~5855	-43.57	3.91	-39.66	≤16.65	PASS
11N20 MIMO	Ant2	High	5825	5855~5875	-43.15	3.91	-39.24	≤10.25	PASS
11N20 MIMO	Ant2	High	5825	5875~5925	-43.36	3.91	-39.45	≤-26.91	PASS
11N20 MIMO	Ant2	High	5825	5925~5935	-42.55	3.91	-38.64	≤-27	PASS
11N40 MIMO	Ant1	Low	5755	5720~5725	-42.84	3.91	-38.93	≤15.74	PASS
11N40 MIMO	Ant1	Low	5755	5700~5720	-43.84	3.91	-39.93	≤11.12	PASS
11N40 MIMO	Ant1	Low	5755	5650~5700	-43.96	3.91	-40.05	≤-26.80	PASS
11N40	Ant1	Low	5755	5780~56	-45.1	3.91	-41.19	≤-27	PASS

MIMO				50					
11N40 MIMO	Ant2	Low	5755	5720~57 25	-41.77	3.91	-37.86	≤15.74	PASS
11N40 MIMO	Ant2	Low	5755	5700~57 20	-43.37	3.91	-39.46	≤10.25	PASS
11N40 MIMO	Ant2	Low	5755	5650~57 00	-44.97	3.91	-41.06	≤-26.60	PASS
11N40 MIMO	Ant2	Low	5755	5780~56 50	-43.52	3.91	-39.61	≤-27	PASS
11N40 MIMO	Ant1	High	5795	5850~58 55	-45.55	3.91	-41.64	≤15.66	PASS
11N40 MIMO	Ant1	High	5795	5855~58 75	-44.3	3.91	-40.39	≤10.11	PASS
11N40 MIMO	Ant1	High	5795	5875~59 25	-43.75	3.91	-39.84	≤-26.22	PASS
11N40 MIMO	Ant1	High	5795	5925~59 35	-42.83	3.91	-38.92	≤-27	PASS
11N40 MIMO	Ant2	High	5795	5850~58 55	-45.33	3.91	-41.42	≤15.66	PASS
11N40 MIMO	Ant2	High	5795	5855~58 75	-42.44	3.91	-38.53	≤10.48	PASS
11N40 MIMO	Ant2	High	5795	5875~59 25	-44.52	3.91	-40.61	≤-26.71	PASS
11N40 MIMO	Ant2	High	5795	5925~59 35	-42.36	3.91	-38.45	≤-27	PASS
11AC2 0MIMO	Ant1	Low	5745	5720~57 25	-43.89	3.91	-39.98	≤17.13	PASS
11AC2 0MIMO	Ant1	Low	5745	5700~57 20	-45.3	3.91	-41.39	≤10.02	PASS
11AC2 0MIMO	Ant1	Low	5745	5650~57 00	-45	3.91	-41.09	≤-26.87	PASS
11AC2 0MIMO	Ant1	Low	5745	5760~56 50	-44.84	3.91	-40.93	≤-27	PASS
11AC2 0MIMO	Ant2	Low	5745	5720~57 25	-45.6	3.91	-41.69	≤16.08	PASS
11AC2 0MIMO	Ant2	Low	5745	5700~57 20	-43.62	3.91	-39.71	≤10.80	PASS
11AC2 0MIMO	Ant2	Low	5745	5650~57 00	-45.25	3.91	-41.34	≤-26.36	PASS
11AC2 0MIMO	Ant2	Low	5745	5760~56 50	-44.19	3.91	-40.28	≤-27	PASS
11AC2 0MIMO	Ant1	High	5825	5850~58 55	-45.25	3.91	-41.34	≤15.73	PASS

11AC2 0MIMO	Ant1	High	5825	5855~58 75	-44.3	3.91	-40.39	≤10.10	PASS
11AC2 0MIMO	Ant1	High	5825	5875~59 25	-42.69	3.91	-38.78	≤-26.11	PASS
11AC2 0MIMO	Ant1	High	5825	5925~59 35	-43.28	3.91	-39.37	≤-27	PASS
11AC2 0MIMO	Ant2	High	5825	5850~58 55	-44.61	3.91	-40.7	≤16.03	PASS
11AC2 0MIMO	Ant2	High	5825	5855~58 75	-43.95	3.91	-40.04	≤10.17	PASS
11AC2 0MIMO	Ant2	High	5825	5875~59 25	-43.74	3.91	-39.83	≤-26.31	PASS
11AC2 0MIMO	Ant2	High	5825	5925~59 35	-41.81	3.91	-37.9	≤-27	PASS
11AC4 0MIMO	Ant1	Low	5755	5720~57 25	-40.25	3.91	-36.34	≤18.51	PASS
11AC4 0MIMO	Ant1	Low	5755	5700~57 20	-43.53	3.91	-39.62	≤10.67	PASS
11AC4 0MIMO	Ant1	Low	5755	5650~57 00	-44.93	3.91	-41.02	≤-26.50	PASS
11AC4 0MIMO	Ant1	Low	5755	5780~56 50	-44.52	3.91	-40.61	≤-27	PASS
11AC4 0MIMO	Ant2	Low	5755	5720~57 25	-41.38	3.91	-37.47	≤15.74	PASS
11AC4 0MIMO	Ant2	Low	5755	5700~57 20	-42.43	3.91	-38.52	≤10.67	PASS
11AC4 0MIMO	Ant2	Low	5755	5650~57 00	-44.23	3.91	-40.32	≤-26.30	PASS
11AC4 0MIMO	Ant2	Low	5755	5780~56 50	-43.79	3.91	-39.88	≤-27	PASS
11AC4 0MIMO	Ant1	High	5795	5850~58 55	-44.53	3.91	-40.62	≤15.66	PASS
11AC4 0MIMO	Ant1	High	5795	5855~58 75	-43.59	3.91	-39.68	≤10.34	PASS
11AC4 0MIMO	Ant1	High	5795	5875~59 25	-43.53	3.91	-39.62	≤-25.12	PASS
11AC4 0MIMO	Ant1	High	5795	5925~59 35	-43	3.91	-39.09	≤-27	PASS
11AC4 0MIMO	Ant2	High	5795	5850~58 55	-45.09	3.91	-41.18	≤16.03	PASS
11AC4 0MIMO	Ant2	High	5795	5855~58 75	-44.42	3.91	-40.51	≤10.06	PASS
11AC4	Ant2	High	5795	5875~59	-43.56	3.91	-39.65	≤-26.95	PASS

0MIMO				25					
11AC4 0MIMO	Ant2	High	5795	5925~59 35	-43.33	3.91	-39.42	≤-27	PASS
11AC8 0MIMO	Ant1	Low	5775	5720~57 25	-43.72	3.91	-39.81	≤15.65	PASS
11AC8 0MIMO	Ant1	Low	5775	5700~57 20	-43.41	3.91	-39.5	≤10.27	PASS
11AC8 0MIMO	Ant1	Low	5775	5650~57 00	-43.95	3.91	-40.04	≤-26.46	PASS
11AC8 0MIMO	Ant1	Low	5775	5800~56 50	-43.87	3.91	-39.96	≤-27	PASS
11AC8 0MIMO	Ant1	High	5775	5850~58 55	-45.06	3.91	-41.15	≤15.84	PASS
11AC8 0MIMO	Ant1	High	5775	5855~58 75	-43.16	3.91	-39.25	≤10.92	PASS
11AC8 0MIMO	Ant1	High	5775	5875~59 25	-44.25	3.91	-40.34	≤-26.87	PASS
11AC8 0MIMO	Ant1	High	5775	5925~59 35	-42.79	3.91	-38.88	≤-27	PASS
11AC8 0MIMO	Ant2	Low	5775	5720~57 25	-41.98	3.91	-38.07	≤15.65	PASS
11AC8 0MIMO	Ant2	Low	5775	5700~57 20	-42.48	3.91	-38.57	≤10.01	PASS
11AC8 0MIMO	Ant2	Low	5775	5650~57 00	-44.41	3.91	-40.5	≤-26.00	PASS
11AC8 0MIMO	Ant2	Low	5775	5800~56 50	-43.16	3.91	-39.25	≤-27	PASS
11AC8 0MIMO	Ant2	High	5775	5850~58 55	-43.94	3.91	-40.03	≤15.84	PASS
11AC8 0MIMO	Ant2	High	5775	5855~58 75	-43.58	3.91	-39.67	≤10.66	PASS
11AC8 0MIMO	Ant2	High	5775	5875~59 25	-43.87	3.91	-39.96	≤-26.87	PASS
11AC8 0MIMO	Ant2	High	5775	5925~59 35	-42.47	3.91	-38.56	≤-27	PASS
11AX2 0MIMO	Ant1	Low	5745	5720~57 25	-44.59	3.91	-40.68	≤16.08	PASS
11AX2 0MIMO	Ant1	Low	5745	5700~57 20	-44.24	3.91	-40.33	≤10.38	PASS
11AX2 0MIMO	Ant1	Low	5745	5650~57 00	-44.97	3.91	-41.06	≤-26.53	PASS
11AX2 0MIMO	Ant1	Low	5745	5760~56 50	-44.68	3.91	-40.77	≤-27	PASS

11AX2 0MIMO	Ant2	Low	5745	5720~57 25	-43.69	3.91	-39.78	≤16.87	PASS
11AX2 0MIMO	Ant2	Low	5745	5700~57 20	-44.1	3.91	-40.19	≤10.64	PASS
11AX2 0MIMO	Ant2	Low	5745	5650~57 00	-44.81	3.91	-40.9	≤-26.87	PASS
11AX2 0MIMO	Ant2	Low	5745	5760~56 50	-44.09	3.91	-40.18	≤-27	PASS
11AX2 0MIMO	Ant1	High	5825	5850~58 55	-45.1	3.91	-41.19	≤15.73	PASS
11AX2 0MIMO	Ant1	High	5825	5855~58 75	-42.29	3.91	-38.38	≤10.97	PASS
11AX2 0MIMO	Ant1	High	5825	5875~59 25	-43.94	3.91	-40.03	≤-26.31	PASS
11AX2 0MIMO	Ant1	High	5825	5925~59 35	-43.14	3.91	-39.23	≤-27	PASS
11AX2 0MIMO	Ant2	High	5825	5850~58 55	-44.05	3.91	-40.14	≤16.65	PASS
11AX2 0MIMO	Ant2	High	5825	5855~58 75	-44.81	3.91	-40.9	≤10.02	PASS
11AX2 0MIMO	Ant2	High	5825	5875~59 25	-43.06	3.91	-39.15	≤-25.81	PASS
11AX2 0MIMO	Ant2	High	5825	5925~59 35	-43.83	3.91	-39.92	≤-27	PASS
11AX4 0MIMO	Ant1	Low	5755	5720~57 25	-40.26	3.91	-36.35	≤18.51	PASS
11AX4 0MIMO	Ant1	Low	5755	5700~57 20	-44.53	3.91	-40.62	≤10.21	PASS
11AX4 0MIMO	Ant1	Low	5755	5650~57 00	-42.74	3.91	-38.83	≤-26.00	PASS
11AX4 0MIMO	Ant1	Low	5755	5780~56 50	-45.06	3.91	-41.15	≤-27	PASS
11AX4 0MIMO	Ant2	Low	5755	5720~57 25	-41.98	3.91	-38.07	≤16.04	PASS
11AX4 0MIMO	Ant2	Low	5755	5700~57 20	-44.23	3.91	-40.32	≤10.25	PASS
11AX4 0MIMO	Ant2	Low	5755	5650~57 00	-44.13	3.91	-40.22	≤-26.90	PASS
11AX4 0MIMO	Ant2	Low	5755	5780~56 50	-44	3.91	-40.09	≤-27	PASS
11AX4 0MIMO	Ant1	High	5795	5850~58 55	-42.96	3.91	-39.05	≤17.16	PASS
11AX4	Ant1	High	5795	5855~58	-44.23	3.91	-40.32	≤10.11	PASS

0MIMO				75					
11AX4 0MIMO	Ant1	High	5795	5875~59 25	-42.43	3.91	-38.52	≤-26.95	PASS
11AX4 0MIMO	Ant1	High	5795	5925~59 35	-43.14	3.91	-39.23	≤-27	PASS
11AX4 0MIMO	Ant2	High	5795	5850~58 55	-44.35	3.91	-40.44	≤15.66	PASS
11AX4 0MIMO	Ant2	High	5795	5855~58 75	-43.95	3.91	-40.04	≤10.25	PASS
11AX4 0MIMO	Ant2	High	5795	5875~59 25	-43.74	3.91	-39.83	≤-26.95	PASS
11AX4 0MIMO	Ant2	High	5795	5925~59 35	-43.11	3.91	-39.2	≤-27	PASS
11AX8 0MIMO	Ant1	Low	5775	5720~57 25	-42.63	3.91	-38.72	≤16.00	PASS
11AX8 0MIMO	Ant1	Low	5775	5700~57 20	-43.57	3.91	-39.66	≤10.09	PASS
11AX8 0MIMO	Ant1	Low	5775	5650~57 00	-44.02	3.91	-40.11	≤-25.54	PASS
11AX8 0MIMO	Ant1	Low	5775	5800~56 50	-44.14	3.91	-40.23	≤-27	PASS
11AX8 0MIMO	Ant1	High	5775	5850~58 55	-43.58	3.91	-39.67	≤17.10	PASS
11AX8 0MIMO	Ant1	High	5775	5855~58 75	-43.34	3.91	-39.43	≤10.81	PASS
11AX8 0MIMO	Ant1	High	5775	5875~59 25	-44.02	3.91	-40.11	≤-26.32	PASS
11AX8 0MIMO	Ant1	High	5775	5925~59 35	-41.64	3.91	-37.73	≤-27	PASS
11AX8 0MIMO	Ant2	Low	5775	5720~57 25	-40.56	3.91	-36.65	≤16.00	PASS
11AX8 0MIMO	Ant2	Low	5775	5700~57 20	-41.04	3.91	-37.13	≤10.88	PASS
11AX8 0MIMO	Ant2	Low	5775	5650~57 00	-44.17	3.91	-40.26	≤-26.91	PASS
11AX8 0MIMO	Ant2	Low	5775	5800~56 50	-44.08	3.91	-40.17	≤-27	PASS
11AX8 0MIMO	Ant2	High	5775	5850~58 55	-43.07	3.91	-39.16	≤16.26	PASS
11AX8 0MIMO	Ant2	High	5775	5855~58 75	-42.68	3.91	-38.77	≤10.50	PASS
11AX8 0MIMO	Ant2	High	5775	5875~59 25	-42.32	3.91	-38.41	≤-26.32	PASS

11AX8 0MIMO	Ant2	High	5775	5925~59 35	-43	3.91	-39.09	≤-27	PASS
----------------	------	------	------	---------------	-----	------	--------	------	------

Test Graphs B1/2/3






11A-Ant2-5320-PASS



11A-Ant1-5500-PASS



11A-Ant2-5500-PASS










11N20MIMO-Ant1-5700-PASS



11N20MIMO-Ant2-5700-PASS



11N40MIMO-Ant1-5190-PASS





11N40MIMO-Ant2-5190-PASS




11N40MIMO-Ant1-5310-PASS



11N40MIMO-Ant2-5310-PASS


11N40MIMO-Ant1-5510-PASS

11N40MIMO-Ant2-5510-PASS

11N40MIMO-Ant1-5670-PASS



11N40MIMO-Ant2-5670-PASS





11AC20MIMO-Ant1-5180-PASS



11AC20MIMO-Ant2-5180-PASS


11AC20MIMO-Ant1-5320-PASS


11AC20MIMO-Ant2-5320-PASS

11AC20MIMO-Ant1-5500-PASS



11AC20MIMO-Ant2-5500-PASS



11AC20MIMO-Ant1-5700-PASS



11AC20MIMO-Ant2-5700-PASS



11AC40MIMO-Ant1-5190-PASS



11AC40MIMO-Ant2-5190-PASS



11AC40MIMO-Ant1-5310-PASS