





Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6554.5700	-9.99	42.73	68.23	25.50	39.04	54.00	14.96	150	11	Vertical	PASS
2	7875.2200	-8.36	44.95	68.23	23.28	39.75	54.00	14.25	150	174	Vertical	PASS
3	9000.0600	-6.30	46.65	74.00	27.35	44.79	54.00	9.21	150	47	Vertical	PASS
4	10621.4400	-3.25	46.98	74.00	27.02	44.67	54.00	9.33	150	47	Vertical	PASS
5	12855.8700	-0.58	47.50	68.23	20.73	44.98	54.00	9.02	150	316	Vertical	PASS
6	15217.7900	2.58	50.03	68.23	18.20	46.08	54.00	7.92	150	53	Vertical	PASS


Mode:

n20-5240




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6801.0100	-9.35	42.79	68.23	25.44	38.74	54.00	15.26	150	104	Horizontal	PASS
2	8299.7800	-7.25	45.13	74.00	28.87	39.20	54.00	14.80	150	241	Horizontal	PASS
3	9638.1200	-4.42	46.42	68.23	21.81	42.67	54.00	11.33	150	241	Horizontal	PASS
4	11951.2400	-1.62	48.11	74.00	25.89	42.08	54.00	11.92	150	241	Horizontal	PASS
5	14029.5100	1.76	49.96	68.23	18.27	45.42	54.00	8.58	150	229	Horizontal	PASS
6	15357.4800	3.11	50.22	74.00	23.78	47.95	54.00	6.05	150	25	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6421.5900	-9.64	43.09	68.23	25.14	40.31	54.00	13.69	150	312	Vertical	PASS
2	7996.6100	-7.66	45.36	68.23	22.87	41.97	54.00	12.03	150	195	Vertical	PASS
3	9576.5100	-4.28	46.61	68.23	21.62	42.70	54.00	11.30	150	356	Vertical	PASS
4	12000.0400	-1.54	49.38	74.00	24.62	45.54	54.00	8.46	150	349	Vertical	PASS
5	14031.3400	1.83	50.92	68.23	17.31	48.33	54.00	5.67	150	11	Vertical	PASS
6	15327.5900	3.35	49.95	68.23	18.28	46.83	54.00	7.17	150	226	Vertical	PASS

Mode: ax20-5180



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	44.13	68.23	24.10	40.73	54.00	13.27	150	149	Horizontal	PASS
2	7453.7100	-9.15	44.27	74.00	29.73	40.91	54.00	13.09	150	161	Horizontal	PASS
3	9000.0600	-6.30	47.99	74.00	26.01	44.59	54.00	9.41	150	186	Horizontal	PASS
4	10360.3600	-3.94	49.75	68.23	18.48	47.32	54.00	6.68	150	327	Horizontal	PASS
5	12000.0400	-1.54	47.60	74.00	26.40	45.03	54.00	8.97	150	111	Horizontal	PASS
6	12989.4600	-0.72	47.84	68.23	20.39	44.78	54.00	9.22	150	79	Horizontal	PASS




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6207.4800	-10.55	44.20	68.23	24.03	42.12	54.00	11.88	150	329	Vertical	PASS
2	7251.8000	-9.23	46.24	74.00	27.76	40.93	54.00	13.07	150	2	Vertical	PASS
3	9000.0600	-6.30	48.59	74.00	25.41	47.34	54.00	6.66	150	40	Vertical	PASS
4	10362.8000	-3.91	47.37	68.23	20.86	45.86	54.00	8.14	150	0	Vertical	PASS
5	12000.0400	-1.54	47.39	74.00	26.61	45.24	54.00	8.76	150	329	Vertical	PASS
6	14356.4700	1.61	50.49	68.23	17.74	48.79	54.00	5.21	150	152	Vertical	PASS

Mode: ax20-5200




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6925.4500	-9.16	43.16	68.23	25.07	40.76	54.00	13.24	150	134	Horizontal	PASS
2	7907.5500	-8.01	45.62	68.23	22.61	42.68	54.00	11.32	150	115	Horizontal	PASS
3	9568.5800	-4.25	46.82	68.23	21.41	43.90	54.00	10.10	150	172	Horizontal	PASS
4	12000.0400	-1.54	47.67	74.00	26.33	44.85	54.00	9.15	150	310	Horizontal	PASS
5	13868.4700	1.37	49.66	68.23	18.57	45.80	54.00	8.20	150	219	Horizontal	PASS
6	15140.3200	2.02	50.29	68.23	17.94	48.07	54.00	5.93	150	153	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6397.1900	-10.13	42.94	68.23	25.29	41.35	54.00	12.65	150	318	Vertical	PASS
2	7983.8000	-7.31	44.92	68.23	23.31	42.54	54.00	11.46	150	195	Vertical	PASS
3	10390.2500	-3.84	46.30	68.23	21.93	42.83	54.00	11.17	150	234	Vertical	PASS
4	12000.0400	-1.54	48.55	74.00	25.45	46.82	54.00	7.18	150	318	Vertical	PASS
5	14425.4000	0.75	49.89	68.23	18.34	46.59	54.00	7.41	150	83	Vertical	PASS
6	15852.1900	2.74	50.14	74.00	23.86	46.40	54.00	7.60	150	214	Vertical	PASS

Mode:


ax20-5240



★ PK Detector ★ AV Detector


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6538.1000	-9.81	43.30	68.23	24.93	40.72	54.00	13.28	150	312	Horizontal	PASS
2	7997.2200	-7.68	45.58	68.23	22.65	43.52	54.00	10.48	150	194	Horizontal	PASS
3	9000.0600	-6.30	47.75	74.00	26.25	45.77	54.00	8.23	150	182	Horizontal	PASS
4	10991.7100	-3.08	46.41	74.00	27.59	43.06	54.00	10.94	150	312	Horizontal	PASS
5	13355.4600	0.77	48.76	74.00	25.24	45.65	54.00	8.35	150	286	Horizontal	PASS
6	15366.0200	2.87	49.96	74.00	24.04	47.28	54.00	6.72	150	337	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	44.54	68.23	23.69	39.70	54.00	14.30	150	140	Vertical	PASS
2	7808.7300	-8.40	44.39	68.23	23.84	41.01	54.00	12.99	150	186	Vertical	PASS
3	9000.0600	-6.30	47.79	74.00	26.21	46.02	54.00	7.98	150	23	Vertical	PASS
4	10518.9600	-3.54	46.47	68.23	21.76	44.42	54.00	9.58	150	322	Vertical	PASS
5	12243.4300	-1.32	47.43	74.00	26.57	45.04	54.00	8.96	150	225	Vertical	PASS
6	14852.4000	1.90	49.89	68.23	18.34	45.83	54.00	8.17	150	161	Vertical	PASS

Mode: ac40-5190




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6513.0900	-9.76	43.13	68.23	25.10	38.71	54.00	15.29	150	114	Horizontal	PASS
2	8421.1700	-7.15	45.39	74.00	28.61	42.81	54.00	11.19	150	139	Horizontal	PASS
3	9946.7800	-3.85	46.38	68.23	21.85	44.05	54.00	9.95	150	308	Horizontal	PASS
4	12000.0400	-1.54	47.12	74.00	26.88	45.69	54.00	8.31	150	352	Horizontal	PASS
5	12908.9400	-0.18	47.54	68.23	20.69	44.24	54.00	9.76	150	200	Horizontal	PASS
6	15299.5300	3.02	50.18	68.23	18.05	47.97	54.00	6.03	150	139	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6378.8900	-10.37	42.94	68.23	25.29	40.41	54.00	13.59	150	146	Vertical	PASS
2	7995.3900	-7.61	45.42	68.23	22.81	42.02	54.00	11.98	150	193	Vertical	PASS
3	9000.0600	-6.30	47.94	74.00	26.06	45.06	54.00	8.94	150	10	Vertical	PASS
4	9689.3600	-4.10	46.20	68.23	22.03	44.33	54.00	9.67	150	18	Vertical	PASS
5	12000.0400	-1.54	47.87	74.00	26.13	46.86	54.00	7.14	150	343	Vertical	PASS
6	15661.8700	2.95	49.96	74.00	24.04	47.94	54.00	6.06	150	212	Vertical	PASS

Mode: ac40-5230



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	43.77	68.23	24.46	40.16	54.00	13.84	150	116	Horizontal	PASS
2	7978.3100	-7.30	44.30	68.23	23.93	41.56	54.00	12.44	150	198	Horizontal	PASS
3	9000.0600	-6.30	46.47	74.00	27.53	44.55	54.00	9.45	150	225	Horizontal	PASS
4	11826.1900	-1.58	46.79	74.00	27.21	45.31	54.00	8.69	150	237	Horizontal	PASS
5	13684.8600	0.46	48.75	68.23	19.48	46.39	54.00	7.61	150	258	Horizontal	PASS
6	15343.4500	3.33	50.75	68.23	17.48	48.67	54.00	5.33	150	36	Horizontal	PASS



★ PK Detector ● AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6406.3400	-10.10	43.67	68.23	24.56	40.92	54.00	13.08	150	4	Vertical	PASS
2	7974.0400	-7.43	45.31	68.23	22.92	42.36	54.00	11.64	150	160	Vertical	PASS
3	10996.5900	-3.01	46.73	74.00	27.27	42.70	54.00	11.30	150	244	Vertical	PASS
4	12000.0400	-1.54	51.06	74.00	22.94	48.71	54.00	5.29	150	356	Vertical	PASS
5	13880.0600	1.51	49.45	68.23	18.78	46.53	54.00	7.47	150	250	Vertical	PASS
6	16400.5800	3.53	50.77	68.23	17.46	45.53	54.00	8.47	150	167	Vertical	PASS


Mode:	ax40-5190
-------	-----------



★ PK Detector ★ AV Detector


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6628.3800	-9.78	42.93	68.23	25.30	36.72	54.00	17.28	150	62	Horizontal	PASS
2	7990.5100	-7.44	45.60	68.23	22.63	42.96	54.00	11.04	150	190	Horizontal	PASS
3	9586.2700	-4.44	46.41	68.23	21.82	43.77	54.00	10.23	150	22	Horizontal	PASS
4	11717.0000	-2.05	47.87	74.00	26.13	45.31	54.00	8.69	150	22	Horizontal	PASS
5	14038.0500	2.09	50.08	68.23	18.15	47.83	54.00	6.17	150	356	Horizontal	PASS
6	16555.5200	3.91	50.32	68.23	17.91	48.33	54.00	5.67	150	68	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	7037.0800	-9.24	42.62	68.23	25.61	39.06	54.00	14.94	150	141	Vertical	PASS
2	7959.4000	-7.63	44.53	68.23	23.70	38.18	54.00	15.82	150	182	Vertical	PASS
3	9000.0600	-6.30	46.90	74.00	27.10	45.37	54.00	8.63	150	34	Vertical	PASS
4	11725.5400	-2.05	47.16	74.00	26.84	42.63	54.00	11.37	150	219	Vertical	PASS
5	13879.4500	1.50	48.97	68.23	19.26	46.58	54.00	7.42	150	90	Vertical	PASS
6	16731.8100	4.22	50.43	68.23	17.80	46.13	54.00	7.87	150	7	Vertical	PASS

Mode:	ax40-5230
-------	-----------



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6719.8800	-9.69	42.99	68.23	25.24	40.18	54.00	13.82	150	131	Horizontal	PASS
2	8712.7500	-6.94	45.19	68.23	23.04	37.77	54.00	16.23	150	17	Horizontal	PASS
3	9797.3300	-4.35	47.28	68.23	20.95	44.89	54.00	9.11	150	160	Horizontal	PASS
4	11990.2800	-1.57	47.62	74.00	26.38	44.04	54.00	9.96	150	125	Horizontal	PASS
5	14255.8200	0.81	49.36	68.23	18.87	46.41	54.00	7.59	150	125	Horizontal	PASS
6	16304.2000	3.53	50.38	68.23	17.85	48.51	54.00	5.49	150	165	Horizontal	PASS




★ PK Detector ● AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6716.2200	-9.84	43.44	68.23	24.79	41.02	54.00	12.98	150	0	Vertical	PASS
2	7967.9400	-7.57	44.97	68.23	23.26	38.37	54.00	15.63	150	172	Vertical	PASS
3	9000.0600	-6.30	47.65	74.00	26.35	45.21	54.00	8.79	150	34	Vertical	PASS
4	10367.0700	-3.87	46.85	68.23	21.38	43.25	54.00	10.75	150	126	Vertical	PASS
5	12000.0400	-1.54	49.70	74.00	24.30	47.58	54.00	6.42	150	337	Vertical	PASS
6	14205.8000	1.08	49.52	68.23	18.71	46.53	54.00	7.47	150	132	Vertical	PASS

Mode: ac80-5210




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6178.8100	-10.94	42.57	68.23	25.66	40.42	54.00	13.58	150	76	Horizontal	PASS
2	7824.5900	-8.53	44.54	68.23	23.69	42.47	54.00	11.53	150	181	Horizontal	PASS
3	9000.0600	-6.30	46.50	74.00	27.50	43.73	54.00	10.27	150	181	Horizontal	PASS
4	11189.9600	-2.39	47.37	74.00	26.63	44.65	54.00	9.35	150	0	Horizontal	PASS
5	13841.0200	1.52	49.95	68.23	18.28	47.60	54.00	6.40	150	12	Horizontal	PASS
6	16763.5300	3.92	51.19	68.23	17.04	49.07	54.00	4.93	150	244	Horizontal	PASS



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6217.8500	-10.29	42.52	68.23	25.71	40.82	54.00	13.18	150	299	Vertical	PASS
2	7687.9500	-8.30	44.78	74.00	29.22	38.88	54.00	15.12	150	332	Vertical	PASS
3	9000.0600	-6.30	47.91	74.00	26.09	46.12	54.00	7.88	150	31	Vertical	PASS
4	11141.1600	-2.65	46.81	74.00	27.19	44.59	54.00	9.41	150	312	Vertical	PASS
5	12000.0400	-1.54	48.62	74.00	25.38	46.40	54.00	7.60	150	338	Vertical	PASS
6	14585.8300	1.93	50.13	68.23	18.10	44.88	54.00	9.12	150	217	Vertical	PASS

Mode: ax80-5210



★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6239.2000	-10.31	43.44	68.23	24.79	39.51	54.00	14.49	150	234	Horizontal	PASS
2	8383.3500	-7.42	45.45	74.00	28.55	41.97	54.00	12.03	150	167	Horizontal	PASS
3	9000.0600	-6.30	46.57	74.00	27.43	44.84	54.00	9.16	150	194	Horizontal	PASS
4	10783.7000	-3.18	46.78	74.00	27.22	44.14	54.00	9.86	150	86	Horizontal	PASS
5	11787.1500	-2.21	47.08	74.00	26.92	43.04	54.00	10.96	150	134	Horizontal	PASS
6	15334.9100	3.37	50.12	68.23	18.11	48.18	54.00	5.82	150	74	Horizontal	PASS




★ PK Detector ● AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6921.7900	-8.88	43.25	68.23	24.98	40.09	54.00	13.91	150	95	Vertical	PASS
2	8387.0100	-7.44	44.75	74.00	29.25	41.97	54.00	12.03	150	217	Vertical	PASS
3	9000.0600	-6.30	47.46	74.00	26.54	46.23	54.00	7.77	150	189	Vertical	PASS
4	11138.7200	-2.67	46.48	74.00	27.52	41.04	54.00	12.96	150	356	Vertical	PASS
5	13826.3800	1.48	49.70	68.23	18.53	44.21	54.00	9.79	150	303	Vertical	PASS
6	16314.5700	3.57	50.59	68.23	17.64	47.46	54.00	6.54	150	22	Vertical	PASS

18GHz-40GHz

Mode:	n20-5180
-------	----------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24009.6005	3.14	45.32	74.00	28.68	38.44	54.00	15.56	100	190	Horizontal	PASS
2	25765.2883	3.50	45.91	74.00	28.09	41.09	54.00	12.91	100	160	Horizontal	PASS
3	28887.2444	5.28	46.85	74.00	27.15	40.83	54.00	13.17	100	250	Horizontal	PASS
4	33186.2593	7.53	51.27	74.00	22.73	43.99	54.00	10.01	100	240	Horizontal	PASS
5	36511.7256	11.46	57.27	74.00	16.73	50.40	54.00	3.60	100	30	Horizontal	PASS
6	38883.4442	10.90	57.92	74.00	16.08	50.21	54.00	3.79	100	120	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24050.3025	3.11	45.47	74.00	28.53	38.36	54.00	15.64	100	40	Vertical	PASS
2	26158.0079	3.72	46.47	74.00	27.53	41.24	54.00	12.76	100	300	Vertical	PASS
3	29328.3664	4.94	47.38	74.00	26.62	41.94	54.00	12.06	100	250	Vertical	PASS
4	32225.9113	6.58	49.67	74.00	24.33	39.01	54.00	14.99	100	340	Vertical	PASS
5	36524.9262	11.46	58.02	74.00	15.98	50.68	54.00	3.32	100	280	Vertical	PASS
6	39380.6690	11.32	57.01	74.00	16.99	50.58	54.00	3.42	100	120	Vertical	PASS

Mode:	n20-5200
-------	----------




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24092.1046	3.09	44.19	74.00	29.81	40.12	54.00	13.88	100	140	Horizontal	PASS
2	26079.9040	3.76	45.71	74.00	28.29	41.58	54.00	12.42	100	80	Horizontal	PASS
3	29117.1559	5.30	47.03	74.00	26.97	41.32	54.00	12.68	100	200	Horizontal	PASS
4	33020.1510	7.44	50.95	74.00	23.05	45.83	54.00	8.17	100	120	Horizontal	PASS
5	36823.0412	11.55	57.46	74.00	16.54	49.98	54.00	4.02	100	180	Horizontal	PASS
6	38655.7328	10.71	57.19	74.00	16.81	50.26	54.00	3.74	100	170	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	21511.3756	-1.68	38.08	74.00	35.92	32.58	54.00	21.42	100	10	Vertical	PASS
2	24107.5054	3.08	44.18	74.00	29.82	38.49	54.00	15.51	100	20	Vertical	PASS
3	26209.7105	3.70	46.54	74.00	27.46	41.83	54.00	12.17	100	360	Vertical	PASS
4	28869.6435	5.25	47.60	74.00	26.40	38.40	54.00	15.60	100	310	Vertical	PASS
5	33506.3753	7.71	51.49	74.00	22.51	44.86	54.00	9.14	100	340	Vertical	PASS
6	36599.7300	11.49	57.74	74.00	16.26	50.26	54.00	3.74	100	240	Vertical	PASS

Mode:	n20-5240
-------	----------




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20965.7483	-1.66	38.26	74.00	35.74	31.72	54.00	22.28	100	150	Horizontal	PASS
2	24129.5065	3.07	44.66	74.00	29.34	37.98	54.00	16.02	100	0	Horizontal	PASS
3	26048.0024	3.76	45.87	74.00	28.13	39.64	54.00	14.36	100	60	Horizontal	PASS
4	29157.8579	5.23	47.54	74.00	26.46	40.15	54.00	13.85	100	230	Horizontal	PASS
5	33514.0757	7.71	51.64	74.00	22.36	44.07	54.00	9.93	100	310	Horizontal	PASS
6	36600.8300	11.49	56.89	74.00	17.11	50.05	54.00	3.95	100	280	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	21524.5762	-1.68	38.70	74.00	35.30	33.64	54.00	20.36	100	350	Vertical	PASS
2	23988.6994	3.12	45.64	74.00	28.36	40.52	54.00	13.48	100	60	Vertical	PASS
3	26917.0459	3.46	44.46	74.00	29.54	39.13	54.00	14.87	100	190	Vertical	PASS
4	29254.6627	5.07	47.29	74.00	26.71	42.71	54.00	11.29	100	50	Vertical	PASS
5	33264.3632	7.58	51.02	74.00	22.98	46.69	54.00	7.31	100	110	Vertical	PASS
6	36796.6398	11.55	58.57	74.00	15.43	50.29	54.00	3.71	100	190	Vertical	PASS

Mode: ax20-5180




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24012.9006	3.13	40.68	74.00	33.32	35.23	54.00	18.77	100	190	Horizontal	PASS
2	26177.8089	3.72	42.06	74.00	31.94	34.47	54.00	19.53	100	270	Horizontal	PASS
3	29277.7639	5.04	43.17	74.00	30.83	36.75	54.00	17.25	100	160	Horizontal	PASS
4	33163.1582	7.52	47.75	74.00	26.25	44.00	54.00	10.00	100	70	Horizontal	PASS
5	36370.9185	11.42	54.64	74.00	19.36	48.90	54.00	5.10	100	190	Horizontal	PASS
6	39333.3667	11.28	53.61	74.00	20.39	46.03	54.00	7.97	100	330	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24005.2003	3.14	41.16	74.00	32.84	34.38	54.00	19.62	100	300	Vertical	PASS
2	26218.5109	3.70	43.10	74.00	30.90	35.56	54.00	18.44	100	290	Vertical	PASS
3	28748.6374	5.01	43.12	74.00	30.88	36.45	54.00	17.55	100	190	Vertical	PASS
4	31911.2956	6.27	43.46	74.00	30.54	39.13	54.00	14.87	100	110	Vertical	PASS
5	36594.2297	11.48	53.99	74.00	20.01	48.02	54.00	5.98	100	270	Vertical	PASS
6	39833.8917	11.71	52.99	74.00	21.01	46.12	54.00	7.88	100	320	Vertical	PASS

Mode: ax20-5200



Final Data List


NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24066.8033	3.10	41.27	74.00	32.73	34.29	54.00	19.71	100	200	Horizontal	PASS
2	26143.7072	3.73	42.59	74.00	31.41	35.42	54.00	18.58	100	150	Horizontal	PASS
3	29682.5841	4.34	43.52	74.00	30.48	38.78	54.00	15.22	100	250	Horizontal	PASS
4	33490.9745	7.70	47.60	74.00	26.40	42.54	54.00	11.46	100	260	Horizontal	PASS
5	36581.0291	11.48	53.33	74.00	20.67	48.61	54.00	5.39	100	20	Horizontal	PASS
6	38729.4365	10.77	52.75	74.00	21.25	46.95	54.00	7.05	100	180	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24039.3020	3.12	40.55	74.00	33.45	34.06	54.00	19.94	100	240	Vertical	PASS
2	27112.8556	3.44	41.58	74.00	32.42	34.49	54.00	19.51	100	70	Vertical	PASS
3	29171.0586	5.21	42.94	74.00	31.06	39.16	54.00	14.84	100	310	Vertical	PASS
4	32079.6040	6.43	44.19	74.00	29.81	38.86	54.00	15.14	100	140	Vertical	PASS
5	34530.5265	8.17	48.73	74.00	25.27	41.84	54.00	12.16	100	150	Vertical	PASS
6	36555.7278	11.47	53.99	74.00	20.01	47.03	54.00	6.97	100	350	Vertical	PASS

Mode:


ax20-5240



★ PK Detector ★ AV Detector


Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	23308.8654	1.51	37.58	74.00	36.42	31.89	54.00	22.11	100	290	Horizontal	PASS
2	24500.2250	2.87	40.78	74.00	33.22	33.57	54.00	20.43	100	70	Horizontal	PASS
3	27022.6511	3.43	41.23	74.00	32.77	33.99	54.00	20.01	100	200	Horizontal	PASS
4	30546.1273	4.79	43.35	74.00	30.65	38.26	54.00	15.74	100	120	Horizontal	PASS
5	33226.9613	7.55	47.49	74.00	26.51	40.90	54.00	13.10	100	330	Horizontal	PASS
6	35983.6992	11.25	53.64	74.00	20.36	45.70	54.00	8.30	100	50	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	22423.3212	-0.67	35.83	74.00	38.17	32.01	54.00	21.99	100	90	Vertical	PASS
2	24032.7016	3.13	40.55	74.00	33.45	35.92	54.00	18.08	100	300	Vertical	PASS
3	28770.6385	5.05	42.38	74.00	31.62	36.74	54.00	17.26	100	90	Vertical	PASS
4	31586.7793	6.04	44.35	74.00	29.65	35.61	54.00	18.39	100	350	Vertical	PASS
5	34629.5315	8.21	48.66	74.00	25.34	43.01	54.00	10.99	100	270	Vertical	PASS
6	36937.4469	11.59	53.33	74.00	20.67	47.45	54.00	6.55	100	200	Vertical	PASS

Mode:	ac40-5190
-------	-----------




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24809.3405	2.70	40.54	74.00	33.46	33.46	54.00	20.54	100	140	Horizontal	PASS
2	26282.3141	3.68	42.19	74.00	31.81	35.50	54.00	18.50	100	100	Horizontal	PASS
3	29279.9640	5.02	43.81	74.00	30.19	37.83	54.00	16.17	100	240	Horizontal	PASS
4	33336.9668	7.61	47.28	74.00	26.72	41.85	54.00	12.15	100	160	Horizontal	PASS
5	36605.2303	11.49	53.47	74.00	20.53	47.31	54.00	6.69	100	270	Horizontal	PASS
6	38913.1457	10.93	53.48	74.00	20.52	46.34	54.00	7.66	100	80	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	24006.3003	3.14	40.99	74.00	33.01	35.42	54.00	18.58	100	160	Vertical	PASS
2	25745.4873	3.48	42.48	74.00	31.52	34.48	54.00	19.52	100	40	Vertical	PASS
3	29232.6616	5.11	43.15	74.00	30.85	36.64	54.00	17.36	100	100	Vertical	PASS
4	31584.5792	6.04	43.93	74.00	30.07	38.25	54.00	15.75	100	130	Vertical	PASS
5	33301.7651	7.59	47.73	74.00	26.27	44.43	54.00	9.57	100	50	Vertical	PASS
6	36642.6321	11.50	54.15	74.00	19.85	49.41	54.00	4.59	100	90	Vertical	PASS

Mode:	ac40-5230
-------	-----------



Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	21050.4525	-1.62	34.32	74.00	39.68	26.66	54.00	27.34	100	270	Horizontal	PASS
2	24070.1035	3.10	40.66	74.00	33.34	34.92	54.00	19.08	100	180	Horizontal	PASS
3	26158.0079	3.72	42.16	74.00	31.84	35.78	54.00	18.22	100	0	Horizontal	PASS
4	28819.0410	5.14	43.74	74.00	30.26	37.87	54.00	16.13	100	200	Horizontal	PASS
5	33273.1637	7.58	48.04	74.00	25.96	42.08	54.00	11.92	100	200	Horizontal	PASS
6	36901.1451	11.58	53.57	74.00	20.43	47.70	54.00	6.30	100	50	Horizontal	PASS